

Alistair Perry

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2775034/publications.pdf>

Version: 2024-02-01

21
papers

1,226
citations

471371

17
h-index

677027

22
g-index

30
all docs

30
docs citations

30
times ranked

2134
citing authors

#	ARTICLE	IF	CITATIONS
1	Longitudinal Changes in Structural Connectivity in Young People at High Genetic Risk for Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2022, 179, 350-361.	4.0	10
2	Subthalamic deep brain stimulation identifies frontal networks supporting initiation, inhibition and strategy use in Parkinson's disease. <i>NeuroImage</i> , 2020, 223, 117352.	2.1	6
3	The structural connectivity of subthalamic deep brain stimulation correlates with impulsivity in Parkinson's disease. <i>Brain</i> , 2020, 143, 2235-2254.	3.7	52
4	Left Prefrontal Connectivity Links Subthalamic Stimulation with Depressive Symptoms. <i>Annals of Neurology</i> , 2020, 87, 962-975.	2.8	76
5	Longitudinal Changes in Whole-Brain Functional Connectivity Strength Patterns and the Relationship With the Global Cognitive Decline in Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 71.	1.7	16
6	The structural connectivity of discrete networks underlies impulsivity and gambling in Parkinson's disease. <i>Brain</i> , 2019, 142, 3917-3935.	3.7	33
7	Development of frontoparietal connectivity predicts longitudinal symptom changes in young people with autism spectrum disorder. <i>Translational Psychiatry</i> , 2019, 9, 86.	2.4	40
8	Connectomics of bipolar disorder: a critical review, and evidence for dynamic instabilities within interoceptive networks. <i>Molecular Psychiatry</i> , 2019, 24, 1296-1318.	4.1	91
9	Persistence of Mania After Cessation of Stimulation Following Subthalamic Deep Brain Stimulation. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2018, 30, 246-249.	0.9	13
10	Brain-behavior patterns define a dimensional biotype in medication-naïve adults with attention-deficit hyperactivity disorder. <i>Psychological Medicine</i> , 2018, 48, 2399-2408.	2.7	37
11	Fronto-limbic dysconnectivity leads to impaired brain network controllability in young people with bipolar disorder and those at high genetic risk. <i>NeuroImage: Clinical</i> , 2018, 19, 71-81.	1.4	66
12	The site of stimulation moderates neuropsychiatric symptoms after subthalamic deep brain stimulation for Parkinson's disease. <i>NeuroImage: Clinical</i> , 2018, 18, 996-1006.	1.4	55
13	Structural dysconnectivity of key cognitive and emotional hubs in young people at high genetic risk for bipolar disorder. <i>Molecular Psychiatry</i> , 2018, 23, 413-421.	4.1	48
14	Differentiation of Alzheimer's disease based on local and global parameters in personalized Virtual Brain models. <i>NeuroImage: Clinical</i> , 2018, 19, 240-251.	1.4	69
15	White matter alterations in the internal capsule and psychomotor impairment in melancholic depression. <i>PLoS ONE</i> , 2018, 13, e0195672.	1.1	27
16	Local temporal variability reflects functional integration in the human brain. <i>NeuroImage</i> , 2018, 183, 776-787.	2.1	53
17	The independent influences of age and education on functional brain networks and cognition in healthy older adults. <i>Human Brain Mapping</i> , 2017, 38, 5094-5114.	1.9	49
18	Consistency-based thresholding of the human connectome. <i>NeuroImage</i> , 2017, 145, 118-129.	2.1	157

#	ARTICLE	IF	CITATIONS
19	Whole-brain analytic measures of network communication reveal increased structure-function correlation in right temporal lobe epilepsy. <i>NeuroImage: Clinical</i> , 2016, 11, 707-718.	1.4	60
20	The contribution of geometry to the human connectome. <i>NeuroImage</i> , 2016, 124, 379-393.	2.1	181
21	The organisation of the elderly connectome. <i>NeuroImage</i> , 2015, 114, 414-426.	2.1	62