

Ulla Sovio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2777345/publications.pdf>

Version: 2024-02-01

154
papers

23,324
citations

20797

60
h-index

8852

145
g-index

165
all docs

165
docs citations

165
times ranked

30598
citing authors

#	ARTICLE	IF	CITATIONS
1	A Common Variant in the FTO Gene Is Associated with Body Mass Index and Predisposes to Childhood and Adult Obesity. <i>Science</i> , 2007, 316, 889-894.	6.0	3,884
2	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010, 42, 937-948.	9.4	2,684
3	New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. <i>Nature Genetics</i> , 2010, 42, 105-116.	9.4	1,982
4	Hundreds of variants clustered in genomic loci and biological pathways affect human height. <i>Nature</i> , 2010, 467, 832-838.	13.7	1,789
5	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. <i>Nature Genetics</i> , 2010, 42, 949-960.	9.4	836
6	Genome-wide association analysis of metabolic traits in a birth cohort from a founder population. <i>Nature Genetics</i> , 2009, 41, 35-46.	9.4	676
7	Parent-of-origin-specific allelic associations among 106 genomic loci for age at menarche. <i>Nature</i> , 2014, 514, 92-97.	13.7	548
8	Human placenta has no microbiome but can contain potential pathogens. <i>Nature</i> , 2019, 572, 329-334.	13.7	513
9	Screening for fetal growth restriction with universal third trimester ultrasonography in nulliparous women in the Pregnancy Outcome Prediction (POP) study: a prospective cohort study. <i>Lancet, The</i> , 2015, 386, 2089-2097.	6.3	462
10	Physical Activity Attenuates the Influence of FTO Variants on Obesity Risk: A Meta-Analysis of 218,166 Adults and 19,268 Children. <i>PLoS Medicine</i> , 2011, 8, e1001116.	3.9	446
11	Thirty new loci for age at menarche identified by a meta-analysis of genome-wide association studies. <i>Nature Genetics</i> , 2010, 42, 1077-1085.	9.4	445
12	Genomic analyses identify hundreds of variants associated with age at menarche and support a role for puberty timing in cancer risk. <i>Nature Genetics</i> , 2017, 49, 834-841.	9.4	426
13	Birthweight and mortality in adulthood: a systematic review and meta-analysis. <i>International Journal of Epidemiology</i> , 2011, 40, 647-661.	0.9	416
14	Infant Vitamin D Supplementation and Allergic Conditions in Adulthood: Northern Finland Birth Cohort 1966. <i>Annals of the New York Academy of Sciences</i> , 2004, 1037, 84-95.	1.8	321
15	Stress-Related Eating and Drinking Behavior and Body Mass Index and Predictors of This Behavior. <i>Preventive Medicine</i> , 2002, 34, 29-39.	1.6	319
16	New loci associated with birth weight identify genetic links between intrauterine growth and adult height and metabolism. <i>Nature Genetics</i> , 2013, 45, 76-82.	9.4	293
17	Genome-wide association and genetic functional studies identify autism susceptibility candidate 2 gene (AUTS2) in the regulation of alcohol consumption. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 7119-7124.	3.3	258
18	A Polymorphism Within the G6PC2 Gene Is Associated with Fasting Plasma Glucose Levels. <i>Science</i> , 2008, 320, 1085-1088.	6.0	227

#	ARTICLE	IF	CITATIONS
19	A Bivariate Genome-Wide Approach to Metabolic Syndrome. <i>Diabetes</i> , 2011, 60, 1329-1339.	0.3	226
20	Early Life Factors and Blood Pressure at Age 31 Years in the 1966 Northern Finland Birth Cohort. <i>Hypertension</i> , 2004, 44, 838-846.	1.3	223
21	Variants in <i>ADCY5</i> and near <i>CCNL1</i> are associated with fetal growth and birth weight. <i>Nature Genetics</i> , 2010, 42, 430-435.	9.4	223
22	A genome-wide meta-analysis of genetic variants associated with allergic rhinitis and grass sensitization and their interaction with birth order. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 128, 996-1005.	1.5	212
23	Neonatal outcome and congenital malformations in children born after in-vitro fertilization. <i>Human Reproduction</i> , 2002, 17, 1391-1398.	0.4	197
24	Genome-wide association and longitudinal analyses reveal genetic loci linking pubertal height growth, pubertal timing and childhood adiposity. <i>Human Molecular Genetics</i> , 2013, 22, 2735-2747.	1.4	188
25	Association between Common Variation at the <i>FTO</i> Locus and Changes in Body Mass Index from Infancy to Late Childhood: The Complex Nature of Genetic Association through Growth and Development. <i>PLoS Genetics</i> , 2011, 7, e1001307.	1.5	165
26	Accelerated Fetal Growth Prior to Diagnosis of Gestational Diabetes Mellitus: A Prospective Cohort Study of Nulliparous Women. <i>Diabetes Care</i> , 2016, 39, 982-987.	4.3	152
27	Body size from birth to adulthood as a predictor of self-reported polycystic ovary syndrome symptoms. <i>International Journal of Obesity</i> , 2003, 27, 710-715.	1.6	143
28	Manifestations of Metabolic Syndrome After Hypertensive Pregnancy. <i>Hypertension</i> , 2004, 43, 825-831.	1.3	142
29	Hormonal Profile of Women with Self-Reported Symptoms of Oligomenorrhea and/or Hirsutism: Northern Finland Birth Cohort 1966 Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 141-147.	1.8	134
30	Genetic Determinants of Height Growth Assessed Longitudinally from Infancy to Adulthood in the Northern Finland Birth Cohort 1966. <i>PLoS Genetics</i> , 2009, 5, e1000409.	1.5	131
31	Common variants at 12q15 and 12q24 are associated with infant head circumference. <i>Nature Genetics</i> , 2012, 44, 532-538.	9.4	130
32	Common variants at 6q22 and 17q21 are associated with intracranial volume. <i>Nature Genetics</i> , 2012, 44, 539-544.	9.4	126
33	Inherent mosaicism and extensive mutation of human placentas. <i>Nature</i> , 2021, 592, 80-85.	13.7	126
34	Adolescent Manifestations of Metabolic Syndrome Among Children Born to Women With Gestational Diabetes in a General-Population Birth Cohort. <i>American Journal of Epidemiology</i> , 2009, 169, 1209-1215.	1.6	123
35	Association of variants in the fat mass and obesity associated (<i>FTO</i>) gene with polycystic ovary syndrome. <i>Diabetologia</i> , 2008, 51, 1153-1158.	2.9	121
36	Growth, psychomotor development and morbidity up to 3 years of age in children born after IVF. <i>Human Reproduction</i> , 2003, 18, 2328-2336.	0.4	110

#	ARTICLE	IF	CITATIONS
37	Pubertal Timing and Growth Influences Cardiometabolic Risk Factors in Adult Males and Females. <i>Diabetes Care</i> , 2012, 35, 850-856.	4.3	107
38	Predictors of abdominal obesity among 31-y-old men and women born in Northern Finland in 1966. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 180-190.	1.3	106
39	Screening for fetal growth restriction using fetal biometry combined with maternal biomarkers. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, S725-S737.	0.7	106
40	Prediction of Preeclampsia Using the Soluble fms-Like Tyrosine Kinase 1 to Placental Growth Factor Ratio. <i>Hypertension</i> , 2017, 69, 731-738.	1.3	105
41	Metabolic Cardiovascular Disease Risk Factors in Women with Self-Reported Symptoms of Oligomenorrhea and/or Hirsutism: Northern Finland Birth Cohort 1966 Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 2114-2118.	1.8	96
42	Size at birth, weight gain over the life course, and low-grade inflammation in young adulthood: northern Finland 1966 birth cohort study. <i>European Heart Journal</i> , 2008, 29, 1049-1056.	1.0	94
43	Screening for fetal growth restriction using ultrasound and the sFLT1/PIGF ratio in nulliparous women: a prospective cohort study. <i>The Lancet Child and Adolescent Health</i> , 2018, 2, 569-581.	2.7	94
44	Large-Scale Analysis of the Relationship between CYP11A Promoter Variation, Polycystic Ovarian Syndrome, and Serum Testosterone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 2408-2413.	1.8	93
45	Unemployment and obesity among young adults in a northern Finland 1966 birth cohort. <i>International Journal of Obesity</i> , 2002, 26, 1329-1338.	1.6	92
46	Common genetic variation near MC4R is associated with eating behaviour patterns in European populations. <i>International Journal of Obesity</i> , 2009, 33, 373-378.	1.6	92
47	GWAS on longitudinal growth traits reveals different genetic factors influencing infant, child, and adult BMI. <i>Science Advances</i> , 2019, 5, eaaw3095.	4.7	86
48	A maternal serum metabolite ratio predicts fetal growth restriction at term. <i>Nature Medicine</i> , 2020, 26, 348-353.	15.2	85
49	Relation of Immediate Postnatal Growth With Obesity and Related Metabolic Risk Factors in Adulthood: The Northern Finland Birth Cohort 1966 Study. <i>American Journal of Epidemiology</i> , 2010, 171, 989-998.	1.6	83
50	Maternal weight gain during the first half of pregnancy and offspring obesity at 16 years: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 716-723.	1.1	82
51	Overweight in Childhood, Adolescence and Adulthood and Cardiovascular Risk in Later Life: Pooled Analysis of Three British Birth Cohorts. <i>PLoS ONE</i> , 2013, 8, e70684.	1.1	82
52	Distinct Variants at LIN28B Influence Growth in Height from Birth to Adulthood. <i>American Journal of Human Genetics</i> , 2010, 86, 773-782.	2.6	81
53	The Consortium of Metabolomics Studies (COMETS): Metabolomics in 47 Prospective Cohort Studies. <i>American Journal of Epidemiology</i> , 2019, 188, 991-1012.	1.6	81
54	Fetus-derived DLK1 is required for maternal metabolic adaptations to pregnancy and is associated with fetal growth restriction. <i>Nature Genetics</i> , 2016, 48, 1473-1480.	9.4	79

#	ARTICLE	IF	CITATIONS
55	Relationship between birthweight and blood lipid concentrations in later life: evidence from the existing literature. <i>International Journal of Epidemiology</i> , 2003, 32, 862-876.	0.9	78
56	The RNA landscape of the human placenta in health and disease. <i>Nature Communications</i> , 2021, 12, 2639.	5.8	75
57	Prevalence of polycystic ovaries in women with self-reported symptoms of oligomenorrhoea and/or hirsutism: Northern Finland Birth Cohort 1966 Study. <i>Human Reproduction</i> , 2004, 19, 1083-1088.	0.4	74
58	How do changes in body mass index in infancy and childhood associate with cardiometabolic profile in adulthood? Findings from the Northern Finland Birth Cohort 1966 Study. <i>International Journal of Obesity</i> , 2014, 38, 53-59.	1.6	72
59	Analysis of Multiple Data Sets Reveals No Association between the Insulin Gene Variable Number Tandem Repeat Element and Polycystic Ovary Syndrome or Related Traits. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 2988-2993.	1.8	70
60	Fecundability and spontaneous abortions in women with self-reported oligo-amenorrhea and/or hirsutism: Northern Finland Birth Cohort 1966 Study. <i>Human Reproduction</i> , 2008, 23, 2134-2139.	0.4	67
61	Genome-Wide Association Study Reveals Multiple Loci Associated with Primary Tooth Development during Infancy. <i>PLoS Genetics</i> , 2010, 6, e1000856.	1.5	64
62	Comparison of metabolic and inflammatory outcomes in women who used oral contraceptives and the levonorgestrel-releasing intrauterine device in a general population. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, 529.e1-529.e10.	0.7	63
63	The pregnancy outcome prediction (POP) study: Investigating the relationship between serial prenatal ultrasonography, biomarkers, placental phenotype and adverse pregnancy outcomes. <i>Placenta</i> , 2017, 59, S17-S25.	0.7	58
64	Does vitamin D supplementation in infancy reduce the risk of pre-eclampsia?. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 1136-1139.	1.3	54
65	Placental polyamine metabolism differs by fetal sex, fetal growth restriction, and preeclampsia. <i>JCI Insight</i> , 2018, 3, .	2.3	54
66	Cloning–Temperament Dimensions, Socio-economic and Lifestyle Factors and Metabolic Syndrome Markers at Age 31 Years in the Northern Finland Birth Cohort 1966. <i>Journal of Health Psychology</i> , 2007, 12, 371-382.	1.3	48
67	Birthweight and blood pressure in five European birth cohort studies: an investigation of confounding factors. <i>European Journal of Public Health</i> , 2006, 16, 21-30.	0.1	47
68	The effect of customization and use of a fetal growth standard on the association between birthweight percentile and adverse perinatal outcome. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, S738-S744.	0.7	47
69	Variation at the Insulin Gene VNTR (Variable Number Tandem Repeat) Polymorphism and Early Growth: Studies in a Large Finnish Birth Cohort. <i>Diabetes</i> , 2004, 53, 2126-2131.	0.3	44
70	The CD94/NKG2A inhibitory receptor educates uterine NK cells to optimize pregnancy outcomes in humans and mice. <i>Immunity</i> , 2021, 54, 1231-1244.e4.	6.6	44
71	Body size from birth to adulthood and bone mineral content and density at 31 years of age: results from the northern Finland 1966 birth cohort study. <i>Osteoporosis International</i> , 2005, 16, 1417-1424.	1.3	42
72	Early-life origins of schizotypal traits in adulthood. <i>British Journal of Psychiatry</i> , 2009, 195, 132-137.	1.7	41

#	ARTICLE	IF	CITATIONS
73	Do eating disorders in parents predict eating disorders in children? Evidence from a Swedish cohort. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 51-59.	2.2	41
74	Social and Developmental Predictors of Optimism from Infancy to Early Adulthood. <i>Social Indicators Research</i> , 2004, 69, 219-242.	1.4	40
75	Fetal and infant growth and the risk of obesity during early childhood: the Generation R Study. <i>European Journal of Endocrinology</i> , 2011, 165, 623-630.	1.9	40
76	Disparate genetic influences on polycystic ovary syndrome (PCOS) and type 2 diabetes revealed by a lack of association between common variants within the TCF7L2 gene and PCOS. <i>Diabetologia</i> , 2007, 50, 2318-2322.	2.9	38
77	Preschool Weight and Body Mass Index in Relation to Central Obesity and Metabolic Syndrome in Adulthood. <i>PLoS ONE</i> , 2014, 9, e89986.	1.1	38
78	Screening for breech presentation using universal late-pregnancy ultrasonography: A prospective cohort study and cost effectiveness analysis. <i>PLoS Medicine</i> , 2019, 16, e1002778.	3.9	36
79	Genome-wide oxidative bisulfite sequencing identifies sex-specific methylation differences in the human placenta. <i>Epigenetics</i> , 2018, 13, 228-239.	1.3	35
80	Universal selective ultrasonography to screen for large-for-gestational-age infants and associated morbidity. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 783-791.	0.9	32
81	Birth weight to placenta weight ratio and its relationship to ultrasonic measurements, maternal and neonatal morbidity: A prospective cohort study of nulliparous women. <i>Placenta</i> , 2018, 63, 45-52.	0.7	32
82	4-Hydroxyglutamate is a novel predictor of pre-eclampsia. <i>International Journal of Epidemiology</i> , 2020, 49, 301-311.	0.9	31
83	Life-Course Analysis of a Fat Mass and Obesity-Associated (FTO) Gene Variant and Body Mass Index in the Northern Finland Birth Cohort 1966 Using Structural Equation Modeling. <i>American Journal of Epidemiology</i> , 2010, 172, 653-665.	1.6	30
84	Relationship between Eating Behavior, Breakfast Consumption, and Obesity Among Finnish and Greek Adolescents. <i>Journal of Nutrition Education and Behavior</i> , 2010, 42, 417-421.	0.3	29
85	The association between first trimester AFP to PAPP-A ratio and placentally-related adverse pregnancy outcome. <i>Placenta</i> , 2019, 81, 25-31.	0.7	29
86	Fetal inheritance of chromosomally integrated human herpesvirus 6 predisposes the mother to pre-eclampsia. <i>Nature Microbiology</i> , 2020, 5, 901-908.	5.9	29
87	Mothers and daughters: intergenerational patterns of reproduction. <i>European Journal of Public Health</i> , 2005, 15, 195-199.	0.1	28
88	A community-based motivational personalised lifestyle intervention to reduce BMI in obese adolescents: results from the Healthy Eating and Lifestyle Programme (HELP) randomised controlled trial. <i>Archives of Disease in Childhood</i> , 2017, 102, 695-701.	1.0	28
89	Socioeconomic and early-life factors and risk of being overweight or obese in children of Swedish- and foreign-born parents. <i>Pediatric Research</i> , 2013, 74, 356-363.	1.1	24
90	Universal third-trimester ultrasonic screening using fetal macrosomia in the prediction of adverse perinatal outcome: A systematic review and meta-analysis of diagnostic test accuracy. <i>PLoS Medicine</i> , 2020, 17, e1003190.	3.9	23

#	ARTICLE	IF	CITATIONS
91	Abnormal placental CD8 ⁺ T cell infiltration is a feature of fetal growth restriction and pre-eclampsia. <i>Journal of Physiology</i> , 2020, 598, 5555-5571.	1.3	23
92	Assessing the efficacy of the healthy eating and lifestyle programme (HELP) compared with enhanced standard care of the obese adolescent in the community: study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 242.	0.7	22
93	Social predictors of unsuccessful entrance into the labour market – A socialization process perspective. <i>Journal of Vocational Behavior</i> , 2005, 66, 471-486.	1.9	21
94	No association between insulin gene variation and adult metabolic phenotypes in a large Finnish birth cohort. <i>Diabetologia</i> , 2005, 48, 886-891.	2.9	21
95	The relationship between human placental morphometry and ultrasonic measurements of utero-placental blood flow and fetal growth. <i>Placenta</i> , 2016, 38, 41-48.	0.7	21
96	Detecting eukaryotic microbiota with single-cell sensitivity in human tissue. <i>Microbiome</i> , 2018, 6, 151.	4.9	21
97	Improving Prediction Algorithms for Cardiometabolic Risk in Children and Adolescents. <i>Journal of Obesity</i> , 2013, 2013, 1-6.	1.1	20
98	Prediction of adolescent and adult adiposity outcomes from early life anthropometrics. <i>Obesity</i> , 2015, 23, 162-169.	1.5	20
99	Association Study of 25 Type 2 Diabetes Related Loci with Measures of Obesity in Indian Sib Pairs. <i>PLoS ONE</i> , 2013, 8, e53944.	1.1	19
100	Fetal Growth and the Risk of Spontaneous Preterm Birth in a Prospective Cohort Study of Nulliparous Women. <i>American Journal of Epidemiology</i> , 2016, 184, 110-119.	1.6	19
101	Relationship between E23K (an established type II diabetes-susceptibility variant within KCNJ11), polycystic ovary syndrome and androgen levels. <i>European Journal of Human Genetics</i> , 2007, 15, 679-684.	1.4	17
102	Maternal Hb during pregnancy and offspring's educational achievement: a prospective cohort study over 30 years. <i>British Journal of Nutrition</i> , 2010, 104, 1363-1368.	1.2	17
103	High-Dose Vitamin D Supplements Are Not Associated with Linear Growth in a Large Finnish Cohort ¹ . <i>Journal of Nutrition</i> , 2011, 141, 843-848.	1.3	17
104	Comparison of fully and semi-automated area-based methods for measuring mammographic density and predicting breast cancer risk. <i>British Journal of Cancer</i> , 2014, 110, 1908-1916.	2.9	17
105	Detailed Analysis of Variation at and around Mitochondrial Position 16189 in a Large Finnish Cohort Reveals No Significant Associations with Early Growth or Metabolic Phenotypes at Age 31 Years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 3219-3223.	1.8	16
106	Circulating maternal placental growth factor responses to low-molecular-weight heparin in pregnant patients at risk of placental dysfunction. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, S1145-S1156.e1.	0.7	16
107	No evidence that established type 2 diabetes susceptibility variants in the PPARC and KCNJ11 genes have pleiotropic effects on early growth. <i>Diabetologia</i> , 2007, 51, 82-85.	2.9	15
108	Assessing within-woman changes in mammographic density: a comparison of fully versus semi-automated area-based approaches. <i>Cancer Causes and Control</i> , 2016, 27, 481-491.	0.8	15

#	ARTICLE	IF	CITATIONS
109	Independent influences of maternal obesity and fetal sex on maternal cardiovascular adaptation to pregnancy: a prospective cohort study. <i>International Journal of Obesity</i> , 2020, 44, 2246-2255.	1.6	14
110	Social Determinants of Infant Mortality in a Historical Swedish Cohort. <i>Paediatric and Perinatal Epidemiology</i> , 2012, 26, 408-420.	0.8	13
111	Evaluation of a simple risk score to predict preterm pre-eclampsia using maternal characteristics: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 963-970.	1.1	13
112	Comparison of estimated fetal weight percentiles near term for predicting extremes of birthweight percentile. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 292.e1-292.e19.	0.7	13
113	Universal late pregnancy ultrasound screening to predict adverse outcomes in nulliparous women: a systematic review and cost-effectiveness analysis. <i>Health Technology Assessment</i> , 2021, 25, 1-190.	1.3	13
114	Comparison of self-reported emotional and behavioural problems in adolescents from Greece and Finland. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007, 96, 1174-1179.	0.7	12
115	Scoping the impact of the national child measurement programme feedback on the child obesity pathway: study protocol. <i>BMC Public Health</i> , 2012, 12, 783.	1.2	12
116	A Lower Maternal Cortisol-to-Cortisone Ratio Precedes Clinical Diagnosis of Preterm and Term Preeclampsia by Many Weeks. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2355-2366.	1.8	12
117	Do Mass Spectrometry-Derived Metabolomics Improve the Prediction of Pregnancy-Related Disorders? Findings from a UK Birth Cohort with Independent Validation. <i>Metabolites</i> , 2021, 11, 530.	1.3	12
118	Slowing of fetal growth and elevated maternal serum sFLT1:PIGF are associated with early term spontaneous labor. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 520.e1-520.e10.	0.7	11
119	Early and current socio-economic position and cardiometabolic risk factors in the Indian Migration Study. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 844-853.	0.8	10
120	Breast Cancer Susceptibility Variants and Mammographic Density Phenotypes in Norwegian Postmenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1752-1763.	1.1	9
121	Blinded ultrasound fetal biometry at 36 weeks and risk of emergency Cesarean delivery in a prospective cohort study of low-risk nulliparous women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 78-86.	0.9	9
122	Birth size and survival in breast cancer patients from the Uppsala Birth Cohort Study. <i>Cancer Causes and Control</i> , 2013, 24, 1643-1651.	0.8	8
123	Development and evaluation of an online tool for management of overweight children in primary care: a pilot study. <i>BMJ Open</i> , 2015, 5, e007326-e007326.	0.8	8
124	Performance of different fetal growth charts in prediction of large-for-gestational age and associated neonatal morbidity in multiethnic obese population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 73-77.	0.9	8
125	Body mass index trajectories from 2 to 18 years – exploring differences between European cohorts. <i>Pediatric Obesity</i> , 2017, 12, 102-109.	1.4	7
126	Stability of the Associations between Early Life Risk Indicators and Adolescent Overweight over the Evolving Obesity Epidemic. <i>PLoS ONE</i> , 2014, 9, e95314.	1.1	6

#	ARTICLE	IF	CITATIONS
127	Life course structural equation model of the effects of prenatal and postnatal growth on adult blood pressure. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 1161-1167.	2.0	6
128	Infant locomotive development and its association with adult blood pressure. <i>European Journal of Pediatrics</i> , 2014, 173, 1309-1317.	1.3	5
129	Fetal umbilical artery Doppler as a tool for universal third trimester screening: A systematic review and meta-analysis of diagnostic test accuracy. <i>Placenta</i> , 2021, 108, 47-54.	0.7	5
130	A Maternal Serum Metabolite Ratio Predicts Large for Gestational Age Infants at Term: A Prospective Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1588-e1597.	1.8	4
131	Metabolomic Identification of a Novel, Externally Validated Predictive Test for Gestational Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e3479-e3486.	1.8	4
132	Authors'™ reply re: Evaluation of a simple risk score to predict preterm pre-eclampsia using maternal characteristics: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 1403-1404.	1.1	3
133	LB1: Level 1 evidence for the diagnostic effectiveness of routine sonography as a screening test for small for gestational age (SGA) infants. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 210, S408.	0.7	2
134	155: Screening for late fetal growth restriction using ultrasound and the sFlt-1:PIGF ratio. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, S104.	0.7	2
135	ASSOCIATION BETWEEN FTO POLYMORPHISM, ADIPOSITY PEAK AND ADIPOSITY REBOUND IN THE NORTHERN FINLAND BIRTH COHORT 1966. <i>Atherosclerosis</i> , 2009, 207, e4-e5.	0.4	1
136	Infant Growth and Adult Obesity: Relationship and Factors Affecting Them. , 2013, , 357-366.		1
137	401: Fetal growth and the risk of spontaneous preterm birth. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, S208.	0.7	1
138	151: Screening for fetal growth restriction (FGR) using universal third trimester ultrasonography: a prospective cohort study of 3,977 nulliparous women. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, S92.	0.7	1
139	Screening for Fetal Growth Restriction With Universal Third Trimester Ultrasonography in Nulliparous Women in the Pregnancy Outcome Prediction (POP) Study. <i>Obstetrical and Gynecological Survey</i> , 2016, 71, 133-134.	0.2	1
140	Screening performance of consensus definition of fetal growth restriction inappropriately evaluated – Authors' reply. <i>The Lancet Child and Adolescent Health</i> , 2018, 2, e23.	2.7	1
141	Gestational route to healthy birth (GaRBH): protocol for an Indian prospective cohort study. <i>BMJ Open</i> , 2019, 9, e025395.	0.8	1
142	Neonatal outcome and congenital malformations in children born after IVF. <i>Human Reproduction</i> , 2002, 17, 3005-3005.	0.4	0
143	OP41 – Birth Size and Mortality in Breast Cancer Patients. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, A16.2-A16.	2.0	0
144	The majority of parents of overweight and very overweight children underestimate their child's weight status and weight-related health risk. <i>Archives of Disease in Childhood</i> , 2012, 97, A181.1-A181.	1.0	0

#	ARTICLE	IF	CITATIONS
145	207: First trimester placental thickness and the risk of delivering a small for gestational age infant. American Journal of Obstetrics and Gynecology, 2014, 210, S112.	0.7	0
146	556: Universal versus selective ultrasonography to detect large for gestational age (LGA) infants. American Journal of Obstetrics and Gynecology, 2016, 214, S299-S300.	0.7	0
147	103: Accelerated fetal growth precedes diagnosis of gestational diabetes mellitus (GDM). American Journal of Obstetrics and Gynecology, 2016, 214, S71.	0.7	0
148	Reply. American Journal of Obstetrics and Gynecology, 2018, 218, 629-630.	0.7	0
149	Performance of a risk score for predicting preterm pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1216-1216.	1.1	0
150	Title is missing!. , 2020, 17, e1003190.		0
151	Title is missing!. , 2020, 17, e1003190.		0
152	Title is missing!. , 2020, 17, e1003190.		0
153	Title is missing!. , 2020, 17, e1003190.		0
154	Title is missing!. , 2020, 17, e1003190.		0