

Machiko Inoue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2777581/publications.pdf>

Version: 2024-02-01

39
papers

655
citations

687220

13
h-index

580701

25
g-index

42
all docs

42
docs citations

42
times ranked

1072
citing authors

#	ARTICLE	IF	CITATIONS
1	Development and validation of a Japanese version of the person-centered primary care measure. , 2022, 23, 112.		1
2	Practices and perspectives of primary care physicians in Japan and the United States about diagnosing dementia: a qualitative study. BMC Geriatrics, 2021, 21, 540.	1.1	4
3	Differences between frequent emergency department users in a secondary rural hospital and a tertiary suburban hospital in central Japan: a prevalence study. BMJ Open, 2020, 10, e039030.	0.8	3
4	Internet Addiction among Brazilian Students in Japan - A Questionnaire-based Cross-sectional Study. An Official Journal of the Japan Primary Care Association, 2020, 43, 44-53.	0.1	0
5	Perspectives on disclosure of the dementia diagnosis among primary care physicians in Japan: a qualitatively driven mixed methods study. BMC Family Practice, 2019, 20, 69.	2.9	9
6	Admissions for ambulatory care sensitive conditions on rural islands and their association with patient experience: a multicentred prospective cohort study. BMJ Open, 2019, 9, e030101.	0.8	5
7	Gender-Based Risk and Protective Factors for Psychological Distress in the Midterm Recovery Period Following the Great East Japan Earthquake. Disaster Medicine and Public Health Preparedness, 2019, 13, 487-496.	0.7	16
8	Associations of Patient Experience in Primary Care With Hospitalizations and Emergency Department Visits on Isolated Islands: A Prospective Cohort Study. Journal of Rural Health, 2019, 35, 498-505.	1.6	3
9	An analysis of qualitative and mixed methods abstracts from Japanese, UK and US primary care conferences. Asia Pacific Family Medicine, 2018, 17, 11.	0.4	0
10	Challenges in providing maternity care in remote areas and islands for primary care physicians in Japan: a qualitative study. BMC Family Practice, 2018, 19, 114.	2.9	2
11	Correlation between family physician's direct advice and pneumococcal vaccination intention and behavior among the elderly in Japan: a cross-sectional study. BMC Family Practice, 2018, 19, 153.	2.9	21
12	Women's Health Training in Japan Primary Care Association Certified Family Medicine Residency Programs: Status of Programs, Residents and Medical Students. An Official Journal of the Japan Primary Care Association, 2018, 41, 148-154.	0.1	1
13	Should co-payments for financially deprived patients be lowered? Primary care physicians' perspectives using a mixed-methods approach in a survey study in Tokyo. International Journal for Equity in Health, 2017, 16, 38.	1.5	7
14	Utility of self-competency ratings during residency training in family medicine education-emerging countries: findings from Japan. Asia Pacific Family Medicine, 2017, 16, 1.	0.4	8
15	Primary care patient experience and cancer screening uptake among women: an exploratory cross-sectional study in a Japanese population. Asia Pacific Family Medicine, 2017, 16, 3.	0.4	12
16	Association between health literacy and patient experience of primary care attributes: A cross-sectional study in Japan. PLoS ONE, 2017, 12, e0184565.	1.1	22
17	Improving Quality of Care through Primary Care Research. Journal of General and Family Medicine, 2016, 17, 267-269.	0.3	1
18	Acupuncture Use in Rural Japanese Family Medicine Populations: A Cross-Sectional Survey Study. Medical Acupuncture, 2016, 28, 49-55.	0.3	3

#	ARTICLE	IF	CITATIONS
19	Development and validation of the Japanese version of Primary Care Assessment Tool. <i>Family Practice</i> , 2016, 33, 112-117.	0.8	62
20	Characteristics of General Physicians who Practice Shared Decision Making: A Mail Survey of All Clinics in 12 Municipalities in Tokyo. <i>An Official Journal of the Japan Primary Care Association</i> , 2016, 39, 209-213.	0.1	3
21	Physicians' Perceptions of Income-related Disparities in Medical Care Utilization: a Mail Survey in Tokyo. <i>An Official Journal of the Japan Primary Care Association</i> , 2016, 39, 214-218.	0.1	0
22	Impact of population aging on trends in diabetes prevalence: A meta-analysis of 160,000 Japanese adults. <i>Journal of Diabetes Investigation</i> , 2015, 6, 533-542.	1.1	111
23	An Empirical Assessment of Cases Experienced during Inpatient Family Medicine Resident Training in a Rural Community Hospital of the Shizuoka Family Medicine Training Program in Japan. <i>Journal of General and Family Medicine</i> , 2015, 16, 177-186.	0.3	0
24	Implications for Social Support on Prolonged Sleep Difficulties among a Disaster-Affected Population: Second Report from a Cross-Sectional Survey in Ishinomaki, Japan. <i>PLoS ONE</i> , 2015, 10, e0130615.	1.1	18
25	Japan's vision for health care in 2035. <i>Lancet, The</i> , 2015, 385, 2549-2550.	6.3	39
26	Early prophylactic antibiotics administration for acute necrotizing pancreatitis: a meta-analysis of randomized controlled trials. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015, 22, 316-321.	1.4	75
27	The cultural context of teaching and learning sexual health care examinations in Japan: a mixed methods case study assessing the use of standardized patient instructors among Japanese family physician trainees of the Shizuoka Family Medicine Program. <i>Asia Pacific Family Medicine</i> , 2015, 14, 8.	0.4	5
28	Benefits of Having Departments of Family Medicine in Universities. <i>An Official Journal of the Japan Primary Care Association</i> , 2015, 38, 358-368.	0.1	0
29	Social Ties May Play a Critical Role in Mitigating Sleep Difficulties in Disaster-Affected Communities: A Cross-Sectional Study in the Ishinomaki Area, Japan. <i>Sleep</i> , 2014, 37, 137-145.	0.6	37
30	Risk of Social Isolation Among Great East Japan Earthquake Survivors Living in Tsunami-Affected Ishinomaki, Japan. <i>Disaster Medicine and Public Health Preparedness</i> , 2014, 8, 333-340.	0.7	15
31	Impact of communicative and critical health literacy on understanding of diabetes care and self-efficacy in diabetes management: a cross-sectional study of primary care in Japan. <i>BMC Family Practice</i> , 2013, 14, 40.	2.9	89
32	Impaired fasting glucose as an independent risk factor for hypertension among healthy middle-aged Japanese subjects with optimal blood pressure: the Yuport Medical Checkup Centre retrospective cohort study. <i>Diabetology and Metabolic Syndrome</i> , 2013, 5, 81.	1.2	16
33	Undiagnosed diabetes has poorer profiles for cardiovascular and metabolic markers than known diabetes: The Yuport Medical Checkup Center Study. <i>Diabetes Research and Clinical Practice</i> , 2013, 101, e7-e10.	1.1	5
34	æ€Šâ™™"â†šèÿ€. <i>An Official Journal of the Japan Primary Care Association</i> , 2013, 36, 237-241.	0.1	0
35	éžâ Š. <i>An Official Journal of the Japan Primary Care Association</i> , 2013, 36, 119-123.	0.1	1
36	Persistent fasting hyperglycaemia is more predictive of Type 2 diabetes than transient fasting hyperglycaemia. <i>Diabetic Medicine</i> , 2012, 29, e75-81.	1.2	12

#	ARTICLE	IF	CITATIONS
37	Effects of Age and Sex in the Diagnosis of Type 2 Diabetes Using Glycated Haemoglobin in Japan: The Yuport Medical Checkup Centre Study. PLoS ONE, 2012, 7, e40375.	1.1	15
38	Hypertensive patients' perceptions of their physicians' knowledge about them: a cross-sectional study in Japan. BMC Family Practice, 2010, 11, 56.	2.9	2
39	Malignant Struma Ovarii with Graves' Disease. Gynecologic Oncology, 2000, 79, 508-510.	0.6	32