

Shaomei Han

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2777719/publications.pdf>

Version: 2024-02-01

86
papers

1,362
citations

430442

18
h-index

454577

30
g-index

92
all docs

92
docs citations

92
times ranked

1809
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between Frailty and 90-Day Outcomes amongst the Chinese Population: A Hospital-Based Multicentre Cohort Study. <i>Gerontology</i> , 2022, 68, 8-16.	1.4	4
2	Nutritional Status According to the Short-Form Mini Nutritional Assessment (MNA-SF) and Clinical Characteristics as Predictors of Length of Stay, Mortality, and Readmissions Among Older Inpatients in China: A National Study. <i>Frontiers in Nutrition</i> , 2022, 9, 815578.	1.6	18
3	The Risk Factors for Developing Clustered Vertebral Compression Fractures: A Single-Center Study. <i>Endocrine Practice</i> , 2022, 28, 243-249.	1.1	0
4	The association between frailty of older stroke patients during hospitalization and one-year all-cause mortality: A multicenter survey in China. <i>International Journal of Nursing Sciences</i> , 2022, 9, 162-168.	0.5	1
5	Remission and Transition of Female Urinary Incontinence and Its Subtypes and the Impact of Body Mass Index on This Progression: A Nationwide Population-Based 4-Year Longitudinal Study in China. <i>Journal of Urology</i> , 2022, 208, 360-368.	0.2	5
6	Joint Association of Metabolic Health and Obesity with Ten-Year Risk of Cardiovascular Disease among Chinese Adults.. <i>Biomedical and Environmental Sciences</i> , 2022, 35, 13-21.	0.2	5
7	Association of Hyperuricemia with 10-Year Atherosclerotic Cardiovascular Disease Risk among Chinese Adults and Elders. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6713.	1.2	7
8	Clinical and Dermoscopic Assessment of Vulvar Lichen Sclerosus After 5-Aminolevulinic Acid Photodynamic Therapy: A Prospective Study. <i>Photodiagnosis and Photodynamic Therapy</i> , 2021, 33, 102109.	1.3	9
9	The impact of personality traits on pessary treatment outcomes in patients with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2021, 32, 859-864.	0.7	0
10	Vaginal pessary treatment in women with symptomatic pelvic organ prolapse: a long-term prospective study. <i>Menopause</i> , 2021, 28, 538-545.	0.8	9
11	Short-term outcomes of complete mesocolic excision versus D2 dissection in patients undergoing laparoscopic colectomy for right colon cancer (RELARC): a randomised, controlled, phase 3, superiority trial. <i>Lancet Oncology</i> , The, 2021, 22, 391-401.	5.1	84
12	A randomized controlled study of vaginal fractional CO2 laser therapy for female sexual dysfunction. <i>Lasers in Medical Science</i> , 2021, , 1.	1.0	3
13	Cognitive Frailty and 30-Day Mortality in a National Cohort of Older Chinese Inpatients. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 389-401.	1.3	13
14	Handgrip Strength and Depression Among Older Chinese Inpatients: A Cross-Sectional Study. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 1267-1277.	1.0	8
15	The Epidemiology of COVID-19 and MS-Related Characteristics in a National Sample of People With MS in China. <i>Frontiers in Neurology</i> , 2021, 12, 682729.	1.1	3
16	Current situation of complications related to reconstructive surgery for pelvic organ prolapse: a multicenter study. <i>International Urogynecology Journal</i> , 2021, 32, 2149-2157.	0.7	3
17	Association Between Low Handgrip Strength and 90-Day Mortality Among Older Chinese Inpatients: A National Multicenter Prospective Cohort Study. <i>Frontiers in Nutrition</i> , 2021, 8, 628628.	1.6	8
18	Association of polypharmacy with falls among older Chinese inpatients: A nationwide cohort study. <i>Geriatrics and Gerontology International</i> , 2021, 21, 810-817.	0.7	6

#	ARTICLE	IF	CITATIONS
19	An early predictive model of frailty for older inpatients according to nutritional risk: protocol for a cohort study in China. <i>BMC Geriatrics</i> , 2021, 21, 465.	1.1	2
20	Cognitive Frailty and Falls in a National Cohort of Older Chinese Inpatients. <i>Journal of Nutrition, Health and Aging</i> , 2021, 25, 993-998.	1.5	8
21	A 14-year multi-institutional collaborative study of Chinese pelvic floor surgical procedures related to pelvic organ prolapse. <i>Chinese Medical Journal</i> , 2021, 134, 200-205.	0.9	3
22	The role of EUS in diagnosing focal autoimmune pancreatitis and differentiating it from pancreatic cancer. <i>Endoscopic Ultrasound</i> , 2021, 10, 280.	0.6	9
23	Prevalence of cognitive impairment in Chinese older inpatients and its relationship with 1-year adverse health outcomes: a multi-center cohort study. <i>BMC Geriatrics</i> , 2021, 21, 595.	1.1	10
24	Comparative validity and reliability of the WeChat-based electronic and paper-and-pencil versions of the PISQ-12 for collecting participant-reported data in Chinese. <i>Menopause</i> , 2021, 28, 318-324.	0.8	3
25	Long-term ambient PM2.5 exposure associated with cardiovascular risk factors in Chinese less educated population. <i>BMC Public Health</i> , 2021, 21, 2241.	1.2	7
26	Treatment Outcome of a Shorter Regimen Containing Clofazimine for Multidrug-resistant Tuberculosis: A Randomized Control Trial in China. <i>Clinical Infectious Diseases</i> , 2020, 71, 1047-1054.	2.9	19
27	Analysis of the role of the human papillomavirus 16/18 E7 protein assay in screening for cervical intraepithelial neoplasia: a case control study. <i>BMC Cancer</i> , 2020, 20, 999.	1.1	7
28	Associations Between Nutritional Status, Sociodemographic Characteristics, and Health-Related Variables and Health-Related Quality of Life Among Chinese Elderly Patients: A Multicenter Prospective Study. <i>Frontiers in Nutrition</i> , 2020, 7, 583161.	1.6	10
29	Vaginal pessary continuation in symptomatic pelvic organ prolapse patients with prior hysterectomy. <i>Menopause</i> , 2020, 27, 1148-1154.	0.8	4
30	Prediction of long-term disability in Chinese patients with multiple sclerosis: A prospective cohort study. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 46, 102461.	0.9	8
31	Potential associated factors of functional disability in Chinese older inpatients: a multicenter cross-sectional study. <i>BMC Geriatrics</i> , 2020, 20, 319.	1.1	26
32	Factors associated with pessary fitting in women with symptomatic pelvic organ prolapse: A large prospective cohort study. <i>Neurourology and Urodynamics</i> , 2020, 39, 2238-2245.	0.8	4
33	Deep learning-based, computer-aided classifier developed with dermoscopic images shows comparable performance to 164 dermatologists in cutaneous disease diagnosis in the Chinese population. <i>Chinese Medical Journal</i> , 2020, 133, 2027-2036.	0.9	14
34	Analysis of low sexual desire in Chinese women: a national population-based epidemiological survey in mainland China. <i>Sexual Health</i> , 2020, 17, 61.	0.4	3
35	Prevalence of metabolic syndrome among ethnic groups in China. <i>BMC Public Health</i> , 2020, 20, 297.	1.2	20
36	Prevalence and associated factors for frailty among elder patients in China: a multicentre cross-sectional study. <i>BMC Geriatrics</i> , 2020, 20, 100.	1.1	38

#	ARTICLE	IF	CITATIONS
37	Prevalence and Associated Lifestyle Factors of Suboptimal Health Status among Chinese Children Using a Multi-Level Model. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1497.	1.2	11
38	An epidemiology study of fecal incontinence in adult Chinese women living in urban areas. <i>Chinese Medical Journal</i> , 2020, 133, 262-268.	0.9	6
39	Effects of keto acid supplements on Chinese patients receiving maintenance hemodialysis: a prospective, randomized, controlled, single-center clinical study. <i>Chinese Medical Journal</i> , 2020, 133, 9-16.	0.9	9
40	Prevalence of Suboptimal Health Status and the Relationships between Suboptimal Health Status and Lifestyle Factors among Chinese Adults Using a Multi-Level Generalized Estimating Equation Model. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 763.	1.2	21
41	Long-term efficacy of mycophenolate mofetil in myelin oligodendrocyte glycoprotein antibody-associated disorders. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2020, 7, .	3.1	46
42	Prevalence, potential risk factors, and symptomatic bother of lower urinary tract symptoms during and after pregnancy. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019, 11, 217-223.	0.6	12
43	Natural history of gastroesophageal reflux: A prospective cohort study in a stratified, randomized population in Beijing. <i>Journal of Digestive Diseases</i> , 2019, 20, 523-531.	0.7	4
44	Efficacy and safety of cycloserine-containing regimens in the treatment of multidrug-resistant tuberculosis: a nationwide retrospective cohort study in China. <i>Infection and Drug Resistance</i> , 2019, Volume 12, 763-770.	1.1	12
45	Prevalence and Potential Associated Factors of Depression among Chinese Older Inpatients. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 997-1003.	1.5	14
46	Retrospective analysis of Clostridium difficile infection in patients with ulcerative colitis in a tertiary hospital in China. <i>BMC Gastroenterology</i> , 2019, 19, 3.	0.8	13
47	An epidemiologic study of pelvic organ prolapse in rural Chinese women: a population-based sample in China. <i>International Urogynecology Journal</i> , 2019, 30, 1925-1932.	0.7	21
48	Comparison of outcomes between single-incision sling and transobturator sling for treating stress urinary incontinence: A 10-year prospective study. <i>Neurourology and Urodynamics</i> , 2019, 38, 1852-1858.	0.8	11
49	A single-center, prospective, randomized clinical trial to investigate the optimal removal time of the urinary catheter after laparoscopic anterior resection of the rectum: study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 133.	0.7	5
50	Validation of the Chinese version of the Pelvic Floor Distress Inventory-20 (PFDI-20) according to the COSMIN checklist. <i>International Urogynecology Journal</i> , 2019, 30, 1127-1139.	0.7	36
51	An investigation of lower urinary tract symptoms and its potential associated factors in adult Chinese women with zero-inflated negative binomial regression model. <i>Medicine (United States)</i> , 2019, 98, e17409.	0.4	2
52	Lower urinary tract symptoms 7 years after the first delivery: Correlation to the mode of delivery. <i>Neurourology and Urodynamics</i> , 2019, 38, 793-800.	0.8	5
53	Evaluation and suggestions for improving the FIGO 2000 staging criteria for gestational trophoblastic neoplasia: A ten-year review of 1420 patients. <i>Gynecologic Oncology</i> , 2018, 149, 539-544.	0.6	19
54	Clofazimine for Treatment of Extensively Drug-Resistant Pulmonary Tuberculosis in China. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	1.4	20

#	ARTICLE	IF	CITATIONS
55	Depressive symptoms screening in postmenopausal women with symptomatic pelvic organ prolapse. <i>Menopause</i> , 2018, 25, 314-319.	0.8	16
56	Comparison of outcomes between postpartum and non-postpartum women with stress urinary incontinence treated with conservative therapy: A prospective cohort study. <i>Neurourology and Urodynamics</i> , 2018, 37, 1426-1433.	0.8	4
57	An epidemiologic study on symptomatic pelvic organ prolapse in obese Chinese women: a population-based study in China. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2018, Volume 11, 761-766.	1.1	5
58	Serum Gamma-Glutamyltransferase Levels are Associated with Cardiovascular Risk Factors in China: A Nationwide Population-Based Study. <i>Scientific Reports</i> , 2018, 8, 16533.	1.6	11
59	A cardiac risk score based on sudomotor function to evaluate cardiovascular autonomic neuropathy in asymptomatic Chinese patients with diabetes mellitus. <i>PLoS ONE</i> , 2018, 13, e0204804.	1.1	6
60	Changes in the symptoms and quality of life of women with symptomatic pelvic organ prolapse fitted with a ring with support pessary. <i>Maturitas</i> , 2018, 117, 51-56.	1.0	19
61	Effects of sex, age, sampling time, and season on thyroid-stimulating hormone concentrations: A retrospective study. <i>Biochemical and Biophysical Research Communications</i> , 2018, 506, 450-454.	1.0	20
62	Case-Control Study of Inflammatory Bowel Disease Patients with and without Clostridium difficile Infection and Poor Outcomes in Patients Coinfected with C. difficile and Cytomegalovirus. <i>Digestive Diseases and Sciences</i> , 2018, 63, 3074-3083.	1.1	22
63	Visual Prognosis and Associated Factors of Phacoemulsification and Intraocular Lens Implantation in Different Uveitis Entities in Han Chinese. <i>Ocular Immunology and Inflammation</i> , 2017, 25, 349-355.	1.0	11
64	Changes in voiding function after laparoscopic sacrocolpopexy for advanced pelvic organ prolapse: a cohort study of 76 cases. <i>International Urogynecology Journal</i> , 2017, 29, 505-512.	0.7	6
65	Hyperuricemia and clustering of cardiovascular risk factors in the Chinese adult population. <i>Scientific Reports</i> , 2017, 7, 5456.	1.6	66
66	Relation between metabolic syndrome and body compositions among Chinese adolescents and adults from a large-scale population survey. <i>BMC Public Health</i> , 2017, 17, 337.	1.2	24
67	A Population-Based Epidemiologic Study of Female Sexual Dysfunction Risk in Mainland China: Prevalence and Predictors. <i>Journal of Sexual Medicine</i> , 2017, 14, 1348-1356.	0.3	43
68	Study of depression influencing factors with zero-inflated regression models in a large-scale population survey. <i>BMJ Open</i> , 2017, 7, e016471.	0.8	12
69	Prevalence and Factors Associated with Female Sexual Dysfunction in Beijing, China. <i>Chinese Medical Journal</i> , 2017, 130, 1389-1394.	0.9	43
70	Isomalto-oligosaccharides ameliorate visceral hyperalgesia with repair damage of ileal epithelial ultrastructure in rats. <i>PLoS ONE</i> , 2017, 12, e0175276.	1.1	26
71	Clinical Characteristics of Patients Who Underwent Surgery for Genital Tract Malformations at Peking Union Medical College Hospital across 31 Years. <i>Chinese Medical Journal</i> , 2016, 129, 2441-2444.	0.9	2
72	The Radical Extent of lymphadenectomy " D2 dissection versus complete mesocolic excision of Laparoscopic Right Colectomy for right-sided colon cancer (RELARC) trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 582.	0.7	48

#	ARTICLE	IF	CITATIONS
73	Prevalence of prehypertension and associated risk factors among Chinese adults from a large-scale multi-ethnic population survey. <i>BMC Public Health</i> , 2016, 16, 775.	1.2	40
74	Clinical characteristics of congenital cervical atresia and associated endometriosis among 96 patients. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 134, 252-255.	1.0	22
75	Retropubic tension-free vaginal tape and inside-out transobturator tape: a long-term randomized trial. <i>International Urogynecology Journal</i> , 2016, 27, 103-111.	0.7	31
76	Trend of body compositions with aging among Chinese adolescents, adults and elders. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 962-969.	1.5	7
77	Role of high-risk variants in the development of impaired glucose metabolism was modified by birth weight in Han Chinese. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 790-795.	1.7	7
78	A Population-based Survey of the Prevalence, Potential Risk Factors, and Symptom-specific Bothers of Lower Urinary Tract Symptoms in Adult Chinese Women. <i>European Urology</i> , 2015, 68, 97-112.	0.9	99
79	Reliability and validity of a Chinese version of the Modified Body Image Scale in patients with symptomatic pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2015, 130, 187-189.	1.0	5
80	Gender-specific prevalence and associated risk factors of high normal blood pressure and hypertension among multi-ethnic Chinese adolescents aged 8-18 years old. <i>Blood Pressure</i> , 2015, 24, 189-195.	0.7	20
81	Intestinal symptoms and psychological factors jointly affect quality of life of patients with irritable bowel syndrome with diarrhea. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 49.	1.0	47
82	Apolipoprotein E Gene Polymorphisms Are Associated with Primary Hyperuricemia in a Chinese Population. <i>PLoS ONE</i> , 2014, 9, e110864.	1.1	10
83	Incidence and risk factors of cognitive impairment 3 months after first-ever stroke: A cross-sectional study of 5 geographic areas of China. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2012, 32, 906-911.	1.0	17
84	Survey of Prevalence, Awareness, Treatment, and Control of Hypertension Among Chinese Governmental and Institutional Employees in Beijing. <i>Clinical Cardiology</i> , 2010, 33, E66-72.	0.7	19
85	Relationship between birth head circumference and adulthood quality of life in Chinese people. <i>Journal of Paediatrics and Child Health</i> , 2010, 46, 642-646.	0.4	5
86	Relationship between perinatal characteristics and later activities of daily living in Chinese elderly people. <i>Chinese Medical Journal</i> , 2009, 122, 1015-9.	0.9	0