

# Takuya Iida

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2779490/publications.pdf>

Version: 2024-02-01

75  
papers

879  
citations

471509

17  
h-index

552781

26  
g-index

75  
all docs

75  
docs citations

75  
times ranked

683  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sacral defect reconstruction using a sensate superior gluteal artery perforator flap based on the superior cluneal nerves: A report of two cases. <i>Microsurgery</i> , 2021, 41, 468-472.	1.3	4
2	Microsurgical Lymphovenous Anastomosis for Pelvic Lymphoceles after Gynecological Cancer Surgery. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2021, , .	1.0	0
3	Multiple symmetric lipomatosis with vulvar involvement: a rare case report associated with walking difficulty and urination disorder. <i>European Journal of Plastic Surgery</i> , 2020, 43, 347-352.	0.6	2
4	Silk fibroin vascular graft: a promising tissue-engineered scaffold material for abdominal venous system replacement. <i>Scientific Reports</i> , 2020, 10, 21041.	3.3	27
5	Effective Secondary Reconstruction of Refractory Urethrocutaneous Fistula after Metoidioplasty Using Folded Superficial Circumflex Iliac Artery Perforator Flap. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, 8, e2716.	0.6	0
6	Neuroma formation following fascicular turnover flap nerve repair. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2020, 73, 983-1007.	1.0	0
7	Superthin Thoracodorsal Artery Perforator Flap for the Reconstruction of Palmar Burn Contracture. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, 8, e2695.	0.6	5
8	Resection and Reconstruction of Giant Abdominoscrotal Arteriovenous Malformation. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, 8, e2725.	0.6	2
9	Two-stage Reconstruction Using a Free Jejunum/Ileum Flap After Total Esophagectomy. <i>Annals of Plastic Surgery</i> , 2020, 85, 638-644.	0.9	2
10	Superficial Circumflex Iliac Perforatorâ€œOsteocutaneous Flap for Reconstruction of Extensive Composite Defects in the Forefoot. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, Publish Ahead of Print, e3076.	0.6	3
11	Additional venous anastomosis in free profunda artery perforator flap transfer using the posterior accessory saphenous vein. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2019, 72, 1936-1941.	1.0	3
12	Use of the transverse branch of the superficial circumflex iliac artery as a landmark facilitating identification and dissection of the deep branch of the superficial circumflex iliac artery for free flap pedicle: Anatomical study and clinical applications. <i>Microsurgery</i> , 2019, 39, 721-729.	1.3	18
13	Feasibility and reliability of supermicrosurgical vasa recta anastomosis for double-pedicled free jejunum transfer. <i>JPRAS Open</i> , 2019, 19, 125-134.	0.9	3
14	Use of the Distal Facial Artery (Angular Artery) for Supermicrosurgical Midface Reconstruction. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019, 7, e1978.	0.6	10
15	Anatomical Study and Clinical Application of Free Thoracoacromial Artery True-Perforator Flap for Reconstruction of the Face. <i>Journal of Craniofacial Surgery</i> , 2019, 30, 205-207.	0.7	2
16	Flow-oriented Venous Anastomosis to Control Lymph Flow of Lymphatic Malformation. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019, 7, e2199.	0.6	9
17	Visualization of the â€œIntradermal Plexusâ€œUsing Ultrasonography in the Dermis Flap: A Step beyond Perforator Flaps. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019, 7, e2411.	0.6	16
18	Flow Pattern Classification in Lymphatic Malformations by Indocyanine Green Lymphography. <i>Plastic and Reconstructive Surgery</i> , 2019, 143, 558e-564e.	1.4	14

#	ARTICLE	IF	CITATIONS
19	Treating Pulsatile Exophthalmos in Child with Minimally Invasive Approach and Custom-made Titanium Mesh Plate. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019, 7, e2070.	0.6	4
20	A Simple Skin Incision Design for Pediatric Superficial Branch of Superficial Circumflex Iliac Artery. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019, 7, e2159.	0.6	0
21	Functional and Aesthetic Reconstruction for Microtia Using the Combination of Superficial Circumflex Iliac Artery Perforator Superthin Flap Transfer and Skin Grafting. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019, 7, e2312.	0.6	5
22	Site Specific Evaluation of Lymphatic Vessel Sclerosis in Lower Limb Lymphedema Patients. <i>Lymphatic Research and Biology</i> , 2018, 16, 360-367.	1.1	11
23	Use of a 72-cm long extended bilateral deep inferior epigastric artery perforator free flap for reconstruction of a lower leg with no suitable recipient vessel around the injury zone: A case report. <i>Microsurgery</i> , 2018, 38, 89-93.	1.3	7
24	Chimeric thoracoacromial artery perforator flap for one-staged reconstruction of complex pharyngoesophageal defects: A single unit experience. <i>Head and Neck</i> , 2018, 40, 302-311.	2.0	15
25	A new method for microsurgery training using a smartphone and a laptop computer. <i>Microsurgery</i> , 2018, 38, 124-125.	1.3	18
26	Multi-site lymphatic venous anastomosis using echography to detect suitable subcutaneous vein in severe lymphedema patients. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2018, 71, e1-e7.	1.0	20
27	Ratio of Blood Glucose Level Change Measurement for Flap Monitoring. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2018, 6, e1851.	0.6	8
28	Use of Laser Speckle Contrast Imaging for Successful Fingertip Replantation. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2018, 6, e1924.	0.6	5
29	Light-emitting Diode Transilluminator for the Identification of Recipient Veins in Finger Reconstruction. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2018, 6, e1577.	0.6	1
30	Superficial Circumflex Iliac Artery-Based Iliac Bone Flap Transfer for Reconstruction of Bony Defects. <i>Journal of Reconstructive Microsurgery</i> , 2018, 34, 719-728.	1.8	29
31	Reconstruction of the ankle complex wound with a fabricated superficial circumflex iliac artery chimeric flap including the sartorius muscle: A case report. <i>Microsurgery</i> , 2017, 37, 421-425.	1.3	17
32	Spontaneous Regression of Lymphangiomas in a Single Center Over 34 Years. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2017, 5, e1501.	0.6	24
33	Reconstruction of Anterolateral Thigh Defects Using Perforator-Based Propeller Flaps. <i>Annals of Plastic Surgery</i> , 2017, 79, 385-389.	0.9	18
34	Free anterolateral thigh full-thickness skin flap with vascularized lateral femoral cutaneous nerve for the reconstruction of facial nerve and external auditory canal after the resection of facial nerve schwannoma. <i>SAGE Open Medical Case Reports</i> , 2017, 5, 2050313X1774182.	0.3	1
35	Lymphaticovenous Anastomoses for Lymphedema Complicated by Severe Lymphorrhea Following Resection of Soft-Tissue Sarcomas of the Adductor Compartment. <i>JBJS Case Connector</i> , 2017, 7, e80-e80.	0.3	5
36	Efficacy of Tensed and Straight Free Jejunum Transfer for the Reduction of Postoperative Dysphagia. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2017, 5, e1599.	0.6	4

#	ARTICLE	IF	CITATIONS
37	Association between ear-picking habits and carcinoma of external auditory canal. Japanese Journal of Head and Neck Cancer, 2017, 43, 76-78.	0.1	0
38	Surgical Treatment and Pathological Findings of Venous Malformations Involving a Nerve. Journal of Reconstructive Microsurgery Open, 2016, 01, 122-124.	0.2	1
39	Inguinal seroma prevention by reverse mapping using indocyanine green lymphography. Microsurgery, 2016, 36, 525-526.	1.3	2
40	A pilot study demonstrating the feasibility of supermicrosurgical end-to-side anastomosis onto large recipient vessels in head and neck reconstruction. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2016, 69, 1662-1668.	1.0	20
41	Quadruple-component superficial circumflex iliac artery perforator (SCIP) flap: A chimeric SCIP flap for complex ankle reconstruction of an exposed artificial joint after total ankle arthroplasty. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2016, 69, 1260-1265.	1.0	46
42	Hands-free vein visualizer for preoperative assessment of recipient veins. Microsurgery, 2016, 36, 351-352.	1.3	0
43	Supermicrosurgical free sensate superficial circumflex iliac artery perforator flap for reconstruction of a soft tissue defect of the ankle in a 1-year-old child. Microsurgery, 2016, 36, 254-258.	1.3	15
44	Lymphadiposal Flaps and Lymphaticovenular Anastomoses for Severe Leg Edema: Functional Reconstruction for Lymph Drainage System. Journal of Reconstructive Microsurgery, 2016, 32, 050-055.	1.8	33
45	Reconstruction of a full-thickness, complex nasal defect that includes the nasal septum using a free, thin superficial inferior epigastric artery flap. Microsurgery, 2016, 36, 66-69.	1.3	6
46	Near-infrared fluorescent swallow test for detection of the alimentary tract anastomotic leakage. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2016, 69, 141.	1.0	0
47	Proximal and distal patterns: Different spreading patterns of indocyanine green lymphography in secondary lower extremity lymphedema. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2016, 69, 368-375.	1.0	22
48	Indocyanine green angiography for prediction of thrombosis in the internal jugular vein. Microsurgery, 2015, 35, 469-473.	1.3	6
49	The role of non-enhanced angiography in toe tip transfer with small diameter pedicle. Microsurgery, 2015, 35, 364-369.	1.3	3
50	Inguinal seroma prevention after superficial circumflex iliac artery perforator flap harvest using non-microsurgical lympho-venous shunt. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2015, 68, 1479-1481.	1.0	2
51	Near-infrared fluorescent angiography for demarcation of infected ulcer debridement. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2015, 68, 1315-1317.	1.0	1
52	Pedicle elongation technique of superficial circumflex iliac artery perforator flap. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2015, 68, e61-e62.	1.0	11
53	Deep branch of the superficial circumflex iliac artery for backup. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2015, 68, 1478-1479.	1.0	7
54	Pedicle-in-a-trench technique for lower extremity reconstruction. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2015, 68, 1318-1319.	1.0	0

#	ARTICLE	IF	CITATIONS
55	Indocyanine Green Lymphography and Lymphaticovenous Anastomosis for Generalized Lymphatic Dysplasia with Pleural Effusion and Ascites in Neonates. <i>Annals of Vascular Surgery</i> , 2015, 29, 1111-1122.	0.9	22
56	Superficial Circumflex Iliac Perforator (SCIP) Flap: Variations of the SCIP Flap and Their Clinical Applications. <i>Journal of Reconstructive Microsurgery</i> , 2014, 30, 505-508.	1.8	29
57	Versatility of the Superficial Circumflex Iliac Artery Perforator Flap in Head and Neck Reconstruction. <i>Annals of Plastic Surgery</i> , 2014, 72, 332-336.	0.9	72
58	Reconstruction of Large Facial Defects Using a Sensate Superficial Circumflex Iliac Perforator Flap Based on the Lateral Cutaneous Branches of the Intercostal Nerves. <i>Annals of Plastic Surgery</i> , 2014, 72, 328-331.	0.9	28
59	Toe digital artery perforator flap for coverage of defects on the toe. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2014, 67, 284-286.	1.0	3
60	Supermicrosurgical free sensate intercostal artery perforator flap based on the lateral cutaneous branch for plantar reconstruction. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2014, 67, 995-997.	1.0	11
61	Reconstruction of the external auditory canal using a super-thin superficial circumflex iliac perforator flap after tumour resection. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 430-433.	1.0	26
62	Indocyanine green lymphography is superior to lymphoscintigraphy in imaging diagnosis of secondary lymphedema of the lower limbs. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2013, 1, 194-201.	1.6	51
63	Versatility of lateral cutaneous branches of intercostal vessels and nerves: Anatomical study and clinical application. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 1564-1568.	1.0	18
64	A free vascularised iliac bone flap based on superficial circumflex iliac perforators for head and neck reconstruction. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 1596-1599.	1.0	43
65	Dynamic Reconstruction of Full-Thickness Abdominal Wall Defects Using Free Innervated Vastus Lateralis Muscle Flap Combined With Free Anterolateral Thigh Flap. <i>Annals of Plastic Surgery</i> , 2013, 70, 331-334.	0.9	20
66	Versatility of a Near-Infrared Vein Visualization Device in Plastic and Reconstructive Surgery. <i>Plastic and Reconstructive Surgery</i> , 2012, 130, 637e-638e.	1.4	9
67	Rapidly Enlarging Orbital Tumor in a Facial Fibrous Dysplasia Lesion. <i>Annals of Plastic Surgery</i> , 2012, 68, 49-51.	0.9	1
68	Reconstruction of an extensive anterior skull base defect using a muscle-sparing rectus abdominis myocutaneous flap in a 1-year-old infant. <i>Microsurgery</i> , 2012, 32, 622-626.	1.3	10
69	Preexcisional artery reconstruction: A new strategy in multiple hepatic artery reconstruction for reducing ischemic injury of the liver. <i>Microsurgery</i> , 2012, 32, 493-496.	1.3	4
70	Supermicrosurgery and Head and Neck Reconstruction in Children. <i>Academic Collaborations for Sick Children</i> , 2012, 5, 9-13.	0.2	0
71	Performance of Supermicrosurgery Using a Titanium Needle Holder. <i>Academic Collaborations for Sick Children</i> , 2011, 3, 12-15.	0.2	1
72	Possibility of Application of Metabolomics Analysis for Supermicrosurgery on Children. <i>Academic Collaborations for Sick Children</i> , 2011, 4, 9-15.	0.2	3

#	ARTICLE	IF	CITATIONS
73	Prevention of Surgical Site Infection in Pediatric Reconstructive Surgery under Bone Marrow Suppression. Academic Collaborations for Sick Children, 2011, 3, 16-20.	0.2	0
74	Uterus Transplantation and Surrogacy in Japan: a Country in which Surrogacy is Prohibited. Academic Collaborations for Sick Children, 2011, 4, 21-27.	0.2	0
75	Free Vascularized Lateral Femoral Cutaneous Nerve Graft with Anterolateral Thigh Flap for Reconstruction of Facial Nerve Defects. Journal of Reconstructive Microsurgery, 2006, 22, 343-348.	1.8	41