
Koji Igarashi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2781013/publications.pdf Version: 2024-02-01



Контстриент

#	Article	IF	CITATIONS
1	Long-Haul Coupled 4-Core Fiber Transmission Over 7,200 Km With Real-Time MIMO DSP. Journal of Lightwave Technology, 2022, 40, 1640-1649.	4.6	12
2	Potts model solver based on hybrid physical and digital architecture. Communications Physics, 2022, 5,	5.3	7
3	Compressed Shaping: Concept and FPGA Demonstration. Journal of Lightwave Technology, 2021, 39, 5412-5422.	4.6	0
4	Measurement of Laser Phase Noise for Ultra-Long Period of 0.8 Seconds With 800-ps Temporal Resolution Using Optical Coherent Detection With FPGA-Implemented Data Acquisition. Journal of Lightwave Technology, 2021, 39, 6539-6546.	4.6	3
5	FPGA Implementation of MIMO DSP in Weakly-coupled Few-mode Fiber Transmission. , 2020, , .		0
6	Statistics of mode couplings induced by concatenated multiple connections in weakly-coupled few-mode fibers. Optics Communications, 2020, 467, 125685.	2.1	1
7	Weakly coupled 10-mode-division multiplexed transmission over 48-km few-mode fibers with real-time coherent MIMO receivers. Optics Express, 2020, 28, 19655.	3.4	26
8	Sparse-Dense MLC for Peak Power Constrained Channels. , 2020, , .		0
9	Ultra-long-time (0.8 s) characterization of laser phase noise with high temporal resolution (800 ps) based on heterodyne reception with FPGA data acquisition. , 2020, , .		0
10	Measuring complex field waveforms of quadrature amplitude modulation optical signals using a spectrally slicing-and-synthesizing coherent optical spectrum analyzer. Optics Express, 2020, 28, 21560.	3.4	1
11	266.1-Tbit/s Transmission Over 90.4-km 6-Mode Fiber With Inline Dual C+L-Band 6-Mode EDFA. Journal of Lightwave Technology, 2019, 37, 404-410.	4.6	23
12	EXIT Chart-Aided Design of LDPC Codes for Self-Coherent Detection with Turbo Equalizer for Optical Fiber Short-Reach Transmissions. IEICE Transactions on Communications, 2019, E102.B, 1301-1312.	0.7	0
13	257-Tbit/s Weakly Coupled 10-Mode C + L-Band WDM Transmission. Journal of Lightwave Technology, 2018, 36, 1375-1381.	4.6	102
14	Iterative decoding between feed-forward carrier recovery and FEC decoding to compensate for laser phase noise. , 2017, , .		0
15	Characterization of Semiconductor-Laser Phase Noise with Digital Coherent Receivers. , 2011, , .		14