
Hans-Peter Kapfhammer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2781853/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The effect of stress doses of hydrocortisone during septic shock on posttraumatic stress disorder in survivors. Biological Psychiatry, 2001, 50, 978-985.	1.3	348
2	Stress doses of hydrocortisone, traumatic memories, and symptoms of posttraumatic stress disorder in patients after cardiac surgery: a randomized study. Biological Psychiatry, 2004, 55, 627-633.	1.3	321
3	Depression-Burnout Overlap in Physicians. PLoS ONE, 2016, 11, e0149913.	2.5	219
4	Somatic symptoms in depression. Dialogues in Clinical Neuroscience, 2006, 8, 227-239.	3.7	208
5	The effect of stress doses of hydrocortisone during septic shock on posttraumatic stress disorder and health-related quality of life in survivors. Critical Care Medicine, 1999, 27, 2678-2683.	0.9	186
6	A step ahead: Exploring the gut microbiota in inpatients with bipolar disorder during a depressive episode. Bipolar Disorders, 2019, 21, 40-49.	1.9	149
7	Self-disgust in mental disorders — symptom-related or disorder-specific?. Comprehensive Psychiatry, 2014, 55, 938-943.	3.1	69
8	Increased breakdown of kynurenine towards its neurotoxic branch in bipolar disorder. PLoS ONE, 2017, 12, e0172699.	2.5	63
9	Visual height intolerance and acrophobia: clinical characteristics and comorbidity patterns. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 375-385.	3.2	40
10	The relationship between inflammatory state and quantity of affective episodes in bipolar disorder. Psychoneuroendocrinology, 2018, 90, 61-67.	2.7	35
11	Psychological factors associated with acute and chronic central serous chorioretinopathy. Nordic Journal of Psychiatry, 2016, 70, 24-30.	1.3	34
12	Weight cycling in bipolar disorder. Journal of Affective Disorders, 2015, 171, 33-38.	4.1	32
13	Sense of coherence is linked to post-traumatic growth after critical incidents in Austrian ambulance personnel. BMC Psychiatry, 2019, 19, 89.	2.6	28
14	Interleukin-6 Gene Expression Changes after a 4-Week Intake of a Multispecies Probiotic in Major Depressive Disorder—Preliminary Results of the PROVIT Study. Nutrients, 2020, 12, 2575.	4.1	28
15	The Influence of Attachment Styles and Personality Organization on Emotional Functioning After Childhood Trauma. Frontiers in Psychiatry, 2019, 10, 643.	2.6	26
16	Adiponectin is decreased in bipolar depression. World Journal of Biological Psychiatry, 2019, 20, 813-820.	2.6	25
17	Psychobiology of Attachment and Trauma—Some General Remarks From a Clinical Perspective. Frontiers in Psychiatry, 2019, 10, 914.	2.6	24
18	Clinical effects of electroconvulsive therapy in severe depression and concomitant changes in cerebral glucose metabolism—An exploratory study. Journal of Affective Disorders, 2013, 146, 290-294.	4.1	20

HANS-PETER KAPFHAMMER

#	Article	IF	CITATIONS
19	Do Primary Emotions Predict Psychopathological Symptoms? A Multigroup Path Analysis. Frontiers in Psychiatry, 2019, 10, 610.	2.6	18
20	Cerebral White Matter Lesions and Affective Episodes Correlate in Male Individuals with Bipolar Disorder. PLoS ONE, 2015, 10, e0135313.	2.5	17
21	ACUTE AND LONG-TERM MENTAL AND PHYSICAL SEQUELAE IN THE AFTERMATH OF TRAUMATIC EXPOSURE – SOME REMARKS ON "THE BODY KEEPS THE SCORE― Psychiatria Danubina, 2018, 30, 254-272.	0.4	15
22	Branched-chain amino acids are associated with metabolic parameters in bipolar disorder. World Journal of Biological Psychiatry, 2019, 20, 821-826.	2.6	15
23	"ABCâ€â€"The Awareness-Body-Chart: A new tool assessing body awareness. PLoS ONE, 2017, 12, e0186597.	2.5	13
24	Depressive Symptoms and Addictive Behaviors in Young Adults After Childhood Trauma: The Mediating Role of Personality Organization and Despair. Frontiers in Psychiatry, 2018, 9, 318.	2.6	13
25	Total gray matter volume is reduced in individuals with bipolar disorder currently treated with atypical antipsychotics. Journal of Affective Disorders, 2020, 260, 722-727.	4.1	12
26	Patient-reported outcomes in post-traumatic stress disorder Part II: Focus on pharmacological treatment. Dialogues in Clinical Neuroscience, 2014, 16, 227-237.	3.7	12
27	Clinical Course of Illness in Women With Early Onset Puerperal Psychosis. Journal of Clinical Psychiatry, 2014, 75, 1096-1104.	2.2	12
28	Visual height intolerance and acrophobia: distressing partners for life. Journal of Neurology, 2016, 263, 1946-1953.	3.6	11
29	Fundamentally altered global- and microstate EEG characteristics in Huntington's disease. Clinical Neurophysiology, 2021, 132, 13-22.	1.5	11
30	The Relationship Between Food Craving, Appetite-Related Hormones and Clinical Parameters in Bipolar Disorder. Nutrients, 2021, 13, 76.	4.1	11
31	Self-Efficacy Beliefs Are Associated with Visual Height Intolerance: A Cross-Sectional Survey. PLoS ONE, 2014, 9, e116220.	2.5	10
32	Endoplasmic reticulum stress in bipolar disorder? – BiP and CHOP gene expression- and XBP1 splicing analysis in peripheral blood. Psychoneuroendocrinology, 2018, 95, 113-119.	2.7	10
33	Akute und posttraumatische BelastungsstĶrung. , 2017, , 1965-2040.		10
34	Reduced Brain Electric Activity and Functional Connectivity in Bipolar Euthymia: An sLORETA Source Localization Study. Clinical EEG and Neuroscience, 2020, 51, 155-166.	1.7	9
35	Mindfulness and Self-Compassion in Clinical Psychiatric Rehabilitation: a Clinical Trial. Mindfulness, 2020, 11, 374-383.	2.8	8
36	Body Mass Index Predicts Decline in Executive Function in Bipolar Disorder: Preliminary Data of a 12-Month Follow-up Study. Neuropsychobiology, 2021, 80, 1-11.	1.9	8

#	Article	IF	CITATIONS
37	Do increases in deep grey matter volumes after electroconvulsive therapy persist in patients with major depression? A longitudinal MRI-study. Journal of Affective Disorders, 2021, 281, 908-917.	4.1	6
38	Psychische StĶrungen bei somatischen Krankheiten. , 2017, , 2693-2805.		6
39	Body modification in Germany: prevalence, gender differences and attitude towards cosmetic surgery. Giornale Italiano Di Dermatologia E Venereologia, 2019, 154, 646-649.	0.8	6
40	Differences in psychological and somatic symptom cluster score profiles between subjects with Idiopathic environmental intolerance, major depression and schizophrenia. Psychiatry Research, 2017, 249, 187-194.	3.3	5
41	Posttraumatic stress reactions of underground drivers after suicides by jumping to arriving trains; feasibility of an early stepped care outpatient intervention. Journal of Trauma and Dissociation, 2019, 20, 495-510.	1.9	5
42	Somatoforme Störungen – somatoforme Belastungsstörung und verwandte Störungen. , 2017, , 2105-2253.		5
43	Association of allostatic load with health-related quality of life in patients with arterial hypertension: a cross-sectional analysis. Swiss Medical Weekly, 2018, 148, w14689.	1.6	5
44	The Influence of an Attachment-Related Stimulus on Oxytocin Reactivity in Poly-Drug Users Undergoing Maintenance Therapy Compared to Healthy Controls. Frontiers in Psychiatry, 2020, 11, 460506.	2.6	2
45	Lower cognitive reappraisal capacity is related to impairments in attachment and personality structure in poly-drug use: an fMRI study. Brain Imaging and Behavior, 2021, 15, 2187-2198.	2.1	2
46	Neurobiological underpinnings of personality disorders. Acta Neuropsychiatrica, 2009, 21, 7-9.	2.1	1
47	Pharmacological Approaches to Understand, Prevent, and Mitigate Hurting Memories. Lessons from Posttraumatic Stress Disorders. , 2013, , 37-48.		1
48	Somatoforme StĶrungen und Somatisierungssyndrome. , 2012, , 1043-1057.		1
49	Somatoforme Störungen – somatoforme Belastungsstörung und verwandte Störungen. , 2016, , 1-155.		1
50	Psychiatrie, Psychosomatik, Psychotherapie – Bedeutung, Identitä Situation und Perspektiven eines großen medizinischen Fachgebietes. , 2016, , 1-35.		1
51	Akute und posttraumatische BelastungsstĶrung. , 2016, , 1-76.		0
52	Psychiatrie, Psychosomatik, Psychotherapie – Bedeutung, Identitä Situation und Perspektiven eines großen medizinischen Fachgebietes. , 2017, , 3-37.		0