

Paula Salo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2783664/paula-salo-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

5,103
citations

41
h-index

69
g-index

111
ext. papers

6,121
ext. citations

5.1
avg. IF

4.86
L-index

#	Paper	IF	Citations
108	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet, The</i> , 2012 , 380, 1491-7	4.0	606
107	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603,838 individuals. <i>Lancet, The</i> , 2015 , 386, 1739-46	4.0	368
106	Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data. <i>Psychological Medicine</i> , 2017 , 47, 1342-1356	6.9	195
105	The bidirectional association between depression and insomnia: the HUNT study. <i>Psychosomatic Medicine</i> , 2012 , 74, 758-65	3.7	186
104	Effort-Reward Imbalance at Work and Incident Coronary Heart Disease: A Multicohort Study of 90,164 Individuals. <i>Epidemiology</i> , 2017 , 28, 619-626	3.1	161
103	Insomnia as a risk factor for ill health: results from the large population-based prospective HUNT Study in Norway. <i>Journal of Sleep Research</i> , 2014 , 23, 124-32	5.8	150
102	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222 120 individuals. <i>Lancet Diabetes and Endocrinology, the</i> , 2015 , 3, 27-34	18.1	141
101	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. <i>BMJ, The</i> , 2013 , 347, f4746	5.9	133
100	Job strain as a risk factor for type 2 diabetes: a pooled analysis of 124,808 men and women. <i>Diabetes Care</i> , 2014 , 37, 2268-75	14.6	131
99	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ, The</i> , 2015 , 350, g7772	5.9	102
98	Sleep disturbances as a predictor of cause-specific work disability and delayed return to work. <i>Sleep</i> , 2010 , 33, 1323-31	1.1	88
97	Job strain and health-related lifestyle: findings from an individual-participant meta-analysis of 118,000 working adults. <i>American Journal of Public Health</i> , 2013 , 103, 2090-7	5.1	87
96	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116,000 European men and women. <i>BMJ, The</i> , 2013 , 346, f165	5.9	82
95	Effect of retirement on sleep disturbances: the GAZEL prospective cohort study. <i>Sleep</i> , 2009 , 32, 1459-66	6.1	82
94	Job strain and tobacco smoking: an individual-participant data meta-analysis of 166,130 adults in 15 European studies. <i>PLoS ONE</i> , 2012 , 7, e35463	3.7	81
93	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013 , 185, 763-9	3.5	81
92	Job strain and the risk of stroke: an individual-participant data meta-analysis. <i>Stroke</i> , 2015 , 46, 557-9	6.7	75

91	Job strain and alcohol intake: a collaborative meta-analysis of individual-participant data from 140,000 men and women. <i>PLoS ONE</i> , 2012 , 7, e40101	3.7	74
90	Sleep disturbances as a predictor of occupational injuries among public sector workers. <i>Journal of Sleep Research</i> , 2010 , 19, 207-13	5.8	71
89	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 239-250	4.3	67
88	Socio-economic differences in long-term psychiatric work disability: prospective cohort study of onset, recovery and recurrence. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 791-8	2.1	65
87	Symptoms of sleep disordered breathing and risk of cancer: a prospective cohort study. <i>Sleep</i> , 2013 , 36, 1429-35	1.1	63
86	Job strain and the risk of disability pension due to musculoskeletal disorders, depression or coronary heart disease: a prospective cohort study of 69,842 employees. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 574-81	2.1	61
85	Developing register-based measures for assessment of working time patterns for epidemiologic studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 268-79	4.3	61
84	Associations between nighttime traffic noise and sleep: the Finnish public sector study. <i>Environmental Health Perspectives</i> , 2012 , 120, 1391-6	8.4	59
83	Chronic workplace stress and insufficient physical activity: a cohort study. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 3-8	2.1	55
82	Extending employment beyond the pensionable age: a cohort study of the influence of chronic diseases, health risk factors, and working conditions. <i>PLoS ONE</i> , 2014 , 9, e88695	3.7	55
81	Effort-reward imbalance as a risk factor for disability pension: the Finnish Public Sector Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 266-77	4.3	53
80	Midlife insomnia and subsequent mortality: the Hordaland health study. <i>BMC Public Health</i> , 2014 , 14, 720	4.1	49
79	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , 2017 , 38, 2621-2628	9.5	49
78	Age-related trajectories of physical functioning in work and retirement: the role of sociodemographic factors, lifestyle and disease. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, 503-9	5.1	49
77	Workplace social capital and all-cause mortality: a prospective cohort study of 28,043 public-sector employees in Finland. <i>American Journal of Public Health</i> , 2011 , 101, 1742-8	5.1	49
76	Sleep and the menopause - do postmenopausal women experience worse sleep than premenopausal women?. <i>Menopause International</i> , 2008 , 14, 97-104		49
75	The association between vaccination confidence, vaccination behavior, and willingness to recommend vaccines among Finnish healthcare workers. <i>PLoS ONE</i> , 2019 , 14, e0224330	3.7	47
74	Lifestyle factors and risk of sickness absence from work: a multicohort study. <i>Lancet Public Health</i> , 2018 , 3, e545-e554	22.4	47

73	Insomnia symptoms as a predictor of incident treatment for depression: prospective cohort study of 40,791 men and women. <i>Sleep Medicine</i> , 2012 , 13, 278-84	4.6	46
72	Psychosocial work environment as a risk factor for absence with a psychiatric diagnosis: an instrumental-variables analysis. <i>American Journal of Epidemiology</i> , 2010 , 172, 167-72	3.8	45
71	Increased risk of lost workdays prior to the diagnosis of sleep apnea. <i>Chest</i> , 2009 , 136, 130-136	5.3	43
70	Onset of Impaired Sleep and Cardiovascular Disease Risk Factors: A Longitudinal Study. <i>Sleep</i> , 2016 , 39, 1709-18	1.1	41
69	Socioeconomic position, psychosocial work environment and cerebrovascular disease among women: the Finnish public sector study. <i>International Journal of Epidemiology</i> , 2009 , 38, 1265-71	7.8	41
68	Overcrowding in psychiatric wards and physical assaults on staff: data-linked longitudinal study. <i>British Journal of Psychiatry</i> , 2011 , 198, 149-55	5.4	40
67	The joint contribution of insomnia and obstructive sleep apnoea on sickness absence. <i>Journal of Sleep Research</i> , 2013 , 22, 223-30	5.8	39
66	Antidepressant use before and after the diagnosis of type 2 diabetes: a longitudinal modeling study. <i>Diabetes Care</i> , 2010 , 33, 1471-6	14.6	39
65	Obstructive sleep apnoea syndrome as a predictor of work disability. <i>Respiratory Medicine</i> , 2009 , 103, 1047-55	4.6	39
64	Is shift work a risk factor for rheumatoid arthritis? The Finnish Public Sector study. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 779-80	2.4	38
63	Work time control and sleep disturbances: prospective cohort study of Finnish public sector employees. <i>Sleep</i> , 2014 , 37, 1217-25	1.1	36
62	Clustering of job strain, effort-reward imbalance, and organizational injustice and the risk of work disability: a cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 485-495	4.3	30
61	Influence of retirement and work stress on headache prevalence: a longitudinal modelling study from the GAZEL Cohort Study. <i>Cephalalgia</i> , 2011 , 31, 696-705	6.1	29
60	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , 2016 , 188, E447-55	5.5	29
59	Effect of withdrawal from long-term use of temazepam, zopiclone or zolpidem as hypnotic agents on cognition in older adults. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 319-29	2.8	25
58	Association of physical activity with future mental health in older, mid-life and younger women. <i>European Journal of Public Health</i> , 2014 , 24, 813-8	2.1	24
57	Optimism and pessimism as predictors of work disability with a diagnosis of depression: a prospective cohort study of onset and recovery. <i>Journal of Affective Disorders</i> , 2011 , 130, 294-9	6.6	24
56	Onset of impaired sleep as a predictor of change in health-related behaviours; analysing observational data as a series of non-randomized pseudo-trials. <i>International Journal of Epidemiology</i> , 2015 , 44, 1027-37	7.8	21

55	Effect of depression onset on adherence to medication among hypertensive patients: a longitudinal modelling study. <i>Journal of Hypertension</i> , 2013 , 31, 1477-84; discussion 1484	1.9	21
54	Organizational justice and disability pension from all-causes, depression and musculoskeletal diseases: A Finnish cohort study of public sector employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016 , 42, 395-404	4.3	21
53	Changes in Sleep Duration During Transition to Statutory Retirement: A Longitudinal Cohort Study. <i>Sleep</i> , 2017 , 40,	1.1	21
52	Changes in Sleep Difficulties During the Transition to Statutory Retirement. <i>Sleep</i> , 2018 , 41,	1.1	20
51	School neighborhood disadvantage as a predictor of long-term sick leave among teachers: prospective cohort study. <i>American Journal of Epidemiology</i> , 2010 , 171, 785-92	3.8	20
50	Organisational justice protects against the negative effect of workplace violence on teachers' sleep: a longitudinal cohort study. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 511-516	2.1	19
49	Change in Job Strain as a Predictor of Change in Insomnia Symptoms: Analyzing Observational Data as a Non-randomized Pseudo-Trial. <i>Sleep</i> , 2017 , 40,	1.1	19
48	Hormone treatment gives no benefit against cognitive changes caused by acute sleep deprivation in postmenopausal women. <i>Neuropsychopharmacology</i> , 2006 , 31, 2079-88	8.7	19
47	Health- and work-related predictors of work disability among employees with a cardiometabolic disease--A cohort study. <i>Journal of Psychosomatic Research</i> , 2016 , 82, 41-47	4.1	18
46	Estrogen + progestin therapy and cognition: a randomized placebo-controlled double-blind study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010 , 36, 796-802	1.9	18
45	Using repeated measures of sleep disturbances to predict future diagnosis-specific work disability: a cohort study. <i>Sleep</i> , 2012 , 35, 559-69	1.1	17
44	Sleep Apnea, Disability Pensions, and Cause-Specific Mortality: A Swedish Nationwide Register Linkage Study. <i>American Journal of Epidemiology</i> , 2017 , 186, 709-718	3.8	16
43	Job strain and the risk of severe asthma exacerbations: a meta-analysis of individual-participant data from 100 000 European men and women. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 775-83	9.3	16
42	Psychosocial factors and well-being among Finnish GPs and specialists: a 10-year follow-up. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 246-51	2.1	16
41	The economic burden of insomnia at the workplace. An opportunity and time for intervention?. <i>Sleep</i> , 2011 , 34, 1151-2	1.1	16
40	Allergic rhinitis alone or with asthma is associated with an increased risk of sickness absences. <i>Respiratory Medicine</i> , 2010 , 104, 1654-8	4.6	16
39	Socioeconomic differences in healthy and disease-free life expectancy between ages 50 and 75: a multi-cohort study. <i>European Journal of Public Health</i> , 2019 , 29, 267-272	2.1	16
38	Use of sleep medications and risk of cancer: a matched case-control study. <i>Sleep Medicine</i> , 2015 , 16, 1552-5	1.5	15

37	Trends in work disability with mental diagnoses among social workers in Finland and Sweden in 2005-2012. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 644-654	5.1	14
36	Early retirement from work among employees with a diagnosis of personality disorder compared to anxiety and depressive disorders. <i>European Psychiatry</i> , 2011 , 26, 18-22	6	13
35	Patient overcrowding in hospital wards as a predictor of diagnosis-specific mental disorders among staff: a 2-year prospective cohort study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1308-12	4.6	13
34	Organizational Justice and Collaboration Among Nurses as Correlates of Violent Assaults by Patients in Psychiatric Care. <i>Psychiatric Services</i> , 2017 , 68, 490-496	3.3	12
33	Low level of optimism predicts initiation of psychotherapy for depression: results from the Finnish Public Sector Study. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 238-44	9.4	12
32	Sickness absence diagnoses among abstainers, low-risk drinkers and at-risk drinkers: consideration of the U-shaped association between alcohol use and sickness absence in four cohort studies. <i>Addiction</i> , 2018 , 113, 1633	4.6	11
31	Trajectories of sleep complaints from early midlife to old age: longitudinal modeling study. <i>Sleep</i> , 2012 , 35, 1559-68	1.1	11
30	Estrogen therapy and cognition: a 6-year single-blind follow-up study in postmenopausal women. <i>Neurology</i> , 2006 , 67, 706-9	6.5	11
29	Health risk behaviors and morbidity among hospital staff--comparison across hospital ward medical specialties in a study of 21 Finnish hospitals. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 228-37	4.3	11
28	Female sexual function varies over time and is dependent on partner-specific factors: a population-based longitudinal analysis of six sexual function domains. <i>Psychological Medicine</i> , 2017 , 47, 341-352	6.9	10
27	Job strain and COPD exacerbations: an individual-participant meta-analysis. <i>European Respiratory Journal</i> , 2014 , 44, 247-51	13.6	9
26	Change in organizational justice as a predictor of insomnia symptoms: longitudinal study analysing observational data as a non-randomized pseudo-trial. <i>International Journal of Epidemiology</i> , 2017 , 46, 1277-1284	7.8	8
25	Use of Sleep Medications and Mortality: The Hordaland Health Study. <i>Drugs - Real World Outcomes</i> , 2015 , 2, 123-128	2.2	7
24	The association of serum oestradiol level, age, and education with cognitive performance in peri- and late postmenopausal women. <i>Maturitas</i> , 2012 , 71, 173-9	5	7
23	Does hormone therapy affect attention and memory in sleep-deprived women?. <i>Climacteric</i> , 2008 , 11, 221-32	3.1	7
22	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020 , 44, 1368-1375	5.5	7
21	Job-strain and well-being among Finnish social workers: exploring the differences in occupational well-being between child protection social workers and social workers without duties in child protection. <i>European Journal of Social Work</i> , 2019 , 22, 43-58	1	7
20	Does removal of work stress explain improved sleep following retirement? The Finnish Retirement and Aging study. <i>Sleep</i> , 2019 , 42,	1.1	6

19	Changes in accelerometer-measured sleep during the transition to retirement: the Finnish Retirement and Aging (FIREA) study. <i>Sleep</i> , 2020 , 43,	1.1	6
18	Antidepressant treatment among social workers, human service professionals, and non-human service professionals: A multi-cohort study in Finland, Sweden and Denmark. <i>Journal of Affective Disorders</i> , 2019 , 250, 153-162	6.6	5
17	Sociodemographic Differences Between Alcohol Use and Sickness Absence: Pooled Analysis of Four Cohort Studies. <i>Alcohol and Alcoholism</i> , 2018 , 53, 95-103	3.5	5
16	Do obesity and sleep problems cluster in the workplace? A multivariate, multilevel study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 276-283	4.3	5
15	Employee control over scheduling of shifts and objectively measured working hour characteristics: a cross-sectional analysis of linked register and survey data. <i>Chronobiology International</i> , 2019 , 36, 85-95	3.6	5
14	Modeling the Occupational Well-Being of Finnish Social Work Employees: A Multigroup Confirmatory Factor Analysis. <i>Human Service Organizations Management, Leadership and Governance</i> , 2016 , 40, 524-539	0.7	4
13	Vertical and horizontal trust at work as predictors of retirement intentions: the Finnish Public Sector Study. <i>PLoS ONE</i> , 2014 , 9, e106956	3.7	4
12	Effect of the frequency spectrum of road traffic noise on sleep: A polysomnographic study. <i>Journal of the Acoustical Society of America</i> , 2020 , 147, 2139	2.2	3
11	Optimism and pessimism as predictors of initiating and ending an antidepressant medication treatment. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 1-7	2.3	3
10	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2013 , 2, 233	3.6	3
9	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 181-190	4.3	2
8	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2013 , 2, 233	3.6	1
7	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 181-190	4.3	1
6	Associations between shift work and use of prescribed medications for the treatment of hypertension, diabetes, and dyslipidemia: a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 465-474	4.3	1
5	Association of rotating shift work schedules and the use of prescribed sleep medication: A prospective cohort study. <i>Journal of Sleep Research</i> , 2021 , 30, e13349	5.8	1
4	Antidepressant use and work-related injuries. <i>Psychological Medicine</i> , 2016 , 46, 1391-9	6.9	1
3	Workplace discrimination as risk factor for long-term sickness absence: Longitudinal analyses of onset and changes in workplace adversity. <i>PLoS ONE</i> , 2021 , 16, e0255697	3.7	1
2	Response to letter "Do all hypnotic drugs and sedatives have risk for cancer?". <i>Sleep Medicine</i> , 2016 , 20, 171	4.6	

- 1 Daytime fatigue as a predictor for subsequent retirement among older New Zealand workers. *Sleep Health*, **2021**, 7, 742-748

4