

# Dominique Legrand

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2784580/publications.pdf>

Version: 2024-02-01

61  
papers

4,876  
citations

109264

35  
h-index

133188

59  
g-index

63  
all docs

63  
docs citations

63  
times ranked

4535  
citing authors

#	ARTICLE	IF	CITATIONS
1	SLC10A7, an orphan member of the SLC10 family involved in congenital disorders of glycosylation. <i>Human Genetics</i> , 2022, 141, 1287-1298.	1.8	3
2	Differential Effects of D-Galactose Supplementation on Golgi Glycosylation Defects in TMEM165 Deficiency. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, .	1.8	3
3	Biometals and glycosylation in humans: Congenital disorders of glycosylation shed lights into the crucial role of Golgi manganese homeostasis. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2020, 1864, 129674.	1.1	25
4	Dissection of TMEM165 function in Golgi glycosylation and its Mn <sup>2+</sup> sensitivity. <i>Biochimie</i> , 2019, 165, 123-130.	1.3	22
5	Involvement of thapsigargin- and cyclopiazonic acid-sensitive pumps in the rescue of TMEM165-associated glycosylation defects by Mn <sup>2+</sup> . <i>FASEB Journal</i> , 2019, 33, 2669-2679.	0.2	21
6	TMEM165 deficiencies in Congenital Disorders of Glycosylation type II (CDG-II): Clues and evidences for roles of the protein in Golgi functions and ion homeostasis. <i>Tissue and Cell</i> , 2017, 49, 150-156.	1.0	34
7	Overview of Lactoferrin as a Natural Immune Modulator. <i>Journal of Pediatrics</i> , 2016, 173, S10-S15.	0.9	205
8	Lipid nanocapsules functionalized with polyethyleneimine for plasmid DNA and drug co-delivery and cell imaging. <i>Nanoscale</i> , 2014, 6, 7379.	2.8	24
9	Glycosylation disorders of membrane trafficking. <i>Glycoconjugate Journal</i> , 2013, 30, 23-31.	1.4	53
10	Newly characterized Golgi-localized family of proteins is involved in calcium and pH homeostasis in yeast and human cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 6859-6864.	3.3	129
11	Impact of disease-causing mutations on TMEM165 subcellular localization, a recently identified protein involved in CDG-II. <i>Human Molecular Genetics</i> , 2013, 22, 2914-2928.	1.4	39
12	Hepatitis C Virus NS5B and Host Cyclophilin A Share a Common Binding Site on NS5A. <i>Journal of Biological Chemistry</i> , 2012, 287, 44249-44260.	1.6	35
13	PUGNAc treatment leads to an unusual accumulation of free oligosaccharides in CHO cells. <i>Journal of Biochemistry</i> , 2012, 151, 439-446.	0.9	20
14	TMEM165 Deficiency Causes a Congenital Disorder of Glycosylation. <i>American Journal of Human Genetics</i> , 2012, 91, 15-26.	2.6	162
15	Lactoferrin, a key molecule in immune and inflammatory processes<sup>1</sup>This article is part of Special Issue entitled Lactoferrin and has undergone the Journal's usual peer review process.. <i>Biochemistry and Cell Biology</i> , 2012, 90, 252-268.	0.9	155
16	Culture of mammalian cells on patterned superhydrophilic/superhydrophobic silicon nanowire arrays. <i>Soft Matter</i> , 2011, 7, 8642.	1.2	109
17	N-glycosylation influences the structure and self-association abilities of recombinant nucleolin. <i>FEBS Journal</i> , 2011, 278, 2552-2564.	2.2	19
18	Differential effects of lobe A and lobe B of the Conserved Oligomeric Golgi complex on the stability of $\beta$ 1,4-galactosyltransferase 1 and $\beta$ 2,6-sialyltransferase 1. <i>Glycobiology</i> , 2011, 21, 864-876.	1.3	33

#	ARTICLE	IF	CITATIONS
19	A critical review of the roles of host lactoferrin in immunity. <i>BioMetals</i> , 2010, 23, 365-376.	1.8	141
20	Spectroscopic Studies of GSK3 <sup>Î²</sup> Phosphorylation of the Neuronal Tau Protein and Its Interaction with the N-terminal Domain of Apolipoprotein E. <i>Journal of Biological Chemistry</i> , 2010, 285, 33435-33444.	1.6	71
21	The cell surface expressed nucleolin is a glycoprotein that triggers calcium entry into mammalian cells. <i>Experimental Cell Research</i> , 2009, 315, 357-369.	1.2	73
22	Advances in lactoferrin research. <i>Biochimie</i> , 2009, 91, 1-2.	1.3	14
23	Lactoferrin Structure and Functions. , 2008, 606, 163-194.		200
24	Nanoscale devices for online dielectric spectroscopy of biological cells. <i>Physiological Measurement</i> , 2008, 29, S213-S225.	1.2	11
25	Identification by surface plasmon resonance of the mycobacterial lipomannan and lipoarabinomannan domains involved in binding to CD14 and LPS-binding protein. <i>FEBS Letters</i> , 2007, 581, 1383-1390.	1.3	17
26	Interactions of lactoferrin with cells involved in immune function This paper is one of a selection of papers published in this Special Issue, entitled 7th International Conference on Lactoferrin: Structure, Function, and Applications, and has undergone the Journal's usual peer review process.. <i>Biochemistry and Cell Biology</i> , 2006, 84, 282-290.	0.9	101
27	Lactoferrin. <i>Cellular and Molecular Life Sciences</i> , 2005, 62, 2549-59.	2.4	332
28	Mycobacterial Lipomannan Induces Matrix Metalloproteinase-9 Expression in Human Macrophagic Cells through a Toll-Like Receptor 1 (TLR1)/TLR2- and CD14-Dependent Mechanism. <i>Infection and Immunity</i> , 2005, 73, 7064-7068.	1.0	50
29	Nucleolin Undergoes Partial N- and O-Glycosylations in the Extranuclear Cell Compartment. <i>Biochemistry</i> , 2005, 44, 5804-5815.	1.2	52
30	Conservation of Epidermal Growth Factor Receptor Function in the Human Parasitic Helminth <i>Schistosoma mansoni</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 37407-37414.	1.6	120
31	Lactoferrin and host defence: an overview of its immuno-modulating and anti-inflammatory properties. <i>BioMetals</i> , 2004, 17, 225-229.	1.8	112
32	Surface nucleolin participates in both the binding and endocytosis of lactoferrin in target cells. <i>FEBS Journal</i> , 2004, 271, 303-317.	0.2	188
33	Lipomannans, But Not Lipoarabinomannans, Purified from <i>Mycobacterium chelonae</i> and <i>Mycobacterium kansasii</i> Induce TNF- $\alpha$ and IL-8 Secretion by a CD14-Toll-Like Receptor 2-Dependent Mechanism. <i>Journal of Immunology</i> , 2003, 171, 2014-2023.	0.4	128
34	Lactoferrin Inhibits the Lipopolysaccharide-Induced Expression and Proteoglycan-Binding Ability of Interleukin-8 in Human Endothelial Cells. <i>Infection and Immunity</i> , 2002, 70, 1860-1866.	1.0	96
35	The binding of lactoferrin to glycosaminoglycans on enterocyte-like HT29-18-C1 cells is mediated through basic residues located in the N-terminus. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2001, 1568, 197-204.	1.1	38
36	Human Lactoferrin Interacts with Soluble CD14 and Inhibits Expression of Endothelial Adhesion Molecules, E-Selectin and ICAM-1, Induced by the CD14-Lipopolysaccharide Complex. <i>Infection and Immunity</i> , 2000, 68, 6519-6525.	1.0	136

#	ARTICLE	IF	CITATIONS
37	Lactoferrin inhibits the binding of lipopolysaccharides to L-selectin and subsequent production of reactive oxygen species by neutrophils. <i>FEBS Letters</i> , 2000, 469, 5-8.	1.3	57
38	Lactoferrin: A Multifunctional Glycoprotein Involved in the Modulation of the Inflammatory Process. <i>Clinical Chemistry and Laboratory Medicine</i> , 1999, 37, 281-6.	1.4	295
39	Porins OmpC and PhoE of <i>Escherichia coli</i> as Specific Cell-surface Targets of Human Lactoferrin. <i>Journal of Biological Chemistry</i> , 1999, 274, 16107-16114.	1.6	50
40	Production of Human Lactoferrin in Transgenic Tobacco Plants. <i>Protein Expression and Purification</i> , 1998, 13, 127-135.	0.6	65
41	Lactoferrin Inhibits the Endotoxin Interaction with CD14 by Competition with the Lipopolysaccharide-Binding Protein. <i>Infection and Immunity</i> , 1998, 66, 486-491.	1.0	163
42	The N-terminal Arg2, Arg3 and Arg4 of human lactoferrin interact with sulphated molecules but not with the receptor present on Jurkat human lymphoblastic T-cells. <i>Biochemical Journal</i> , 1997, 327, 841-846.	1.7	64
43	Characterization of Human Lactoferrin Produced in the Baculovirus Expression System. <i>Protein Expression and Purification</i> , 1997, 9, 203-210.	0.6	52
44	Difference in Binding and Fate of Lactotransferrin in Jurkat Human Lymphoblastic T-Cells and in T-47D Human Breast Cancer Cells. , 1997, , 193-209.		0
45	Structural Determination of Two N-Linked Glycans Isolated from Recombinant Human Lactoferrin Expressed in BHK Cells. , 1997, , 111-117.		1
46	Processes Underlying Interactions of Human Lactoferrin with the Jurkat Human Lymphoblastic T-cell Line Receptor. I - Quantitative Structure-Affinity Relationships Studies. <i>QSAR and Combinatorial Science</i> , 1996, 15, 94-101.	1.4	4
47	Processes Underlying Interactions of Human Lactoferrin with the Jurkat Human Lymphoblastic T-cell Line Receptor. II - Comparative Molecular Field Analysis. <i>QSAR and Combinatorial Science</i> , 1996, 15, 102-107.	1.4	4
48	Structural determination of two N-linked glycans isolated from recombinant human lactoferrin expressed in BHK cells. <i>FEBS Letters</i> , 1995, 365, 57-60.	1.3	31
49	Structures of a legume lectin complexed with the human lactotransferrin N2 fragment, and with an isolated biantennary glycopeptide: role of the fucose moiety. <i>Structure</i> , 1994, 2, 209-219.	1.6	105
50	Study on the Binding of Lactotransferrin (Lactoferrin) to Human PhA-Activated Lymphocytes and Non-Activated Platelets. <i>Advances in Experimental Medicine and Biology</i> , 1994, 357, 111-119.	0.8	6
51	Characterization of Two Kinds of Lactotransferrin (Lactoferrin) Receptors on Different Target Cells. <i>Advances in Experimental Medicine and Biology</i> , 1994, 357, 13-19.	0.8	19
52	Lactotransferrin binding to its platelet receptor inhibits platelet aggregation. <i>FEBS Journal</i> , 1993, 213, 1205-1211.	0.2	88
53	Molecular interactions between human lactotransferrin and the phytohemagglutinin-activated human lymphocyte lactotransferrin receptor lie in two loop-containing regions of the N-terminal domain I of human lactotransferrin. <i>Biochemistry</i> , 1992, 31, 9243-9251.	1.2	62
54	Crystallization and preliminary X-ray diffraction study of <i>Lathyrus ochrus</i> isolectin II complexed to the human lactotransferrin N2 fragment. <i>Journal of Molecular Biology</i> , 1992, 227, 938-941.	2.0	13

#	ARTICLE	IF	CITATIONS
55	Expression of human lactotransferrin receptors in phytohemagglutinin-stimulated human peripheral blood lymphocytes. Isolation of the receptors by antiligand-affinity chromatography. FEBS Journal, 1989, 179, 481-487.	0.2	144
56	The N-terminal domain I of human lactotransferrin binds specifically to phytohemagglutinin-stimulated peripheral blood human lymphocyte receptors. FEBS Letters, 1989, 255, 201-204.	1.3	55
57	Structure and spatial conformation of the iron-binding sites of transferrins. Biochimie, 1988, 70, 1185-1195.	1.3	35
58	Trypanosoma cruzi: expression of antigenic component 5 among 35 laboratory clones obtained from 18 different isozymic variants. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1987, 29, 80-85.	0.5	1
59	Identification of a major 72 kilodalton surface antigen in twelve isolates of Leishmania braziliensis braziliensis. Molecular and Biochemical Parasitology, 1987, 24, 117-124.	0.5	14
60	Characterization and localization of an iron-binding 18-kDa glycopeptide isolated from the N-terminal half of human lactotransferrin. BBA - Proteins and Proteomics, 1984, 787, 90-96.	2.1	52
61	Human lactotransferrin: amino acid sequence and structural comparisons with other transferrins. FEBS Journal, 1984, 145, 659-676.	0.2	490