

Jens Overgaard

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2784868/jens-overgaard-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

250
papers

22,281
citations

73
h-index

146
g-index

273
ext. papers

25,272
ext. citations

4.7
avg, IF

6.88
L-index

#	Paper	IF	Citations
250	Postoperative radiotherapy in high-risk premenopausal women with breast cancer who receive adjuvant chemotherapy. Danish Breast Cancer Cooperative Group 82b Trial. <i>New England Journal of Medicine</i> , 1997 , 337, 949-55	59.2	2073
249	Postoperative radiotherapy in high-risk postmenopausal breast-cancer patients given adjuvant tamoxifen: Danish Breast Cancer Cooperative Group DBCG 82c randomised trial. <i>Lancet, The</i> , 1999 , 353, 1641-8	40	1283
248	Hyperfractionated or accelerated radiotherapy in head and neck cancer: a meta-analysis. <i>Lancet, The</i> , 2006 , 368, 843-54	40	822
247	Prognostic value of tumor oxygenation in 397 head and neck tumors after primary radiation therapy. An international multi-center study. <i>Radiotherapy and Oncology</i> , 2005 , 77, 18-24	5.3	777
246	Pretreatment oxygenation predicts radiation response in advanced squamous cell carcinoma of the head and neck. <i>Radiotherapy and Oncology</i> , 1996 , 41, 31-9	5.3	692
245	Five compared with six fractions per week of conventional radiotherapy of squamous-cell carcinoma of head and neck: DAHANCA 6 and 7 randomised controlled trial. <i>Lancet, The</i> , 2003 , 362, 933-40	40	506
244	Hypoxic radiosensitization: adored and ignored. <i>Journal of Clinical Oncology</i> , 2007 , 25, 4066-74	2.2	486
243	Effect of HPV-associated p16INK4A expression on response to radiotherapy and survival in squamous cell carcinoma of the head and neck. <i>Journal of Clinical Oncology</i> , 2009 , 27, 1992-8	2.2	482
242	Randomised trial of hyperthermia as adjuvant to radiotherapy for recurrent or metastatic malignant melanoma. European Society for Hyperthermic Oncology. <i>Lancet, The</i> , 1995 , 345, 540-3	40	464
241	A randomized double-blind phase III study of nimorazole as a hypoxic radiosensitizer of primary radiotherapy in supraglottic larynx and pharynx carcinoma. Results of the Danish Head and Neck Cancer Study (DAHANCA) Protocol 5-85. <i>Radiotherapy and Oncology</i> , 1998 , 46, 135-46	5.3	451
240	Radiation oncology in the era of precision medicine. <i>Nature Reviews Cancer</i> , 2016 , 16, 234-49	31.3	438
239	Estrogen receptor, progesterone receptor, HER-2, and response to postmastectomy radiotherapy in high-risk breast cancer: the Danish Breast Cancer Cooperative Group. <i>Journal of Clinical Oncology</i> , 2008 , 26, 1419-26	2.2	428
238	Imaging hypoxia to improve radiotherapy outcome. <i>Nature Reviews Clinical Oncology</i> , 2012 , 9, 674-87	19.4	422
237	The current and potential role of hyperthermia in radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 1989 , 16, 535-49	4	415
236	Modification of hypoxia-induced radioresistance in tumors by the use of oxygen and sensitizers. <i>Seminars in Radiation Oncology</i> , 1996 , 6, 10-21	5.5	344
235	Hypoxic modification of radiotherapy in squamous cell carcinoma of the head and neck--a systematic review and meta-analysis. <i>Radiotherapy and Oncology</i> , 2011 , 100, 22-32	5.3	337
234	Is the benefit of postmastectomy irradiation limited to patients with four or more positive nodes, as recommended in international consensus reports? A subgroup analysis of the DBCG 82 b&c randomized trials. <i>Radiotherapy and Oncology</i> , 2007 , 82, 247-53	5.3	326

233	Hyperthermia: a potent enhancer of radiotherapy. <i>Clinical Oncology</i> , 2007 , 19, 418-26	2.8	312
232	Simultaneous and sequential hyperthermia and radiation treatment of an experimental tumor and its surrounding normal tissue in vivo. <i>International Journal of Radiation Oncology Biology Physics</i> , 1980 , 6, 1507-17	4	284
231	Morbidity and mortality of ischaemic heart disease in high-risk breast-cancer patients after adjuvant postmastectomy systemic treatment with or without radiotherapy: analysis of DBCG 82b and 82c randomised trials. Radiotherapy Committee of the Danish Breast Cancer Cooperative Group. <i>Lancet, The</i> , 1999 , 354, 1425-30	40	273
230	DBCG-IMN: A Population-Based Cohort Study on the Effect of Internal Mammary Node Irradiation in Early Node-Positive Breast Cancer. <i>Journal of Clinical Oncology</i> , 2016 , 34, 314-20	2.2	261
229	Study of failure pattern among high-risk breast cancer patients with or without postmastectomy radiotherapy in addition to adjuvant systemic therapy: long-term results from the Danish Breast Cancer Cooperative Group DBCG 82 b and c randomized studies. <i>Journal of Clinical Oncology</i> , 2006 , 24, 2268-75	2.2	257
228	A confirmatory prognostic study on oxygenation status and loco-regional control in advanced head and neck squamous cell carcinoma treated by radiation therapy. <i>Radiotherapy and Oncology</i> , 2000 , 57, 39-43	5.3	251
227	Postoperative radiotherapy in Dukes B and C carcinoma of the rectum and rectosigmoid. A randomized multicenter study. <i>Cancer</i> , 1986 , 58, 22-8	6.4	245
226	Plasma osteopontin, hypoxia, and response to the hypoxia sensitiser nimorazole in radiotherapy of head and neck cancer: results from the DAHANCA 5 randomised double-blind placebo-controlled trial. <i>Lancet Oncology, The</i> , 2005 , 6, 757-64	21.7	244
225	FAZA PET/CT hypoxia imaging in patients with squamous cell carcinoma of the head and neck treated with radiotherapy: results from the DAHANCA 24 trial. <i>Radiotherapy and Oncology</i> , 2012 , 105, 14-20	5.3	231
224	Radiotherapy-related lung fibrosis enhanced by tamoxifen. <i>Journal of the National Cancer Institute</i> , 1996 , 88, 918-22	9.7	215
223	Primary radiotherapy of larynx and pharynx carcinoma--an analysis of some factors influencing local control and survival. <i>International Journal of Radiation Oncology Biology Physics</i> , 1986 , 12, 515-21	4	204
222	Misonidazole combined with split-course radiotherapy in the treatment of invasive carcinoma of larynx and pharynx: report from the DAHANCA 2 study. <i>International Journal of Radiation Oncology Biology Physics</i> , 1989 , 16, 1065-8	4	190
221	Development of a hypoxia gene expression classifier with predictive impact for hypoxic modification of radiotherapy in head and neck cancer. <i>Cancer Research</i> , 2011 , 71, 5923-31	10.1	183
220	Hyperthermia as an adjuvant to radiation therapy of recurrent or metastatic malignant melanoma. A multicentre randomized trial by the European Society for Hyperthermic Oncology. <i>International Journal of Hyperthermia</i> , 1996 , 12, 3-20	3.7	176
219	The impact of hypoxia and its modification of the outcome of radiotherapy. <i>Journal of Radiation Research</i> , 2016 , 57 Suppl 1, i90-i98	2.4	172
218	Gene expression classifier predicts for hypoxic modification of radiotherapy with nimorazole in squamous cell carcinomas of the head and neck. <i>Radiotherapy and Oncology</i> , 2012 , 102, 122-9	5.3	167
217	Measurement of human tumour oxygenation status by a polarographic needle electrode. An analysis of inter- and intratumour heterogeneity. <i>Acta Oncologica</i> , 1994 , 33, 383-9	3.2	159
216	Role of radiotherapy fractionation in head and neck cancers (MARCH): an updated meta-analysis. <i>Lancet Oncology, The</i> , 2017 , 18, 1221-1237	21.7	156

215	HPV-associated p16-expression and response to hypoxic modification of radiotherapy in head and neck cancer. <i>Radiotherapy and Oncology</i> , 2010 , 94, 30-5	5.3	155
214	The influence of HPV-associated p16-expression on accelerated fractionated radiotherapy in head and neck cancer: evaluation of the randomised DAHANCA 6&7 trial. <i>Radiotherapy and Oncology</i> , 2011 , 100, 49-55	5.3	154
213	Sensitization of hypoxic tumour cells--clinical experience. <i>International Journal of Radiation Biology</i> , 1989 , 56, 801-11	2.9	136
212	The influence of hypoxia and acidity on the hyperthermic response of malignant cells in vitro. <i>Radiology</i> , 1977 , 123, 511-4	20.5	133
211	Impact of HPV-associated p16-expression on radiotherapy outcome in advanced oropharynx and non-oropharynx cancer. <i>Radiotherapy and Oncology</i> , 2014 , 113, 310-6	5.3	121
210	Prospective study of 18FDG-PET in the detection and management of patients with lymph node metastases to the neck from an unknown primary tumor. Results from the DAHANCA-13 study. <i>Head and Neck</i> , 2008 , 30, 471-8	4.2	121
209	Risk of second primary lung cancer in women after radiotherapy for breast cancer. <i>Radiotherapy and Oncology</i> , 2014 , 111, 366-73	5.3	120
208	Tumor hypoxia is independent of hemoglobin and prognostic for loco-regional tumor control after primary radiotherapy in advanced head and neck cancer. <i>Acta Oncologica</i> , 2004 , 43, 396-403	3.2	118
207	Risk of second non-breast cancer after radiotherapy for breast cancer: a systematic review and meta-analysis of 762,468 patients. <i>Radiotherapy and Oncology</i> , 2015 , 114, 56-65	5.3	115
206	Cancer of the nasal cavity and paranasal sinuses. A clinico-pathological study of 277 patients. <i>Acta Oncologica</i> , 1997 , 36, 45-50	3.2	115
205	Late treatment-related morbidity in breast cancer patients randomized to postmastectomy radiotherapy and systemic treatment versus systemic treatment alone. <i>Acta Oncologica</i> , 2000 , 39, 355-72 ^{3.2}		109
204	Second primary cancers after adjuvant radiotherapy in early breast cancer patients: a national population based study under the Danish Breast Cancer Cooperative Group (DBCG). <i>Radiotherapy and Oncology</i> , 2013 , 106, 42-9	5.3	104
203	TGFB1 polymorphisms are associated with risk of late normal tissue complications in the breast after radiotherapy for early breast cancer. <i>Radiotherapy and Oncology</i> , 2005 , 75, 18-21	5.3	104
202	Tumour oxygenation assessed by 18F-fluoromisonidazole PET and polarographic needle electrodes in human soft tissue tumours. <i>Radiotherapy and Oncology</i> , 2003 , 67, 339-44	5.3	104
201	Loco-regional recurrence after mastectomy in high-risk breast cancer--risk and prognosis. An analysis of patients from the DBCG 82 b&c randomization trials. <i>Radiotherapy and Oncology</i> , 2006 , 79, 147-55	5.3	99
200	Genetic predictors of adverse radiotherapy effects: the Gene-PARE project. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 646-55	4	98
199	Cancer suspicion in general practice, urgent referral and time to diagnosis: a population-based GP survey and registry study. <i>BMC Cancer</i> , 2014 , 14, 636	4.8	96
198	Early and late radiotherapeutic morbidity in 442 consecutive patients with locally advanced carcinoma of the uterine cervix. <i>International Journal of Radiation Oncology Biology Physics</i> , 1994 , 29, 941-52	4	96

197	Aerobic glycolysis in cancers: implications for the usability of oxygen-responsive genes and fluorodeoxyglucose-PET as markers of tissue hypoxia. <i>International Journal of Cancer</i> , 2008 , 122, 2726-34	7.5	92
196	The prognostic value of pimonidazole and tumour pO ₂ in human cervix carcinomas after radiation therapy: a prospective international multi-center study. <i>Radiotherapy and Oncology</i> , 2006 , 80, 123-31	5.3	91
195	Five versus six fractions of radiotherapy per week for squamous-cell carcinoma of the head and neck (IAEA-ACC study): a randomised, multicentre trial. <i>Lancet Oncology</i> , 2010 , 11, 553-60	21.7	90
194	Genetic markers for prediction of normal tissue toxicity after radiotherapy. <i>Seminars in Radiation Oncology</i> , 2008 , 18, 126-35	5.5	90
193	Time to loco-regional recurrence after resection of Dukes B and C colorectal cancer with or without adjuvant postoperative radiotherapy. A multivariate regression analysis. <i>British Journal of Cancer</i> , 1992 , 65, 102-7	8.7	90
192	Identifying microRNAs regulating B7-H3 in breast cancer: the clinical impact of microRNA-29c. <i>British Journal of Cancer</i> , 2014 , 110, 2072-80	8.7	89
191	Clinical correlations between late normal tissue endpoints after radiotherapy: implications for predictive assays of radiosensitivity. <i>European Journal of Cancer</i> , 1993 , 29A, 1373-6	7.5	89
190	Low Cancer Stem Cell Marker Expression and Low Hypoxia Identify Good Prognosis Subgroups in HPV(-) HNSCC after Postoperative Radiochemotherapy: A Multicenter Study of the DKTK-ROG. <i>Clinical Cancer Research</i> , 2016 , 22, 2639-49	12.9	88
189	Cellular uptake of PET tracers of glucose metabolism and hypoxia and their linkage. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008 , 35, 2294-303	8.8	88
188	Hyperthermia as an adjuvant to radiotherapy in the treatment of malignant melanoma. <i>International Journal of Hyperthermia</i> , 1987 , 3, 483-501	3.7	88
187	Effect of smoking on oxygen delivery and outcome in patients treated with radiotherapy for head and neck squamous cell carcinoma--a prospective study. <i>Radiotherapy and Oncology</i> , 2012 , 103, 38-44	5.3	86
186	Hyperthermia: The Optimal Treatment to Overcome Radiation Resistant Hypoxia. <i>Cancers</i> , 2019 , 11,	6.6	83
185	Prognostic significance of urokinase-type plasminogen activator and plasminogen activator inhibitor-1 in primary breast cancer. <i>British Journal of Cancer</i> , 1998 , 77, 932-40	8.7	83
184	High local recurrence risk is not associated with large survival reduction after postmastectomy radiotherapy in high-risk breast cancer: a subgroup analysis of DBCG 82 b&c. <i>Radiotherapy and Oncology</i> , 2009 , 90, 74-9	5.3	82
183	Combination of nicotinamide and hyperthermia to eliminate radioresistant chronically and acutely hypoxic tumor cells. <i>Cancer Research</i> , 1990 , 50, 7430-6	10.1	82
182	HPV status, cancer stem cell marker expression, hypoxia gene signatures and tumour volume identify good prognosis subgroups in patients with HNSCC after primary radiochemotherapy: A multicentre retrospective study of the German Cancer Consortium Radiation Oncology Group (DKTK-ROG). <i>Radiotherapy and Oncology</i> , 2016 , 121, 364-373	5.3	80
181	Radiosensitivity and effect of hypoxia in HPV positive head and neck cancer cells. <i>Radiotherapy and Oncology</i> , 2013 , 108, 500-5	5.3	78
180	Pharyngo-cutaneous fistulae after laryngectomy. Influence of previous radiotherapy and prophylactic metronidazole. <i>Cancer</i> , 1988 , 61, 673-8	6.4	78

179	Glottic carcinoma--patterns of failure and salvage treatment after curative radiotherapy in 861 consecutive patients. <i>Radiotherapy and Oncology</i> , 2002 , 63, 257-67	5.3	77
178	Prognostic impact of HPV-associated p16-expression and smoking status on outcomes following radiotherapy for oropharyngeal cancer: The MARCH-HPV project. <i>Radiotherapy and Oncology</i> , 2018 , 126, 107-115	5.3	77
177	Evaluation of comorbidity in 9388 head and neck cancer patients: a national cohort study from the DAHANCA database. <i>Radiotherapy and Oncology</i> , 2014 , 110, 91-7	5.3	71
176	Cosmetic outcome and breast morbidity in breast-conserving treatment--results from the Danish DBCG-82TM national randomized trial in breast cancer. <i>Acta Oncologica</i> , 2002 , 41, 369-80	3.2	71
175	The impact of comorbidity on outcome in 12 623 Danish head and neck cancer patients: a population based study from the DAHANCA database. <i>Acta Oncologica</i> , 2013 , 52, 285-93	3.2	70
174	Hypopharyngeal squamous cell carcinoma--treatment results in 138 consecutively admitted patients. <i>Acta Oncologica</i> , 2000 , 39, 529-36	3.2	70
173	Individual patient data meta-analysis shows a significant association between the ATM rs1801516 SNP and toxicity after radiotherapy in 5456 breast and prostate cancer patients. <i>Radiotherapy and Oncology</i> , 2016 , 121, 431-439	5.3	69
172	Imaging hypoxia in xenografted and murine tumors with 18F-fluoroazomycin arabinoside: a comparative study involving microPET, autoradiography, PO2-polarography, and fluorescence microscopy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 70, 1202-12	4	69
171	Why actuarial estimates should be used in reporting late normal-tissue effects of cancer treatment ... now!. <i>International Journal of Radiation Oncology Biology Physics</i> , 1995 , 32, 1531-4	4	69
170	Locally advanced head and neck cancer treated with accelerated radiotherapy, the hypoxic modifier nimorazole and weekly cisplatin. Results from the DAHANCA 18 phase II study. <i>Acta Oncologica</i> , 2015 , 54, 1001-7	3.2	67
169	Prevalence and peak incidence of acute and late normal tissue morbidity in the DAHANCA 6&7 randomised trial with accelerated radiotherapy for head and neck cancer. <i>Radiotherapy and Oncology</i> , 2012 , 103, 69-75	5.3	66
168	TP53 mutation is an independent prognostic marker for poor outcome in both node-negative and node-positive breast cancer. <i>Acta Oncologica</i> , 2000 , 39, 327-33	3.2	65
167	Tissue microarrays compared with whole sections and biochemical analyses. A subgroup analysis of DBCG 82 b&c. <i>Acta Oncologica</i> , 2008 , 47, 591-9	3.2	64
166	Patterns of angiogenesis in nonsmall-cell lung carcinoma. <i>Cancer</i> , 2001 , 91, 1500-1509	6.4	64
165	Development and validation of a gene profile predicting benefit of postmastectomy radiotherapy in patients with high-risk breast cancer: a study of gene expression in the DBCG82bc cohort. <i>Clinical Cancer Research</i> , 2014 , 20, 5272-80	12.9	63
164	CT-planned internal mammary node radiotherapy in the DBCG-IMN study: benefit versus potentially harmful effects. <i>Acta Oncologica</i> , 2014 , 53, 1027-34	3.2	60
163	Can mild hyperthermia improve tumour oxygenation?. <i>International Journal of Hyperthermia</i> , 1997 , 13, 141-7	3.7	60
162	Shoulder disability and late symptoms following surgery for early breast cancer. <i>Acta Oncologica</i> , 2008 , 47, 569-75	3.2	59

161	Risk of second non-breast cancer among patients treated with and without postoperative radiotherapy for primary breast cancer: A systematic review and meta-analysis of population-based studies including 522,739 patients. <i>Radiotherapy and Oncology</i> , 2016 , 121, 402-413	5.3	58
160	Integrative clustering reveals a novel split in the luminal A subtype of breast cancer with impact on outcome. <i>Breast Cancer Research</i> , 2017 , 19, 44	8.3	57
159	Hypomethylation and increased expression of the putative oncogene ELMO3 are associated with lung cancer development and metastases formation. <i>Oncoscience</i> , 2014 , 1, 367-74	0.8	57
158	Resolution in PET hypoxia imaging: voxel size matters. <i>Acta Oncologica</i> , 2008 , 47, 1201-10	3.2	55
157	Postmastectomy irradiation in high-risk breast cancer patients. Present status of the Danish Breast Cancer Cooperative Group trials. <i>Acta Oncologica</i> , 1988 , 27, 707-14	3.2	54
156	A comparative investigation of nimorazole and misonidazole as hypoxic radiosensitizers in a C3H mammary carcinoma in vivo. <i>British Journal of Cancer</i> , 1982 , 46, 904-11	8.7	54
155	Hypofractionated Versus Standard Fractionated Radiotherapy in Patients With Early Breast Cancer or Ductal Carcinoma In Situ in a Randomized Phase III Trial: The DBCG HYPO Trial. <i>Journal of Clinical Oncology</i> , 2020 , 38, 3615-3625	2.2	54
154	The importance of haemoglobin level and effect of transfusion in HNSCC patients treated with radiotherapy--results from the randomized DAHANCA 5 study. <i>Radiotherapy and Oncology</i> , 2011 , 98, 28-33	5.3	52
153	Identifying pH independent hypoxia induced genes in human squamous cell carcinomas in vitro. <i>Acta Oncologica</i> , 2010 , 49, 895-905	3.2	52
152	Long-term colorectal function after postoperative radiotherapy for colorectal cancer. <i>Lancet, The</i> , 1997 , 350, 564	4.0	52
151	Waiting times for diagnosis and treatment of head and neck cancer in Denmark in 2010 compared to 1992 and 2002. <i>European Journal of Cancer</i> , 2013 , 49, 1627-33	7.5	51
150	Effect of misonidazole and hyperthermia on the radiosensitivity of a C3H mouse mammary carcinoma and its surrounding normal tissue. <i>British Journal of Cancer</i> , 1980 , 41, 10-21	8.7	51
149	Diagnostic intervals before and after implementation of cancer patient pathways - a GP survey and registry based comparison of three cohorts of cancer patients. <i>BMC Cancer</i> , 2015 , 15, 308	4.8	48
148	Arrhenius Analysis of Survival Curves from Thermotolerant and Step-Down Heated L1A2 Cells in Vitro. <i>Radiation Research</i> , 1982 , 91, 468	3.1	48
147	Validation of a 15-gene hypoxia classifier in head and neck cancer for prospective use in clinical trials. <i>Acta Oncologica</i> , 2016 , 55, 1091-1098	3.2	48
146	Does transfusion improve the outcome for HNSCC patients treated with radiotherapy? - results from the randomized DAHANCA 5 and 7 trials. <i>Acta Oncologica</i> , 2011 , 50, 1006-14	3.2	45
145	The DAHANCA 6 randomized trial: Effect of 6 vs 5 weekly fractions of radiotherapy in patients with glottic squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2015 , 117, 91-8	5.3	44
144	The natural history of prostate carcinoma based on a Danish population treated with no intent to cure 1997 , 80, 917-928		44

143	Socioeconomic position and stage at diagnosis of head and neck cancer - a nationwide study from DAHANCA. <i>Acta Oncologica</i> , 2015 , 54, 759-66	3.2	39
142	Long-term follow-up of late morbidity, cosmetic outcome and body image after breast conserving therapy. A study from the Danish Breast Cancer Cooperative Group (DBCG). <i>Acta Oncologica</i> , 2013 , 52, 259-69	3.2	39
141	Squamous cell carcinoma of the oropharynx--an analysis of treatment results in 289 consecutive patients. <i>Acta Oncologica</i> , 2000 , 39, 985-94	3.2	39
140	Factors associated with acute and late dysphagia in the DAHANCA 6 & 7 randomized trial with accelerated radiotherapy for head and neck cancer. <i>Acta Oncologica</i> , 2013 , 52, 1535-42	3.2	38
139	Supraglottic carcinoma: patterns of failure and salvage treatment after curatively intended radiotherapy in 410 consecutive patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002 , 53, 948-58	4	36
138	Relative biological effectiveness (RBE) and distal edge effects of proton radiation on early damage in vivo. <i>Acta Oncologica</i> , 2017 , 56, 1387-1391	3.2	35
137	Meta-analysis of chemotherapy in head and neck cancer (MACH-NC): An update on 107 randomized trials and 19,805 patients, on behalf of MACH-NC Group. <i>Radiotherapy and Oncology</i> , 2021 , 156, 281-293	5.3	34
136	Identification of accurate reference genes for RT-qPCR analysis of formalin-fixed paraffin-embedded tissue from primary non-small cell lung cancers and brain and lymph node metastases. <i>Lung Cancer</i> , 2013 , 81, 180-6	5.9	33
135	Factors of importance for the development of the step-down heating effect in a C3H mammary carcinoma in vivo. <i>International Journal of Hyperthermia</i> , 1987 , 3, 79-91	3.7	33
134	Immunohistochemical determination of tumor angiogenesis measured by the maximal microvessel density in human prostate cancer. <i>Apmis</i> , 1998 , 106, 463-9	3.4	32
133	IAEA-HypoX. A randomized multicenter study of the hypoxic radiosensitizer nimorazole concomitant with accelerated radiotherapy in head and neck squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2015 , 116, 15-20	5.3	31
132	Effect of hyperthermia on the hypoxic fraction in an experimental mammary carcinoma in vivo. <i>British Journal of Radiology</i> , 1981 , 54, 245-9	3.4	30
131	Relationship between the prognostic and predictive value of the intrinsic subtypes and a validated gene profile predictive of loco-regional control and benefit from post-mastectomy radiotherapy in patients with high-risk breast cancer. <i>Acta Oncologica</i> , 2014 , 53, 1337-46	3.2	28
130	Relative biological effectiveness of carbon ions for tumor control, acute skin damage and late radiation-induced fibrosis in a mouse model. <i>Acta Oncologica</i> , 2015 , 54, 1623-30	3.2	27
129	Effect of carboxyhemoglobin on tumor oxygen unloading capacity in patients with squamous cell carcinoma of the head and neck. <i>International Journal of Radiation Oncology Biology Physics</i> , 1992 , 22, 407-10	4	27
128	The Danish Head and Neck Cancer database. <i>Clinical Epidemiology</i> , 2016 , 8, 491-496	5.9	26
127	Importance of overall treatment time for the response to radiotherapy in patients with squamous cell carcinoma of the head and neck. <i>Rays</i> , 2000 , 25, 313-9		26
126	Pattern of failure in 5001 patients treated for glottic squamous cell carcinoma with curative intent - A population based study from the DAHANCA group. <i>Radiotherapy and Oncology</i> , 2016 , 118, 257-66	5.3	25

125	Compliance and toxicity of the hypoxic radiosensitizer nimorazole in the treatment of patients with head and neck squamous cell carcinoma (HNSCC). <i>Acta Oncologica</i> , 2014 , 53, 654-61	3.2	24
124	Quality assurance of conventional non-CT-based internal mammary lymph node irradiation in a prospective Danish Breast Cancer Cooperative Group trial: the DBCG-IMN study. <i>Acta Oncologica</i> , 2013 , 52, 1526-34	3.2	24
123	The Influence of Repeat Surgery and Residual Disease on Recurrence After Breast-Conserving Surgery: A Danish Breast Cancer Cooperative Group Study. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S476-85	3.1	23
122	Tumour oxygenation assessed by polarographic needle electrodes and bioenergetic status measured by ³¹ P magnetic resonance spectroscopy in human soft tissue tumours. <i>Acta Oncologica</i> , 1997 , 36, 565-71	3.2	23
121	The usability of a 15-gene hypoxia classifier as a universal hypoxia profile in various cancer cell types. <i>Radiotherapy and Oncology</i> , 2015 , 116, 346-51	5.3	22
120	Local recurrences after curative IMRT for HNSCC: Effect of different GTV to high-dose CTV margins. <i>Radiotherapy and Oncology</i> , 2018 , 126, 48-55	5.3	22
119	Some problems related to the clinical use of thermal isoeffect doses. <i>International Journal of Hyperthermia</i> , 1987 , 3, 329-36	3.7	22
118	The 5p12 breast cancer susceptibility locus affects MRPS30 expression in estrogen-receptor positive tumors. <i>Molecular Oncology</i> , 2014 , 8, 273-84	7.9	21
117	The value of routine follow-up after treatment for head and neck cancer. A national survey from DAHANCA. <i>Acta Oncologica</i> , 2013 , 52, 277-84	3.2	21
116	Scoring and classification of oropharyngeal carcinoma based on HPV-related p16-expression. <i>Radiotherapy and Oncology</i> , 2012 , 105, 269-70	5.3	20
115	PET imaging of tumor hypoxia using ¹⁸ F-labeled pimonidazole. <i>Acta Oncologica</i> , 2013 , 52, 1300-7	3.2	20
114	Audit of the radiotherapy in the DBCG 82 b&c trials—a validation study of the 1,538 patients randomised to postmastectomy radiotherapy. <i>Radiotherapy and Oncology</i> , 2005 , 76, 285-92	5.3	20
113	Quality assurance of radiation therapy for head and neck cancer patients treated in DAHANCA 10 randomized trial. <i>Acta Oncologica</i> , 2015 , 54, 1669-73	3.2	19
112	Individual patient data meta-analysis of FMISO and FAZA hypoxia PET scans from head and neck cancer patients undergoing definitive radio-chemotherapy. <i>Radiotherapy and Oncology</i> , 2020 , 149, 189-196	5.3	19
111	Completeness and validity in a national clinical thyroid cancer database: DATHYRCA. <i>Cancer Epidemiology</i> , 2014 , 38, 633-7	2.8	19
110	Importance of margin width in breast-conserving treatment of early breast cancer. <i>Journal of Surgical Oncology</i> , 2016 , 113, 609-15	2.8	19
109	Failure pattern and salvage treatment after radical treatment of head and neck cancer. <i>Acta Oncologica</i> , 2016 , 55, 625-32	3.2	19
108	Analysis of EORTC-1219-DAHANCA-29 trial plans demonstrates the potential of knowledge-based planning to provide patient-specific treatment plan quality assurance. <i>Radiotherapy and Oncology</i> , 2019 , 130, 75-81	5.3	19

107	APD-Containing Cyclolipodepsipeptides Target Mitochondrial Function in Hypoxic Cancer Cells. <i>Cell Chemical Biology</i> , 2018 , 25, 1337-1349.e12	8.2	17
106	External validation of a normal tissue complication probability model for radiation-induced hypothyroidism in an independent cohort. <i>Acta Oncologica</i> , 2015 , 54, 1301-9	3.2	16
105	DAHANCA 10 - Effect of darbepoetin alfa and radiotherapy in the treatment of squamous cell carcinoma of the head and neck. A multicenter, open-label, randomized, phase 3 trial by the Danish head and neck cancer group. <i>Radiotherapy and Oncology</i> , 2018 , 127, 12-19	5.3	16
104	Squamous cell carcinoma of the nasopharynx--an analysis of treatment results in 149 consecutive patients. <i>Acta Oncologica</i> , 2001 , 40, 801-9	3.2	16
103	Chalkley Estimates of Angiogenesis in Early Breast Cancer - Relevance to Prognosis. <i>Acta Oncologica</i> , 2002 , 41, 695-703	3.2	16
102	An evaluation of multiplex bead-based analysis of cytokines and soluble proteins in archived lithium heparin plasma, EDTA plasma and serum samples. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016 , 76, 601-611	2	16
101	A longitudinal study of follow-up activities after curative treatment for head and neck cancer. <i>Acta Oncologica</i> , 2015 , 54, 813-9	3.2	15
100	Is DBCG abreast of new developments?. <i>Acta Oncologica</i> , 2018 , 57, 1-2	3.2	15
99	Intrinsic subtypes and benefit from postmastectomy radiotherapy in node-positive premenopausal breast cancer patients who received adjuvant chemotherapy - results from two independent randomized trials. <i>Acta Oncologica</i> , 2018 , 57, 38-43	3.2	15
98	Differential gene expression in primary fibroblasts induced by proton and cobalt-60 beam irradiation. <i>Acta Oncologica</i> , 2017 , 56, 1406-1412	3.2	15
97	Auditory brain stem responses in patients after radiation therapy for nasopharyngeal carcinoma. <i>Cancer</i> , 1992 , 70, 2396-401	6.4	15
96	Simultaneous Hypoxia and Low Extracellular pH Suppress Overall Metabolic Rate and Protein Synthesis In Vitro. <i>PLoS ONE</i> , 2015 , 10, e0134955	3.7	15
95	A prospective, multicenter DAHANCA study of hyperfractionated, accelerated radiotherapy for head and neck squamous cell carcinoma. <i>Acta Oncologica</i> , 2019 , 58, 1495-1501	3.2	14
94	Analysis of CT-verified loco-regional recurrences after definitive IMRT for HNSCC using site of origin estimation methods. <i>Acta Oncologica</i> , 2017 , 56, 1554-1561	3.2	14
93	Impact of age, intrinsic subtype and local treatment on long-term local-regional recurrence and breast cancer mortality among low-risk breast cancer patients. <i>Acta Oncologica</i> , 2017 , 56, 59-67	3.2	14
92	Quality assurance of radiotherapy in the ongoing EORTC 1219-DAHANCA-29 trial for HPV/p16 negative squamous cell carcinoma of the head and neck: Results of the benchmark case procedure. <i>Radiotherapy and Oncology</i> , 2017 , 123, 424-430	5.3	13
91	Characterization and radiosensitivity of HPV-related oropharyngeal squamous cell carcinoma patient-derived xenografts. <i>Acta Oncologica</i> , 2019 , 58, 1489-1494	3.2	13
90	Repeat FMISO-PET imaging weakly correlates with hypoxia-associated gene expressions for locally advanced HNSCC treated by primary radiochemotherapy. <i>Radiotherapy and Oncology</i> , 2019 , 135, 43-50	5.3	13

89	Imaging of Tumor Hypoxia for Radiotherapy: Current Status and Future Directions. <i>Seminars in Nuclear Medicine</i> , 2020 , 50, 562-583	5.4	13
88	The effect of shark cartilage extracts on the growth and metastatic spread of the SCCVII carcinoma. <i>Acta Oncologica</i> , 1998 , 37, 441-5	3.2	13
87	Influence of sampling time on assessment of potential doubling time. <i>Cytometry</i> , 1994 , 16, 144-51		13
86	Effect of radiation on cell proliferation and tumor hypoxia in HPV-positive head and neck cancer in vivo models. <i>Anticancer Research</i> , 2014 , 34, 6297-304	2.3	13
85	Placebo-controlled phase II study of vitamin K3 cream for the treatment of cetuximab-induced rash. <i>Supportive Care in Cancer</i> , 2017 , 25, 2179-2185	3.9	12
84	NTCP model validation method for DAHANCA patient selection of protons versus photons in head and neck cancer radiotherapy. <i>Acta Oncologica</i> , 2019 , 58, 1410-1415	3.2	12
83	Long-term age-dependent failure pattern after breast-conserving therapy or mastectomy among Danish lymph-node-negative breast cancer patients. <i>Radiotherapy and Oncology</i> , 2016 , 120, 98-106	5.3	12
82	Radiotherapy. Gazing at the crystal ball of European radiotherapy. <i>Nature Reviews Clinical Oncology</i> , 2015 , 12, 5-6	19.4	11
81	Does age affect prognosis in salivary gland carcinoma patients? A national Danish study. <i>Acta Oncologica</i> , 2016 , 55 Suppl 1, 19-22	3.2	11
80	Collagen fragment biomarkers as serological biomarkers of lean body mass - a biomarker pilot study from the DAHANCA25B cohort and matched controls. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015 , 6, 335-42	10.3	11
79	Pattern of relapse after breast conserving therapy, a study of 1519 early breast cancer patients treated in the Central Region of Denmark 2000-2009. <i>Acta Oncologica</i> , 2016 , 55, 964-9	3.2	11
78	Chemotherapy and radiotherapy in locally advanced head and neck cancer: an individual patient data network meta-analysis. <i>Lancet Oncology</i> , 2021 , 22, 727-736	21.7	10
77	Incidence of and survival after glottic squamous cell carcinoma in Denmark from 1971 to 2011-A report from the Danish Head and Neck Cancer Group. <i>European Journal of Cancer</i> , 2016 , 59, 46-56	7.5	10
76	Forty years of landmark trials undertaken by the Danish Breast Cancer Cooperative Group (DBCG) nationwide or in international collaboration. <i>Acta Oncologica</i> , 2018 , 57, 3-12	3.2	10
75	Incidence and Mortality of Second Primary Cancers in Danish Patients With Retinoblastoma, 1943-2013. <i>JAMA Network Open</i> , 2020 , 3, e2022126	10.4	9
74	DAHANCA 28: A phase I/II feasibility study of hyperfractionated, accelerated radiotherapy with concomitant cisplatin and nimorazole (HART-CN) for patients with locally advanced, HPV/p16-negative squamous cell carcinoma of the oropharynx, hypopharynx, larynx and oral cavity. <i>Radiotherapy and Oncology</i> , 2020 , 148, 65-72	5.3	9
73	Failure pattern and survival after breast conserving therapy. Long-term results of the Danish Breast Cancer Group (DBCG) 89 TM cohort. <i>Acta Oncologica</i> , 2016 , 55, 983-92	3.2	9
72	What will radiation oncology look like in 2050? A look at a changing professional landscape in Europe and beyond. <i>Molecular Oncology</i> , 2020 , 14, 1577-1585	7.9	8

71	Influence of intra-tumoral heterogeneity on the evaluation of BCL2, E-cadherin, EGFR, EMMPRIN, and Ki-67 expression in tissue microarrays from breast cancer. <i>Acta Oncologica</i> , 2018 , 57, 102-106	3.2	8
70	Study of the population pharmacokinetic characteristics of nimorazole in head and neck cancer patients treated in the DAHANCA-5 trial. <i>Clinical Oncology</i> , 2015 , 27, 168-75	2.8	8
69	Radiotherapy and Oncology comes of age. <i>Radiotherapy and Oncology</i> , 2005 , 75, 1-5	5.3	8
68	DAHANCA 33: functional image-guided dose-escalated radiotherapy to patients with hypoxic squamous cell carcinoma of the head and neck (NCT02976051). <i>Acta Oncologica</i> , 2020 , 59, 208-211	3.2	8
67	Validation of a gene expression profile predictive of the risk of radiation-induced fibrosis in women treated with breast conserving therapy. <i>Acta Oncologica</i> , 2015 , 54, 1665-8	3.2	7
66	Prognostic impact of PD-L1 in oropharyngeal cancer after primary curative radiotherapy and relation to HPV and tobacco smoking. <i>Acta Oncologica</i> , 2020 , 59, 666-672	3.2	7
65	Danish retinoblastoma patients 1943-2013 - genetic testing and clinical implications. <i>Acta Oncologica</i> , 2016 , 55, 412-7	3.2	7
64	A prognostic profile of hypoxia-induced genes for localised high-grade soft tissue sarcoma. <i>British Journal of Cancer</i> , 2016 , 115, 1096-1104	8.7	7
63	FDG-PET reproducibility in tumor-bearing mice: comparing a traditional SUV approach with a tumor-to-brain tissue ratio approach. <i>Acta Oncologica</i> , 2017 , 56, 706-712	3.2	6
62	Histopathological and morphometric analyses of late rectal injury after irradiation. <i>Apmis</i> , 2000 , 108, 216-22	3.4	6
61	Influence of FAZA PET hypoxia and HPV-status for the outcome of head and neck squamous cell carcinoma (HNSCC) treated with radiotherapy: Long-term results from the DAHANCA 24 trial (NCT01017224). <i>Radiotherapy and Oncology</i> , 2020 , 151, 126-133	5.3	6
60	Plasma proteins as prognostic biomarkers in radiotherapy treated head and neck cancer patients. <i>Clinical and Translational Radiation Oncology</i> , 2017 , 2, 46-52	4.6	5
59	Improving radiotherapy of squamous cell carcinoma of the head and neck (HNSCC) through a continuous process of biological based clinical trials - 40-year experience from the Danish Head and Neck Cancer Group [DAHANCA]. <i>European Journal of Cancer</i> , 2017 , 72, S102	7.5	5
58	DAHANCA 9 - a randomized multicenter study to compare accelerated normo-fractionated radiotherapy with accelerated hyperfractionated radiotherapy in patients with primary squamous cell carcinoma of the head and neck (HNSCC). <i>Acta Oncologica</i> , 2019 , 58, 1502-1505	3.2	5
57	OC-009: Update of the randomised phase III trial DAHANCA 19: Primary C-RT or RT and zalutumumab for squamous cell carcinomas of head and neck. <i>Radiotherapy and Oncology</i> , 2015 , 114, 10	5.3	5
56	Validation of genetic predictors of late radiation-induced morbidity in prostate cancer patients. <i>Acta Oncologica</i> , 2017 , 56, 1514-1521	3.2	5
55	IMRT - Biomarkers for dose escalation, dose de-escalation and personalized medicine in radiotherapy for head and neck cancer. <i>Oral Oncology</i> , 2018 , 86, 91-99	4.4	5
54	Associations between skin rash, treatment outcome, and single nucleotide polymorphisms in head and neck cancer patients receiving the EGFR-inhibitor zalutumumab: results from the DAHANCA 19 trial. <i>Acta Oncologica</i> , 2018 , 57, 1159-1164	3.2	5

53	Gene-expression Classifier in Papillary Thyroid Carcinoma: Validation and Application of a Classifier for Prognostication. <i>Anticancer Research</i> , 2016 , 36, 749-56	2.3	5
52	Predictors of continuous tobacco smoking in a clinical cohort study of Danish laryngeal cancer patients smoking before treated with radiotherapy. <i>Acta Oncologica</i> , 2015 , 54, 685-92	3.2	4
51	Characterization and radiosensitivity of fibroblasts derived from squamous cell carcinomas of the head and neck, and the surrounding oral mucosa. <i>Acta Oncologica</i> , 1998 , 37, 697-700	3.2	4
50	Deep heating using a movable applicator phased array hyperthermia system. A preclinical feasibility study. <i>Acta Oncologica</i> , 1994 , 33, 451-5	3.2	4
49	The relative biological effectiveness of antiprotons. <i>Radiotherapy and Oncology</i> , 2016 , 121, 453-458	5.3	4
48	Long-term follow-up on shoulder and arm morbidity in patients treated for early breast cancer. <i>Acta Oncologica</i> , 2020 , 59, 851-858	3.2	4
47	The natural history of prostate carcinoma based on a Danish population treated with no intent to cure 1997 , 80, 917		4
46	Breast cancer radiation therapy. <i>Lancet, The</i> , 2020 , 396, 1558	4.0	3
45	Prognostic value of a 15-gene hypoxia classifier in oropharyngeal cancer treated with accelerated chemoradiotherapy. <i>Strahlentherapie Und Onkologie</i> , 2020 , 196, 552-560	4.3	3
44	The management and survival outcomes of nasopharyngeal cancer in the Nordic countries. <i>Acta Oncologica</i> , 2018 , 57, 557-560	3.2	3
43	Distinguishing recurrence and new primary tumor as well as the origin of neck metastases in head and neck cancer clinical trials by targeted DNA sequencing. <i>Acta Oncologica</i> , 2019 , 58, 1506-1508	3.2	3
42	OC-041 DAHANCA 28a: Phase I/II study of acc. hyperfractionated RT, cisplatin and nimorazole in P16-LAHNSCC. <i>Radiotherapy and Oncology</i> , 2019 , 132, 21-22	5.3	3
41	Rethink radiotherapy - BIGART 2017. <i>Acta Oncologica</i> , 2017 , 56, 1341-1352	3.2	3
40	Predictive classifier for intensive treatment of head and neck cancer. <i>Cancer</i> , 2020 , 126, 5263-5273	6.4	3
39	Patterns in detection of recurrence among patients treated for breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 184, 365-373	4.4	3
38	Radiation-induced morbidity evaluated by high-frequency ultrasound. <i>Acta Oncologica</i> , 2016 , 55, 1498-1500		3
37	Sinonasal cancer in Denmark 2008-2015: a population-based phase-4 cohort study from DAHANCA. <i>Acta Oncologica</i> , 2021 , 60, 333-342	3.2	3
36	What is the most effective treatment for head and neck squamous cell carcinoma? An individual patient data network meta-analysis from the MACH-NC and MARCH collaborative groups. <i>European Journal of Cancer</i> , 2017 , 72, S101-S102	7.5	2

35	Dual-tracer PET of viable tumor volume and hypoxia for identification of necrosis-containing radio-resistant Sub-volumes. <i>Acta Oncologica</i> , 2019 , 58, 1476-1482	3.2	2
34	Introduction: towards predicting outcome of radiotherapy-at last. <i>Seminars in Radiation Oncology</i> , 2012 , 22, 87-90	5.5	2
33	Arrhenius analysis of survival curves from thermotolerant and step-down heated L1A2 cells in vitro. <i>Radiation Research</i> , 1982 , 91, 468-82	3.1	2
32	Impact of tobacco smoking on radiotherapy outcomes in 1875 HPV-positive oropharynx cancer patients.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 6047-6047	2.2	2
31	Effect of ESA as a modifier of radiotherapy in curative intended treatment of squamous cell carcinoma of the head and neck (HNSCC). <i>Radiotherapy and Oncology</i> , 2019 , 130, 191-192	5.3	2
30	Early Mortality after Radical Radiotherapy in Head and Neck Cancer - A Nationwide Analysis from the Danish Head and Neck Cancer Group (DAHANCA) Database. <i>Clinical Oncology</i> , 2021 , 33, 57-63	2.8	2
29	OC-0268: FAZA PET hypoxia as a marker of loco-regional recurrence in HNSCC? Results from the DAHANCA 24 trial. <i>Radiotherapy and Oncology</i> , 2018 , 127, S136	5.3	2
28	Internal Mammary Node Irradiation in Patients With Node-Positive Early Breast Cancer: Fifteen-Year Results From the Danish Breast Cancer Group Internal Mammary Node Study.. <i>Journal of Clinical Oncology</i> , 2022 , JCO2200044	2.2	2
27	Radiotherapy quality assurance of the IAEA-HypoX trial of the accelerated radiotherapy in the treatment of head and neck squamous cell carcinoma with or without the hypoxic radiosensitizer nimorazole. <i>Acta Oncologica</i> , 2015 , 54, 1673-7	3.2	1
26	In Regards to Stokes et al and Bledsoe et'al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 100, 804-805	4	1
25	Subglottic squamous cell carcinoma in Denmark 1971-2015 - a national population-based cohort study from DAHANCA, the Danish Head and Neck Cancer group. <i>Acta Oncologica</i> , 2019 , 58, 1509-1513	3.2	1
24	Second cancers after radiotherapy for early breast cancer. <i>Radiotherapy and Oncology</i> , 2015 , 115, 432-3	5.3	1
23	Intrinsic subtype characterization of local recurrences and new contralateral primary tumors in patients with low risk breast cancer. Influence of age and primary surgery. <i>Acta Oncologica</i> , 2017 , 56, 1644-1647	3.2	1
22	Hyperbaric oxygen treatment of mandibular osteoradionecrosis: Combined data from the two randomized clinical trials DAHANCA-21 and NWHHT2009-1. <i>Radiotherapy and Oncology</i> , 2021 ,	5.3	1
21	Treatment outcomes and survival following definitive (chemo)radiotherapy in HPV-positive oropharynx cancer: Large-scale comparison of DAHANCA vs PMH cohorts. <i>International Journal of Cancer</i> , 2021 ,	7.5	1
20	Tumor-infiltrating lymphocytes predict improved overall survival after post-mastectomy radiotherapy: a study of the randomized DBCG82bc cohort. <i>Acta Oncologica</i> , 2021 , 1-10	3.2	1
19	Reinforcement of the abdominal wall with acellular dermal matrix or synthetic mesh after breast reconstruction with the pedicled transverse rectus abdominis musculocutaneous flap. A prospective double-blind randomized study. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2021 , 55, 202-209	1.5	1
18	Oncoplastic breast surgery versus conventional breast conserving surgery - a prospective follow-up study of subjective loco-regional late morbidity. <i>Acta Oncologica</i> , 2021 , 60, 750-759	3.2	1

17	Bloodstream infections in head and neck cancer patients after curative-intent radiotherapy: a population-based study from the Danish Head and Neck Cancer Group database. <i>British Journal of Cancer</i> , 2021 , 125, 458-464	8.7	1
16	Does the combination of hyperthermia with low LET (linear energy transfer) radiation induce anti-tumor effects equivalent to those seen with high LET radiation alone?. <i>International Journal of Hyperthermia</i> , 2021 , 38, 105-110	3.7	1
15	Investigating the potential of deep learning for patient-specific quality assurance of salivary gland contours using EORTC-1219-DAHANCA-29 clinical trial data. <i>Acta Oncologica</i> , 2021 , 60, 575-581	3.2	1
14	Comparison of one-stage direct-to-implant with acellular dermal matrix and two-stage immediate implant-based breast reconstruction-a cohort study. <i>Gland Surgery</i> , 2021 , 10, 207-218	2.2	1
13	Hypoxic gene expression is a prognostic factor for disease free survival in a cohort of locally advanced squamous cell cancer of the uterine cervix. <i>Acta Oncologica</i> , 2021 , 1-7	3.2	1
12	RE: Hypofractionated Radiotherapy for Patients with Early-Stage Glottic Cancer: Patterns of Care and Survival. <i>Journal of the National Cancer Institute</i> , 2018 , 110, 430-431	9.7	0
11	BIGART 2019 - adapting to the future. <i>Acta Oncologica</i> , 2019 , 58, 1323-1327	3.2	0
10	In vitro hypoxia responsiveness of [¹⁸ F] FDG and [¹⁸ F] FAZA retention: influence of shaking versus stagnant conditions, glass versus polystyrene substrata and cell number down-scaling. <i>EJNMMI Radiopharmacy and Chemistry</i> , 2020 , 5, 14	5.8	0
9	Nasal vestibule squamous cell carcinoma: a population-based cohort study from DAHANCA. <i>Acta Oncologica</i> , 2021 , 1-7	3.2	0
8	Reply to E. Avisar, H. Kuerer, L. Livi et al, and E. Hindi et al. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2674-5	2.2	0
7	Correlation and prognostic impact of human papilloma virus and p16-expression in advanced hypopharynx and larynx cancer treated with definitive radiotherapy. <i>Acta Oncologica</i> , 2021 , 60, 646-648	3.2	0
6	Living with heritable retinoblastoma and the perceived role of regular follow-up at a retinoblastoma survivorship clinic: What is exactly what I have been missing? <i>BMJ Open Ophthalmology</i> , 2021 , 6, e000760	3.2	0
5	Use of tetrahydroindazolone dicarboxylic acid (HIDA) to improve the therapeutic effect in vivo of combined cisplatin, heat and radiation treatment. <i>International Journal of Hyperthermia</i> , 1993 , 9, 821-30	3.7	
4	Target coverage and local recurrences after radiotherapy for sinonasal cancer in Denmark 2008-2015. A DAHANCA study.. <i>Acta Oncologica</i> , 2022 , 1-7	3.2	
3	Patterns in detection of recurrence among patients treated for breast cancer.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e14020-e14020	2.2	
2	Distant metastases in squamous cell carcinoma of the pharynx and larynx: a population-based DAHANCA study. <i>Acta Oncologica</i> , 2021 , 60, 1472-1480	3.2	
1	Independent external validation using the EORTC HNCG-ROG 1219 DAHANCA trial data of NTCP models for acute oral mucositis. <i>Radiotherapy and Oncology</i> , 2021 , 161, 35-39	5.3	