

Miriam B Vos

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2786290/miriam-b-vos-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

5,187
citations

29
h-index

71
g-index

130
ext. papers

6,679
ext. citations

6.9
avg, IF

5.81
L-index

#	Paper	IF	Citations
92	American Association of Clinical Endocrinology Clinical Practice Guideline for the Diagnosis and Management of Nonalcoholic Fatty Liver Disease in Primary Care and Endocrinology Clinical Settings: Co-Sponsored by the American Association for the Study of Liver Diseases (AASLD).. <i>Endocrine Practice</i> , 2022 , <i>28</i> , 528-562	3.2	16
91	Microbial metabolite delta-valerobetaine is a diet-dependent obesogen.. <i>Nature Metabolism</i> , 2021 , <i>3</i> , 1694-1705	14.6	7
90	Prevalence of SARS-CoV-2 antibodies in pediatric healthcare workers. <i>International Journal of Infectious Diseases</i> , 2021 , <i>105</i> , 474-481	10.5	3
89	Prenatal and childhood exposure to air pollution and traffic and the risk of liver injury in European children. <i>Environmental Epidemiology</i> , 2021 , <i>5</i> , e153	0.2	0
88	Altered amino acid profile in patients with SARS-CoV-2 infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , <i>118</i> ,	11.5	21
87	PRO-C3, a Serological Marker of Fibrosis, During Childhood and Correlations With Fibrosis in Pediatric NAFLD. <i>Hepatology Communications</i> , 2021 , <i>5</i> , 1860-1872	6	0
86	Alanine Aminotransferase and Gamma-Glutamyl Transpeptidase Predict Histologic Improvement in Pediatric Nonalcoholic Steatohepatitis. <i>Hepatology</i> , 2021 , <i>73</i> , 937-951	11.2	9
85	Covid-19 will not "magically disappear": Why access to widespread testing is paramount. <i>American Journal of Hematology</i> , 2021 , <i>96</i> , 174-178	7.1	3
84	Longitudinal associations of total and trunk fat in childhood and adolescence and risk of hepatic steatosis at 24 years. <i>Pediatric Obesity</i> , 2021 , <i>16</i> , e12773	4.6	0
83	Secretory phospholipase A2 in SARS-CoV-2 infection and multisystem inflammatory syndrome in children (MIS-C). <i>Experimental Biology and Medicine</i> , 2021 , <i>246</i> , 2543-2552	3.7	6
82	In Utero Exposure to Mercury Is Associated With Increased Susceptibility to Liver Injury and Inflammation in Childhood. <i>Hepatology</i> , 2021 , <i>74</i> , 1546-1559	11.2	3
81	The need for new test verification and regulatory support for innovative diagnostics. <i>Nature Biotechnology</i> , 2021 , <i>39</i> , 1060-1062	44.5	1
80	Dietary sugar restriction reduces hepatic de novo lipogenesis in adolescent boys with fatty liver disease.. <i>Journal of Clinical Investigation</i> , 2021 , <i>131</i> ,	15.9	3
79	Perspectives on youth-onset nonalcoholic fatty liver disease. <i>Endocrinology, Diabetes and Metabolism</i> , 2020 , <i>3</i> , e00184	2.7	12
78	Understanding childhood obesity in the US: the NIH environmental influences on child health outcomes (ECHO) program. <i>International Journal of Obesity</i> , 2020 , <i>44</i> , 617-627	5.5	19
77	Perfluoroalkyl substances and severity of nonalcoholic fatty liver in Children: An untargeted metabolomics approach. <i>Environment International</i> , 2020 , <i>134</i> , 105220	12.9	48
76	Deep-learning-based accurate hepatic steatosis quantification for histological assessment of liver biopsies. <i>Laboratory Investigation</i> , 2020 , <i>100</i> , 1367-1383	5.9	12

75	Progression of Fatty Liver Disease in Children Receiving Standard of Care Lifestyle Advice. <i>Gastroenterology</i> , 2020 , 159, 1731-1751.e10	13.3	17
74	Hepatic fat is a stronger correlate of key clinical and molecular abnormalities than visceral and abdominal subcutaneous fat in youth. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	4
73	Prenatal Exposure to Perfluoroalkyl Substances Associated With Increased Susceptibility to Liver Injury in Children. <i>Hepatology</i> , 2020 , 72, 1758-1770	11.2	27
72	Increased atherogenic lipoprotein profile in children with non-alcoholic steatohepatitis. <i>Pediatric Obesity</i> , 2020 , 15, e12648	4.6	6
71	Validation of MRI-VLFF for the non-invasive measurement of steatosis in children. <i>GastroHep</i> , 2020 , 2, 171-180	1	1
70	Effect of a Low Free Sugar Diet vs Usual Diet on Nonalcoholic Fatty Liver Disease in Adolescent Boys: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 256-265	27.4	91
69	Truncal-to-leg fat ratio and cardiometabolic disease risk factors in US adolescents: NHANES 2003-2006. <i>Pediatric Obesity</i> , 2019 , 14, e12509	4.6	8
68	Low Free Sugar Diet in Adolescents With Nonalcoholic Fatty Liver Disease-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 2469	27.4	1
67	Development of a Plasma Screening Panel for Pediatric Nonalcoholic Fatty Liver Disease Using Metabolomics. <i>Hepatology Communications</i> , 2019 , 3, 1311-1321	6	17
66	Low Awareness of Nonalcoholic Fatty Liver Disease in a Population-Based Cohort Sample: the CARDIA Study. <i>Journal of General Internal Medicine</i> , 2019 , 34, 2772-2778	4	25
65	Plasma High-Resolution Metabolomics Differentiates Adults with Normal Weight Obesity from Lean Individuals. <i>Obesity</i> , 2019 , 27, 1729-1737	8	20
64	Associations of Added Sugar from All Sources and Sugar-Sweetened Beverages with Regional Fat Deposition in US Adolescents: NHANES 1999-2006. <i>Current Developments in Nutrition</i> , 2019 , 3, nzz130	0.4	1
63	Global Perspectives on Nonalcoholic Fatty Liver Disease and Nonalcoholic Steatohepatitis. <i>Hepatology</i> , 2019 , 69, 2672-2682	11.2	557
62	Acute liver failure in neonates with undiagnosed hereditary fructose intolerance due to exposure from widely available infant formulas. <i>Molecular Genetics and Metabolism</i> , 2018 , 123, 428-432	3.7	26
61	Clinically Actionable Hypercholesterolemia and Hypertriglyceridemia in Children with Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatrics</i> , 2018 , 198, 76-83.e2	3.6	17
60	Twenty-five-year trajectories of insulin resistance and pancreatic β cell response and diabetes risk in nonalcoholic fatty liver disease. <i>Liver International</i> , 2018 , 38, 2069-2081	7.9	10
59	In Children With Nonalcoholic Fatty Liver Disease, Zone 1 Steatosis Is Associated With Advanced Fibrosis. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 438-446.e1	6.9	37
58	Body mass index trajectories in young adulthood predict non-alcoholic fatty liver disease in middle age: The CARDIA cohort study. <i>Liver International</i> , 2018 , 38, 706-714	7.9	24

57	Dietary copper-fructose interactions alter gut microbial activity in male rats. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 314, G119-G130	5.1	25
56	Performance of fibrosis prediction scores in paediatric non-alcoholic fatty liver disease. <i>Journal of Paediatrics and Child Health</i> , 2018 , 54, 172-176	1.3	21
55	A randomized, controlled, crossover pilot study of losartan for pediatric nonalcoholic fatty liver disease. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 109	1.9	12
54	Alanine Aminotransferase as a Monitoring Biomarker in Children with Nonalcoholic Fatty Liver Disease: A Secondary Analysis Using TONIC Trial Data. <i>Children</i> , 2018 , 5,	2.8	13
53	Arsenic exposure and risk of nonalcoholic fatty liver disease (NAFLD) among U.S. adolescents and adults: an association modified by race/ethnicity, NHANES 2005-2014. <i>Environmental Health</i> , 2018 , 17, 6	6	32
52	The role of NAFLD in cardiometabolic disease: an update. <i>F1000Research</i> , 2018 , 7, 170	3.6	10
51	Copper-Fructose Interactions: A Novel Mechanism in the Pathogenesis of NAFLD. <i>Nutrients</i> , 2018 , 10,	6.7	7
50	Advances in Pediatric Fatty Liver Disease: Pathogenesis, Diagnosis, and Treatment. <i>Gastroenterology Clinics of North America</i> , 2018 , 47, 949-968	4.4	10
49	Update on Pediatric Fatty Liver Disease. <i>Current Hepatology Reports</i> , 2018 , 17, 361-366	1	
48	Carbohydrates and diet patterns in nonalcoholic fatty liver disease in children and adolescents. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2018 , 21, 283-288	3.8	11
47	Low Hepatic Tissue Copper in Pediatric Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017 , 65, 89-92	2.8	6
46	Role of PAI-1 in Pediatric Obesity and Nonalcoholic Fatty Liver Disease. <i>Current Cardiovascular Risk Reports</i> , 2017 , 11, 1	0.9	1
45	NASPGHAN Clinical Practice Guideline for the Diagnosis and Treatment of Nonalcoholic Fatty Liver Disease in Children: Recommendations from the Expert Committee on NAFLD (ECON) and the North American Society of Pediatric Gastroenterology, Hepatology and Nutrition (NASPGHAN). <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017 , 64, 319-334	2.8	382
44	The natural history of primary sclerosing cholangitis in 781 children: A multicenter, international collaboration. <i>Hepatology</i> , 2017 , 66, 518-527	11.2	110
43	Low and High Birth Weights Are Risk Factors for Nonalcoholic Fatty Liver Disease in Children. <i>Journal of Pediatrics</i> , 2017 , 187, 141-146.e1	3.6	64
42	Response to the Letters Regarding the North American Society of Pediatric Gastroenterology, Hepatology and Nutrition NAFLD Guidelines. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017 , 65, e115-e116	2.8	1
41	Cardiometabolic risks vary by weight status in pediatric kidney and liver transplant recipients: A cross-sectional, single-center study in the USA. <i>Pediatric Transplantation</i> , 2017 , 21, e12984	1.8	6
40	Design and rationale for a real-world observational cohort of patients with nonalcoholic fatty liver disease: The TARGET-NASH study. <i>Contemporary Clinical Trials</i> , 2017 , 61, 33-38	2.3	27

39	Added Sugars and Cardiovascular Disease Risk in Children: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2017 , 135, e1017-e1034	16.7	241
38	Natural History of NAFLD Diagnosed in Childhood: A Single-Center Study. <i>Children</i> , 2017 , 4,	2.8	14
37	In Children With Nonalcoholic Fatty Liver Disease, Cysteamine Bitartrate Delayed Release Improves Liver Enzymes but Does Not Reduce Disease Activity Scores. <i>Gastroenterology</i> , 2016 , 151, 1141-1154.e9	13.3	73
36	Amino Acid Metabolism is Altered in Adolescents with Nonalcoholic Fatty Liver Disease-An Untargeted, High Resolution Metabolomics Study. <i>Journal of Pediatrics</i> , 2016 , 172, 14-19.e5	3.6	53
35	Plasminogen Activator Inhibitor-1 Predicts Quantity of Hepatic Steatosis Independent of Insulin Resistance and Body Weight. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016 , 62, 819-23	2.8	10
34	500 Losartan Improves Hepatic Inflammation in Children With Non-Alcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2016 , 150, S1036	13.3	4
33	Pediatric Nonalcoholic Fatty Liver Disease: A Report from the Expert Committee on Nonalcoholic Fatty Liver Disease (ECON). <i>Journal of Pediatrics</i> , 2016 , 172, 9-13	3.6	14
32	Brief training in patient-centered counseling for healthy weight management increases counseling self-efficacy and goal setting among pediatric primary care providers: results of a pilot program. <i>Clinical Pediatrics</i> , 2015 , 54, 425-9	1.2	12
31	Fructose and liver function--is this behind nonalcoholic liver disease?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2015 , 18, 490-5	3.8	19
30	Amount of hepatic fat predicts cardiovascular risk independent of insulin resistance among Hispanic-American adolescents. <i>Lipids in Health and Disease</i> , 2015 , 14, 39	4.4	28
29	Replacement of Sugar-Sweetened Beverages with Water and its Impact on Insulin Sensitivity Among Overweight Adolescents and Young Adults. <i>FASEB Journal</i> , 2015 , 29, 584.12	0.9	
28	NAFLD in the transition from adolescence to young adulthood. <i>Clinical Liver Disease</i> , 2014 , 4, 93-95	2.2	1
27	Dietary fructose reduction improves markers of cardiovascular disease risk in Hispanic-American adolescents with NAFLD. <i>Nutrients</i> , 2014 , 6, 3187-201	6.7	85
26	Challenges and successes of a multidisciplinary pediatric obesity treatment program. <i>Nutrition in Clinical Practice</i> , 2014 , 29, 780-5	3.6	11
25	Nutrition, nonalcoholic fatty liver disease and the microbiome: recent progress in the field. <i>Current Opinion in Lipidology</i> , 2014 , 25, 61-6	4.4	29
24	Fructose induced endotoxemia in pediatric nonalcoholic Fatty liver disease. <i>International Journal of Hepatology</i> , 2014 , 2014, 560620	2.7	60
23	Dietary fructose in nonalcoholic fatty liver disease. <i>Hepatology</i> , 2013 , 57, 2525-31	11.2	200
22	Modest fructose beverage intake causes liver injury and fat accumulation in marginal copper deficient rats. <i>Obesity</i> , 2013 , 21, 1669-75	8	24

21	Increasing prevalence of nonalcoholic fatty liver disease among United States adolescents, 1988-1994 to 2007-2010. <i>Journal of Pediatrics</i> , 2013 , 162, 496-500.e1	3.6	310
20	Liver steatosis assessment: correlations among pathology, radiology, clinical data and automated image analysis software. <i>Pathology Research and Practice</i> , 2013 , 209, 371-9	3.4	47
19	Fructose reduction improves CVD risk in adolescents with NAFLD. <i>FASEB Journal</i> , 2013 , 27, 857.11	0.9	
18	Acute lipids response to fructose beverage in adolescents with NAFLD. <i>FASEB Journal</i> , 2013 , 27, 857.10	0.9	
17	Low-calorie sweetener consumption is increasing in the United States. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 640-6	7	143
16	Children with NAFLD are more sensitive to the adverse metabolic effects of fructose beverages than children without NAFLD. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E1088-98	5.6	63
15	Hepatic oxidative stress in fructose-induced fatty liver is not caused by sulfur amino acid insufficiency. <i>Nutrients</i> , 2011 , 3, 987-1002	6.7	17
14	Keratin 18, Apoptosis, and Liver Disease in Children. <i>Current Pediatric Reviews</i> , 2011 , 7, 310-315	2.8	3
13	Update in childhood and adolescent obesity. <i>Pediatric Clinics of North America</i> , 2011 , 58, xv-xvii	3.6	2
12	Consumption of added sugars and indicators of cardiovascular disease risk among US adolescents. <i>Circulation</i> , 2011 , 123, 249-57	16.7	177
11	Caloric sweetener consumption and dyslipidemia among US adults. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 1490-7	27.4	183
10	Nonalcoholic fatty liver disease: pathology and pathogenesis. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2010 , 5, 145-71	34	598
9	Childhood obesity: update on predisposing factors and prevention strategies. <i>Current Gastroenterology Reports</i> , 2010 , 12, 280-7	5	42
8	Measurement of hepatic lipid: high-speed T2-corrected multiecho acquisition at 1H MR spectroscopy--a rapid and accurate technique. <i>Radiology</i> , 2009 , 252, 568-76	20.5	120
7	Fructose and oxidized low-density lipoprotein in pediatric nonalcoholic fatty liver disease: a pilot study. <i>JAMA Pediatrics</i> , 2009 , 163, 674-5		35
6	Quantitative analysis of T2-correction in single-voxel magnetic resonance spectroscopy of hepatic lipid fraction. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 29, 629-35	5.6	55
5	Antibiotics protect against fructose-induced hepatic lipid accumulation in mice: role of endotoxin. <i>Journal of Hepatology</i> , 2008 , 48, 983-92	13.4	399
4	Cytokeratin 18, a marker of cell death, is increased in children with suspected nonalcoholic fatty liver disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 481-5	2.8	40

- | | | | |
|---|--|-----|-----|
| 3 | Nutrition and nonalcoholic fatty liver disease in children. <i>Current Diabetes Reports</i> , 2008 , 8, 399-406 | 5.6 | 10 |
| 2 | Nutrition and nonalcoholic fatty liver disease in children. <i>Current Gastroenterology Reports</i> , 2008 , 10, 308-15 | 5 | 7 |
| 1 | Dietary fructose consumption among US children and adults: the Third National Health and Nutrition Examination Survey. <i>Medscape Journal of Medicine</i> , 2008 , 10, 160 | | 235 |