

# Feng-Hwa Lu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2787894/publications.pdf>

Version: 2024-02-01

51  
papers

1,166  
citations

623734

14  
h-index

414414

32  
g-index

51  
all docs

51  
docs citations

51  
times ranked

1966  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Protective Effect of Habitual Tea Consumption on Hypertension. Archives of Internal Medicine, 2004, 164, 1534.	3.8	228
2	Use of the Beers Criteria to Predict Adverse Drug Reactions Among First-Visit Elderly Outpatients. Pharmacotherapy, 2005, 25, 831-838.	2.6	101
3	A population-based study of the prevalence and associated factors of diabetes mellitus in southern Taiwan. Diabetic Medicine, 1998, 15, 564-572.	2.3	80
4	Increased Arterial Stiffness in Subjects with Impaired Glucose Tolerance and Newly Diagnosed Diabetes But Not Isolated Impaired Fasting Glucose. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E658-E662.	3.6	71
5	Short sleep duration associated with a higher prevalence of metabolic syndrome in an apparently healthy population. Preventive Medicine, 2012, 55, 305-309.	3.4	70
6	A novel hepatokine, HFREP1, plays a crucial role in the development of insulin resistance and type 2 diabetes. Diabetologia, 2016, 59, 1732-1742.	6.3	70
7	Long Sleep Duration Associated With a Higher Risk of Increased Arterial Stiffness in Males. Sleep, 2014, 37, 1315-1320.	1.1	44
8	In Vivo and In Vitro Anti-Tumor Effects of Fungal Extracts. Molecules, 2014, 19, 2546-2556.	3.8	41
9	High uric acid level associated with increased arterial stiffness in apparently healthy women. Atherosclerosis, 2014, 236, 389-393.	0.8	38
10	The relationship between impaired fasting glucose and self-reported sleep quality in a Chinese population. Clinical Endocrinology, 2013, 78, 518-524.	2.4	30
11	Potentially Inappropriate Drug Prescribing Among First-Visit Elderly Outpatients in Taiwan. Pharmacotherapy, 2004, 24, 848-855.	2.6	20
12	Increased risk of glomerular hyperfiltration in subjects with impaired glucose tolerance and newly diagnosed diabetes. Nephrology Dialysis Transplantation, 2016, 31, 1295-1301.	0.7	20
13	Geriatric syndromes and quality of life in older adults with diabetes. Geriatrics and Gerontology International, 2019, 19, 518-524.	1.5	20
14	Restrictive Spirometry Pattern Is Associated With Increased Arterial Stiffness in Men and Women. Chest, 2017, 152, 394-401.	0.8	19
15	Betel nut chewing associated with increased risk of arterial stiffness. Drug and Alcohol Dependence, 2017, 180, 1-6.	3.2	17
16	Disease-related disability burden: a comparison of seven chronic conditions in middle-aged and older adults. BMC Geriatrics, 2021, 21, 201.	2.7	17
17	The relationship between different glycemic statuses and colon polyps in a Taiwanese population. Journal of Gastroenterology, 2014, 49, 1145-1151.	5.1	16
18	Increased amount and duration of tea consumption may be associated with decreased risk of renal stone disease. World Journal of Urology, 2019, 37, 379-384.	2.2	16

#	ARTICLE	IF	CITATIONS
19	Association of sleep quality and sleep duration with serum uric acid levels in adults. PLoS ONE, 2020, 15, e0239185.	2.5	16
20	Cardiotrophin-1 is inversely associated with obesity in non-diabetic individuals. Scientific Reports, 2015, 5, 17438.	3.3	15
21	Metabolic abnormalities, but not obesity per se, associated with chronic kidney disease in a Taiwanese population. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 418-425.	2.6	15
22	Low socioeconomic status may increase the risk of central obesity in incoming university students in Taiwan. Obesity Research and Clinical Practice, 2014, 8, e212-e219.	1.8	14
23	Activation of free fatty acid receptor 1 improves hepatic steatosis through a p38-dependent pathway. Journal of Molecular Endocrinology, 2014, 53, 165-174.	2.5	13
24	The association of sleep duration and sleep quality with non-alcoholic fatty liver disease in a Taiwanese population. Obesity Research and Clinical Practice, 2018, 12, 500-505.	1.8	13
25	The association of serum lipids with the histological pattern of rectosigmoid adenoma in Taiwanese adults. BMC Gastroenterology, 2011, 11, 54.	2.0	12
26	Gallbladder stones and gallbladder polyps associated with increased risk of colorectal adenoma in men. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 800-806.	2.8	11
27	Gender differences in the relationship between walking activity and sleep disturbance among community-dwelling older adult with diabetes in Taiwan. Journal of Women and Aging, 2019, 31, 108-116.	1.0	11
28	Increased Tea Consumption Is Associated with Decreased Arterial Stiffness in a Chinese Population. PLoS ONE, 2014, 9, e86022.	2.5	11
29	The Number of Metabolic Abnormalities Associated with the Risk of Gallstones in a Non-diabetic Population. PLoS ONE, 2014, 9, e90310.	2.5	10
30	Mild Chronic Kidney Disease Associated with Greater Risk of Arterial Stiffness in Elderly Adults. Journal of the American Geriatrics Society, 2013, 61, 1758-1762.	2.6	9
31	Hyperuricemia Is Associated with Significant Liver Fibrosis in Subjects with Nonalcoholic Fatty Liver Disease, but Not in Subjects without It. Journal of Clinical Medicine, 2022, 11, 1445.	2.4	9
32	Gender differences in the association of non-alcoholic fatty liver disease and metabolic syndrome with erosive oesophagitis: a cross-sectional study in a Taiwanese population. BMJ Open, 2016, 6, e013106.	1.9	8
33	Increased risks of different grades of non-alcoholic fatty liver disease in prediabetic subjects with impaired fasting glucose and glucose tolerance, including the isolated glycosylated hemoglobin levels of 5.7%–6.4% in a Chinese population. Journal of Diabetes Investigation, 2020, 11, 1336-1343.	2.4	8
34	Non-alcoholic fatty liver disease associated with increased arterial stiffness in subjects with normal glucose tolerance, but not pre-diabetes and diabetes. Diabetes and Vascular Disease Research, 2015, 12, 359-365.	2.0	7
35	Increased Arterial Stiffness in Prediabetic Subjects Recognized by Hemoglobin A1c with Postprandial Glucose but Not Fasting Glucose Levels. Journal of Clinical Medicine, 2019, 8, 603.	2.4	7
36	Factors associated with early 14-day unplanned hospital readmission: a matched case-control study. BMC Health Services Research, 2021, 21, 870.	2.2	7

#	ARTICLE	IF	CITATIONS
37	Functional Balance and Its Determinants in Older People with Diabetes. PLoS ONE, 2016, 11, e0159339.	2.5	6
38	Simple renal cysts are associated with increased arterial stiffness in a Taiwanese population. Hypertension Research, 2019, 42, 1068-1073.	2.7	6
39	Differences in the association between glycemia and uric acid levels in diabetic and non-diabetic populations. Journal of Diabetes and Its Complications, 2019, 33, 511-515.	2.3	6
40	A Positive Relationship between Betel Nut Chewing and Significant Liver Fibrosis in NAFLD Subjects, but Not in Non-NAFLD Ones. Nutrients, 2021, 13, 914.	4.1	6
41	Serum Bilirubin Is Inversely Associated with Increased Arterial Stiffness in Men with Pre-Hypertension but Not Normotension. PLoS ONE, 2016, 11, e0146226.	2.5	6
42	Cumulative Betel Quid Chewing and the Risk of Significant Liver Fibrosis in Subjects With and Without Metabolic Syndrome. Frontiers in Nutrition, 2022, 9, 765206.	3.7	6
43	Higher education in gerontology: A comparison of master's programs in Japan, Taiwan, and Turkey. Gerontology and Geriatrics Education, 2017, 38, 61-75.	0.8	4
44	Epidemiological evidence of increased waist circumference, but not body mass index, associated with impaired baroreflex sensitivity. Obesity Research and Clinical Practice, 2020, 14, 158-163.	1.8	4
45	Cumulative tea consumption is inversely associated with colorectal adenomas in adults: A cross-sectional study in a Taiwanese population. Cancer Epidemiology, 2021, 73, 101945.	1.9	4
46	Moderate, but not heavy, tea drinking decreased the associated risk of gallstones in a Taiwanese population. European Journal of Clinical Nutrition, 2019, 73, 401-407.	2.9	3
47	Relationship between Kidney Stone Disease and Arterial Stiffness in a Taiwanese Population. Journal of Clinical Medicine, 2020, 9, 1693.	2.4	1
48	Association of sleep quality and sleep duration with serum uric acid levels in adults. , 2020, 15, e0239185.		0
49	Association of sleep quality and sleep duration with serum uric acid levels in adults. , 2020, 15, e0239185.		0
50	Association of sleep quality and sleep duration with serum uric acid levels in adults. , 2020, 15, e0239185.		0
51	Association of sleep quality and sleep duration with serum uric acid levels in adults. , 2020, 15, e0239185.		0