

Feng-Hwa Lu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2787894/publications.pdf>

Version: 2024-02-01

51
papers

1,166
citations

623734

14
h-index

414414

32
g-index

51
all docs

51
docs citations

51
times ranked

1966
citing authors

#	ARTICLE	IF	CITATIONS
1	Cumulative Betel Quid Chewing and the Risk of Significant Liver Fibrosis in Subjects With and Without Metabolic Syndrome. <i>Frontiers in Nutrition</i> , 2022, 9, 765206.	3.7	6
2	Hyperuricemia Is Associated with Significant Liver Fibrosis in Subjects with Nonalcoholic Fatty Liver Disease, but Not in Subjects without It. <i>Journal of Clinical Medicine</i> , 2022, 11, 1445.	2.4	9
3	A Positive Relationship between Betel Nut Chewing and Significant Liver Fibrosis in NAFLD Subjects, but Not in Non-NAFLD Ones. <i>Nutrients</i> , 2021, 13, 914.	4.1	6
4	Disease-related disability burden: a comparison of seven chronic conditions in middle-aged and older adults. <i>BMC Geriatrics</i> , 2021, 21, 201.	2.7	17
5	Factors associated with early 14-day unplanned hospital readmission: a matched case-control study. <i>BMC Health Services Research</i> , 2021, 21, 870.	2.2	7
6	Cumulative tea consumption is inversely associated with colorectal adenomas in adults: A cross-sectional study in a Taiwanese population. <i>Cancer Epidemiology</i> , 2021, 73, 101945.	1.9	4
7	Metabolic abnormalities, but not obesity per se, associated with chronic kidney disease in a Taiwanese population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 418-425.	2.6	15
8	Association of sleep quality and sleep duration with serum uric acid levels in adults. <i>PLoS ONE</i> , 2020, 15, e0239185.	2.5	16
9	Relationship between Kidney Stone Disease and Arterial Stiffness in a Taiwanese Population. <i>Journal of Clinical Medicine</i> , 2020, 9, 1693.	2.4	1
10	Epidemiological evidence of increased waist circumference, but not body mass index, associated with impaired baroreflex sensitivity. <i>Obesity Research and Clinical Practice</i> , 2020, 14, 158-163.	1.8	4
11	Increased risks of different grades of non-alcoholic fatty liver disease in prediabetic subjects with impaired fasting glucose and glucose tolerance, including the isolated glycosylated hemoglobin levels of 5.7-6.4% in a Chinese population. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1336-1343.	2.4	8
12	Association of sleep quality and sleep duration with serum uric acid levels in adults. , 2020, 15, e0239185.		0
13	Association of sleep quality and sleep duration with serum uric acid levels in adults. , 2020, 15, e0239185.		0
14	Association of sleep quality and sleep duration with serum uric acid levels in adults. , 2020, 15, e0239185.		0
15	Association of sleep quality and sleep duration with serum uric acid levels in adults. , 2020, 15, e0239185.		0
16	Increased amount and duration of tea consumption may be associated with decreased risk of renal stone disease. <i>World Journal of Urology</i> , 2019, 37, 379-384.	2.2	16
17	Moderate, but not heavy, tea drinking decreased the associated risk of gallstones in a Taiwanese population. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 401-407.	2.9	3
18	Simple renal cysts are associated with increased arterial stiffness in a Taiwanese population. <i>Hypertension Research</i> , 2019, 42, 1068-1073.	2.7	6

#	ARTICLE	IF	CITATIONS
19	Differences in the association between glycemia and uric acid levels in diabetic and non-diabetic populations. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 511-515.	2.3	6
20	Increased Arterial Stiffness in Prediabetic Subjects Recognized by Hemoglobin A1c with Postprandial Glucose but Not Fasting Glucose Levels. <i>Journal of Clinical Medicine</i> , 2019, 8, 603.	2.4	7
21	Geriatric syndromes and quality of life in older adults with diabetes. <i>Geriatrics and Gerontology International</i> , 2019, 19, 518-524.	1.5	20
22	Gender differences in the relationship between walking activity and sleep disturbance among community-dwelling older adult with diabetes in Taiwan. <i>Journal of Women and Aging</i> , 2019, 31, 108-116.	1.0	11
23	Gallbladder stones and gallbladder polyps associated with increased risk of colorectal adenoma in men. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 800-806.	2.8	11
24	The association of sleep duration and sleep quality with non-alcoholic fatty liver disease in a Taiwanese population. <i>Obesity Research and Clinical Practice</i> , 2018, 12, 500-505.	1.8	13
25	Restrictive Spirometry Pattern Is Associated With Increased Arterial Stiffness in Men and Women. <i>Chest</i> , 2017, 152, 394-401.	0.8	19
26	Betel nut chewing associated with increased risk of arterial stiffness. <i>Drug and Alcohol Dependence</i> , 2017, 180, 1-6.	3.2	17
27	Higher education in gerontology: A comparison of master's programs in Japan, Taiwan, and Turkey. <i>Gerontology and Geriatrics Education</i> , 2017, 38, 61-75.	0.8	4
28	Functional Balance and Its Determinants in Older People with Diabetes. <i>PLoS ONE</i> , 2016, 11, e0159339.	2.5	6
29	A novel hepatokine, HFREP1, plays a crucial role in the development of insulin resistance and type 2 diabetes. <i>Diabetologia</i> , 2016, 59, 1732-1742.	6.3	70
30	Gender differences in the association of non-alcoholic fatty liver disease and metabolic syndrome with erosive oesophagitis: a cross-sectional study in a Taiwanese population. <i>BMJ Open</i> , 2016, 6, e013106.	1.9	8
31	Increased risk of glomerular hyperfiltration in subjects with impaired glucose tolerance and newly diagnosed diabetes. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1295-1301.	0.7	20
32	Serum Bilirubin Is Inversely Associated with Increased Arterial Stiffness in Men with Pre-Hypertension but Not Normotension. <i>PLoS ONE</i> , 2016, 11, e0146226.	2.5	6
33	Cardiotrophin-1 is inversely associated with obesity in non-diabetic individuals. <i>Scientific Reports</i> , 2015, 5, 17438.	3.3	15
34	Non-alcoholic fatty liver disease associated with increased arterial stiffness in subjects with normal glucose tolerance, but not pre-diabetes and diabetes. <i>Diabetes and Vascular Disease Research</i> , 2015, 12, 359-365.	2.0	7
35	The Number of Metabolic Abnormalities Associated with the Risk of Gallstones in a Non-diabetic Population. <i>PLoS ONE</i> , 2014, 9, e90310.	2.5	10
36	In Vivo and In Vitro Anti-Tumor Effects of Fungal Extracts. <i>Molecules</i> , 2014, 19, 2546-2556.	3.8	41

#	ARTICLE	IF	CITATIONS
37	Activation of free fatty acid receptor 1 improves hepatic steatosis through a p38-dependent pathway. <i>Journal of Molecular Endocrinology</i> , 2014, 53, 165-174.	2.5	13
38	The relationship between different glycemic statuses and colon polyps in a Taiwanese population. <i>Journal of Gastroenterology</i> , 2014, 49, 1145-1151.	5.1	16
39	High uric acid level associated with increased arterial stiffness in apparently healthy women. <i>Atherosclerosis</i> , 2014, 236, 389-393.	0.8	38
40	Low socioeconomic status may increase the risk of central obesity in incoming university students in Taiwan. <i>Obesity Research and Clinical Practice</i> , 2014, 8, e212-e219.	1.8	14
41	Long Sleep Duration Associated With a Higher Risk of Increased Arterial Stiffness in Males. <i>Sleep</i> , 2014, 37, 1315-1320.	1.1	44
42	Increased Tea Consumption Is Associated with Decreased Arterial Stiffness in a Chinese Population. <i>PLoS ONE</i> , 2014, 9, e86022.	2.5	11
43	The relationship between impaired fasting glucose and self-reported sleep quality in a Chinese population. <i>Clinical Endocrinology</i> , 2013, 78, 518-524.	2.4	30
44	Mild Chronic Kidney Disease Associated with Greater Risk of Arterial Stiffness in Elderly Adults. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1758-1762.	2.6	9
45	Short sleep duration associated with a higher prevalence of metabolic syndrome in an apparently healthy population. <i>Preventive Medicine</i> , 2012, 55, 305-309.	3.4	70
46	Increased Arterial Stiffness in Subjects with Impaired Glucose Tolerance and Newly Diagnosed Diabetes But Not Isolated Impaired Fasting Glucose. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E658-E662.	3.6	71
47	The association of serum lipids with the histological pattern of rectosigmoid adenoma in Taiwanese adults. <i>BMC Gastroenterology</i> , 2011, 11, 54.	2.0	12
48	Use of the Beers Criteria to Predict Adverse Drug Reactions Among First-Visit Elderly Outpatients. <i>Pharmacotherapy</i> , 2005, 25, 831-838.	2.6	101
49	The Protective Effect of Habitual Tea Consumption on Hypertension. <i>Archives of Internal Medicine</i> , 2004, 164, 1534.	3.8	228
50	Potentially Inappropriate Drug Prescribing Among First-Visit Elderly Outpatients in Taiwan. <i>Pharmacotherapy</i> , 2004, 24, 848-855.	2.6	20
51	A population-based study of the prevalence and associated factors of diabetes mellitus in southern Taiwan. <i>Diabetic Medicine</i> , 1998, 15, 564-572.	2.3	80