Christine B Chung

List of Publications by Citations

Source: https://exaly.com/author-pdf/2788129/christine-b-chung-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers3,516
citations34
h-index56
g-index112
ext. papers4,065
ext. citations4.4
avg, IF5.05
L-index

#	Paper	IF	Citations
107	Pathogenesis of the Segond fracture: anatomic and MR imaging evidence of an iliotibial tract or anterior oblique band avulsion. <i>Radiology</i> , 2001 , 219, 381-6	20.5	217
106	Qualitative and quantitative ultrashort echo time (UTE) imaging of cortical bone. <i>Journal of Magnetic Resonance</i> , 2010 , 207, 304-11	3	168
105	Tennis leg: clinical US study of 141 patients and anatomic investigation of four cadavers with MR imaging and US. <i>Radiology</i> , 2002 , 224, 112-9	20.5	165
104	UTE imaging in the musculoskeletal system. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 41, 870-83	5.6	136
103	Quantitative ultrashort echo time (UTE) MRI of human cortical bone: correlation with porosity and biomechanical properties. <i>Journal of Bone and Mineral Research</i> , 2012 , 27, 848-57	6.3	119
102	Superior labral anteroposterior tear: classification and diagnosis on MRI and MR arthrography. <i>American Journal of Roentgenology</i> , 2003 , 181, 1449-62	5.4	118
101	Short T2 contrast with three-dimensional ultrashort echo time imaging. <i>Magnetic Resonance Imaging</i> , 2011 , 29, 470-82	3.3	100
100	Ultrashort echo time imaging with bicomponent analysis. Magnetic Resonance in Medicine, 2012, 67, 645	5- 2 9.4	96
99	Patellar tendon-lateral femoral condyle friction syndrome: MR imaging in 42 patients. <i>Skeletal Radiology</i> , 2001 , 30, 694-7	2.7	85
98	SLAP lesions: anatomy, clinical presentation, MR imaging diagnosis and characterization. <i>European Journal of Radiology</i> , 2008 , 68, 72-87	4.7	84
97	Ultrashort echo time spectroscopic imaging (UTESI): an efficient method for quantifying bound and free water. <i>NMR in Biomedicine</i> , 2012 , 25, 161-8	4.4	83
96	Ultrashort echo time MR imaging of osteochondral junction of the knee at 3 T: identification of anatomic structures contributing to signal intensity. <i>Radiology</i> , 2010 , 254, 837-45	20.5	81
95	Carpal tunnel syndrome caused by tophaceous gout: CT and MR imaging features in 20 patients. <i>American Journal of Roentgenology</i> , 2000 , 175, 655-9	5.4	80
94	Complications of anterior cruciate ligament reconstruction: MR imaging. <i>European Radiology</i> , 2003 , 13, 1106-17	8	78
93	MR arthrography of the glenohumeral joint: a tailored approach. <i>American Journal of Roentgenology</i> , 2001 , 177, 217-9	5.4	77
92	End plate marrow changes in the asymptomatic lumbosacral spine: frequency, distribution and correlation with age and degenerative changes. <i>Skeletal Radiology</i> , 2004 , 33, 399-404	2.7	74
91	Ultrashort echo time spectroscopic imaging (UTESI) of cortical bone. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 1001-9	4.4	72

(2006-2005)

90	MR imaging of the hip abductors: normal anatomy and commonly encountered pathology at the greater trochanter. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2005 , 13, 691-704, vii	1.6	68
89	Ultrashort TE spectroscopic imaging (UTESI): application to the imaging of short T2 relaxation tissues in the musculoskeletal system. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 29, 412-21	5.6	65
88	Dual inversion recovery, ultrashort echo time (DIR UTE) imaging: creating high contrast for short-T(2) species. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 447-55	4.4	65
87	Quantitative characterization of the Achilles tendon in cadaveric specimens: T1 and T2* measurements using ultrashort-TE MRI at 3 T. <i>American Journal of Roentgenology</i> , 2009 , 192, W117-24	5.4	64
86	Ultrashort TE T1rho (UTE T1rho) imaging of the Achilles tendon and meniscus. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 834-42	4.4	61
85	Rotator cuff interval: evaluation with MR imaging and MR arthrography of the shoulder in 32 cadavers. <i>Journal of Computer Assisted Tomography</i> , 2000 , 24, 738-43	2.2	58
84	Magic angle effect in magnetic resonance imaging of the Achilles tendon and enthesis. <i>Magnetic Resonance Imaging</i> , 2009 , 27, 557-64	3.3	57
83	Ultrashort-echo time MR imaging of the patella with bicomponent analysis: correlation with histopathologic and polarized light microscopic findings. <i>Radiology</i> , 2012 , 264, 484-93	20.5	57
82	Two-dimensional ultrashort echo time imaging using a spiral trajectory. <i>Magnetic Resonance Imaging</i> , 2008 , 26, 304-12	3.3	53
81	Humeral avulsion of the posterior band of the inferior glenohumeral ligament: MR arthrography and clinical correlation in 17 patients. <i>American Journal of Roentgenology</i> , 2004 , 183, 355-9	5.4	51
80	Meniscal tears: role of axial MRI alone and in combination with other imaging planes. <i>American Journal of Roentgenology</i> , 2004 , 183, 9-15	5.4	48
79	Conventional and ultrashort time-to-echo magnetic resonance imaging of articular cartilage, meniscus, and intervertebral disk. <i>Topics in Magnetic Resonance Imaging</i> , 2010 , 21, 275-89	2.3	44
78	Morphology of the cartilaginous endplates in human intervertebral disks with ultrashort echo time MR imaging. <i>Radiology</i> , 2013 , 266, 564-74	20.5	43
77	What happens to the triangular fibrocartilage complex during pronation and supination of the forearm? Analysis of its morphology and diagnostic assessment with MR arthrography. <i>Skeletal Radiology</i> , 2001 , 30, 677-85	2.7	42
76	Orientational analysis of the Achilles tendon and enthesis using an ultrashort echo time spectroscopic imaging sequence. <i>Magnetic Resonance Imaging</i> , 2010 , 28, 178-84	3.3	39
75	Ultrashort TE imaging with off-resonance saturation contrast (UTE-OSC). <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 527-31	4.4	38
74	Development of a Comprehensive Osteochondral Allograft MRI Scoring System (OCAMRISS) with Histopathologic, Micro-Computed Tomography, and Biomechanical Validation. <i>Cartilage</i> , 2014 , 5, 16-27	3	36
73	Pellegrini-Stieda disease: a heterogeneous disorder not synonymous with ossification/calcification of the tibial collateral ligament-anatomic and imaging investigation. <i>Skeletal Radiology</i> , 2006 , 35, 916-22	22.7	32

72	Calcific tendinosis and periarthritis: classic magnetic resonance imaging appearance and associated findings. <i>Journal of Computer Assisted Tomography</i> , 2004 , 28, 390-6	2.2	29
71	MR arthrography of the knee: how, why, when. <i>Radiologic Clinics of North America</i> , 2005 , 43, 733-46, vii	i-i x .3	28
70	Imaging the Glenoid Labrum and Labral Tears. <i>Radiographics</i> , 2016 , 36, 1628-1647	5.4	27
69	The patellar extensor apparatus of the knee. <i>Pediatric Radiology</i> , 2008 , 38, 925-35	2.8	26
68	Glenohumeral joint instability. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 33, 2-16	5.6	25
67	Magnetic resonance imaging assessed cortical porosity is highly correlated with I T porosity. <i>Bone</i> , 2014 , 66, 56-61	4.7	24
66	Osteochondral Allograft MRI Scoring System (OCAMRISS) in the Knee: Interobserver Agreement and Clinical Application. <i>Cartilage</i> , 2015 , 6, 142-9	3	24
65	Ultrashort time to echo magnetic resonance techniques for the musculoskeletal system. <i>Quantitative Imaging in Medicine and Surgery</i> , 2016 , 6, 731-743	3.6	24
64	Single- and Bi-component T2* analysis of tendon before and during tensile loading, using UTE sequences. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 42, 114-20	5.6	23
63	MR imaging of extrasynovial inflammation and impingement about the knee. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2014 , 22, 725-41	1.6	23
62	Effects of Achilles tendon immersion in saline and perfluorochemicals on T2 and T2*. <i>Journal of Magnetic Resonance Imaging</i> , 2014 , 40, 496-500	5.6	23
61	Effects of repetitive freeze-thawing cycles on T2 and T2 of the Achilles tendon. <i>European Journal of Radiology</i> , 2014 , 83, 349-53	4.7	22
60	UTE MRI of the Osteochondral Junction. Current Radiology Reports, 2014, 2, 35	0.5	20
59	Quantitative 3D ultrashort time-to-echo (UTE) MRI and micro-CT (CT) evaluation of the temporomandibular joint (TMJ) condylar morphology. <i>Skeletal Radiology</i> , 2014 , 43, 19-25	2.7	19
58	Meniscal calcifications: morphologic and quantitative evaluation by using 2D inversion-recovery ultrashort echo time and 3D ultrashort echo time 3.0-T MR imaging techniquesfeasibility study. <i>Radiology</i> , 2012 , 264, 260-8	20.5	19
57	MR arthrography of the shoulder. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2004 , 12, 25-38, v-vi	1.6	19
56	MR imaging of synovial disorders of the knee. Seminars in Musculoskeletal Radiology, 2009, 13, 303-25	1.8	18
55	MR imaging of tendon abnormalities of the elbow. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2004 , 12, 233-45, vi	1.6	18

(2014-2011)

54	Comparison of T1rho measurements in agarose phantoms and human patellar cartilage using 2D multislice spiral and 3D magnetization prepared partitioned k-space spoiled gradient-echo snapshot techniques at 3 T. <i>American Journal of Roentgenology</i> , 2011 , 196, W174-9	5.4	17	
53	Magnetic resonance imaging of short T2 relaxation components in the musculoskeletal system. <i>Skeletal Radiology</i> , 2009 , 38, 201-5	2.7	16	
52	Quantitative magnetic resonance imaging of the lumbar intervertebral discs. <i>Quantitative Imaging in Medicine and Surgery</i> , 2016 , 6, 744-755	3.6	16	
51	Prevalence of sternoclavicular joint calcium pyrophosphate dihydrate crystal deposition on computed tomography. <i>Clinical Imaging</i> , 2014 , 38, 380-383	2.7	14	
50	Magnetic resonance imaging of the temporomandibular joint disc: feasibility of novel quantitative magnetic resonance evaluation using histologic and biomechanical reference standards. <i>Journal of Orofacial Pain</i> , 2011 , 25, 345-53		14	
49	Advanced MRI Techniques for the Ankle. American Journal of Roentgenology, 2017 , 209, 511-524	5.4	12	
48	A quantitative approach to sequence and image weighting. <i>Journal of Computer Assisted Tomography</i> , 2010 , 34, 317-31	2.2	11	
47	Miscellaneous conditions of the shoulder: anatomical, clinical, and pictorial review emphasizing potential pitfalls in imaging diagnosis. <i>European Journal of Radiology</i> , 2008 , 68, 88-105	4.7	11	
46	MR imaging of the rotator cuff interval. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2004 , 12, 61-73, vi	1.6	11	
45	Sports injuries of the elbow. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2003 , 11, 239-53	1.6	11	
44	New Techniques in MR Imaging of the Ankle and Foot. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2017 , 25, 211-225	1.6	10	
43	MR imaging of the rotator cuff interval. <i>Radiologic Clinics of North America</i> , 2006 , 44, 525-36, viii	2.3	10	
42	Magnetic resonance imaging of the upper extremity: advances in technique and application. <i>Clinical Orthopaedics and Related Research</i> , 2001 , 162-74	2.2	10	
41	Quantitative bi-component T2* analysis of histologically normal Achilles tendons. <i>Muscles, Ligaments and Tendons Journal</i> , 2015 , 5, 58-62	1.9	10	
40	Lumbar spine postures in Marines during simulated operational positions. <i>Journal of Orthopaedic Research</i> , 2017 , 35, 2145-2153	3.8	9	
39	MR morphology of triangular fibrocartilage complex: correlation with quantitative MR and biomechanical properties. <i>Skeletal Radiology</i> , 2016 , 45, 447-54	2.7	9	
38	Posterolateral and posteromedial corner injuries of the knee. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2014 , 22, 581-99	1.6	9	
37	Humeral avulsions of the inferior glenohumeral ligament complex involving the axillary pouch in professional baseball players. <i>Skeletal Radiology</i> , 2014 , 43, 35-41	2.7	9	

36	The shiny corner of the knee: a sign of meniscal osteochondral unit dysfunction. <i>Skeletal Radiology</i> , 2014 , 43, 1403-9	2.7	9
35	Osseous lesions of the pelvis and long tubular bones containing both fat and fluid-like signal intensity: an analysis of 28 patients. <i>European Journal of Radiology</i> , 2005 , 53, 103-9	4.7	9
34	Thickness of the Meniscal Lamellar Layer: Correlation with Indentation Stiffness and Comparison of Normal and Abnormally Thick Layers by Using Multiparametric Ultrashort Echo Time MR Imaging. <i>Radiology</i> , 2016 , 280, 161-8	20.5	8
33	Evaluation of the disco-vertebral junction using ultrashort time-to-echo magnetic resonance imaging: inter-reader agreement and association with vertebral endplate lesions. <i>Skeletal Radiology</i> , 2016 , 45, 1249-56	2.7	8
32	Straight and rotational instability patterns of the knee: concepts and magnetic resonance imaging. <i>Radiologic Clinics of North America</i> , 2002 , 40, 203-16	2.3	8
31	Standard and Advanced Imaging of Hip Osteoarthritis. What the Radiologist Should Know. <i>Seminars in Musculoskeletal Radiology</i> , 2019 , 23, 289-303	1.8	7
30	Magnetic resonance imaging of elbow instability. Seminars in Musculoskeletal Radiology, 2005, 9, 67-76	1.8	7
29	High-Resolution MRI of the First Metatarsophalangeal Joint: Gross Anatomy and Injury Characterization. <i>Radiographics</i> , 2020 , 40, 1107-1124	5.4	6
28	High-resolution morphologic and ultrashort time-to-echo quantitative magnetic resonance imaging of the temporomandibular joint. <i>Skeletal Radiology</i> , 2016 , 45, 383-91	2.7	6
27	The effect of excitation and preparation pulses on nonslice selective 2D UTE bicomponent analysis of bound and free water in cortical bone at 3T. <i>Medical Physics</i> , 2014 , 41, 022306	4.4	6
26	Optimizing MR signal contrast of the temporomandibular joint disk. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 34, 1458-64	5.6	6
25	Imaging of lower limb cartilage. <i>Topics in Magnetic Resonance Imaging</i> , 2009 , 20, 189-201	2.3	6
24	MR imaging findings of trigger thumb. Skeletal Radiology, 2015 , 44, 1201-7	2.7	5
23	Correlation of listhesis on upright radiographs and central lumbar spinal canal stenosis on supine MRI: is it possible to predict lumbar spinal canal stenosis?. <i>Skeletal Radiology</i> , 2018 , 47, 1269-1275	2.7	5
22	Sensitivity of quantitative UTE MRI to the biomechanical property of the temporomandibular joint disc. <i>Skeletal Radiology</i> , 2014 , 43, 1217-23	2.7	5
21	Tophaceous gout in an amputation stump in a patient with chronic myelogenous leukemia. <i>Skeletal Radiology</i> , 2003 , 32, 429-31	2.7	5
20	The Calcaneal Crescent in Patients With and Without Plantar Fasciitis: An Ankle MRI Study. <i>American Journal of Roentgenology</i> , 2018 , 211, 1075-1082	5.4	5
19	Update on MRI Pulse Sequences for the Knee: Imaging of Cartilage, Meniscus, Tendon, and Hardware. <i>Seminars in Musculoskeletal Radiology</i> , 2017 , 21, 45-62	1.8	4

(2020-2014)

18	Morphologic characterization of meniscal root ligaments in the human knee with magnetic resonance microscopy at 11.7 and 3 T. <i>Skeletal Radiology</i> , 2014 , 43, 1395-402	2.7	4
17	Patterns of cartilage degeneration in knees with medial tibiofemoral offset. <i>Skeletal Radiology</i> , 2019 , 48, 931-937	2.7	4
16	Medial supracondylar stress fracture in an adolescent pitcher/. Skeletal Radiology, 2014, 43, 85-8	2.7	3
15	Bipartite Medial Cuneiform: Case Report and Retrospective Review of 1000 Magnetic Resonance (MR) Imaging Studies. <i>Case Reports in Medicine</i> , 2014 , 2014, 130979	0.7	3
14	Gouty arthritis: Can we avoid unnecessary dual-energy CT examinations using prior radiographs?. <i>PLoS ONE</i> , 2018 , 13, e0200473	3.7	3
13	Correlation between the elastic modulus of anterior cruciate ligament (ACL) and quantitative ultrashort echo time (UTE) magnetic resonance imaging <i>Journal of Orthopaedic Research</i> , 2022 ,	3.8	2
12	Elbow Imaging with an Emphasis on MRI. IDKD Springer Series, 2021, 23-39	1.1	2
11	MR imaging pattern of tibial subchondral bone structure: considerations of meniscal coverage and integrity. <i>Skeletal Radiology</i> , 2020 , 49, 2019-2027	2.7	1
10	Acute short radiolunate ligament rupture in a rock climber. Skeletal Radiology, 2014, 43, 235-8	2.7	1
9	Lower Macromolecular Content in Tendons of Female Patients with Osteoporosis versus Patients with Osteopenia Detected by Ultrashort Echo Time (UTE) MRI. <i>Diagnostics</i> , 2022 , 12, 1061	3.8	1
8	MRI-based mechanical competence assessment of bone using micro finite element analysis (micro-FEA): Review <i>Magnetic Resonance Imaging</i> , 2022 , 88, 9-9	3.3	O
7	Quantitative magnetic resonance imaging of meniscal pathology ex vivo. <i>Skeletal Radiology</i> , 2021 , 50, 2405-2414	2.7	O
6	Initial Experience With Formal Near-Peer Mentoring in Radiology Residency. <i>Current Problems in Diagnostic Radiology</i> , 2021 , 51, 304-304	1.6	O
5	Ultrashort echo time adiabatic T (UTE-Adiab-T) is sensitive to human cadaveric knee joint deformation induced by mechanical loading and unloading. <i>Magnetic Resonance Imaging</i> , 2021 , 80, 98-1	0353	O
4	Comparison of Radiographic, Ultrasound, and Magnetic Resonance Imaging for the Detection of Retained Stingray Barb: A Cadaveric Study. <i>Wilderness and Environmental Medicine</i> , 2021 , 32, 302-307	1.4	O
3	Diversity and perception of equity and respect in the Society of Skeletal Radiology (SSR). <i>Skeletal Radiology</i> , 2021 , 1	2.7	O
2	Knee Cartilage Imaging. <i>Clinics in Sports Medicine</i> , 2021 , 40, 677-692	2.6	0
1	Is There a Role for Cartilage Imaging in Athletes?. Seminars in Musculoskeletal Radiology, 2020 , 24, 246-7	2 5 5	