

Suzanne L Topalian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2788264/publications.pdf>

Version: 2024-02-01

63
papers

51,481
citations

50170

46
h-index

138251

58
g-index

64
all docs

64
docs citations

64
times ranked

44800
citing authors

#	ARTICLE	IF	CITATIONS
1	Safety, Activity, and Immune Correlates of Anti-“PD-1 Antibody in Cancer. <i>New England Journal of Medicine</i> , 2012, 366, 2443-2454.	13.9	10,727
2	Safety and Activity of Anti-“PD-L1 Antibody in Patients with Advanced Cancer. <i>New England Journal of Medicine</i> , 2012, 366, 2455-2465.	13.9	6,820
3	Immune Checkpoint Blockade: A Common Denominator Approach to Cancer Therapy. <i>Cancer Cell</i> , 2015, 27, 450-461.	7.7	3,266
4	Phase I Study of Single-Agent Anti-“Programmed Death-1 (MDX-1106) in Refractory Solid Tumors: Safety, Clinical Activity, Pharmacodynamics, and Immunologic Correlates. <i>Journal of Clinical Oncology</i> , 2010, 28, 3167-3175.	0.8	2,667
5	Cancer Regression in Patients After Transfer of Genetically Engineered Lymphocytes. <i>Science</i> , 2006, 314, 126-129.	6.0	2,352
6	Mechanism-driven biomarkers to guide immune checkpoint blockade in cancer therapy. <i>Nature Reviews Cancer</i> , 2016, 16, 275-287.	12.8	2,133
7	Association of PD-1, PD-1 Ligands, and Other Features of the Tumor Immune Microenvironment with Response to Anti-“PD-1 Therapy. <i>Clinical Cancer Research</i> , 2014, 20, 5064-5074.	3.2	2,050
8	Survival, Durable Tumor Remission, and Long-Term Safety in Patients With Advanced Melanoma Receiving Nivolumab. <i>Journal of Clinical Oncology</i> , 2014, 32, 1020-1030.	0.8	2,015
9	Colocalization of Inflammatory Response with B7-H1 Expression in Human Melanocytic Lesions Supports an Adaptive Resistance Mechanism of Immune Escape. <i>Science Translational Medicine</i> , 2012, 4, 127ra37.	5.8	1,837
10	Neoadjuvant PD-1 Blockade in Resectable Lung Cancer. <i>New England Journal of Medicine</i> , 2018, 378, 1976-1986.	13.9	1,495
11	Cancer regression and autoimmunity induced by cytotoxic T lymphocyte-associated antigen 4 blockade in patients with metastatic melanoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 8372-8377.	3.3	1,482
12	Targeting the PD-1/B7-H1(PD-L1) pathway to activate anti-tumor immunity. <i>Current Opinion in Immunology</i> , 2012, 24, 207-212.	2.4	1,186
13	PD-1 Blockade with Pembrolizumab in Advanced Merkel-Cell Carcinoma. <i>New England Journal of Medicine</i> , 2016, 374, 2542-2552.	13.9	1,048
14	Overall Survival and Long-Term Safety of Nivolumab (Anti-“Programmed Death 1 Antibody, BMS-936558,) Tj ETQq0 0 0 rgBT /Overlock <i>Clinical Oncology</i> , 2015, 33, 2004-2012.	0.8	1,035
15	Autoimmunity Correlates With Tumor Regression in Patients With Metastatic Melanoma Treated With Anti-“Cytotoxic T-Lymphocyte Antigen-4. <i>Journal of Clinical Oncology</i> , 2005, 23, 6043-6053.	0.8	989
16	Safety Profile of Nivolumab Monotherapy: A Pooled Analysis of Patients With Advanced Melanoma. <i>Journal of Clinical Oncology</i> , 2017, 35, 785-792.	0.8	930
17	Enterocolitis in Patients With Cancer After Antibody Blockade of Cytotoxic T-Lymphocyte-Associated Antigen 4. <i>Journal of Clinical Oncology</i> , 2006, 24, 2283-2289.	0.8	794
18	Evidence for a Role of the PD-1:PD-L1 Pathway in Immune Resistance of HPV-Associated Head and Neck Squamous Cell Carcinoma. <i>Cancer Research</i> , 2013, 73, 1733-1741.	0.4	678

#	ARTICLE	IF	CITATIONS
19	Ipilimumab (Anti-CTLA4 Antibody) Causes Regression of Metastatic Renal Cell Cancer Associated With Enteritis and Hypophysitis. <i>Journal of Immunotherapy</i> , 2007, 30, 825-830.	1.2	656
20	The role of CD4+ T cell responses in antitumor immunity. <i>Current Opinion in Immunology</i> , 1998, 10, 588-594.	2.4	593
21	Neoadjuvant checkpoint blockade for cancer immunotherapy. <i>Science</i> , 2020, 367, .	6.0	553
22	Durable Cancer Regression Off-Treatment and Effective Reinduction Therapy with an Anti-PD-1 Antibody. <i>Clinical Cancer Research</i> , 2013, 19, 462-468.	3.2	485
23	Cancer Immunotherapy Comes of Age. <i>Journal of Clinical Oncology</i> , 2011, 29, 4828-4836.	0.8	411
24	Five-Year Survival and Correlates Among Patients With Advanced Melanoma, Renal Cell Carcinoma, or Non-Small Cell Lung Cancer Treated With Nivolumab. <i>JAMA Oncology</i> , 2019, 5, 1411.	3.4	388
25	Survival, Durable Response, and Long-Term Safety in Patients With Previously Treated Advanced Renal Cell Carcinoma Receiving Nivolumab. <i>Journal of Clinical Oncology</i> , 2015, 33, 2013-2020.	0.8	385
26	Alterations of immune response of non-small cell lung cancer with Azacytidine. <i>Oncotarget</i> , 2013, 4, 2067-2079.	0.8	336
27	PD-L1 Expression in the Merkel Cell Carcinoma Microenvironment: Association with Inflammation, Merkel Cell Polyomavirus, and Overall Survival. <i>Cancer Immunology Research</i> , 2013, 1, 54-63.	1.6	333
28	A Phase I Study of Nonmyeloablative Chemotherapy and Adoptive Transfer of Autologous Tumor Antigen-Specific T Lymphocytes in Patients With Metastatic Melanoma. <i>Journal of Immunotherapy</i> , 2002, 25, 243-251.	1.2	326
29	Cytotoxic T-Lymphocyte-Associated Antigen-4 Blockage Can Induce Autoimmune Hypophysitis in Patients With Metastatic Melanoma and Renal Cancer. <i>Journal of Immunotherapy</i> , 2005, 28, 593-598.	1.2	315
30	Mechanisms regulating PD-L1 expression on tumor and immune cells. , 2019, 7, 305.		291
31	Antagonists of PD-1 and PD-L1 in Cancer Treatment. <i>Seminars in Oncology</i> , 2015, 42, 587-600.	0.8	259
32	Inpatient Dose Escalation of Anti-CTLA-4 Antibody in Patients With Metastatic Melanoma. <i>Journal of Immunotherapy</i> , 2006, 29, 455-463.	1.2	246
33	Differential Expression of Immune-Regulatory Genes Associated with PD-L1 Display in Melanoma: Implications for PD-1 Pathway Blockade. <i>Clinical Cancer Research</i> , 2015, 21, 3969-3976.	3.2	205
34	Conserved Interferon- γ Signaling Drives Clinical Response to Immune Checkpoint Blockade Therapy in Melanoma. <i>Cancer Cell</i> , 2020, 38, 500-515.e3.	7.7	203
35	Neoadjuvant Nivolumab for Patients With Resectable Merkel Cell Carcinoma in the CheckMate 358 Trial. <i>Journal of Clinical Oncology</i> , 2020, 38, 2476-2487.	0.8	152
36	A phase I study of nonmyeloablative chemotherapy and adoptive transfer of autologous tumor antigen-specific T lymphocytes in patients with metastatic melanoma. <i>Journal of Immunotherapy</i> , 2002, 25, 243-51.	1.2	139

#	ARTICLE	IF	CITATIONS
37	The Intratumoral Balance between Metabolic and Immunologic Gene Expression Is Associated with Anti-PD-1 Response in Patients with Renal Cell Carcinoma. <i>Cancer Immunology Research</i> , 2016, 4, 726-733.	1.6	133
38	Multidimensional, quantitative assessment of PD-1/PD-L1 expression in patients with Merkel cell carcinoma and association with response to pembrolizumab. , 2018, 6, 99.		129
39	Defining tumor resistance to PD-1 pathway blockade: recommendations from the first meeting of the SITC Immunotherapy Resistance Taskforce. , 2020, 8, e000398.		125
40	Analysis of multispectral imaging with the AstroPath platform informs efficacy of PD-1 blockade. <i>Science</i> , 2021, 372, .	6.0	114
41	Targeting Immune Checkpoints in Cancer Therapy. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 1647.	3.8	111
42	Opportunities and Challenges in the Development of Experimental Drug Combinations for Cancer. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1222-1226.	3.0	100
43	Pan-Tumor Pathologic Scoring of Response to PD-(L)1 Blockade. <i>Clinical Cancer Research</i> , 2020, 26, 545-551.	3.2	100
44	Identification of tumor-associated, MHC class II-restricted phosphopeptides as targets for immunotherapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 12073-12078.	3.3	98
45	Structural basis for the recognition of mutant self by a tumor-specific, MHC class II-restricted T cell receptor. <i>Nature Immunology</i> , 2007, 8, 398-408.	7.0	91
46	Neoadjuvant nivolumab for patients with resectable HPV-positive and HPV-negative squamous cell carcinomas of the head and neck in the CheckMate 358 trial. , 2021, 9, e002568.		87
47	Safety and immunologic correlates of Melanoma GVAX, a GM-CSF secreting allogeneic melanoma cell vaccine administered in the adjuvant setting. <i>Journal of Translational Medicine</i> , 2015, 13, 214.	1.8	84
48	Transcriptional Mechanisms of Resistance to Anti-PD-1 Therapy. <i>Clinical Cancer Research</i> , 2017, 23, 3168-3180.	3.2	67
49	Association of HIV Status With Local Immune Response to Anal Squamous Cell Carcinoma. <i>JAMA Oncology</i> , 2017, 3, 974.	3.4	65
50	Evaluation of Prime/Boost Regimens Using Recombinant Poxvirus/Tyrosinase Vaccines for the Treatment of Patients with Metastatic Melanoma. <i>Clinical Cancer Research</i> , 2006, 12, 2526-2537.	3.2	50
51	PD-L1 Expression in Melanocytic Lesions Does Not Correlate with the BRAF V600E Mutation. <i>Cancer Immunology Research</i> , 2015, 3, 110-115.	1.6	45
52	Integrative Tumor and Immune Cell Multi-omic Analyses Predict Response to Immune Checkpoint Blockade in Melanoma. <i>Cell Reports Medicine</i> , 2020, 1, 100139.	3.3	45
53	Structural insights into the editing of germ-line-encoded interactions between T-cell receptor and MHC class II by VÅ CDR3. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 14960-14965.	3.3	39
54	Structural Basis for the Presentation of Tumor-Associated MHC Class II-Restricted Phosphopeptides to CD4+ T Cells. <i>Journal of Molecular Biology</i> , 2010, 399, 596-603.	2.0	37

#	ARTICLE	IF	CITATIONS
55	Th17 immune microenvironment in Epstein-Barr virus-negative Hodgkin lymphoma: implications for immunotherapy. <i>Blood Advances</i> , 2017, 1, 1324-1334.	2.5	36
56	Merkel cell polyomavirus-specific immune responses in patients with Merkel cell carcinoma receiving anti-PD-1 therapy. , 2018, 6, 131.		35
57	Identification and Characterization of Complex Glycosylated Peptides Presented by the MHC Class II Processing Pathway in Melanoma. <i>Journal of Proteome Research</i> , 2017, 16, 228-237.	1.8	34
58	Balance and Imbalance in the Immune System: Life on the Edge. <i>Immunity</i> , 2014, 41, 682-684.	6.6	33
59	Structure-Based Design of Altered MHC Class II-Restricted Peptide Ligands with Heterogeneous Immunogenicity. <i>Journal of Immunology</i> , 2013, 191, 5097-5106.	0.4	18
60	The Genetic Evolution of Treatment-Resistant Cutaneous, Acral, and Uveal Melanomas. <i>Clinical Cancer Research</i> , 2021, 27, 1516-1525.	3.2	6
61	Neoadjuvant Therapy for Melanoma: A U.S. Food and Drug Administration-Melanoma Research Alliance Public Workshop. <i>Clinical Cancer Research</i> , 2021, 27, 394-401.	3.2	5
62	Society for immunotherapy of cancer (SITC) statement on the proposed changes to the common rule. , 2016, 4, 37.		1
63	Tumor-associated MHC-restricted phosphopeptides: New targets for immune recognition. <i>FASEB Journal</i> , 2008, 22, 1079.1.	0.2	1