

# Stefano Beretta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2789727/publications.pdf>

Version: 2024-02-01

164  
papers

4,902  
citations

101543

36  
h-index

110387

64  
g-index

171  
all docs

171  
docs citations

171  
times ranked

2328  
citing authors

#	ARTICLE	IF	CITATIONS
1	Progress in the measurement of the cyclic R-curve and its application to fatigue assessment. Engineering Fracture Mechanics, 2022, 260, 108122.	4.3	8
2	A benchmark activity on the fatigue life assessment of AlSi10Mg components manufactured by L-PBF. Materials and Design, 2022, 218, 110713.	7.0	23
3	Fatigue failure mechanisms for AlSi10Mg manufactured by L-PBF under axial and torsional loads: The role of defects and residual stresses. International Journal of Fatigue, 2022, 162, 106903.	5.7	29
4	Response of an aluminium Schwarz triply periodic minimal surface lattice structure under constant amplitude and random fatigue. International Journal of Fatigue, 2022, 163, 107020.	5.7	5
5	Analysis of Fatigue Strength of L-PBF AlSi10Mg with Different Surface Post-Processes: Effect of Residual Stresses. Metals, 2022, 12, 898.	2.3	17
6	Anisotropic mechanical and fatigue behaviour of Inconel718 produced by SLM in LCF and high temperature conditions. Fatigue and Fracture of Engineering Materials and Structures, 2021, 44, 271-292.	3.4	22
7	Damage tolerant design of additively manufactured metallic components subjected to cyclic loading: State of the art and challenges. Progress in Materials Science, 2021, 121, 100786.	32.8	106
8	Investigation of Fatigue Crack Growth in Full-Scale Railway Axles Subjected to Service Load Spectra: Experiments and Predictive Models. Metals, 2021, 11, 1427.	2.3	9
9	Numerical and Experimental Investigation of Cumulative Fatigue Damage under Random Dynamic Cyclic Loads of Lattice Structures Manufactured by Laser Powder Bed Fusion. Metals, 2021, 11, 1395.	2.3	4
10	More than 25 years of extreme value statistics for defects: Fundamentals, historical developments, recent applications. International Journal of Fatigue, 2021, 151, 106407.	5.7	41
11	Analysis of prospective SIF and shielding effect for cylindrical rough surfaces obtained by L-PBF. Engineering Fracture Mechanics, 2021, 256, 107983.	4.3	8
12	Strain Localizations in Notches for a Coarse-Grained Ni-Based Superalloy: Simulations and Experiments. Materials, 2021, 14, 564.	2.9	2
13	Multiaxial static strength of a 3D printed metallic lattice structure exhibiting brittle behavior. Fatigue and Fracture of Engineering Materials and Structures, 2021, 44, 3499-3516.	3.4	7
14	Combined effect of surface anomalies and volumetric defects on fatigue assessment of AlSi7Mg fabricated via laser powder bed fusion. Additive Manufacturing, 2020, 34, 100918.	3.0	18
15	High cycle fatigue behavior and life prediction for additively manufactured 17-4 PH stainless steel: Effect of sub-surface porosity and surface roughness. Theoretical and Applied Fracture Mechanics, 2020, 106, 102477.	4.7	112
16	A probabilistic framework to define the design stress and acceptable defects under combined-cycle fatigue conditions. Engineering Fracture Mechanics, 2020, 224, 106784.	4.3	15
17	Fatigue strength assessment of built AlSi10Mg manufactured by SLM with different build orientations. International Journal of Fatigue, 2020, 139, 105737.	5.7	113
18	A low-cycle fatigue life prediction model for Alloy625 arc wire welding repairs of gas turbine blades. Theoretical and Applied Fracture Mechanics, 2020, 107, 102558.	4.7	3

#	ARTICLE	IF	CITATIONS
19	Killer notches: The effect of as-built surface roughness on fatigue failure in AlSi10Mg produced by laser powder bed fusion. Additive Manufacturing, 2020, 35, 101424.	3.0	44
20	Improving fatigue resistance of railway axles by cold rolling: Process optimisation and new experimental evidences. International Journal of Fatigue, 2020, 137, 105603.	5.7	19
21	Fretting fatigue analysis of full-scale railway axles in presence of artificial micro-notches. Tribology International, 2020, 150, 106383.	5.9	23
22	Expression of Additive Manufacturing Surface Irregularities through a Flaw-Based Assessment. , 2020, , 234-249.		5
23	Probabilistic Framework for Defect Tolerant Fatigue Assessment of Additively Manufactured Parts Applied to a Space Component. , 2020, , 526-539.		5
24	Experimental and numerical investigation on compressive fatigue strength of lattice structures of AlSi7Mg manufactured by SLM. International Journal of Fatigue, 2019, 128, 105181.	5.7	54
25	Quality control of AlSi10Mg produced by SLM: Metallography versus CT scans for critical defect size assessment. Additive Manufacturing, 2019, 28, 394-405.	3.0	49
26	A new FE post-processor for probabilistic fatigue assessment in the presence of defects and its application to AM parts. International Journal of Fatigue, 2019, 125, 324-341.	5.7	59
27	Analysis of strain and stress concentrations in micro-lattice structures manufactured by SLM. Rapid Prototyping Journal, 2019, 26, 370-380.	3.2	14
28	Crack-closure simulations of Ni-based super-alloy polycrystal, a comparison between experiments and crystal plasticity. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2019, 740-741, 368-380.	5.6	6
29	Comparison of SIF solutions for cracks under rotating bending and their impact upon propagation lifetime of railway axles. Procedia Structural Integrity, 2018, 8, 610-617.	0.8	6
30	Short crack thresholds and propagation in an AISI4340 steel under the effect of SP residual stresses. Fatigue and Fracture of Engineering Materials and Structures, 2018, 41, 1275-1290.	3.4	6
31	Short cracks growth in low cycle fatigue under multiaxial in-phase loading. International Journal of Fatigue, 2018, 107, 49-59.	5.7	13
32	Fatigue properties of AlSi10Mg obtained by additive manufacturing: Defect-based modelling and prediction of fatigue strength. Engineering Fracture Mechanics, 2018, 187, 165-189.	4.3	338
33	Acceptability of Defects Under Combined Cycle Fatigue for a Precipitation Hardened Steel. , 2018, , .		0
34	A comparison of DIC-based techniques to measure crack closure in LCF. Theoretical and Applied Fracture Mechanics, 2018, 98, 230-243.	4.7	23
35	Structural Integrity Assessment of ORC Turbine Tie-Rods: An Analysis Based on Elastic Shakedown and Fracture Mechanics. , 2018, , .		0
36	Temperature Dependence of Crack Growth Under LCF for Different Alloys. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
37	Evaluation of size effect on strain-controlled fatigue behavior of a quench and tempered rotor steel: Experimental and numerical study. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 735, 423-435.	5.6	55
38	LCF and crack growth: recent results obtained by DIC. <i>MATEC Web of Conferences</i> , 2018, 165, 01001.	0.2	4
39	Overview on Microstructure- and Defect-Sensitive Fatigue Modeling of Additively Manufactured Materials. <i>Jom</i> , 2018, 70, 1853-1862.	1.9	48
40	LCF behaviour and a comprehensive life prediction model for AlSi10Mg obtained by SLM. <i>International Journal of Fatigue</i> , 2018, 117, 47-62.	5.7	67
41	A comparison of fatigue strength sensitivity to defects for materials manufactured by AM or traditional processes. <i>International Journal of Fatigue</i> , 2017, 94, 178-191.	5.7	418
42	Probabilistic framework for multiaxial LCF assessment under material variability. <i>International Journal of Fatigue</i> , 2017, 103, 371-385.	5.7	140
43	Qualification of AM parts: Extreme value statistics applied to tomographic measurements. <i>Materials and Design</i> , 2017, 131, 32-48.	7.0	182
44	RAAI Project: Life-prediction and prognostics for railway axles under corrosion-fatigue damage. <i>Procedia Structural Integrity</i> , 2017, 4, 64-70.	0.8	7
45	Fatigue strength assessment of railway axles considering small-scale tests and damage calculations. <i>Procedia Structural Integrity</i> , 2017, 4, 11-18.	0.8	8
46	Determination of inspection intervals for welded rail joints on a regional network. <i>Procedia Structural Integrity</i> , 2017, 4, 87-94.	0.8	4
47	HCF resistance of AlSi10Mg produced by SLM in relation to the presence of defects. <i>Procedia Structural Integrity</i> , 2017, 7, 101-108.	0.8	27
48	Strain concentrations in BCC micro lattices obtained by AM. <i>Procedia Structural Integrity</i> , 2017, 7, 166-173.	0.8	19
49	Crack propagation under combined cycle fatigue for a precipitation hardened steel. <i>Procedia Structural Integrity</i> , 2017, 7, 214-221.	0.8	1
50	Quality control of cast iron: extreme value statistics applied to CT measurements. <i>Procedia Structural Integrity</i> , 2017, 7, 275-282.	0.8	6
51	Evaluation of Size Effect in Low Cycle Fatigue for Q&T rotor steel. <i>Procedia Structural Integrity</i> , 2017, 7, 368-375.	0.8	8
52	Experiments on crack propagation and threshold at defects in press-fits of railway axles. <i>Procedia Structural Integrity</i> , 2017, 7, 484-491.	0.8	4
53	Challenges in Additive Manufacturing of Space Parts: Powder Feedstock Cross-Contamination and Its Impact on End Products. <i>Materials</i> , 2017, 10, 522.	2.9	34
54	Stress Intensity Factor calculation from displacement fields. <i>Frattura Ed Integrita Strutturale</i> , 2017, 11, 269-276.	0.9	7

#	ARTICLE	IF	CITATIONS
55	Near-tip closure and cyclic plasticity in Ni-based single crystals. International Journal of Fatigue, 2016, 89, 53-65.	5.7	11
56	Semi-probabilistic method for residual lifetime of aluminothermic welded rails with foot cracks. Theoretical and Applied Fracture Mechanics, 2016, 85, 398-411.	4.7	13
57	Experimental and simulated displacement in cracked specimen of P91 steel under creep conditions. Procedia Structural Integrity, 2016, 2, 911-918.	0.8	2
58	Digital image correlation-based analysis of strain accumulation on a duplex $\hat{1}^3$ -TiAl. Intermetallics, 2016, 75, 42-50.	3.9	13
59	Load interaction effects in propagation lifetime and inspections of railway axles. International Journal of Fatigue, 2016, 91, 423-433.	5.7	22
60	Fatigue crack growth in low cycle fatigue: an analysis of crack closure based on image correlation. Procedia Structural Integrity, 2016, 1, 158-165.	0.8	6
61	Fatigue assessment of old design axles: Service simulation and life extension. Proceedings of the Institution of Mechanical Engineers, Part F: Journal of Rail and Rapid Transit, 2016, 230, 572-584.	2.0	2
62	Probabilistic fatigue assessment for railway axles and derivation of a simple format for damage calculations. International Journal of Fatigue, 2016, 86, 13-23.	5.7	40
63	Defect acceptability under full-scale fretting fatigue tests for railway axles. International Journal of Fatigue, 2016, 86, 34-43.	5.7	46
64	A log-normal format for failure probability under LCF: Concept, validation and definition of design curve. International Journal of Fatigue, 2016, 82, 2-11.	5.7	31
65	Crack-Closure Measurements in Low-Cycle Fatigue With Digital Image Correlation. Materials Performance and Characterization, 2016, 5, 232-248.	0.3	1
66	Effect of the Microstructure on the Fatigue Strength of a TiAl Intermetallic Alloy Produced by Additive Manufacturing. Materials Research Society Symposia Proceedings, 2015, 1760, 127.	0.1	3
67	Structural integrity assessment of turbine discs in presence of potential defects: probabilistic analysis and implementation. Fatigue and Fracture of Engineering Materials and Structures, 2015, 38, 1042-1055.	3.4	23
68	Inclusions Size-based Fatigue Life Prediction Model of NiTi Alloy for Biomedical Applications. Shape Memory and Superelasticity, 2015, 1, 240-251.	2.2	26
69	Short crack propagation in LCF regime at room and high temperature in Q & T rotor steels. International Journal of Fatigue, 2015, 75, 10-18.	5.7	22
70	Instability analysis of pressurized pipes with longitudinal surface cracks. International Journal of Pressure Vessels and Piping, 2015, 126-127, 48-57.	2.6	11
71	Crack closure effects during low cycle fatigue propagation in line pipe steel: An analysis with digital image correlation. Engineering Fracture Mechanics, 2015, 148, 441-456.	4.3	34
72	Fatigue crack growth in Haynes 230 single crystals: an analysis with digital image correlation. Fatigue and Fracture of Engineering Materials and Structures, 2015, 38, 583-596.	3.4	25

#	ARTICLE	IF	CITATIONS
73	From atmospheric corrosive attack to crack propagation for AIN railway axles steel under fatigue: Damage process and detection. Engineering Failure Analysis, 2015, 47, 252-264.	4.0	22
74	Load Interaction Effects in a Medium Strength Steel for Railway Axles. Materials Performance and Characterization, 2015, 4, 20140033.	0.3	2
75	Fatigue Crack Growth in Blade Attachment of Turbine Disks: Experimental Tests and Life Prediction. Materials Performance and Characterization, 2015, 4, 20140036.	0.3	4
76	Inclusion control and fatigue properties of NiTi wires for medical applications. MATEC Web of Conferences, 2014, 12, 04013.	0.2	1
77	Probabilistic integrity assessment of turbine disks in presence of potential defects. MATEC Web of Conferences, 2014, 12, 00001.	0.2	1
78	Microscopic Analysis of Fatigue Damage Accumulation in TiAl Intermetallics. , 2014, , .		0
79	Analysis of Cu-wire pull and shear test failure modes under ageing cycles and finite element modelling of Si-crack propagation. Microelectronics Reliability, 2014, 54, 2501-2512.	1.7	8
80	Multiaxial fatigue criteria versus experiments for small crack under rolling contact fatigue. International Journal of Fatigue, 2014, 58, 181-192.	5.7	17
81	An investigation about the influence of deep rolling on fatigue crack growth in railway axles made of a medium strength steel. Engineering Fracture Mechanics, 2014, 131, 587-601.	4.3	47
82	Strain Accumulation in TiAl Intermetallics via High-resolution Digital Image Correlation (DIC). Procedia Engineering, 2014, 74, 443-448.	1.2	10
83	A Simple Format for Failure Probability under LCF and its Application to a Complex Component. , 2014, 3, 2098-2103.		2
84	Load Interaction Effects in Medium and High Strength Steels for Railway Axles. , 2014, 3, 1965-1970.		2
85	Corrosion-fatigue under Rainwater of a Q&T Steel: Experiments and Probabilistic Description. Procedia Engineering, 2014, 74, 12-17.	1.2	7
86	A Simple Format for the Definition of Safety Factors for LCF. , 2014, , .		3
87	Critical Speed of Flawed Rotors: Global vs Local Approach. , 2014, , .		3
88	Experiments under pure shear and rolling contact fatigue conditions: Competition between tensile and shear mode crack growth. International Journal of Fatigue, 2013, 46, 67-80.	5.7	22
89	Safe life and damage tolerance aspects of railway axles " A review. Engineering Fracture Mechanics, 2013, 98, 214-271.	4.3	186
90	A Tool for the Structural Integrity Assessment of Turbine Disks: Probabilistic and Numerical Background. , 2013, , .		5

#	ARTICLE	IF	CITATIONS
91	Assessment of Fatigue Reliability of Power Transmission Gearing for Aerospace Propulsion Applications. , 2013, , .		0
92	The Effect of Inclusions on Fatigue Properties for Nitinol. , 2013, , 18-34.		7
93	Models for Small Crack Growth in LCF at Room Temperature and High Temperature. , 2012, , .		2
94	Assessment of Fatigue Sensitivity to Defects of a TiAl Alloy Produced by Electron Beam Melting (EBM). , 2012, , .		0
95	Reliability assessment of hydraulic cylinders considering service loads and flaw distribution. International Journal of Pressure Vessels and Piping, 2012, 98, 76-88.	2.6	14
96	Fatigue limit assessment on seamless tubes in presence of inhomogeneities: Small crack model vs. full scale testing experiments. International Journal of Fatigue, 2012, 41, 150-157.	5.7	11
97	Fatigue Sensitivity to Small Defects of a Gamma- Titanium-Aluminide Alloy. Journal of ASTM International, 2012, 9, 1-12.	0.2	11
98	An investigation on the applicability of eddy currents NDT to the inspection of corrosion fatigue phenomena in railway axles. , 2011, , .		0
99	Fitness for Purpose Design of a Steel Cylinder for Hydrogen-Natural Gas Blends. , 2011, , .		0
100	A comparison of Mode III threshold under simple shear and RCF conditions. Engineering Fracture Mechanics, 2011, 78, 1742-1755.	4.3	15
101	Design review of a freight railway axle: fatigue damage versus damage tolerance. Materialwissenschaft Und Werkstofftechnik, 2011, 42, 1099-1104.	0.9	14
102	Failure and damage tolerance aspects of railway components. Engineering Failure Analysis, 2011, 18, 534-542.	4.0	45
103	An approximation for the cyclic state of stress ahead of cracks and its implications under fatigue crack growth. Engineering Fracture Mechanics, 2011, 78, 573-584.	4.3	13
104	Stress intensity factor solutions for cracks in railway axles. Engineering Fracture Mechanics, 2011, 78, 764-792.	4.3	32
105	Variable amplitude fatigue crack growth in a mild steel for railway axles: Experiments and predictive models. Engineering Fracture Mechanics, 2011, 78, 848-862.	4.3	47
106	Fatigue strength for small shallow defects/cracks in torsion. International Journal of Fatigue, 2011, 33, 287-299.	5.7	34
107	Discussion of models for LCF small crack growth. Procedia Engineering, 2011, 10, 3642-3649.	1.2	3
108	Crack Growth Studies in Railway Axles under Corrosion Fatigue: Full-scale Experiments and Model Validation. Procedia Engineering, 2011, 10, 3650-3655.	1.2	18

#	ARTICLE	IF	CITATIONS
109	Defect tolerance of a gamma titanium aluminide alloy. <i>Procedia Engineering</i> , 2011, 10, 3677-3682.	1.2	34
110	Research on corrosion fatigue of railway axles. <i>Insight: Non-Destructive Testing and Condition Monitoring</i> , 2011, 53, 361-367.	0.6	3
111	Corrosion-fatigue of AlN railway axle steel exposed to rainwater. <i>International Journal of Fatigue</i> , 2010, 32, 952-961.	5.7	76
112	Fatigue crack propagation and threshold for shallow micro-cracks under out-of-phase multiaxial loading in a gear steel. <i>Engineering Fracture Mechanics</i> , 2010, 77, 1835-1848.	4.3	28
113	A numerical 3D model to study ratcheting damage of a tramcar line. <i>Wear</i> , 2010, 268, 737-746.	3.1	3
114	Defect tolerance assessment of a helicopter component subjected to multiaxial load. <i>Engineering Fracture Mechanics</i> , 2010, 77, 2479-2490.	4.3	9
115	Local Stress Analysis of the Fatigue Behaviour of Adhesively Bonded Thick Composite Laminates. <i>Journal of Adhesion</i> , 2010, 86, 480-500.	3.0	20
116	Estimate of maximum pore size in keyhole laser welding of carbon steel. <i>Science and Technology of Welding and Joining</i> , 2009, 14, 106-116.	3.1	10
117	Modelling of fatigue thresholds for small cracks in a mild steel by a "Strip-Yield" model. <i>Engineering Fracture Mechanics</i> , 2009, 76, 1548-1561.	4.3	39
118	Fatigue assessment of root failures in HSLA steel welded joints: A comparison among local approaches. <i>International Journal of Fatigue</i> , 2009, 31, 102-110.	5.7	17
119	Mixed mode fatigue crack propagation in a ferritic-perlitic cold drawn tube. <i>Engineering Fracture Mechanics</i> , 2008, 75, 845-856.	4.3	2
120	An investigation on the influence of rotary bending and press fitting on stress intensity factors and fatigue crack growth in railway axles. <i>Engineering Fracture Mechanics</i> , 2008, 75, 1906-1920.	4.3	92
121	Load spectra analysis and reconstruction for hydraulic pump components. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2008, 31, 251-261.	3.4	16
122	An investigation of the effects of corrosion on the fatigue strength of AlN axle steel. <i>Proceedings of the Institution of Mechanical Engineers, Part F: Journal of Rail and Rapid Transit</i> , 2008, 222, 129-143.	2.0	32
123	Analysis of Crack Growth at $R=1$ Under Variable Amplitude Loading on a Steel for Railway Axles. <i>Journal of ASTM International</i> , 2008, 5, 1-13.	0.2	13
124	Effect of probability of detection upon the definition of inspection intervals for railway axles. <i>Proceedings of the Institution of Mechanical Engineers, Part F: Journal of Rail and Rapid Transit</i> , 2007, 221, 409-417.	2.0	20
125	Superposition of Manoeuvres and Load Spectra Extrapolation. <i>Applied Mechanics and Materials</i> , 2006, 5-6, 255-262.	0.2	3
126	Multiaxial fatigue and defect assessment of truck stabilisers. <i>International Journal of Vehicle Design</i> , 2006, 40, 212.	0.3	4



#	ARTICLE	IF	CITATIONS
127	Failure investigation and design improvements of Al 7075 piston for hydraulic actuators. <i>Engineering Failure Analysis</i> , 2006, 13, 18-31.	4.0	4
128	Extreme value models for the assessment of steels containing multiple types of inclusion. <i>Acta Materialia</i> , 2006, 54, 2277-2289.	7.9	58
129	Fatigue behaviour of tensile-shear loaded clinched joints. <i>Engineering Fracture Mechanics</i> , 2006, 73, 178-190.	4.3	71
130	Experiments and stochastic model for propagation lifetime of railway axles. <i>Engineering Fracture Mechanics</i> , 2006, 73, 2627-2641.	4.3	59
131	Mechanisms of mixed mode fatigue crack propagation at rail butt-welds. <i>International Journal of Fatigue</i> , 2006, 28, 635-642.	5.7	42
132	On the application of Dang Van criterion to rolling contact fatigue. <i>Wear</i> , 2006, 260, 567-572.	3.1	87
133	Fatigue Strength in Presence of Inhomogeneities: Influence of Constraint. <i>Journal of ASTM International</i> , 2006, 3, 13199.	0.2	9
134	The Challenge of Multiple Particles in Extreme Value Inclusion Rating. <i>Journal of ASTM International</i> , 2006, 3, 14041.	0.2	1
135	Are Multiaxial Fatigue Criteria Appropriate When Steels with Surface Defects are Subjected to Rolling Contact Fatigue. <i>Journal of ASTM International</i> , 2006, 3, 100416.	0.2	1
136	Fracture mechanics and scale effects in the fatigue of railway axles. <i>Engineering Fracture Mechanics</i> , 2005, 72, 195-208.	4.3	83
137	Structural integrity analysis of a tram-way: load spectra and material damage. <i>Wear</i> , 2005, 258, 1255-1264.	3.1	13
138	Mode II fatigue failures at rail butt-welds. <i>Engineering Failure Analysis</i> , 2005, 12, 157-165.	4.0	34
139	A Strip-Yield algorithm for the analysis of closure evaluation near the crack tip. <i>Engineering Fracture Mechanics</i> , 2005, 72, 1222-1237.	4.3	21
140	A model for fatigue strength of welded lap joints. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2005, 28, 257-264.	3.4	12
141	Simulation of Fatigue Crack Propagation in Railway Axles. <i>Journal of ASTM International</i> , 2005, 2, 12040.	0.2	10
142	Application of fatigue crack growth algorithms to railway axles and comparison of two steel grades. <i>Proceedings of the Institution of Mechanical Engineers, Part F: Journal of Rail and Rapid Transit</i> , 2004, 218, 317-326.	2.0	45
143	Fatigue Assessment of Tubular Automotive Components in Presence of Inhomogeneities. , 2004, , 791.		0
144	Defects and in-service fatigue life of truck wheels. <i>Engineering Failure Analysis</i> , 2003, 10, 45-57.	4.0	28

#	ARTICLE	IF	CITATIONS
145	Application of multiaxial fatigue criteria to materials containing defects. Fatigue and Fracture of Engineering Materials and Structures, 2003, 26, 551-559.	3.4	15
146	Simulation of bridge?heavy road vehicle interaction and assessment of structure durability. International Journal of Heavy Vehicle Systems, 2003, 10, 70.	0.2	5
147	Experimental investigation on statistics of extremes for three-dimensional distribution of non-metallic inclusions. Materials Science and Technology, 2002, 18, 1535-1543.	1.6	20
148	An algorithm for evaluating crack closure from local compliance measurements. Fatigue and Fracture of Engineering Materials and Structures, 2002, 25, 261-273.	3.4	26
149	Statistics of Extremes Analysis of Nonmetallic Inclusions Based on 3D Inspection. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2001, 87, 748-755.	0.4	15
150	Largest-extreme-value distribution analysis of multiple inclusion types in determining steel cleanliness. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2001, 32, 517-523.	2.1	70
151	SIF and threshold for small cracks at small notches under torsion. Fatigue and Fracture of Engineering Materials and Structures, 2000, 23, 97-104.	3.4	52
152	Fatigue strength and surface quality of eutectoid steel wires. International Journal of Fatigue, 1999, 21, 329-335.	5.7	36
153	Title is missing!. Extremes, 1999, 2, 123-147.	1.0	157
154	STATISTICAL ANALYSIS OF DEFECTS FOR FATIGUE STRENGTH PREDICTION AND QUALITY CONTROL OF MATERIALS. Fatigue and Fracture of Engineering Materials and Structures, 1998, 21, 1049-1065.	3.4	160
155	Defect tolerant design of automotive components. International Journal of Fatigue, 1997, 19, 319-333.	5.7	70
156	A novel test rig for narrow band random fatigue under rotating bending. International Journal of Fatigue, 1997, 19, 457-460.	5.7	0
157	Short crack propagation in eutectoid steel wires. International Journal of Fatigue, 1996, 18, 451-456.	5.7	29
158	MICROCRACK PROPAGATION AND MICROSTRUCTURAL PARAMETERS OF FATIGUE DAMAGE. Fatigue and Fracture of Engineering Materials and Structures, 1996, 19, 1107-1115.	3.4	19
159	MICROSTRUCTURE AND FATIGUE PROPERTIES OF A WELDED DUPLEX STAINLESS STEEL. Fatigue and Fracture of Engineering Materials and Structures, 1996, 19, 647-654.	3.4	7
160	THE EFFECT OF SAMPLE SIZE ON THE CONFIDENCE OF ENDURANCE FATIGUE TESTS. Fatigue and Fracture of Engineering Materials and Structures, 1995, 18, 129-139.	3.4	14
161	Fatigue Properties and Design Criteria of a Gamma Titanium Aluminide Alloy. Key Engineering Materials, 0, 465, 531-534.	0.4	8
162	Analysis of Fatigue Damage Accumulation in TiAl Intermetallics. Key Engineering Materials, 0, 592-593, 30-35.	0.4	3

#	ARTICLE	IF	CITATIONS
163	Fatigue Crack Propagation in Haynes 230: A Comparison between Single and Polycrystal Crack Closure Levels. Solid State Phenomena, 0, 258, 243-248.	0.3	2
164	Mode III threshold under Rolling Contact Fatigue and development of a test gearbox for planet gears. Forschung Im Ingenieurwesen/Engineering Research, 0, , 1.	1.6	0