List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2789867/publications.pdf Version: 2024-02-01



FLVIN H GENC

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Understanding Reasons for and Outcomes of Patients Lost to Follow-Up in Antiretroviral Therapy Programs in Africa Through a Sampling-Based Approach. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, 405-411. | 2.1 | 240 |
| 2 | Retention in Care among HIV-Infected Patients in Resource-Limited Settings: Emerging Insights and New Directions. Current HIV/AIDS Reports, 2010, 7, 234-244. | 3.1 | 234 |
| 3 | Changes in the Transmission of Tuberculosis in New York City from 1990 to 1999. New England Journal of Medicine, 2002, 346, 1453-1458. | 27.0 | 192 |
| 4 | Toward an Understanding of Disengagement from HIV Treatment and Care in Sub-Saharan Africa: A Qualitative Study. PLoS Medicine, 2013, 10, e1001369. | 8.4 | 171 |
| 5 | Sampling-Based Approach to Determining Outcomes of Patients Lost to Follow-Up in Antiretroviral Therapy Scale-Up Programs in Africa. JAMA - Journal of the American Medical Association, 2008, 300, 506. | 7.4 | 170 |
| 6 | Clinical and Radiographic Correlates of Primary and Reactivation Tuberculosis. JAMA - Journal of the American Medical Association, 2005, 293, 2740. | 7.4 | 158 |
| 7 | Prevalence and Predictors of Substance Use Disorders Among HIV Care Enrollees in the United States. AIDS and Behavior, 2017, 21, 1138-1148. | 2.7 | 145 |
| 8 | Retention in Care and Patient-Reported Reasons for Undocumented Transfer or Stopping Care Among HIV-Infected Patients on Antiretroviral Therapy in Eastern Africa: Application of a Sampling-Based Approach. Clinical Infectious Diseases, 2016, 62, 935-944. | 5.8 | 137 |
| 9 | Correcting Mortality for Loss to Follow-Up: A Nomogram Applied to Antiretroviral Treatment Programmes in Sub-Saharan Africa. PLoS Medicine, 2011, 8, e1000390. | 8.4 | 136 |
| 10 | Beyond Core Indicators of Retention in HIV Care: Missed Clinic Visits Are Independently Associated With All-Cause Mortality. Clinical Infectious Diseases, 2014, 59, 1471-1479. | 5.8 | 134 |
| 11 | Improving antiretroviral therapy adherence in resourceâ€imited settings at scale: a discussion of interventions and recommendations. Journal of the International AIDS Society, 2017, 20, 21371. | 3.0 | 134 |
| 12 | Leveraging Rapid Community-Based HIV Testing Campaigns for Non-Communicable Diseases in Rural Uganda. PLoS ONE, 2012, 7, e43400. | 2.5 | 117 |
| 13 | Effects of a multicomponent intervention to streamline initiation of antiretroviral therapy in Africa: a stepped-wedge cluster-randomised trial. Lancet HIV,the, 2016, 3, e539-e548. | 4.7 | 107 |
| 14 | Prevalence and Factors Associated with Hazardous Alcohol Use Among Persons Living with HIV Across the US in the Current Era of Antiretroviral Treatment. AIDS and Behavior, 2017, 21, 1914-1925. | 2.7 | 102 |
| 15 | Community-Based Interventions to Improve and Sustain Antiretroviral Therapy Adherence, Retention in HIV Care and Clinical Outcomes in Low- and Middle-Income Countries for Achieving the UNAIDS 90-90-90 Targets. Current HIV/AIDS Reports, 2016, 13, 241-255. | 3.1 | 94 |
| 16 | How is implementation research applied to advance health in low-income and middle-income countries?. BMJ Global Health, 2019, 4, e001257. | 4.7 | 86 |
| 17 | Deliberation, Dissent, and Distrust: Understanding Distinct Drivers of Coronavirus Disease 2019 Vaccine Hesitancy in the United States. Clinical Infectious Diseases, 2022, 74, 1429-1441. | 5.8 | 85 |
| 18 | Retention in Care and Connection to Care among HIV-Infected Patients on Antiretroviral Therapy in Africa: Estimation via a Sampling-Based Approach. PLoS ONE, 2011, 6, e21797. | 2.5 | 81 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Failure to Initiate Antiretroviral Therapy, Loss to Follow-up and Mortality Among HIV-Infected Patients During the Pre-ART Period in Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 63, e64-e71. | 2.1 | 80 |
| 20 | Estimation of mortality among HIV-infected people on antiretroviral treatment in east Africa: a sampling based approach in an observational, multisite, cohort study. Lancet HIV,the, 2015, 2, e107-e116. | 4.7 | 80 |
| 21 | Understanding preferences for HIV care and treatment in Zambia: Evidence from a discrete choice experiment among patients who have been lost to follow-up. PLoS Medicine, 2018, 15, e1002636. | 8.4 | 80 |
| 22 | Implementation science: Relevance in the real world without sacrificing rigor. PLoS Medicine, 2017, 14, e1002288. | 8.4 | 75 |
| 23 | Tracking a sample of patients lost to followâ€up has a major impact on understanding determinants of survival in HIVâ€infected patients on antiretroviral therapy in Africa. Tropical Medicine and International Health, 2010, 15, 63-69. | 2.3 | 74 |
| 24 | Outcomes of Patients Lost to Follow-up in African Antiretroviral Therapy Programs: Individual Patient Data Meta-analysis. Clinical Infectious Diseases, 2018, 67, 1643-1652. | 5.8 | 73 |
| 25 | The disconnect between individual-level and population-level HIV prevention benefits of antiretroviral treatment. Lancet HIV,the, 2019, 6, e632-e638. | 4.7 | 69 |
| 26 | Uptake of Community-Based HIV Testing during a Multi-Disease Health Campaign in Rural Uganda. PLoS ONE, 2014, 9, e84317. | 2.5 | 61 |
| 27 | Types of Myocardial Infarction Among Human Immunodeficiency Virus–Infected Individuals in the United States. JAMA Cardiology, 2017, 2, 260. | 6.1 | 61 |
| 28 | Differentiated Care Preferences of Stable Patients on Antiretroviral Therapy in Zambia: A Discrete Choice Experiment. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 540-546. | 2.1 | 58 |
| 29 | High rates of viral suppression in adults and children with high CD4+ counts using a streamlined ART delivery model in the SEARCH trial in rural Uganda and Kenya. Journal of the International AIDS Society, 2017, 20, 21673. | 3.0 | 57 |
| 30 | Human-Centered Design Lessons for Implementation Science: Improving the Implementation of a Patient-Centered Care Intervention. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, S230-S243. | 2.1 | 55 |
| 31 | Estimated mortality on HIV treatment among active patients and patients lost to follow-up in 4 provinces of Zambia: Findings from a multistage sampling-based survey. PLoS Medicine, 2018, 15, e1002489. | 8.4 | 55 |
| 32 | Association of Adherence Support and Outreach Services with Total Attrition, Loss to Follow-Up, and Death among ART Patients in Sub-Saharan Africa. PLoS ONE, 2012, 7, e38443. | 2.5 | 53 |
| 33 | The long-term effects of a family based economic empowerment intervention (Suubi+Adherence) on suppression of HIV viral loads among adolescents living with HIV in southern Uganda: Findings from 5-year cluster randomized trial. PLoS ONE, 2020, 15, e0228370. | 2.5 | 50 |
| 34 | Evaluating linkage to care for hypertension after communityâ€based screening in rural <scp>U</scp> ganda. Tropical Medicine and International Health, 2014, 19, 459-468. | 2.3 | 49 |
| 35 | Facility-Level Factors Influencing Retention of Patients in HIV Care in East Africa. PLoS ONE, 2016, 11, e0159994. | 2.5 | 49 |
| 36 | Revisiting concepts of evidence in implementation science. Implementation Science, 2022, 17, 26. | 6.9 | 48 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A Systematic Review and Network Meta-analyses to Assess the Effectiveness of Human Immunodeficiency Virus (HIV) Self-testing Distribution Strategies. Clinical Infectious Diseases, 2021, 73, e1018-e1028. | 5.8 | 47 |
| 38 | Definitions of implementation science in HIV/AIDS. Lancet HIV,the, 2015, 2, e178-e180. | 4.7 | 46 |
| 39 | Improved Retention With 6-Month Clinic Return Intervals for Stable Human Immunodeficiency Virus-Infected Patients in Zambia. Clinical Infectious Diseases, 2018, 66, 237-243. | 5.8 | 45 |
| 40 | Brief Report: Weight Gain Following ART Initiation in ART-NaÃ⁻ve People Living With HIV in the Current Treatment Era. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 86, 339-343. | 2.1 | 45 |
| 41 | â€~They care rudely!': resourcing and relational health system factors that influence retention in care for people living with HIV in Zambia. BMJ Global Health, 2018, 3, e001007. | 4.7 | 44 |
| 42 | Trends in the clinical characteristics of HIV-infected patients initiating antiretroviral therapy in Kenya, Uganda and Tanzania between 2002 and 2009. Journal of the International AIDS Society, 2011, 14, 46. | 3.0 | 43 |
| 43 | Using observational data to emulate a randomized trial of dynamic treatment-switching strategies: an application to antiretroviral therapy. International Journal of Epidemiology, 2016, 45, 2038-2049. | 1.9 | 43 |
| 44 | Rethinking the "Pre―in Pre-Therapy Counseling: No Benefit of Additional Visits Prior to Therapy on Adherence or Viremia in Ugandans Initiating ARVs. PLoS ONE, 2012, 7, e39894. | 2.5 | 42 |
| 45 | Implementation and Operational Research. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 69, e127-e134. | 2.1 | 41 |
| 46 | Degree of Housing Instability Shows Independent "Dose-Response―With Virologic Suppression Rates Among People Living With Human Immunodeficiency Virus. Open Forum Infectious Diseases, 2018, 5, ofy035. | 0.9 | 41 |
| 47 | Examining the effects of HIV self-testing compared to standard HIV testing services in the general population: A systematic review and meta-analysis. EClinicalMedicine, 2021, 38, 100991. | 7.1 | 41 |
| 48 | Impact of Neck Length on the Safety of Percutaneous and Surgical Tracheotomy: a Prospective, Randomized Study. Laryngoscope, 2005, 115, 1685-1690. | 2.0 | 40 |
| 49 | Implementing Implementation Science: An Approach for HIV Prevention, Care and Treatment Programs. Current HIV Research, 2015, 13, 244-246. | 0.5 | 40 |
| 50 | Movement between facilities for HIV care among a mobile population in Kenya: transfer, loss to follow-up, and reengagement. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 1386-1393. | 1.2 | 40 |
| 51 | Retention and viral suppression in a cohort of HIV patients on antiretroviral therapy in Zambia: Regionally representative estimates using a multistage-sampling-based approach. PLoS Medicine, 2019, 16, e1002811. | 8.4 | 40 |
| 52 | HIV primary care providers—Screening, knowledge, attitudes and behaviors related to alcohol interventions. Drug and Alcohol Dependence, 2016, 161, 59-66. | 3.2 | 39 |
| 53 | Emerging priorities for HIV service delivery. PLoS Medicine, 2020, 17, e1003028. | 8.4 | 39 |
| 54 | Preferences for COVID-19 vaccine distribution strategies in the US: A discrete choice survey. PLoS ONE, 2021, 16, e0256394. | 2.5 | 39 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Rethinking retention: Mapping interactions between multiple factors that influence long-term engagement in HIV care. PLoS ONE, 2018, 13, e0193641. | 2.5 | 39 |
| 56 | Gendered dimensions of population mobility associated with HIV across three epidemics in rural Eastern Africa. Health and Place, 2019, 57, 339-351. | 3.3 | 38 |
| 57 | How will COVID-19 transform global health post-pandemic? Defining research and investment opportunities and priorities. PLoS Medicine, 2021, 18, e1003564. | 8.4 | 38 |
| 58 | Diminishing Availability of Publicly Funded Slots for Antiretroviral Initiation among HIV-Infected ART-Eligible Patients in Uganda. PLoS ONE, 2010, 5, e14098. | 2.5 | 38 |
| 59 | Minimizing the impact of the triple burden of COVID-19, tuberculosis and HIV on health services in sub-Saharan Africa. International Journal of Infectious Diseases, 2021, 113, S16-S21. | 3.3 | 37 |
| 60 | A Causal Framework for Understanding the Effect of Losses to Follow-up on Epidemiologic Analyses in Clinic-based Cohorts: The Case of HIV-infected Patients on Antiretroviral Therapy in Africa. American Journal of Epidemiology, 2012, 175, 1080-1087. | 3.4 | 36 |
| 61 | Retained in HIV Care But Not on Antiretroviral Treatment: A Qualitative Patient-Provider Dyadic Study. PLoS Medicine, 2015, 12, e1001863. | 8.4 | 35 |
| 62 | Assessment of Population-Based HIV RNA Levels in a Rural East African Setting Using a Fingerprick-Based Blood Collection Method. Clinical Infectious Diseases, 2013, 56, 598-605. | 5.8 | 33 |
| 63 | Population mobility associated with higher risk sexual behaviour in eastern African communities participating in a Universal Testing and Treatment trial. Journal of the International AIDS Society, 2018, 21, e25115. | 3.0 | 33 |
| 64 | Understanding Drivers of Coronavirus Disease 2019 (COVID-19) Racial Disparities: A Population-Level Analysis of COVID-19 Testing Among Black and White Populations. Clinical Infectious Diseases, 2021, 73, e2921-e2931. | 5.8 | 33 |
| 65 | Improved employment and education outcomes in households of HIV-infected adults with high CD4 cell counts. Aids, 2013, 27, 627-634. | 2.2 | 31 |
| 66 | Influence of Substance Use Disorders on 2-Year HIV Care Retention in the United States. AIDS and Behavior, 2018, 22, 742-751. | 2.7 | 30 |
| 67 | Who Will Show? Predicting Missed Visits Among Patients in Routine HIV Primary Care in the United States. AIDS and Behavior, 2019, 23, 418-426. | 2.7 | 30 |
| 68 | Internalized HIV Stigma Is Associated With Concurrent Viremia and Poor Retention in a Cohort of US Patients in HIV Care. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, 116-123. | 2.1 | 29 |
| 69 | The Effect of a "Universal Antiretroviral Therapy" Recommendation on HIV RNA Levels Among HIV-Infected Patients Entering Care With a CD4 Count Greater Than 500/ÂL in a Public Health Setting. Clinical Infectious Diseases, 2012, 55, 1690-1697. | 5.8 | 28 |
| 70 | Longitudinal engagement trajectories and risk of death among new ART starters in Zambia: A group-based multi-trajectory analysis. PLoS Medicine, 2019, 16, e1002959. | 8.4 | 28 |
| 71 | A cascade of care for alcohol use disorder: Using 2015–2019 National Survey on Drug Use and Health data to identify gaps in past 12â€month care. Alcoholism: Clinical and Experimental Research, 2021, 45, 1276-1286. | 2.4 | 28 |
| 72 | High Retention in Care Among HIV-Infected Patients Entering Care With CD4 Levels >350 cells/μL Under Routine Program Conditions in Uganda. Clinical Infectious Diseases, 2013, 57, 1343-1350. | 5.8 | 27 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | "Wan Kanyakla―(We are together): Community transformations in Kenya following a social network intervention for HIV care. Social Science and Medicine, 2015, 147, 332-340. | 3.8 | 25 |
| 74 | Understanding Sustained Retention in HIV/AIDS Care and Treatment: a Synthetic Review. Current HIV/AIDS Reports, 2016, 13, 177-185. | 3.1 | 25 |
| 75 | Specification of implementation interventions to address the cascade of HIV care and treatment in resource-limited settings: a systematic review. Implementation Science, 2017, 12, 102. | 6.9 | 25 |
| 76 | Patient-reported factors associated with reengagement among HIV-infected patients disengaged from care in East Africa. Aids, 2015, 30, 1. | 2.2 | 24 |
| 77 | Predictors of Longitudinal Trajectories of Alcohol Consumption in People with HIV. Alcoholism: Clinical and Experimental Research, 2018, 42, 561-570. | 2.4 | 23 |
| 78 | Personalized public health: An implementation research agenda for the HIV response and beyond. PLoS Medicine, 2019, 16, e1003020. | 8.4 | 23 |
| 79 | Using Lorenz Curves to Measure Racial Inequities in COVID-19 Testing. JAMA Network Open, 2021, 4, e2032696. | 5.9 | 23 |
| 80 | Effects of community-based antiretroviral therapy initiation models on HIV treatment outcomes: A systematic review and meta-analysis. PLoS Medicine, 2021, 18, e1003646. | 8.4 | 23 |
| 81 | Mechanism mapping to advance research on implementation strategies. PLoS Medicine, 2022, 19, e1003918. | 8.4 | 23 |
| 82 | Text messaging for maternal and infant retention in prevention of mother-to-child HIV transmission services: A pragmatic stepped-wedge cluster-randomized trial in Kenya. PLoS Medicine, 2019, 16, e1002924. | 8.4 | 21 |
| 83 | Effects of implementing universal and rapid HIV treatment on initiation of antiretroviral therapy and retention in care in Zambia: a natural experiment using regression discontinuity. Lancet HIV,the, 2021, 8, e755-e765. | 4.7 | 21 |
| 84 | The Causal Effect of Tracing by Peer Health Workers on Return to Clinic Among Patients Who Were Lost to Follow-up From Antiretroviral Therapy in Eastern Africa: A "Natural Experiment―Arising From Surveillance of Lost Patients. Clinical Infectious Diseases, 2017, 64, 1547-1554. | 5.8 | 20 |
| 85 | Estimating the real-world effects of expanding antiretroviral treatment eligibility: Evidence from a regression discontinuity analysis in Zambia. PLoS Medicine, 2018, 15, e1002574. | 8.4 | 20 |
| 86 | Current Practices of Screening for Incident Hepatitis C Virus (HCV) Infection Among HIV-Infected, HCV-Uninfected Individuals in Primary Care. Clinical Infectious Diseases, 2014, 59, 1686-1693. | 5.8 | 19 |
| 87 | The science of rapid start—From the when to the how of antiretroviral initiation. PLoS Medicine, 2017, 14, e1002358. | 8.4 | 18 |
| 88 | Siyaphambili protocol: An evaluation of randomized, nurseâ€led adaptive HIV treatment interventions for cisgender female sex workers living with HIV in Durban, South Africa. Research in Nursing and Health, 2019, 42, 107-118. | 1.6 | 18 |
| 89 | Research to improve differentiated HIV service delivery interventions: Learning to learn as we do. PLoS Medicine, 2019, 16, e1002809. | 8.4 | 18 |
| 90 | Patient-reported Reasons for Stopping Care or Switching Clinics in Zambia: A Multisite, Regionally Representative Estimate Using a Multistage Sampling-based Approach in Zambia. Clinical Infectious Diseases, 2021, 73, e2294-e2302. | 5.8 | 18 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Loss to Clinic and Five-Year Mortality among HIV-Infected Antiretroviral Therapy Initiators. PLoS ONE, 2014, 9, e102305. | 2.5 | 18 |
| 92 | Housing Instability Results in Increased Acute Care Utilization in an Urban HIV Clinic Cohort. Open Forum Infectious Diseases, 2019, 6, ofz148. | 0.9 | 17 |
| 93 | The Clinical Course of Coronavirus Disease 2019 in a US Hospital System: A Multistate Analysis. American Journal of Epidemiology, 2021, 190, 539-552. | 3.4 | 17 |
| 94 | Substantial decline in heavily treated therapy-experienced persons with HIV with limited antiretroviral treatment options. Aids, 2020, 34, 2051-2059. | 2.2 | 16 |
| 95 | Patterns and Predictors of Incident Return to HIV Care Among Traced, Disengaged Patients in Zambia: Analysis of a Prospective Cohort. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 86, 313-322. | 2.1 | 16 |
| 96 | Low-density lipoprotein cholesterol response after statin initiation among persons living with human immunodeficiency virus. Journal of Clinical Lipidology, 2018, 12, 988-998.e5. | 1.5 | 15 |
| 97 | Making Implementation Science Work for Children and Adolescents Living With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 78, S58-S62. | 2.1 | 15 |
| 98 | Effectiveness of Direct-Acting Antiviral Therapy in Patients With Human Immunodeficiency Virus–Hepatitis C Virus Coinfection in Routine Clinical Care: A Multicenter Study. Open Forum Infectious Diseases, 2019, 6, ofz100. | 0.9 | 15 |
| 99 | Mosaic effectiveness: measuring the impact of novel PrEP methods. Lancet HIV,the, 2019, 6, e800-e806. | 4.7 | 15 |
| 100 | Participation in adherence clubs and on-time drug pickup among HIV-infected adults in Zambia: A matched-pair cluster randomized trial. PLoS Medicine, 2020, 17, e1003116. | 8.4 | 15 |
| 101 | Physical activity trends and metabolic health outcomes in people living with HIV in the US, 2008–2015. Progress in Cardiovascular Diseases, 2020, 63, 170-177. | 3.1 | 15 |
| 102 | A new lane for science. Science, 2021, 374, 659-659. | 12.6 | 15 |
| 103 | Tuberculosis in Pediatric Antiretroviral Therapy Programs in Low- and Middle-Income Countries: Diagnosis and Screening Practices. Journal of the Pediatric Infectious Diseases Society, 2015, 4, 30-38. | 1.3 | 14 |
| 104 | Understanding uptake of an intervention to accelerate antiretroviral therapy initiation in Uganda via qualitative inquiry. Journal of the International AIDS Society, 2017, 20, e25033. | 3.0 | 14 |
| 105 | Redemption of the "spoiled identity:―the role of <scp>HIV</scp> â€positive individuals in <scp>HIV</scp> care cascade interventions. Journal of the International AIDS Society, 2017, 20, e25023. | 3.0 | 14 |
| 106 | Evaluating the Population Impact on Racial/Ethnic Disparities in HIV in Adulthood of Intervening on Specific Targets: A Conceptual and Methodological Framework. American Journal of Epidemiology, 2018, 187, 316-325. | 3.4 | 13 |
| 107 | Putting the Dissemination and Implementation in Infectious Diseases. Clinical Infectious Diseases, 2020, 71, 218-225. | 5.8 | 13 |
| 108 | Patients' Satisfaction with HIV Care Providers in Public Health Facilities in Lusaka: A Study of Patients who were Lost-to-Follow-Up from HIV Care and Treatment, AIDS and Behavior, 2020, 24, 1151-1160 | 2.7 | 13 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Brief Report: Understanding Preferences for HIV Care Among Patients Experiencing Homelessness or Unstable Housing: A Discrete Choice Experiment. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 85, 444-449. | 2.1 | 13 |
| 110 | Goal-Aligned, Epidemic Intelligence for the Public Health Response to the COVID-19 Pandemic. American Journal of Public Health, 2020, 110, 1154-1156. | 2.7 | 13 |
| 111 | Identifying HIV care enrollees at-risk for cannabis use disorder. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2017, 29, 846-850. | 1.2 | 12 |
| 112 | Not all non-drinkers with HIV are equal: demographic and clinical comparisons among current non-drinkers with and without a history of prior alcohol use disorders [*] . AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2017, 29, 177-184. | 1.2 | 12 |
| 113 | The Role of Current and Historical Alcohol Use in Hepatic Fibrosis Among HIV-Infected Individuals. AIDS and Behavior, 2017, 21, 1878-1884. | 2.7 | 12 |
| 114 | Accurate dried blood spots collection in the community using non-medically trained personnel could support scaling up routine viral load testing in resource limited settings. PLoS ONE, 2019, 14, e0223573. | 2.5 | 12 |
| 115 | Understanding HIV Program Effects: A Structural Approach to Context Using the Transportability Framework. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, S199-S205. | 2.1 | 12 |
| 116 | Virologic Failure Among People Living With HIV Initiating Dolutegravir-Based Versus Other Recommended Regimens in Real-World Clinical Care Settings. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 572-577. | 2.1 | 12 |
| 117 | Mortality estimates by age and sex among persons living with HIV after ART initiation in Zambia using electronic medical records supplemented with tracing a sample of lost patients: A cohort study. PLoS Medicine, 2020, 17, e1003107. | 8.4 | 12 |
| 118 | Public Preferences for Social Distancing Policy Measures to Mitigate the Spread of COVID-19 in Missouri. JAMA Network Open, 2021, 4, e2116113. | 5.9 | 12 |
| 119 | Compound Retention in Care and All-Cause Mortality Among Persons Living With Human Immunodeficiency Virus. Open Forum Infectious Diseases, 2019, 6, ofz120. | 0.9 | 11 |
| 120 | Changing Patterns of Alcohol Use and Probability of Unsuppressed Viral Load Among Treated Patients with HIV Engaged in Routine Care in the United States. AIDS and Behavior, 2021, 25, 1072-1082. | 2.7 | 11 |
| 121 | Preferences of people living with HIV for differentiated care models in Kenya: A discrete choice experiment. PLoS ONE, 2021, 16, e0255650. | 2.5 | 11 |
| 122 | Understanding patient transfers across multiple clinics in Zambia among HIV infected adults. PLoS ONE, 2020, 15, e0241477. | 2.5 | 11 |
| 123 | Interventions to reengage people living with HIV who are lost to follow-up from HIV treatment programs: A systematic review and meta-analysis. PLoS Medicine, 2022, 19, e1003940. | 8.4 | 11 |
| 124 | CD4+ T cell recovery during suppression of HIV replication: an international comparison of the immunological efficacy of antiretroviral therapy in North America, Asia and Africa. International Journal of Epidemiology, 2015, 44, 251-263. | 1.9 | 10 |
| 125 | Care Continuum and Postdischarge Outcomes Among HIV-Infected Adults Admitted to the Hospital in Zambia. Open Forum Infectious Diseases, 2019, 6, ofz336. | 0.9 | 10 |
| 126 | The Effect of AIDS Clinical Trials Group Protocol 5164 on the Time From Pneumocystis jirovecii Pneumonia Diagnosis to Antiretroviral Initiation in Routine Clinical Practice: A Case Study of Diffusion, Dissemination, and Implementation. Clinical Infectious Diseases, 2011, 53, 1008-1014. | 5.8 | 9 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Patterns of efavirenz use as first-line antiretroviral therapy in the United States: 1999–2015. Antiviral Therapy, 2018, 23, 363-372. | 1.0 | 9 |
| 128 | Evaluating the Impact of Housing Status on Gonorrhea and Chlamydia Screening in an HIV Primary Care Setting. Sexually Transmitted Diseases, 2019, 46, 153-158. | 1.7 | 9 |
| 129 | Association Between Bilirubin, Atazanavir, and Cardiovascular Disease Events Among People Living With HIV Across the United States. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, e141-e147. | 2.1 | 9 |
| 130 | Improving Care Outcomes for PLWH Experiencing Homelessness and Unstable Housing: a Synthetic Review of Clinic-Based Strategies. Current HIV/AIDS Reports, 2020, 17, 259-267. | 3.1 | 9 |
| 131 | Improving health equity and ending the HIV epidemic in the USA: a distributional cost-effectiveness analysis in six cities. Lancet HIV,the, 2021, 8, e581-e590. | 4.7 | 9 |
| 132 | Future directions for HIV service delivery research: Research gaps identified through WHO guideline development. PLoS Medicine, 2021, 18, e1003812. | 8.4 | 9 |
| 133 | Hepatitis C Virus Treatment Access Among Human Immunodeficiency Virus and Hepatitis C Virus (HCV)-Coinfected People Who Inject Drugs in Guangzhou, China: Implications for HCV Treatment Expansion. Open Forum Infectious Diseases, 2016, 3, ofw065. | 0.9 | 8 |
| 134 | Application of a Multistate Model to Evaluate Visit Burden and Patient Stability to Improve Sustainability of Human Immunodeficiency Virus Treatment in Zambia. Clinical Infectious Diseases, 2018, 67, 1269-1277. | 5.8 | 8 |
| 135 | Longitudinal Care Cascade Outcomes Among People Eligible for Antiretroviral Therapy Who Are Newly Linking to Care in Zambia: A Multistate Analysis. Clinical Infectious Diseases, 2020, 71, e561-e570. | 5.8 | 8 |
| 136 | Profiles of HIV Care Disruptions Among Adult Patients Lost to Follow-up in Zambia: A Latent Class Analysis. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 86, 62-72. | 2.1 | 8 |
| 137 | Transporting Subgroup Analyses of Randomized Controlled Trials for Planning Implementation of New Interventions. American Journal of Epidemiology, 2021, 190, 1671-1680. | 3.4 | 8 |
| 138 | Mitigating the effects of COVID-19 on HIV treatment and care in Lusaka, Zambia: a before–after cohort study using mixed effects regression. BMJ Global Health, 2022, 7, e007312. | 4.7 | 8 |
| 139 | SARS-CoV-2 active infection prevalence and seroprevalence in the adult population of St. Louis County. Annals of Epidemiology, 2022, 71, 31-37. | 1.9 | 8 |
| 140 | Assessment of the impact of the COVID-19 pandemic on health services use. Public Health in Practice, 2022, 3, 100254. | 1.5 | 8 |
| 141 | Nonadherence to antiretroviral therapy among HIV-infected patients in Zambia is concentrated among a minority of patients and is highly variable across clinics. Aids, 2017, 31, 689-696. | 2.2 | 7 |
| 142 | Intersecting Epidemics: Incident Syphilis and Drug Use in Women Living with HIV in the United States (2005-2016). Clinical Infectious Diseases, 2020, 71, 2405-2413. | 5.8 | 7 |
| 143 | Pathways to care and preferences for improving tuberculosis services among tuberculosis patients in Zambia: A discrete choice experiment. PLoS ONE, 2021, 16, e0252095. | 2.5 | 7 |
| 144 | Evaluation of HIV treatment outcomes with reduced frequency of clinical encounters and antiretroviral treatment refills: A systematic review and meta-analysis. PLoS Medicine, 2022, 19, e1003959. | 8.4 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | â€~I need time to start antiretroviral therapy': understanding reasons for delayed ART initiation among people diagnosed with HIV in Lusaka, Zambia'. Annals of Medicine, 2022, 54, 830-836. | 3.8 | 7 |
| 146 | Redefining and revisiting cost estimates of routine ART care in Zambia: an analysis of ten clinics. Journal of the International AIDS Society, 2020, 23, e25431. | 3.0 | 6 |
| 147 | Outcomes Associated With Social Distancing Policies in St Louis, Missouri, During the Early Phase of the COVID-19 Pandemic. JAMA Network Open, 2021, 4, e2123374. | 5.9 | 6 |
| 148 | The question of <i>the question</i> : impactful implementation science to address the HIV epidemic. Journal of the International AIDS Society, 2022, 25, e25898. | 3.0 | 6 |
| 149 | Retention in Care Among HIV-infected Patients Receiving or Not Receiving Antiretroviral Therapy in Eastern Africa: Table 1 Clinical Infectious Diseases, 2016, 63, 426-427. | 5.8 | 5 |
| 150 | Clinic-Level Factors Associated With Retention in Care Among People Living With Human Immunodeficiency Virus in a Multisite US Cohort, 2010–2016. Clinical Infectious Diseases, 2020, 71, 2592-2598. | 5.8 | 5 |
| 151 | Development and Validation of a Multivariable Prediction Model for Missed HIV Health Care Provider Visits in a Large US Clinical Cohort. Open Forum Infectious Diseases, 2021, 8, ofab130. | 0.9 | 5 |
| 152 | The Doctor's Oldest Tool. New England Journal of Medicine, 2022, 386, 7-9. | 27.0 | 5 |
| 153 | Rapid sociometric mapping of community health workers to identify opinion leaders using an SMS platform: a short report. Implementation Science, 2017, 12, 80. | 6.9 | 4 |
| 154 | Participation in a clinical trial of a text messaging intervention is associated with increased infant HIV testing: A parallel-cohort randomized controlled trial. PLoS ONE, 2018, 13, e0209854. | 2.5 | 4 |
| 155 | Strengthening HIV-prevention trials: a dose of implementation science?. Lancet Infectious Diseases, The, 2018, 18, 1166-1168. | 9.1 | 4 |
| 156 | Association Between Chronic Hepatitis C Virus Infection and Myocardial Infarction Among People Living With HIV in the United States. American Journal of Epidemiology, 2020, 189, 554-563. | 3.4 | 4 |
| 157 | The where, when, and how of community-based versus clinic-based ART delivery in South Africa and Uganda. The Lancet Global Health, 2020, 8, e1245-e1246. | 6.3 | 4 |
| 158 | Brief Report: Improving Early Infant Diagnosis Observations: Estimates of Timely HIV Testing and Mortality Among HIV-Exposed Infants. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 235-239. | 2.1 | 4 |
| 159 | Doctor as Street-Level Bureaucrat. New England Journal of Medicine, 2021, 384, 101-103. | 27.0 | 4 |
| 160 | Novel Longitudinal Methods for Assessing Retention in Care: a Synthetic Review. Current HIV/AIDS Reports, 2021, 18, 299-308. | 3.1 | 4 |
| 161 | The Kanyakla study: Randomized controlled trial of a microclinic social network intervention for promoting engagement and retention in HIV care in rural western Kenya. PLoS ONE, 2021, 16, e0255945. | 2.5 | 4 |
| 162 | COVID-19 and global equity for health: The good, the bad, and the wicked. PLoS Medicine, 2021, 18, e1003797. | 8.4 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | The effect of tracer contact on return to care among adult, "lost to followâ€up―patients living with HIV in Zambia: an instrumental variable analysis. Journal of the International AIDS Society, 2021, 24, e25853. | 3.0 | 4 |
| 164 | Persistent Methicillin-Susceptible Bacteremia Rapidly Cleared with Cefazolin and Ertapenem Combination Therapy in a Patient with COVID-19. Case Reports in Infectious Diseases, 2022, 2022, 1-5. | 0.5 | 4 |
| 165 | A Perspective on Implementation Outcomes and Strategies to Promote the Uptake of COVID-19 Vaccines. , 0, 2, . | | 4 |
| 166 | Changes in the Timing of Antiretroviral Therapy Initiation in HIV-Infected Patients With Tuberculosis in Uganda: A Study of the Diffusion of Evidence Into Practice in the Global Response to HIV/AIDS. Clinical Infectious Diseases, 2013, 57, 1766-1772. | 5.8 | 3 |
| 167 | Reconciling the evaluation of co-morbidities among HIV care patients in two large data systems: the Medical Monitoring Project and CFAR Network of Integrated Clinical Systems. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 1551-1559. | 1.2 | 3 |
| 168 | How might improved estimates of HIV programme outcomes influence practice? A formative study of evidence, dissemination and response. Health Research Policy and Systems, 2020, 18, 121. | 2.8 | 3 |
| 169 | Conceptualising implementation strategies in HIV research. Lancet HIV,the, 2020, 7, e382. | 4.7 | 3 |
| 170 | Attitudes towards and experiences with economic incentives for engagement in HIV care and treatment: Qualitative insights from a randomized trial in Kenya. PLOS Global Public Health, 2022, 2, e0000204. | 1.6 | 3 |
| 171 | Network meta-analyses: powerful but not without perils. Lancet HIV,the, 2014, 1, e95-e96. | 4.7 | 2 |
| 172 | Differentiation of Type 1 and Type 2 Myocardial Infarctions Among HIV-Infected Patients Requires Adjudication Due to Overlap in Risk Factors. AIDS Research and Human Retroviruses, 2018, 34, 916-921. | 1.1 | 2 |
| 173 | Implementation Science for the Bedside. New England Journal of Medicine, 2019, 381, 304-305. | 27.0 | 1 |
| 174 | Cost-effectiveness of universal HIV testing and treatment: where next?. The Lancet Global Health, 2021, 9, e573-e574. | 6.3 | 1 |
| 175 | Evaluation of kidney function among people living with HIV initiating antiretroviral therapy in Zambia. PLOS Global Public Health, 2022, 2, e0000124. | 1.6 | 1 |
| 176 | Data Velocity in HIV-Related Implementation Research: Estimating Time From Funding to Publication. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, 90, S32-S40. | 2.1 | 1 |
| 177 | Supplementary antimicrobials for patients with HIV and <100 CD4 cells/µL are associated with improved survival. Evidence-Based Medicine, 2017, 22, 209-209. | 0.6 | 0 |
| 178 | Measuring Retention in Antiretroviral Therapy Programs—a Synthetic Review of Different Approaches for Field Use in Low- and Middle-Income Settings. Current Tropical Medicine Reports, 2018, 5, 179-185. | 3.7 | 0 |
| 179 | We need to monitor mortality to improve public health programs: here's why and how to do it. International Health, 2019, 11, 159-162. | 2.0 | 0 |
| 180 | Closing the gap: A novel metric of change in performance. East African Journal of Applied Health Monitoring and Evaluation, 2019, 2019, . | 1.0 | 0 |