Abdolmajid Naderi Beni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2789873/publications.pdf

Version: 2024-02-01

516710 501196 33 794 16 28 g-index citations h-index papers 33 33 33 933 docs citations times ranked citing authors all docs

#	ARTICLE	lF	CITATIONS
1	Abrupt climate variability since the last deglaciation based on a high-resolution, multi-proxy peat record from NW Iran: The hand that rocked the Cradle of Civilization?. Quaternary Science Reviews, 2015, 123, 215-230.	3.0	138
2	Late Little Ice Age palaeoenvironmental records from the Anzali and Amirkola Lagoons (south Caspian) Tj ETQq0 415-434.	0 0 rgBT / 2.3	Overlock 10 T 81
3	Coastal boulders as evidence for high-energy waves on the Iranian coast of Makran. Marine Geology, 2011, 290, 17-28.	2.1	71
4	Caspian sea-level changes during the last millennium: historical and geological evidence from the south Caspian Sea. Climate of the Past, 2013, 9, 1645-1665.	3.4	71
5	A Late Pleistocene-Holocene multi-proxy record of climate variability in the Jazmurian playa, southeastern Iran. Palaeogeography, Palaeoclimatology, Palaeoecology, 2019, 514, 754-767.	2.3	40
6	The hazard potential of the western segment of the Makran subduction zone, northern Arabian Sea. Natural Hazards, 2013, 65, 219-239.	3.4	39
7	Holocene hydrological changes in SE Iran, a key region between Indian Summer Monsoon and Mediterranean winter precipitation zones, as revealed from a lacustrine sequence from Lake Hamoun. Quaternary International, 2016, 408, 25-39.	1.5	34
8	Olive cultivation in the heart of the Persian Achaemenid Empire: new insights into agricultural practices and environmental changes reflected in a late Holocene pollen record from Lake Parishan, SW Iran. Vegetation History and Archaeobotany, 2016, 25, 255-269.	2.1	31
9	Development of spit–lagoon complexes in response to Little Ice Age rapid sea-level changes in the central Guilan coast, South Caspian Sea, Iran. Geomorphology, 2013, 187, 11-26.	2.6	30
10	Tracking shoreline erosion of "at risk―coastal archaeology: the example of ancient Siraf (Iran,) Tj ETQq0 0 0	rgBT /Ove	erlock 10 Tf 50
11	Early-Holocene greening of the Afro-Asian dust belt changed sources of mineral dust in West Asia. Earth and Planetary Science Letters, 2018, 481, 30-40.	4.4	27
12	An early â€~Little Ice Age' brackish water invasion along the south coast of the Caspian Sea (sediment of) Tj	ETQ.90 0 C) rgBT /Overlo
13	Effect of fishing vessels on trace metal contamination in sediments of three harbors along Iranian Oman Sea coast. Environmental Monitoring and Assessment, 2013, 185, 1791-1807.	2.7	19
14	PALEOLIMNOLOGY OF LAKE HAMOUN (E IRAN): IMPLICATION FOR PAST CLIMATE CHANGES AND POSSIBLE IMPACTS ON HUMAN SETTLEMENTS. Palaios, 2016, 31, 616-629.	1.3	19
15	Late glacial and early Holocene hydroclimate variability in northwest Iran (Talesh Mountains) inferred from chironomid and pollen analysis. Journal of Paleolimnology, 2017, 58, 151-167.	1.6	18
16	The evolution of Chabahar beach ridge system in SE Iran in response to Holocene relative sea level changes. Geomorphology, 2018, 318, 139-147.	2.6	18
17	Vegetation history and human-environment interactions through the late Holocene in Konar Sandal, SE Iran. Quaternary Science Reviews, 2018, 194, 143-155.	3.0	18
18	Climate change: A driver of future conflicts in the Persian Gulf Region?. Heliyon, 2021, 7, e06288.	3.2	15

#	Article	IF	CITATIONS
19	Multi-proxy indicators in a Pontocaspian system: a depth transect of surface sediment in the SE Caspian Sea. Geologica Belgica, 2018, 21, 143-165.	1.1	15
20	Evaluation of metal contamination in the Mand River delta, Persian Gulf. Marine Pollution Bulletin, 2017, 119, 261-267.	5.0	10
21	Elders Recall an Earlier Tsunami on Indian Ocean Shores. Eos, 2014, 95, 485-486.	0.1	9
22	Karstic spring wetlands of the Persepolis Basin, southwest Iran: unique sediment archives of Holocene environmental change and human impacts. Canadian Journal of Earth Sciences, 2018, 55, 1158-1172.	1.3	9
23	A major hydrobiological change in Dasht-e Arjan Wetland (southwestern Iran) during the late glacial – early Holocene transition revealed by subfossil chironomids. Canadian Journal of Earth Sciences, 2019, 56, 848-856.	1.3	8
24	Late Holocene relative seaâ€level fluctuations and crustal mobility at Bataneh (Najirum) archaeological site, Persian Gulf, Iran. Geoarchaeology - an International Journal, 2021, 36, 740-754.	1.5	5
25	QuickLakeH: Rapidly changing large lakes and human response. Quaternary International, 2016, 408, 1-15.	1.5	3
26	Unraveling extreme events from deep water cores of the south Caspian Sea. Quaternary International, 2020, 540, 111-119.	1.5	3
27	Vegetation history of the Maharlou Lake basin (SW Iran) with special reference to the Achaemenid period (550–330 bc). Vegetation History and Archaeobotany, 2021, 30, 595-610.	2.1	3
28	Late Tortonian – Piacenzian multi-proxy record of Asian southwest monsoon intensification: evidence from Coastal Makran, southeast Iran. Canadian Journal of Earth Sciences, 2019, 56, 347-362.	1.3	2
29	Geoarchaeology as a tool to understand ancient navigation in the northern Persian Gulf and the harbour history of Siraf. Journal of Archaeological Science: Reports, 2020, 33, 102539.	0.5	2
30	Influence of transport mechanism on playa sequences, late Pleistocene-Holocene period in Jazmurian Playa, southeast Iran. Arabian Journal of Geosciences, 2022, 15, 1.	1.3	2
31	Early Sasanian landscape modification: New geoarchaeological evidence from the Ardashir Pond in southwest Iran (Palace of Ardashir, third century CE). Geoarchaeology - an International Journal, 2021, 36, 925.	1.5	1
32	Geoarchaeology of the 18th century Qoroq shipwreck, Caspian Sea, Iran: A tale of sailing in a dynamic environment. Journal of Archaeological Science: Reports, 2020, 34, 102582.	0.5	0
33	Influence of the Late Quaternary climate on sedimentology of the Jazmurian Playa, SE Iran. Journal of Paleolimnology, 0, , 1.	1.6	O