

Qihao Zhang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2790962/qihao-zhang-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117
papers

14,046
citations

44
h-index

118
g-index

125
ext. papers

16,586
ext. citations

13.7
avg, IF

6.66
L-index

#	Paper	IF	Citations
117	Convergence of electronic bands for high performance bulk thermoelectrics. <i>Nature</i> , 2011 , 473, 66-9	50.4	2611
116	Nitrogen-doped mesoporous carbon of extraordinary capacitance for electrochemical energy storage. <i>Science</i> , 2015 , 350, 1508-13	33.3	1530
115	Copper ion liquid-like thermoelectrics. <i>Nature Materials</i> , 2012 , 11, 422-5	27	1339
114	Multiple-filled skutterudites: high thermoelectric figure of merit through separately optimizing electrical and thermal transports. <i>Journal of the American Chemical Society</i> , 2011 , 133, 7837-46	16.4	1071
113	Realizing high figure of merit in heavy-band p-type half-Heusler thermoelectric materials. <i>Nature Communications</i> , 2015 , 6, 8144	17.4	658
112	Visible-light photocatalytic, solar thermal and photoelectrochemical properties of aluminium-reduced black titania. <i>Energy and Environmental Science</i> , 2013 , 6, 3007	35.4	543
111	H-Doped Black Titania with Very High Solar Absorption and Excellent Photocatalysis Enhanced by Localized Surface Plasmon Resonance. <i>Advanced Functional Materials</i> , 2013 , 23, 5444-5450	15.6	532
110	Enhanced thermoelectric performance of single-walled carbon nanotubes/polyaniline hybrid nanocomposites. <i>ACS Nano</i> , 2010 , 4, 2445-51	16.7	531
109	Flexible Thermoelectric Materials and Generators: Challenges and Innovations. <i>Advanced Materials</i> , 2019 , 31, e1807916	24	255
108	High efficiency Bi ₂ Te ₃ -based materials and devices for thermoelectric power generation between 100 and 300 °C. <i>Energy and Environmental Science</i> , 2016 , 9, 3120-3127	35.4	239
107	Abnormally enhanced thermoelectric transport properties of SWNT/PANI hybrid films by the strengthened PANI molecular ordering. <i>Energy and Environmental Science</i> , 2014 , 7, 3801-3807	35.4	236
106	Ultrahigh thermoelectric performance in Cu ₂ Se-based hybrid materials with highly dispersed molecular CNTs. <i>Energy and Environmental Science</i> , 2017 , 10, 1928-1935	35.4	215
105	Enhanced thermoelectric properties of CNT/PANI composite nanofibers by highly orienting the arrangement of polymer chains. <i>Journal of Materials Chemistry</i> , 2012 , 22, 17612		204
104	Skutterudite with graphene-modified grain-boundary complexion enhances zT enabling high-efficiency thermoelectric device. <i>Energy and Environmental Science</i> , 2017 , 10, 183-191	35.4	191
103	Cu-based thermoelectric materials. <i>Energy Storage Materials</i> , 2016 , 3, 85-97	19.4	182
102	Realizing a thermoelectric conversion efficiency of 12% in bismuth telluride/skutterudite segmented modules through full-parameter optimization and energy-loss minimized integration. <i>Energy and Environmental Science</i> , 2017 , 10, 956-963	35.4	181
101	Thermoelectric materials step up. <i>Nature Materials</i> , 2016 , 15, 691-2	27	172

100	High-entropy-stabilized chalcogenides with high thermoelectric performance. <i>Science</i> , 2021 , 371, 830-834	35.3	167
99	High performance n-type AgSe film on nylon membrane for flexible thermoelectric power generator. <i>Nature Communications</i> , 2019 , 10, 841	17.4	165
98	Ultrahigh Thermoelectric Performance in Mosaic Crystals. <i>Advanced Materials</i> , 2015 , 27, 3639-44	24	163
97	Large thermoelectric power factor in polyaniline/graphene nanocomposite films prepared by solution-assistant dispersing method. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 11107	13	106
96	Highly anisotropic P3HT films with enhanced thermoelectric performance via organic small molecule epitaxy. <i>NPG Asia Materials</i> , 2016 , 8, e292-e292	10.3	101
95	Flexible thermoelectrics: from silver chalcogenides to full-inorganic devices. <i>Energy and Environmental Science</i> , 2019 , 12, 2983-2990	35.4	95
94	Realization of high thermoelectric performance in n-type partially filled skutterudites. <i>Journal of Materials Research</i> , 2011 , 26, 1745-1754	2.5	95
93	Ultrahigh power factor and flexible silver selenide-based composite film for thermoelectric devices. <i>Energy and Environmental Science</i> , 2020 , 13, 1240-1249	35.4	94
92	Engineering carrier scattering at the interfaces in polyaniline based nanocomposites for high thermoelectric performances. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 741-748	7.8	90
91	Superior energy density through tailored dopant strategies in multilayer ceramic capacitors. <i>Energy and Environmental Science</i> , 2020 , 13, 2938-2948	35.4	90
90	Effect of antisite defects on band structure and thermoelectric performance of ZrNiSn half-Heusler alloys. <i>Applied Physics Letters</i> , 2010 , 96, 152105	3.4	86
89	Evaluating the potential for high thermoelectric efficiency of silver selenide. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 7568	7.1	83
88	Thermoelectric transport properties of diamond-like Cu _{1-x} Fe _{1+x} S ₂ tetrahedral compounds. <i>Journal of Applied Physics</i> , 2014 , 116, 203705	2.5	78
87	High-efficiency half-Heusler thermoelectric modules enabled by self-propagating synthesis and topologic structure optimization. <i>Energy and Environmental Science</i> , 2019 , 12, 3390-3399	35.4	77
86	Optimized thermoelectric properties of Mo ₃ Sb _{7-x} Tex with significant phonon scattering by electrons. <i>Energy and Environmental Science</i> , 2011 , 4, 4086	35.4	70
85	Enhanced thermoelectric performance by the combination of alloying and doping in TiCoSb-based half-Heusler compounds. <i>Journal of Applied Physics</i> , 2009 , 106, 103703	2.5	69
84	Recent Advances in Liquid-Like Thermoelectric Materials. <i>Advanced Functional Materials</i> , 2020 , 30, 1903867	35.7	67
83	Superior performance and high service stability for GeTe-based thermoelectric compounds. <i>National Science Review</i> , 2019 , 6, 944-954	10.8	65

82	Copper chalcogenide thermoelectric materials. <i>Science China Materials</i> , 2019 , 62, 8-24	7.1	63
81	Cu ₈ GeSe ₆ -based thermoelectric materials with an argyrodite structure. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 943-952	7.1	60
80	High-Efficiency Thermoelectric Power Generation Enabled by Homogeneous Incorporation of MXene in (Bi,Sb) ₂ Te ₃ Matrix. <i>Advanced Energy Materials</i> , 2020 , 10, 1902986	21.8	53
79	Microstructure Contact Studies for Skutterudite Thermoelectric Devices. <i>International Journal of Applied Ceramic Technology</i> , 2012 , 9, 733-741	2	50
78	Fabrication of a CoSb ₃ -based thermoelectric module. <i>Materials Science in Semiconductor Processing</i> , 2010 , 13, 221-224	4.3	48
77	Ultrahigh energy density in short-range tilted NBT-based lead-free multilayer ceramic capacitors by nanodomain percolation. <i>Energy Storage Materials</i> , 2021 , 38, 113-120	19.4	47
76	Stacking faults modulation for scattering optimization in GeTe-based thermoelectric materials. <i>Nano Energy</i> , 2020 , 68, 104347	17.1	46
75	Compound defects and thermoelectric properties in ternary CuAgSe-based materials. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 13662-13670	13	45
74	Novel BaTiO-Based, Ag/Pd-Compatible Lead-Free Relaxors with Superior Energy Storage Performance. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 43942-43949	9.5	45
73	High thermoelectric performance and low thermal conductivity in Cu ₂ S _{1/3} Se _{1/3} Te _{1/3} liquid-like materials with nanoscale mosaic structures. <i>Nano Energy</i> , 2017 , 42, 43-50	17.1	44
72	Optimized thermoelectric properties in pseudocubic diamond-like CuGaTe ₂ compounds. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 1277-1289	13	42
71	Half-Heusler Thermoelectric Module with High Conversion Efficiency and High Power Density. <i>Advanced Energy Materials</i> , 2020 , 10, 2000888	21.8	40
70	Electrode interface optimization advances conversion efficiency and stability of thermoelectric devices. <i>Nature Communications</i> , 2020 , 11, 2723	17.4	38
69	Reduction of thermal conductivity by low energy multi-Einstein optic modes. <i>Journal of Materiomics</i> , 2016 , 2, 187-195	6.7	38
68	Composition optimization of p-type skutterudites Ce _y FexCo _{4-x} Sb ₁₂ and Y _b yFexCo _{4-x} Sb ₁₂ . <i>Journal of Materials Research</i> , 2011 , 26, 1813-1819	2.5	37
67	Conformal organic/organic semiconductor composites for flexible thermoelectrics. <i>Energy and Environmental Science</i> , 2020 , 13, 511-518	35.4	36
66	Black strontium titanate nanocrystals of enhanced solar absorption for photocatalysis. <i>CrystEngComm</i> , 2015 , 17, 7528-7534	3.3	35
65	High-temperature thermoelectric properties of Cu _{1.97} Ag _{0.03} Se _{1+y} . <i>Materials for Renewable and Sustainable Energy</i> , 2014 , 3, 1	4.7	34

64	Microstructural evolution of the interfacial layer in the TiAl/Yb _{0.6} Co ₄ Sb ₁₂ thermoelectric joints at high temperature. <i>Journal of Alloys and Compounds</i> , 2014 , 610, 665-670	5.7	34
63	Low thermal conductivity and enhanced thermoelectric performance of Gd-filled skutterudites. <i>Journal of Applied Physics</i> , 2011 , 109, 023719	2.5	34
62	High efficiency GeTe-based materials and modules for thermoelectric power generation. <i>Energy and Environmental Science</i> , 2021 , 14, 995-1003	35.4	33
61	Suppressed intrinsic excitation and enhanced thermoelectric performance in Ag _x Bi _{0.5} Sb _{1.5} Te ₃ . <i>Journal of Materials Chemistry C</i> , 2017 , 5, 12619-12628	7.1	32
60	Enhanced thermoelectric performance in In _{1-x} Ga _x Sb originating from the scattering of point defects and nanoinclusion. <i>Journal of Materials Chemistry</i> , 2011 , 21, 12398		32
59	Quaternary Pseudocubic Cu ₂ TMSnSe ₄ (TM = Mn, Fe, Co) Chalcopyrite Thermoelectric Materials. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600312	6.4	31
58	Study on the interfacial stability of p-type Ti/Ce Fe Co ₄ Sb ₁₂ thermoelectric joints at high temperature. <i>Journal of Alloys and Compounds</i> , 2016 , 671, 238-244	5.7	28
57	One-step Synthesis and Enhanced Thermoelectric Properties of Polymer-Quantum Dot Composite Films. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 8037-8042	16.4	27
56	Enhanced Thermoelectric Performance and Service Stability of Cu ₂ Se Via Tailoring Chemical Compositions at Multiple Atomic Positions. <i>Advanced Functional Materials</i> , 2020 , 30, 1908315	15.6	26
55	Electrical and thermal transport properties of Y _b Co ₄ Sb ₁₂ filled skutterudites with ultrahigh carrier concentrations. <i>AIP Advances</i> , 2015 , 5, 117239	1.5	24
54	Synergistically Improved Molecular Doping and Carrier Mobility by Copolymerization of Donor/Acceptor and Donor/Donor Building Blocks for Thermoelectric Application. <i>Advanced Functional Materials</i> , 2020 , 30, 2004378	15.6	23
53	Quick Fabrication and Thermoelectric Properties of Cu ₁₂ Sb ₄ S ₁₃ Tetrahedrite. <i>Journal of Electronic Materials</i> , 2016 , 45, 2274-2277	1.9	22
52	Enhancing thermoelectric performance of bismuth selenide films by constructing a double-layer nanostructure. <i>CrystEngComm</i> , 2010 , 12, 2672	3.3	21
51	Structural evolution and thermoelectric properties of Cu _(3-x) Sn _(x) Se ₃ compounds with diamond-like crystal structures. <i>Dalton Transactions</i> , 2014 , 43, 16788-94	4.3	20
50	Thermoelectric properties of non-stoichiometric Cu _{2+x} Sn _{1-x} S ₃ compounds. <i>Journal of Applied Physics</i> , 2019 , 126, 085111	2.5	19
49	High-Temperature Oxidation Behavior of Filled Skutterudites Yb _y Co ₄ Sb ₁₂ . <i>Journal of Electronic Materials</i> , 2012 , 41, 2225-2231	1.9	19
48	Recent Developments in Flexible Thermoelectric Devices. <i>Small Science</i> , 2021 , 1, 2100005		18
47	Influence of electronic type of SWNTs on the thermoelectric properties of SWNTs/PANI composite films. <i>Organic Electronics</i> , 2016 , 39, 146-152	3.5	18

46	Microstructure and composition engineering Yb single-filled CoSb ₃ for high thermoelectric and mechanical performances. <i>Journal of Materiomics</i> , 2019 , 5, 702-710	6.7	17
45	A general strategy to bismuth chalcogenide films by chemical vapor transport. <i>Journal of Materials Chemistry</i> , 2011 , 21, 2351-2355		16
44	Discovery of high-performance thermoelectric copper chalcogenide using modified diffusion-couple high-throughput synthesis and automated histogram analysis technique. <i>Energy and Environmental Science</i> , 2020 , 13, 3041-3053	35.4	16
43	Enhanced thermoelectric performance of CNT/P3HT composites with low CNT content.. <i>RSC Advances</i> , 2018 , 8, 33855-33863	3.7	16
42	(001)-oriented Cu ₂ -ySe thin films with tunable thermoelectric performances grown by pulsed laser deposition. <i>Ceramics International</i> , 2015 , 41, 7439-7445	5.1	15
41	Good stability and high thermoelectric performance of Fe doped CuS. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 7374-7380	3.6	12
40	Optimizing the Thermoelectric Performance of Poly(3-hexylthiophene) through Molecular-Weight Engineering. <i>Chemistry - an Asian Journal</i> , 2018 , 13, 3246-3253	4.5	12
39	Understanding the Intrinsic Carrier Transport in Highly Oriented Poly(3-hexylthiophene): Effect of Side Chain Regioregularity. <i>Polymers</i> , 2018 , 10,	4.5	12
38	Creation of Yb ₂ O ₃ Nanoprecipitates Through an Oxidation Process in Bulk Yb-Filled Skutterudites. <i>Journal of Electronic Materials</i> , 2013 , 42, 382-388	1.9	12
37	Investigation of the thermal conductivities across metal-insulator transition in polycrystalline VO ₂ . <i>Science Bulletin</i> , 2012 , 57, 3393-3396		12
36	Thermoelectric properties of n-type CuSnS-based compounds.. <i>RSC Advances</i> , 2019 , 9, 7826-7832	3.7	11
35	A high-throughput strategy to screen interfacial diffusion barrier materials for thermoelectric modules. <i>Journal of Materials Research</i> , 2019 , 34, 1179-1187	2.5	11
34	Semiconducting polymer contributes favorably to the Seebeck coefficient in multi-component, high-performance n-type thermoelectric nanocomposites. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 9797-9805 ¹³		11
33	Oxidation Behavior of Filled Skutterudite CeFe ₄ Sb ₁₂ in Air. <i>Journal of Electronic Materials</i> , 2014 , 43, 1639-1644	1.9	11
32	p-Type Plastic Inorganic Thermoelectric Materials. <i>Advanced Energy Materials</i> , 2021 , 11, 2100883	21.8	11
31	Refined band structure plus enhanced phonon scattering realizes thermoelectric performance optimization in CuMn codoped SnTe. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 13065-13070	13	10
30	Nano-scaled top-down of bismuth chalcogenides based on electrochemical lithium intercalation. <i>Journal of Nanoparticle Research</i> , 2011 , 13, 6569-6578	2.3	9
29	A low-cost and eco-friendly Br-doped Cu ₇ Sn ₃ S ₁₀ thermoelectric compound with zT around unity. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 7946-7954	13	9

28	Interface Microstructure and Performance of Sb Contacts in Bismuth Telluride-Based Thermoelectric Elements. <i>Journal of Electronic Materials</i> , 2013 , 42, 1219-1224	1.9	8
27	Post-annealing Effect on Microstructures and Thermoelectric Properties of Bi _{0.45} Sb _{1.55} Te ₃ Thin Films Deposited by Co-sputtering. <i>Journal of Electronic Materials</i> , 2012 , 41, 3068-3072	1.9	8
26	Low-Temperature Magnetic and Thermoelectric Properties of Layered Ca _{0.33} CoO ₂ Crystals. <i>Journal of the Physical Society of Japan</i> , 2011 , 80, 074802	1.5	8
25	Enhanced Thermoelectric and Mechanical Performances in Sintered BiSbTe-AgSbSe Composite. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 24937-24944	9.5	8
24	Investigation on Low-Temperature Thermoelectric Properties of AgSe Polycrystal Fabricated by Using Zone-Melting Method. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 8246-8255	6.4	8
23	Microstructures and thermoelectric properties of p-type Bi _x Sb _{2-x} Te ₃ thin films with various compositions. <i>Electronic Materials Letters</i> , 2013 , 9, 709-713	2.9	7
22	Solution Route to PbSe Films with Enhanced Thermoelectric Transport Properties. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 4321-4324	2.3	7
21	In situ poling X-ray diffraction studies of lead-free BiFeO ₃ /SrTiO ₃ ceramics. <i>Materials Today Physics</i> , 2021 , 19, 100426	8	6
20	Microstructure and contact resistivity of (Bi, Sb) ₂ Te ₃ /Sb interface 2012 ,		5
19	Topotactic synthesis of alternately stacked Ca ₃ Co ₄ O ₉ /Na _{0.66} CoO ₂ composite with nanoscale layer structure. <i>CrystEngComm</i> , 2010 , 12, 4080	3.3	5
18	Conductive Polymers: Synergistically Improved Molecular Doping and Carrier Mobility by Copolymerization of Donor/Acceptor and Donor/Donor Building Blocks for Thermoelectric Application (Adv. Funct. Mater. 40/2020). <i>Advanced Functional Materials</i> , 2020 , 30, 2070270	15.6	4
17	High-energy storage performance in BaTiO ₃ -based lead-free multilayer ceramic capacitors. <i>Journal of Materials Research</i> , 2021 , 36, 1285-1294	2.5	4
16	Exceptionally Heavy Doping Boosts the Performance of Iron Silicide for Refractory Thermoelectrics. <i>Advanced Energy Materials</i> , 2020 , 10, 2200247	21.8	4
15	Single-Solution Doping Enabling Dominant Integer Charge Transfer for Synergistically Improved Carrier Concentration and Mobility in Donor/Acceptor Polymers. <i>Advanced Functional Materials</i> , 2022 , 32, 2110047	15.6	4
14	Thermoelectric Properties of Nano-grained Mooihoekite Cu ₉ Fe ₉ S ₁₆ . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2020 , 646, 1116-1121	1.3	3
13	Transparent Power-Generating Windows Based on Solar-Thermal-Electric Conversion. <i>Advanced Energy Materials</i> , 2021 , 11, 2101213	21.8	3
12	Optimized Thermoelectric Properties of BiSbTe through AgCuTe Doping for Low-Grade Heat Harvesting. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 57514-57520	9.5	2
11	Thermoelectric Properties of Heavy Rare Earth Filled Skutterudites Dy _y Fe _x Co _{4-x} Sb ₁₂ . <i>Journal of Electronic Materials</i> , 2012 , 41, 3402-3410	1.9	1

10	Temperature-dependent photoluminescence study of Pb ²⁺ doped strontium iodide 2013 ,		1
9	Unusually high Seebeck coefficient arising from temperature-dependent carrier concentration in PbSe _{1-x} AgSbSe ₂ alloys. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 17365-17370	7.1	1
8	Thermoelectrics: p-Type Plastic Inorganic Thermoelectric Materials (Adv. Energy Mater. 23/2021). <i>Advanced Energy Materials</i> , 2021 , 11, 2170086	21.8	1
7	Design and fabrication of thermoelectric devices 2021 , 221-267		1
6	In Situ Partial Pyrolysis of Sodium Carboxymethyl Cellulose Constructing Hierarchical Pores in the Silicon Anode for Lithium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2022 , 5, 380-386	6.1	1
5	A high-efficiency GeTe-based thermoelectric module for low-grade heat recovery. <i>Journal of Materials Chemistry A</i> , 2022 , 10, 7677-7683	13	0
4	Interfacial behaviors of p-type Ce _y Fe _x Co _{4-x} Sb ₁₂ /Nb thermoelectric joints. <i>Functional Materials Letters</i> , 2020 , 13, 2051020	1.2	
3	High-energy storage performance in BaTiO ₃ -based lead-free multilayer ceramic capacitors. <i>Journal of Materials Research</i> , 1-10	2.5	
2	Segmented modules 2021 , 469-492		
1	Boosting thermoelectric performance of BaCo ₄ Sb ₁₂ by interlinking large aspect-ratio silver nanowires at the triple junction of grain boundaries. <i>Materials Today Energy</i> , 2022 , 101007	7	