Charlotte Beaudart

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2790997/publications.pdf

Version: 2024-02-01

94381 60583 7,374 131 37 81 citations h-index g-index papers 139 139 139 7856 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Health Outcomes of Sarcopenia: A Systematic Review and Meta-Analysis. PLoS ONE, 2017, 12, e0169548.	1.1	737
2	The Effects of Vitamin D on Skeletal Muscle Strength, Muscle Mass, and Muscle Power: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 4336-4345.	1.8	503
3	Sarcopenia in daily practice: assessment and management. BMC Geriatrics, 2016, 16, 170.	1.1	468
4	Nutrition and physical activity in the prevention and treatment of sarcopenia: systematic review. Osteoporosis International, 2017, 28, 1817-1833.	1.3	381
5	Sarcopenia: burden and challenges for public health. Archives of Public Health, 2014, 72, 45.	1.0	317
6	Quality of Life in Sarcopenia and Frailty. Calcified Tissue International, 2013, 93, 101-120.	1.5	310
7	Assessment of Muscle Function and Physical Performance in Daily Clinical Practice. Calcified Tissue International, 2019, 105, 1-14.	1.5	295
8	Quality of life and physical components linked to sarcopenia: The SarcoPhAge study. Experimental Gerontology, 2015, 69, 103-110.	1.2	190
9	Exercise Interventions for the Prevention and Treatment of Sarcopenia. A Systematic Umbrella Review. Journal of Nutrition, Health and Aging, 2019, 23, 494-502.	1.5	180
10	Osteoporosis and sarcopenia. Current Opinion in Clinical Nutrition and Metabolic Care, 2016, 19, 31-36.	1.3	171
11	The Future Prevalence of Sarcopenia in Europe: A Claim for Public Health Action. Calcified Tissue International, 2017, 100, 229-234.	1.5	171
12	Validation of the SarQoL®, a specific healthâ€related quality of life questionnaire for Sarcopenia. Journal of Cachexia, Sarcopenia and Muscle, 2017, 8, 238-244.	2.9	166
13	Quality of life assessment in musculo-skeletal health. Aging Clinical and Experimental Research, 2018, 30, 413-418.	1.4	144
14	Concordance between muscle mass assessed by bioelectrical impedance analysis and by dual energy X-ray absorptiometry: a cross-sectional study. BMC Musculoskeletal Disorders, 2015, 16, 60.	0.8	139
15	The health economics burden of sarcopenia: a systematic review. Maturitas, 2019, 119, 61-69.	1.0	134
16	Malnutrition as a Strong Predictor of the Onset of Sarcopenia. Nutrients, 2019, 11, 2883.	1.7	129
17	Application of ultrasound for muscle assessment in sarcopenia: 2020 SARCUS update. European Geriatric Medicine, 2021, 12, 45-59.	1.2	123
18	Nutritional interventions to improve muscle mass, muscle strength, and physical performance in older people: an umbrella review of systematic reviews and meta-analyses. Nutrition Reviews, 2021, 79, 121-147.	2.6	122

#	Article	IF	CITATIONS
19	Estimation of sarcopenia prevalence using various assessment tools. Experimental Gerontology, 2015, 61, 31-37.	1.2	113
20	Assessment of muscle mass, muscle strength and physical performance in clinical practice: An international survey. European Geriatric Medicine, 2016, 7, 243-246.	1.2	90
21	Development of a self-administrated quality of life questionnaire for sarcopenia in elderly subjects: the SarQoL. Age and Ageing, 2015, 44, 960-966.	0.7	89
22	Comparison of the performance of five screening methods for sarcopenia. Clinical Epidemiology, 2018, Volume 10, 71-82.	1.5	80
23	Reliability of muscle strength measures obtained with a handâ€held dynamometer in an elderly population. Clinical Physiology and Functional Imaging, 2017, 37, 332-340.	0.5	75
24	Risk Factors of Overuse Shoulder Injuries in Overhead Athletes: A Systematic Review. Sports Health, 2020, 12, 478-487.	1.3	69
25	Quality of life in sarcopenia measured with the SarQoL®: impact of the use of different diagnosis definitions. Aging Clinical and Experimental Research, 2018, 30, 307-313.	1.4	64
26	Safety of Topical Non-steroidal Anti-Inflammatory Drugs in Osteoarthritis: Outcomes of a Systematic Review and Meta-Analysis. Drugs and Aging, 2019, 36, 45-64.	1.3	62
27	Sarcopenia and health-related outcomes: an umbrella review of observational studies. European Geriatric Medicine, 2019, 10, 853-862.	1.2	59
28	Association between dietary nutrient intake and sarcopenia in the SarcoPhAge study. Aging Clinical and Experimental Research, 2019, 31, 815-824.	1.4	57
29	EWGSOP2 Versus EWGSOP1: Impact on the Prevalence of Sarcopenia and Its Major Health Consequences. Journal of the American Medical Directors Association, 2019, 20, 384-385.	1.2	57
30	Effects of vitamin D in the elderly population: current status and perspectives. Archives of Public Health, 2014, 72, 32.	1.0	56
31	Mortality in malnourished older adults diagnosed by ESPEN and GLIM criteria in the SarcoPhAge study. Journal of Cachexia, Sarcopenia and Muscle, 2020, 11, 1200-1211.	2.9	55
32	Prevalence of sarcopenia: the impact of different diagnostic cut-off limits. Journal of Musculoskeletal Neuronal Interactions, 2014, 14, 425-31.	0.1	55
33	Relationship between frailty, physical performance and quality of life among nursing home residents: the SENIOR cohort. Aging Clinical and Experimental Research, 2016, 28, 1149-1157.	1.4	54
34	How clinical practitioners assess frailty in their daily practice: an international survey. Aging Clinical and Experimental Research, 2017, 29, 905-912.	1.4	54
35	Systematic literature review of the economic burden of spinal muscular atrophy and economic evaluations of treatments. Orphanet Journal of Rare Diseases, 2021, 16, 47.	1.2	54
36	Update on the ESCEO recommendation for the conduct of clinical trials for drugs aiming at the treatment of sarcopenia in older adults. Aging Clinical and Experimental Research, 2021, 33, 3-17.	1.4	46

#	Article	IF	CITATIONS
37	Equation models developed with bioelectric impedance analysis tools to assess muscle mass: A systematic review. Clinical Nutrition ESPEN, 2020, 35, 47-62.	0.5	41
38	The Belgian Bone Club 2020 guidelines for the management of osteoporosis in postmenopausal women. Maturitas, 2020, 139, 69-89.	1.0	41
39	Prevalence of vitamin D inadequacy in European women aged over 80 years. Archives of Gerontology and Geriatrics, 2014, 59, 78-82.	1.4	40
40	English translation and validation of the SarQoL $<$ sup $>$ Â $^{\odot}<$ /sup $>$, a quality of life questionnaire specific for sarcopenia. Age and Ageing, 2017, 46, 271-276.	0.7	40
41	Efficacy and safety of currently marketed anti-osteoporosis medications. Best Practice and Research in Clinical Endocrinology and Metabolism, 2014, 28, 809-834.	2.2	39
42	Symptomatic Efficacy of Pharmacological Treatments for Knee Osteoarthritis: A Systematic Review and a Network Meta-Analysis with a 6-Month Time Horizon. Drugs, 2020, 80, 1947-1959.	4.9	39
43	Meta-analyses indexed in PsycINFO had a better completeness of reporting when they mention PRISMA. Journal of Clinical Epidemiology, 2019, 115, 46-54.	2.4	36
44	Grip strength measurement: Towards a standardized approach in sarcopenia research and practice. European Geriatric Medicine, 2016, 7, 247-255.	1.2	34
45	Sarcopenia as a public health problem. European Geriatric Medicine, 2016, 7, 272-275.	1.2	34
46	Bone health assessment in older people with or without muscle health impairment. Osteoporosis International, 2018, 29, 1057-1067.	1.3	33
47	Effects of Protein, Essential Amino Acids, B-Hydroxy B-Methylbutyrate, Creatine, Dehydroepiandrosterone and Fatty Acid Supplementation on Muscle Mass, Muscle Strength and Physical Performance in Older People Aged 60 Years and Over. A Systematic Review of the Literature. Journal of Nutrition, Health and Aging, 2018, 22, 117-130.	1.5	33
48	Update of the fracture risk prediction tool FRAX: a systematic review of potential cohorts and analysis plan. Osteoporosis International, 2022, 33, 2103-2136.	1.3	33
49	Cross-cultural adaptation and validation of the SARC-F to assess sarcopenia: methodological report from European Union Geriatric Medicine Society Sarcopenia Special Interest Group. European Geriatric Medicine, 2018, 9, 23-28.	1.2	32
50	Standard error of measurement and smallest detectable change of the Sarcopenia Quality of Life (SarQoL) questionnaire: An analysis of subjects from 9 validation studies. PLoS ONE, 2019, 14, e0216065.	1.1	32
51	Effects of 3 months of short sessions of controlled whole body vibrations on the risk of falls among nursing home residents. BMC Geriatrics, 2013, 13, 42.	1.1	31
52	Evaluation of the impact of 6-month training by whole body vibration on the risk of falls among nursing home residents, observed over a 12-month period: a single blind, randomized controlled trial. Aging Clinical and Experimental Research, 2014, 26, 369-376.	1.4	31
53	Three-Year Adverse Health Consequences of Sarcopenia in Community-Dwelling Older Adults According to 5 Diagnosis Definitions. Journal of the American Medical Directors Association, 2019, 20, 43-46.e2.	1.2	31
54	Current review of the SarQoL®: a health-related quality of life questionnaire specific to sarcopenia. Expert Review of Pharmacoeconomics and Outcomes Research, 2017, 17, 335-341.	0.7	30

#	Article	IF	CITATIONS
55	French translation and validation of the sarcopenia screening tool SARC-F. European Geriatric Medicine, 2018, 9, 29-37.	1.2	29
56	Polish Validation of the SarQoL $\hat{A}^{@}$, a Quality of Life Questionnaire Specific to Sarcopenia. Journal of Clinical Medicine, 2018, 7, 323.	1.0	29
57	Association Between the Decline in Muscle Health and the Decline in Bone Health in Older Individuals from the SarcoPhAge Cohort. Calcified Tissue International, 2019, 104, 273-284.	1.5	29
58	Cross cultural adaptation of the Greek sarcopenia quality of life (SarQoL) questionnaire. Disability and Rehabilitation, 2020, 42, 1006-1012.	0.9	28
59	Intrinsic Capacity Defined Using Four Domains and Mortality Risk: A 5-Year Follow-Up of the SarcoPhAge Cohort. Journal of Nutrition, Health and Aging, 2022, 26, 23-29.	1.5	27
60	Psychometric performance of the Romanian version of the SarQoL®, a health-related quality of life questionnaire for sarcopenia. Archives of Osteoporosis, 2017, 12, 103.	1.0	26
61	Relationship between ambulatory physical activity assessed by activity trackers and physical frailty among nursing home residents. Gait and Posture, 2017, 54, 56-61.	0.6	25
62	Prediction of 5-year mortality risk by malnutrition according to the GLIM format using seven pragmatic approaches to define the criterion of loss of muscle mass. Clinical Nutrition, 2021, 40, 2188-2199.	2.3	24
63	Validity and reliability of the French translation of the VISA-A questionnaire for Achilles tendinopathy. Disability and Rehabilitation, 2016, 38, 2593-2599.	0.9	23
64	Evaluation of the Responsiveness of the SarQoL® Questionnaire, a Patient-Reported Outcome Measure Specific to Sarcopenia. Advances in Therapy, 2018, 35, 1842-1858.	1.3	23
65	Patients' preferences for osteoarthritis treatment: the value of stated-preference studies. Aging Clinical and Experimental Research, 2019, 31, 1-3.	1.4	23
66	Relationship between smoking and the incidence of sarcopenia: The SarcoPhAge cohort. Public Health, 2021, 193, 101-108.	1.4	23
67	Relationship between the changes over time of bone mass and muscle health in children and adults: a systematic review and meta-analysis. BMC Musculoskeletal Disorders, 2019, 20, 429.	0.8	22
68	French translation and validation of the Cumberland Ankle Instability Tool, an instrument for measuring functional ankle instability. Foot and Ankle Surgery, 2020, 26, 391-397.	0.8	22
69	Evaluation of a Panel of MicroRNAs that Predicts Fragility Fracture Risk: A Pilot Study. Calcified Tissue International, 2020, 106, 239-247.	1.5	22
70	Evaluating the effects of tDCS in stroke patients using functional outcomes: a systematic review. Disability and Rehabilitation, 2022, 44, 13-23.	0.9	21
71	Impact of Malnutrition Status on Muscle Parameter Changes over a 5-Year Follow-Up of Community-Dwelling Older Adults from the SarcoPhAge Cohort. Nutrients, 2021, 13, 407.	1.7	20
72	Cross-cultural adaptation and validation of the Patient-Rated Tennis Elbow Evaluation Questionnaire on lateral elbow tendinopathy for French-speaking patients. Journal of Hand Therapy, 2016, 29, 496-504.	0.7	19

#	Article	IF	CITATIONS
73	Psychometric measurements of AMSTAR 2 in a sample of meta-analyses indexed in PsycINFO. Journal of Clinical Epidemiology, 2020, 119, 144-145.	2.4	19
74	Sarcopenia quality-of-life questionnaire (SarQoL) \hat{A}^{\otimes} : translation, cross-cultural adaptation and validation in Turkish. Aging Clinical and Experimental Research, 2021, 33, 2979-2988.	1.4	18
75	Malnutrition, assessed by the Global Leadership Initiative on Malnutrition (GLIM) criteria but not by the mini nutritional assessment (MNA), predicts the incidence of sarcopenia over a 5-year period in the SarcoPhAge cohort. Aging Clinical and Experimental Research, 2021, 33, 1507-1517.	1.4	18
76	Translation and validation of the Dutch SarQoL, a quality of life questionnaire specific to sarcopenia. Journal of Musculoskeletal Neuronal Interactions, 2018, 18, 463-472.	0.1	18
77	Cross-cultural Adaptation and Validation of the Victorian Institute of Sport Assessment-Patella Questionnaire for French-Speaking Patients With Patellar Tendinopathy. Journal of Orthopaedic and Sports Physical Therapy, 2016, 46, 384-390.	1.7	17
78	The efficacy and safety of influenza vaccination in older people: An umbrella review of evidence from meta-analyses of both observational and randomized controlled studies. Ageing Research Reviews, 2020, 62, 101118.	5.0	17
79	Sarcopenia: Performance of the SARC-F Questionnaire According to the European Consensus Criteria, EWGSOP1 and EWGSOP2. Journal of the American Medical Directors Association, 2019, 20, 1182-1183.	1.2	16
80	Frailty but not sarcopenia nor malnutrition increases the risk of developing COVID-19 in older community-dwelling adults. Aging Clinical and Experimental Research, 2022, 34, 223-234.	1.4	16
81	Self-Administration of Medicines and Dietary Supplements Among Female Amateur Runners: A Cross-Sectional Analysis. Advances in Therapy, 2016, 33, 2257-2268.	1.3	15
82	Validation of the Lithuanian version of sarcopenia-specific quality of life questionnaire (SarQoL \hat{A}^{\otimes}). European Geriatric Medicine, 2019, 10, 761-767.	1.2	15
83	Association between Changes in Nutrient Intake and Changes in Muscle Strength and Physical Performance in the SarcoPhAge Cohort. Nutrients, 2020, 12, 3485.	1.7	15
84	Best-worst scaling identified adequate statistical methods and literature search as the most important items of AMSTAR2 (A measurement tool to assess systematic reviews). Journal of Clinical Epidemiology, 2020, 128, 74-82.	2.4	15
85	Exposure to magnetic fields and childhood leukemia: a systematic review and meta-analysis of case-control and cohort studies. Reviews on Environmental Health, 2023, 38, 229-253.	1.1	15
86	Glucosamine sulphate: an umbrella review of health outcomes. Therapeutic Advances in Musculoskeletal Disease, 2020, 12, 1759720X2097592.	1.2	14
87	Outcome Priorities for Older Persons With Sarcopenia. Journal of the American Medical Directors Association, 2020, 21, 267-271.e2.	1.2	13
88	A systematic review of prediction models to diagnose COVID-19 in adults admitted to healthcare centers. Archives of Public Health, 2021, 79, 105.	1.0	13
89	Prevalence of sarcopenia in a population of nursing home residents according to their frailty status: results of the SENIOR cohort. Journal of Musculoskeletal Neuronal Interactions, 2017, 17, 209-217.	0.1	11
90	SUBJECTIVE SLEEP QUALITY AMONG SARCOPENIC AND NON-SARCOPENIC OLDER ADULTS: RESULTS FROM THE SARCOPHAGE COHORT. Journal of Frailty & Samp; Aging, the, 2018, 7, 1-6.	0.8	9

#	Article	IF	Citations
91	Cross-sectional Evaluation of the Sarcopenia Quality of Life (SarQoL) Questionnaire: Translation and Validation of its Psychometric Properties. Annals of Geriatric Medicine and Research, 2020, 24, 139-147.	0.7	9
92	Lifestyle approaches to prevent and retard sarcopenia: A narrative review. Maturitas, 2022, 161, 44-48.	1.0	9
93	Critical analytical evaluation of promising markers for sarcopenia. European Geriatric Medicine, 2016, 7, 239-242.	1.2	8
94	French Translation and Validation of the Victorian Institute of Sports Assessment for Gluteal Tendinopathy Questionnaire. PM and R, 2021, 13, 137-143.	0.9	8
95	Evaluating quality of life in frailty: applicability and clinimetric properties of the SarQoL \hat{A}^{\otimes} questionnaire. Journal of Cachexia, Sarcopenia and Muscle, 2021, 12, 319-330.	2.9	8
96	Added value of a triaxial accelerometer assessing gait parameters to predict falls and mortality among nursing home residents: A two-year prospective study. Technology and Health Care, 2015, 23, 195-203.	0.5	7
97	A discrete-choice experiment to assess patients' preferences for osteoarthritis treatment: An ESCEO working group. Seminars in Arthritis and Rheumatism, 2020, 50, 859-866.	1.6	7
98	Methodological quality of meta-analyses indexed in PsycINFO: leads for enhancements: a meta-epidemiological study. BMJ Open, 2020, 10, e036349.	0.8	7
99	Assessing gait parameters with accelerometer-based methods to identify older adults at risk of falls: a systematic review. European Geriatric Medicine, 2018, 9, 435-448.	1.2	6
100	Patient's Engagement in the Identification of Critical Outcomes in Sarcopenia. Journal of the American Medical Directors Association, 2020, 21, 284-286.	1.2	6
101	Development and validation of a short version of the Sarcopenia Quality of Life questionnaire: the SF-SarQoL. Quality of Life Research, 2021, 30, 2349-2362.	1.5	6
102	Assessment of the performance of the SarQoL \hat{A}^{\otimes} questionnaire in screening for sarcopenia in older people. Aging Clinical and Experimental Research, 2021, 33, 2149-2155.	1.4	6
103	Effective communication regarding risk of fracture for individuals at risk of fragility fracture: a scoping review. Osteoporosis International, 2022, 33, 13-26.	1.3	6
104	French translation and validation of the exercise-induced leg pain Questionnaire. Disability and Rehabilitation, 2020, 42, 857-862.	0.9	5
105	Translation and psychometric performance of the Serbian version of the Sarcopenia Quality of Life (SarQoL \hat{A}^{\otimes}) questionnaire. Srpski Arhiv Za Celokupno Lekarstvo, 2020, 148, 742-748.	0.1	5
106	Cross-cultural adaptation, translation, and validation of the functional assessment scale for acute hamstring injuries (FASH) questionnaire for French-speaking patients. Disability and Rehabilitation, 2020, 42, 2076-2082.	0.9	4
107	What Are the Main Risk Factors for Lower Extremity Running-Related Injuries? A Retrospective Survey Based on 3669 Respondents. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110434.	0.8	4
108	Post-intensive care screening: French translation and validation of the Healthy Aging Brain Care-Monitor, hybrid version. Health and Quality of Life Outcomes, 2022, 20, 59.	1.0	4

#	Article	IF	CITATIONS
109	Clinical prediction models for diagnosis of COVID-19 among adult patients: a validation and agreement study. BMC Infectious Diseases, 2022, 22, 464.	1.3	4
110	Experts' preferences for sarcopenia outcomes: a discrete-choice experiment from a working group of the European Society for Clinical and Economic Aspects of Osteoporosis, Osteoarthritis and Musculoskeletal Diseases (ESCEO) in collaboration with the European Union of Geriatric Medicine Society (EUGMS). Aging Clinical and Experimental Research, 2021, 33, 1079-1083.	1.4	3
111	Validity and reliability of the French translation of the Identification of Functional Ankle Instability (IdFAI). Foot and Ankle Surgery, 2022, 28, 756-762.	0.8	3
112	French translation and validation of the Keele STarT MSK Tool. , 2021, 1, 1-7.		3
113	P-197: Development and validation of a self-administrated quality of life questionnaire specific to sarcopenia: the SarQoL. European Geriatric Medicine, 2015, 6, S84.	1.2	2
114	Interest in meta-research in geriatric medicine: a survey of members of the European Geriatric Medicine Society. European Geriatric Medicine, 2020, 11, 1079-1083.	1,2	2
115	Validation of the Perform-FES: a new fear of falling scale for hospitalized geriatric patients. Aging Clinical and Experimental Research, 2021, 33, 67-76.	1.4	2
116	Self-Medication Practice among Amateur Runners: Prevalence and Associated Factors. Journal of Sports Science and Medicine, 2016, 15, 387-8.	0.7	2
117	Enhancing Public Participation in Public Health Offerings: Patient Preferences for Facilities in the Western Cape Province Using a Discrete Choice Experiment. International Journal of Environmental Research and Public Health, 2022, 19, 590.	1.2	2
118	Dance training and performance in patients with Parkinson disease: Effects on motor functions and patients' well-being. Science and Sports, 2022, 37, 45-50.	0.2	2
119	Validation of the Hungarian Version of the SarQoL \hat{A}^{\otimes} Questionnaire and Its Association with the SARC-F Screening Tool. Journal of Frailty & SARC, 1.	0.8	1
120	Beneficial effects of a supervised and individualized training circuit on physical capacities and quality of life of patients suffering from multiple sclerosis. Science and Sports, 2022, 37, 468-476.	0.2	1
121	The effects of vitamin D on skeletal muscle strength: a meta-analysis of randomized controlled trials. European Journal of Public Health, 2013, 23, .	0.1	0
122	Poor quality reporting of the meta-analyses in psychology as assessed using the PRISMA Statement. European Journal of Public Health, 2018, 28, .	0.1	0
123	Screening for Sarcopenia. Practical Issues in Geriatrics, 2021, , 43-57.	0.3	0
124	Patients' preferences for quality-of-life aspects in sarcopenia: a best–worst scaling study. European Geriatric Medicine, 2021, , 1.	1.2	0
125	Discriminative power of the Sarcopenia Quality of Life (SarQoL \hat{A}^{\otimes}) questionnaire with the EWGSOP2 criteria. Journal of Frailty & Discriminative power of the Sarcopenia Quality of Life (SarQoL \hat{A}^{\otimes}) questionnaire with the EWGSOP2 criteria. Journal of Frailty & Discriminative power of the Sarcopenia Quality of Life (SarQoL \hat{A}^{\otimes}) questionnaire with the EWGSOP2 criteria. Journal of Frailty & Discriminative power of the Sarcopenia Quality of Life (SarQoL \hat{A}^{\otimes}) questionnaire with the EWGSOP2 criteria. Journal of Frailty & Discriminative power of the Sarcopenia Quality of Life (SarQoL \hat{A}^{\otimes}) questionnaire with the EWGSOP2 criteria. Journal of Frailty & Discriminative power of the Sarcopenia Quality of Life (SarQoL \hat{A}^{\otimes}) questionnaire with the EWGSOP2 criteria.	0.8	0
126	Cross-cultural adaptation and validation of the Greek Version of the SARC-F for evaluating sarcopenia in Greek older adults. Journal of Musculoskeletal Neuronal Interactions, 2020, 20, 505-512.	0.1	0

#	Article	IF	CITATIONS
127	Standard error of measurement and minimal detectable change of the French physical activity scale for individuals with physical disabilities. Annals of Physical and Rehabilitation Medicine, 2022, 65, 101583.	1.1	0
128	Patient preferences for lifestyle behaviours in osteoporotic fracture prevention: a cross-European discrete choice experiment. Osteoporosis International, 2022, , 1.	1.3	0
129	DISCRETE CHOICE EXPERIMENT TO INVESTIGATE PREFERENCES FOR INCENTIVES TO PROMOTE ANTIMICROBIAL RESEARCH & DEVELOPMENT. Journal of Global Antimicrobial Resistance, 2022, , .	0.9	0
130	A Qualitative Study to Assess US Patient Preferences between new Transdermal System and Injectable Anabolic Therapies for Osteoporosis Treatment. Archives of Osteoporosis, 2022, 17, 57.	1.0	0
131	Quality of life and sarcopenic patients Geriatrie Et Psychologie Neuropsychiatrie Du Vieillissement, 2022, , .	0.0	0