

Kristina Gusakova

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2791086/publications.pdf>

Version: 2024-02-01

12
papers

141
citations

1040056

9
h-index

1199594

12
g-index

12
all docs

12
docs citations

12
times ranked

110
citing authors

#	ARTICLE	IF	CITATIONS
1	Thermally stable nanoporous cyanate ester resin/linear polyurethane hybrid networks created by nuclear technologies. <i>Polymer</i> , 2021, 228, 123831.	3.8	1
2	High temperature phthalonitrile nanocomposites with silicon based nanoparticles of different nature and surface modification: Structure, dynamics, properties. <i>Polymer</i> , 2019, 165, 39-54.	3.8	18
3	Nanoporous Cyanate Ester Resins: Structure-Gas Transport Property Relationships. <i>Nanoscale Research Letters</i> , 2017, 12, 305.	5.7	1
4	Dynamics and properties of high performance amorphous Cyanate Ester-based subnanocomposites with ultralow silica content and quasi-regular structure. <i>Polymer</i> , 2016, 103, 36-40.	3.8	11
5	Silica subnanometer-sized nodes, nanoclusters and aggregates in Cyanate Ester Resin-based networks: Structure and properties of hybrid subnano- and nanocomposites. <i>European Polymer Journal</i> , 2016, 85, 375-389.	5.4	13
6	Annealing behavior and thermal stability of nanoporous polymer films based on high-performance Cyanate Ester Resins. <i>Polymer Degradation and Stability</i> , 2015, 120, 402-409.	5.8	14
7	The impact of ultra-low amounts of amino-modified MMT on dynamics and properties of densely cross-linked cyanate ester resins. <i>Nanoscale Research Letters</i> , 2015, 10, 165.	5.7	25
8	Synthesis, morphology, and thermal stability of nanoporous cyanate ester resins obtained upon controlled monomer conversion. <i>European Polymer Journal</i> , 2015, 73, 94-104.	5.4	16
9	Nanoporous Polycyanurates Created by Chemically-Induced Phase Separation: Structure-Property Relationships. <i>Macromolecular Symposia</i> , 2014, 341, 57-66.	0.7	4
10	Novel mesoporous high-performance films derived from polycyanurate networks containing high-boiling temperature liquids. <i>European Polymer Journal</i> , 2013, 49, 2162-2171.	5.4	10
11	Nanopore generation in hybrid polycyanurate/poly(ϵ -caprolactone) thermostable networks. <i>European Polymer Journal</i> , 2011, 47, 1736-1745.	5.4	11
12	Porous thermosets via hydrolytic degradation of poly(ϵ -caprolactone) fragments in cyanurate-based hybrid networks. <i>European Polymer Journal</i> , 2008, 44, 3588-3598.	5.4	17