

Ole Pedersen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2791207/ole-pedersen-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119
papers

4,661
citations

39
h-index

64
g-index

125
ext. papers

5,490
ext. citations

5.9
avg, IF

5.85
L-index

#	Paper	IF	Citations
119	Removal of chromophoric dissolved organic matter under combined photochemical and microbial degradation as a response to different irradiation intensities.. <i>Journal of Environmental Sciences</i> , 2022 , 118, 76-86	6.4	1
118	Low irradiance disrupts the internal O ₂ dynamics of seagrass (<i>Thalassia testudinum</i>) leading to shoot meristem H ₂ S intrusion. <i>Aquatic Botany</i> , 2022 , 103532	1.8	
117	Regulation of root adaptive anatomical and morphological traits during low soil oxygen. <i>New Phytologist</i> , 2021 , 229, 42-49	9.8	51
116	Oxygen in the air and oxygen dissolved in the floodwater both sustain growth of aquatic adventitious roots in rice. <i>Journal of Experimental Botany</i> , 2021 , 72, 1879-1890	7	2
115	Radial Oxygen Loss from Plant Roots-Methods. <i>Plants</i> , 2021 , 10,	4.5	2
114	Novel functions of the root barrier to radial oxygen loss - radial diffusion resistance to H and water vapour. <i>New Phytologist</i> , 2021 , 231, 1365-1376	9.8	4
113	Lateral roots, in addition to adventitious roots, form a barrier to radial oxygen loss in <i>Zea mays</i> and a chromosome segment introgression line in maize. <i>New Phytologist</i> , 2021 , 229, 94-103	9.8	14
112	Key root traits of Poaceae for adaptation to soil water gradients. <i>New Phytologist</i> , 2021 , 229, 3133-3140	9.8	10
111	Two <i>Brassica napus</i> cultivars differ in gene expression, but not in their response to submergence. <i>Physiologia Plantarum</i> , 2021 , 171, 400-415	4.6	3
110	Keeping the shoot above water - submergence triggers antithetical growth responses in stems and petioles of watercress (<i>Nasturtium officinale</i>). <i>New Phytologist</i> , 2021 , 229, 140-155	9.8	10
109	Root length is proxy for high-throughput screening of waterlogging tolerance in <i>Urochloa</i> spp. grasses. <i>Functional Plant Biology</i> , 2021 , 48, 411-421	2.7	2
108	Jack of all trades - C ₄ photosynthesis, CAM and HCO ₃ ⁻ use in the same tissue. A commentary on: Structural basis for C ₄ photosynthesis without Kranz anatomy in leaves of the submerged freshwater plant <i>Ottelia alismoides</i> <i>Annals of Botany</i> , 2020 , 125, iv-vi	4.1	2
107	Microsensors in plant biology: in vivo visualization of inorganic analytes with high spatial and/or temporal resolution. <i>Journal of Experimental Botany</i> , 2020 , 71, 3941-3954	7	13
106	Root O ₂ consumption, CO ₂ production and tissue concentration profiles in chickpea, as influenced by environmental hypoxia. <i>New Phytologist</i> , 2020 , 226, 373-384	9.8	12
105	Drivers of plant traits that allow survival in wetlands. <i>Functional Ecology</i> , 2020 , 34, 956-967	5.6	13
104	Hypersalinity affects leaf and meristem O ₂ dynamics exposing meristems to H ₂ S in the dominant tropical seagrass <i>Thalassia testudinum</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2020 , 533, 151458	2.1	4
103	Global patterns of the leaf economics spectrum in wetlands. <i>Nature Communications</i> , 2020 , 11, 4519	17.4	10

102	Diel O ₂ Dynamics in Partially and Completely Submerged Deepwater Rice: Leaf Gas Films Enhance Internodal O ₂ Status, Influence Gene Expression and Accelerate Stem Elongation for SnorkellingT during Submergence. <i>Plant and Cell Physiology</i> , 2019 , 60, 973-985	4.9	10
101	An apical hypoxic niche sets the pace of shoot meristem activity. <i>Nature</i> , 2019 , 569, 714-717	50.4	69
100	Rice acclimation to soil flooding: Low concentrations of organic acids can trigger a barrier to radial oxygen loss in roots. <i>Plant, Cell and Environment</i> , 2019 , 42, 2183-2197	8.4	17
99	Catchment properties and the photosynthetic trait composition of freshwater plant communities. <i>Science</i> , 2019 , 366, 878-881	33.3	44
98	Rice leaf hydrophobicity and gas films are conferred by a wax synthesis gene (LGF1) and contribute to flood tolerance. <i>New Phytologist</i> , 2018 , 218, 1558-1569	9.8	46
97	Physiology, gene expression, and metabolome of two wheat cultivars with contrasting submergence tolerance. <i>Plant, Cell and Environment</i> , 2018 , 41, 1632-1644	8.4	17
96	Waterlogging tolerance, tissue nitrogen and oxygen transport in the forage legume <i>Melilotus sicus</i> : a comparison of nodulated and nitrate-fed plants. <i>Annals of Botany</i> , 2018 , 121, 699-709	4.1	16
95	Hypersalinity as a trigger of seagrass (<i>Thalassia testudinum</i>) die-off events in Florida Bay: Evidence based on shoot meristem O ₂ and H ₂ S dynamics. <i>Journal of Experimental Marine Biology and Ecology</i> , 2018 , 504, 47-52	2.1	18
94	Leaf gas films contribute to rice (<i>Oryza sativa</i>) submergence tolerance during saline floods. <i>Plant, Cell and Environment</i> , 2018 , 41, 885-897	8.4	7
93	Flow reversals in groundwater-lake interactions: A natural tracer study using ¹⁸ O. <i>Limnologica</i> , 2018 , 68, 26-35	2	7
92	Five decades of dramatic changes in submerged vegetation in Lake Constance. <i>Aquatic Botany</i> , 2018 , 144, 31-37	1.8	20
91	Rhizome, Root/Sediment Interactions, Aerenchyma and Internal Pressure Changes in Seagrasses 2018 , 393-418		9
90	CO ₂ and O ₂ dynamics in leaves of aquatic plants with C ₃ or CAM photosynthesis - application of a novel CO ₂ microsensor. <i>Annals of Botany</i> , 2018 , 122, 605-615	4.1	14
89	In situ oxygen dynamics in rhizomes of the seagrass <i>Posidonia sinuosa</i> : impact of light, water column oxygen, current speed and wave velocity. <i>Marine Ecology - Progress Series</i> , 2018 , 590, 67-77	2.6	8
88	Regulation of Root Traits for Internal Aeration and Tolerance to Soil Waterlogging-Flooding Stress. <i>Plant Physiology</i> , 2018 , 176, 1118-1130	6.6	122
87	Coupled UV-exposure and microbial decomposition improves measures of organic matter degradation and light models in humic lake. <i>Ecological Engineering</i> , 2018 , 118, 191-200	3.9	10
86	Catchment tracers reveal discharge, recharge and sources of groundwater-borne pollutants in a novel lake modelling approach. <i>Biogeosciences</i> , 2018 , 15, 1203-1216	4.6	5
85	Community recommendations on terminology and procedures used in flooding and low oxygen stress research. <i>New Phytologist</i> , 2017 , 214, 1403-1407	9.8	84

84	Flood tolerance of wheat - the importance of leaf gas films during complete submergence. <i>Functional Plant Biology</i> , 2017 , 44, 888-898	2.7	9
83	Uptake of inorganic phosphorus by the aquatic plant <i>Isoetes australis</i> inhabiting oligotrophic vernal rock pools. <i>Aquatic Botany</i> , 2017 , 138, 64-73	1.8	4
82	Flood tolerance of <i>Glyceria fluitans</i> : the importance of cuticle hydrophobicity, permeability and leaf gas films for underwater gas exchange. <i>Annals of Botany</i> , 2017 , 120, 521-528	4.1	4
81	Flooding and low oxygen responses in plants. <i>Functional Plant Biology</i> , 2017 , 44, iii-vi	2.7	37
80	Contrasting oxygen dynamics in <i>Limonium narbonense</i> and <i>Sarcocornia fruticosa</i> during partial and complete submergence. <i>Functional Plant Biology</i> , 2017 , 44, 867-876	2.7	6
79	Sediment Resuspension and Deposition on Seagrass Leaves Impedes Internal Plant Aeration and Promotes Phytotoxic HS Intrusion. <i>Frontiers in Plant Science</i> , 2017 , 8, 657	6.2	45
78	Leaf gas film retention during submergence of 14 cultivars of wheat (<i>Triticum aestivum</i>). <i>Functional Plant Biology</i> , 2017 , 44, 877-887	2.7	5
77	Heat stress of two tropical seagrass species during low tides - impact on underwater net photosynthesis, dark respiration and diel <i>in situ</i> internal aeration. <i>New Phytologist</i> , 2016 , 210, 1207-18	9.8	75
76	Leaf gas films, underwater photosynthesis and plant species distributions in a flood gradient. <i>Plant, Cell and Environment</i> , 2016 , 39, 1537-48	8.4	24
75	Photosynthetic response to globally increasing CO ₂ of co-occurring temperate seagrass species. <i>Plant, Cell and Environment</i> , 2016 , 39, 1240-50	8.4	36
74	Mechanisms of waterlogging tolerance in wheat--a review of root and shoot physiology. <i>Plant, Cell and Environment</i> , 2016 , 39, 1068-86	8.4	131
73	Turf algal epiphytes metabolically induce local pH increase, with implications for underlying coralline algae under ocean acidification. <i>Estuarine, Coastal and Shelf Science</i> , 2015 , 164, 463-470	2.9	17
72	Impact of Roots and Rhizomes on Wetland Archaeology: A Review. <i>Conservation and Management of Archaeological Sites</i> , 2015 , 17, 370-391	0.5	9
71	Oxygen deficiency and salinity affect cell-specific ion concentrations in adventitious roots of barley (<i>Hordeum vulgare</i>). <i>New Phytologist</i> , 2015 , 208, 1114-25	9.8	44
70	Contrasting submergence tolerance in two species of stem-succulent halophytes is not determined by differences in stem internal oxygen dynamics. <i>Annals of Botany</i> , 2015 , 115, 409-18	4.1	6
69	Microhabitat influence on chironomid community structure and stable isotope signatures in West Greenland lakes. <i>Hydrobiologia</i> , 2014 , 730, 59-77	2.4	10
68	Eelgrass fairy rings: sulfide as inhibiting agent. <i>Marine Biology</i> , 2014 , 161, 351-358	2.5	15
67	The mechanism of improved aeration due to gas films on leaves of submerged rice. <i>Plant, Cell and Environment</i> , 2014 , 37, 2433-52	8.4	28

66	Role of a groundwater-lake interface in controlling seepage of water and nitrate. <i>Journal of Hydrology</i> , 2014 , 517, 791-802	6	26
65	Visualisation by high resolution synchrotron X-ray phase contrast micro-tomography of gas films on submerged superhydrophobic leaves. <i>Journal of Structural Biology</i> , 2014 , 188, 61-70	3.4	12
64	Gas film retention and underwater photosynthesis during field submergence of four contrasting rice genotypes. <i>Journal of Experimental Botany</i> , 2014 , 65, 3225-33	7	49
63	Leaf gas films delay salt entry and enhance underwater photosynthesis and internal aeration of <i>Melilotus siculus</i> submerged in saline water. <i>Plant, Cell and Environment</i> , 2014 , 37, 2339-49	8.4	12
62	Partial versus complete submergence: snorkelling aids root aeration in <i>Rumex palustris</i> but not in <i>R. acetosa</i> . <i>Plant, Cell and Environment</i> , 2014 , 37, 2381-90	8.4	20
61	Underwater Photosynthesis and Internal Aeration of Submerged Terrestrial Wetland Plants. <i>Plant Cell Monographs</i> , 2014 , 315-327	0.6	0
60	Shoot atmospheric contact is of little importance to aeration of deeper portions of the wetland plant <i>Meionectes brownii</i> ; submerged organs mainly acquire O ₂ from the water column or produce it endogenously in underwater photosynthesis. <i>Plant, Cell and Environment</i> , 2013 , 36, 213-23	8.4	14
59	Internal aeration of paddy field rice (<i>Oryza sativa</i>) during complete submergence---importance of light and floodwater O ₂ . <i>New Phytologist</i> , 2013 , 197, 1193-1203	9.8	78
58	Two <i>Rumex</i> species from contrasting hydrological niches regulate flooding tolerance through distinct mechanisms. <i>Plant Cell</i> , 2013 , 25, 4691-707	11.6	101
57	Oxygen dynamics in a salt-marsh soil and in <i>Suaeda maritima</i> during tidal submergence. <i>Environmental and Experimental Botany</i> , 2013 , 92, 73-82	5.9	29
56	Underwater photosynthesis of submerged plants - recent advances and methods. <i>Frontiers in Plant Science</i> , 2013 , 4, 140	6.2	138
55	Stable isotopes reveal that chironomids occupy several trophic levels within West Greenland lakes: Implications for food web studies. <i>Limnology and Oceanography</i> , 2013 , 58, 1023-1034	4.8	24
54	Elevated alkalinity and sulfate adversely affect the aquatic macrophyte <i>Lobelia dortmanna</i> . <i>Aquatic Ecology</i> , 2012 , 46, 283-295	1.9	7
53	Improved prediction of vegetation composition in NW European softwater lakes by combining location, water and sediment chemistry. <i>Aquatic Sciences</i> , 2012 , 74, 351-360	2.5	10
52	Root aeration via aerenchymatous phellem: three-dimensional micro-imaging and radial O ₂ profiles in <i>Melilotus siculus</i> . <i>New Phytologist</i> , 2012 , 193, 420-31	9.8	49
51	Groundwater seepage stimulates the growth of aquatic macrophytes. <i>Freshwater Biology</i> , 2012 , 57, 907-921	3.21	19
50	Physical gills prevent drowning of many wetland insects, spiders and plants. <i>Journal of Experimental Biology</i> , 2012 , 215, 705-9	3	34
49	Leaf gas films of <i>Spartina anglica</i> enhance rhizome and root oxygen during tidal submergence. <i>Plant, Cell and Environment</i> , 2011 , 34, 2083-92	8.4	47

48	Influence of quantity and lability of sediment organic matter on the biomass of two isoetids, <i>Littorella uniflora</i> and <i>Echinodorus repens</i> . <i>Freshwater Biology</i> , 2011 , 56, 939-951	3.1	25
47	Crassulacean acid metabolism enhances underwater photosynthesis and diminishes photorespiration in the aquatic plant <i>Isoetes australis</i> . <i>New Phytologist</i> , 2011 , 190, 332-9	9.8	34
46	Aquatic adventitious roots of the wetland plant <i>Meionectes brownii</i> can photosynthesize: implications for root function during flooding. <i>New Phytologist</i> , 2011 , 190, 311-9	9.8	24
45	Natural variation of submergence tolerance among <i>Arabidopsis thaliana</i> accessions. <i>New Phytologist</i> , 2011 , 190, 299-310	9.8	87
44	Molecular characterization of the submergence response of the <i>Arabidopsis thaliana</i> ecotype Columbia. <i>New Phytologist</i> , 2011 , 190, 457-71	9.8	144
43	A perspective on underwater photosynthesis in submerged terrestrial wetland plants. <i>AoB PLANTS</i> , 2011 , 2011, plr030	2.9	60
42	In situ O ₂ dynamics in submerged <i>Isoetes australis</i> : varied leaf gas permeability influences underwater photosynthesis and internal O ₂ . <i>Journal of Experimental Botany</i> , 2011 , 62, 4691-700	7	33
41	Submergence tolerance in <i>Hordeum marinum</i> : dissolved CO ₂ determines underwater photosynthesis and growth. <i>Functional Plant Biology</i> , 2010 , 37, 524	2.7	16
40	Species pool versus site limitations of macrophytes in urban waters. <i>Aquatic Sciences</i> , 2010 , 72, 379-389	2.5	10
39	Tolerance of combined submergence and salinity in the halophytic stem-succulent <i>Tecticornia pergranulata</i> . <i>Annals of Botany</i> , 2009 , 103, 303-12	4.1	27
38	Sulfide intrusion in the tropical seagrasses <i>Thalassia testudinum</i> and <i>Syringodium filiforme</i> . <i>Estuarine, Coastal and Shelf Science</i> , 2009 , 85, 319-326	2.9	32
37	Surviving floods: leaf gas films improve O ₂ and CO ₂ exchange, root aeration, and growth of completely submerged rice. <i>Plant Journal</i> , 2009 , 58, 147-56	6.9	111
36	Using Reefcheck Monitoring Database to Develop the Coral Reef Index of Biological Integrity. <i>Journal of Fisheries and Aquatic Science</i> , 2009 , 4, 90-102	0	2
35	Underwater photosynthesis and respiration in leaves of submerged wetland plants: gas films improve CO ₂ and O ₂ exchange. <i>New Phytologist</i> , 2008 , 177, 918-926	9.8	138
34	Oxygen dynamics in submerged rice (<i>Oryza sativa</i>). <i>New Phytologist</i> , 2008 , 178, 326-334	9.8	121
33	Respiration of midges (Diptera; Chironomidae) in British Columbian lakes: oxy-regulation, temperature and their role as palaeo-indicators. <i>Freshwater Biology</i> , 2008 , 53, 593-602	3.1	64
32	Submergence-induced leaf acclimation in terrestrial species varying in flooding tolerance. <i>New Phytologist</i> , 2007 , 176, 337-345	9.8	57
31	Microsensor for in situ flow measurements in benthic boundary layers at submillimeter resolution with extremely slow flow. <i>Limnology and Oceanography: Methods</i> , 2007 , 5, 185-191	2.6	8

30	Oxygen Movement in Seagrasses 2007 , 255-270		2
29	Sulfur cycling and sulfide intrusion in mixed Southeast Asian tropical seagrass meadows. <i>Botanica Marina</i> , 2006 , 49,	1.8	33
28	Increased CO ₂ in the water around <i>Littorella uniflora</i> raises the sediment O ₂ concentration. <i>Aquatic Botany</i> , 2006 , 84, 294-300	1.8	7
27	Oxygen dynamics during submergence in the halophytic stem succulent <i>Halosarcia pergranulata</i> . <i>Plant, Cell and Environment</i> , 2006 , 29, 1388-99	8.4	58
26	A multidisciplinary approach to understanding the recent and historical occurrence of the freshwater plant, <i>Littorella uniflora</i> . <i>Freshwater Biology</i> , 2006 , 51, 865-877	3.1	34
25	Flow velocity affects internal oxygen conditions in the seagrass <i>Cymodocea nodosa</i> . <i>Aquatic Botany</i> , 2005 , 83, 239-247	1.8	40
24	The potential role of plant oxygen and sulphide dynamics in die-off events of the tropical seagrass, <i>Thalassia testudinum</i> . <i>Journal of Ecology</i> , 2005 , 93, 148-158	6	222
23	Nutrient concentrations in a <i>Littorella uniflora</i> community at higher CO ₂ concentrations and reduced light intensities. <i>Freshwater Biology</i> , 2005 , 50, 1178-1189	3.1	16
22	Contrasting oxygen dynamics in the freshwater isoetid <i>Lobelia dortmanna</i> and the marine seagrass <i>Zostera marina</i> . <i>Annals of Botany</i> , 2005 , 96, 613-23	4.1	77
21	Sulphide intrusion in eelgrass (<i>Zostera marina</i> L.). <i>Plant, Cell and Environment</i> , 2004 , 27, 595-602	8.4	181
20	Acclimation of a terrestrial plant to submergence facilitates gas exchange under water. <i>Plant, Cell and Environment</i> , 2004 , 27, 1281-1287	8.4	73
19	Chironomids (Diptera) and oxy-regulatory capacity: An experimental approach to paleolimnological interpretation. <i>Limnology and Oceanography</i> , 2004 , 49, 1549-1559	4.8	87
18	Meristematic oxygen variability in eelgrass (<i>Zostera marina</i>). <i>Limnology and Oceanography</i> , 2003 , 48, 210-216	4.8	175
17	Sustainable management of shellfish resources in Bandon Bay, Gulf of Thailand. <i>Journal of Coastal Conservation</i> , 2003 , 9, 135	1.9	12
16	Interactions between light and CO ₂ enhance the growth of <i>Riccia fluitans</i> . <i>Hydrobiologia</i> , 2002 , 477, 163-170	2.0	20
15	Velocity gradients and turbulence around macrophyte stands in streams. <i>Freshwater Biology</i> , 1999 , 42, 315-328	3.1	123
14	Microsensor analysis of oxygen and pH in the rice rhizosphere under field and laboratory conditions. <i>Biology and Fertility of Soils</i> , 1999 , 29, 379-385	6.1	130
13	Oxygen dynamics in the rhizosphere of <i>Cymodocea rotundata</i> . <i>Marine Ecology - Progress Series</i> , 1998 , 169, 283-288	2.6	141

12	Regulation and role of photosynthesis in the colonial symbiotic ciliate <i>Ophrydium versatile</i> . <i>Limnology and Oceanography</i> , 1997 , 42, 866-873	4.8	8
11	Macrophyte development and resuspension regulate the photosynthesis and production of benthic microalgae. <i>Hydrobiologia</i> , 1997 , 350, 1-11	2.4	23
10	Through-flow of water in leaves of a submerged plant is influenced by the apical opening. <i>Planta</i> , 1997 , 202, 43-50	4.7	26
9	Transpiration does not control growth and nutrient supply in the amphibious plant <i>Mentha aquatica</i> . <i>Plant, Cell and Environment</i> , 1997 , 20, 117-123	8.4	29
8	Diel Pulses of O ₂ and CO ₂ in Sandy Lake Sediments Inhabited by <i>Lobelia Dortmanna</i> . <i>Ecology</i> , 1995 , 76, 1536-1545	4.6	98
7	Size dependence of composition, photosynthesis and growth in the colony-forming freshwater ciliate, <i>Ophrydium versatile</i> . <i>Freshwater Biology</i> , 1994 , 31, 121-130	3.1	7
6	Acropetal Water Transport in Submerged Plants. <i>Botanica Acta</i> , 1994 , 107, 61-65		27
5	Water transport in submerged macrophytes. <i>Aquatic Botany</i> , 1993 , 44, 385-406	1.8	49
4	Long-Distance Water Transport in Aquatic Plants. <i>Plant Physiology</i> , 1993 , 103, 1369-1375	6.6	51
3	Adaptations of Submerged <i>Lobelia dortmanna</i> to Aerial Life Form: Morphology, Carbon Sources and Oxygen Dynamics. <i>Oikos</i> , 1992 , 65, 89	4	42
2	Oxygen Movement in Seagrasses 255-270		26
1	Irradiance, Water Column O ₂ , and Tide Drive Internal O ₂ Dynamics and Meristem H ₂ S Detection in the Dominant Caribbean-Tropical Atlantic Seagrass, <i>Thalassia testudinum</i> . <i>Estuaries and Coasts</i> , 1	2.8	1