

David Gunnell

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/2792014/publications.pdf](https://exaly.com/author-pdf/2792014/publications.pdf)

Version: 2024-02-01

425
papers

57,928
citations

2298

95
h-index

1117

225
g-index

464
all docs

464
docs citations

464
times ranked

59872
citing authors

#	ARTICLE	IF	CITATIONS
1	Suicidal Ideation and Behavior Among Mexican University Students Before and During the COVID-19 Pandemic. <i>Archives of Suicide Research</i> , 2024, 28, 342-357.	2.6	3
2	Understanding Suicide Clusters Through Exploring Self-Harm Behaviors. <i>Crisis</i> , 2024, 45, 180-186.	1.5	0
3	Student mental health support: A qualitative evaluation of new well-being services at a UK university. <i>Journal of Further and Higher Education</i> , 2024, 48, 372-387.	2.4	2
4	Non-suicidal self-harm: an evolving epidemiology. <i>Psychological Medicine</i> , 2023, 53, 283-283.	5.1	2
5	Societal factors and psychological distress indicators associated with the recent rise in youth suicide in Taiwan: A time trend analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2023, 57, 537-549.	2.7	7
6	Can We See an End in Sight? How the COVID-19 Pandemic May Influence Suicide Risk. <i>Crisis</i> , 2023, 44, 458-469.	1.5	5
7	The Impact of the COVID-19 Pandemic on Calls to a National Suicide Prevention Hotline in Taiwan: An Analysis of Time Trend and Characteristics of Calls. <i>Archives of Suicide Research</i> , 2023, 27, 1245-1260.	2.6	2
8	The Impact of the COVID-19 Pandemic and Lockdowns on Self-Poisoning and Suicide in Sri Lanka: An Interrupted Time Series Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 1833.	2.7	10
9	A Public Health, Whole-of-Government Approach to National Suicide Prevention Strategies. <i>Crisis</i> , 2023, 44, 85-92.	1.5	16
10	Space-time self-harm and suicide clusters in two cities in Taiwan. <i>Epidemiology and Psychiatric Sciences</i> , 2023, 32, .	4.0	3
11	Perinatal adversity profiles and suicide attempt in adolescence and young adulthood: longitudinal analyses from two 20-year birth cohort studies. <i>Psychological Medicine</i> , 2022, 52, 1255-1267.	5.1	15
12	Domestic violence and self-poisoning in Sri Lanka. <i>Psychological Medicine</i> , 2022, 52, 1183-1191.	5.1	14
13	Childhood adversity, pubertal timing and self-harm: a longitudinal cohort study. <i>Psychological Medicine</i> , 2022, 52, 3807-3815.	5.1	5
14	Characteristics of Survivors of Suicide Seeking Counseling From an NGO in Denmark: Analyses of a National Database. <i>Archives of Suicide Research</i> , 2022, 26, 1362-1377.	2.6	4
15	Method-Specific Suicide Rates and Accessibility of Means. <i>Crisis</i> , 2022, 43, 375-384.	1.5	4
16	The early impact of paraquat ban on suicide in Taiwan. <i>Clinical Toxicology</i> , 2022, 60, 131-135.	1.7	16
17	Understanding suicide clusters through exploring self-harm: Semi-structured interviews with individuals presenting with near-fatal self-harm during a suicide cluster. <i>Social Science and Medicine</i> , 2022, 292, 114566.	4.0	7
18	Barriers to students opting-in to universities notifying emergency contacts when serious mental health concerns emerge: A UK mixed methods analysis of policy preferences. <i>Journal of Affective Disorders Reports</i> , 2022, 7, 100289.	1.8	4

#	ARTICLE	IF	CITATIONS
19	Self-harm and suicide during and after opioid agonist treatment among primary care patients in England: a cohort study. <i>Lancet Psychiatry</i> , 2022, 9, 151-159.	7.5	6
20	An ecological study of temporal trends in "deaths of despair"™ in England and Wales. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1135-1144.	3.3	10
21	Clinical and psychosocial factors associated with domestic violence among men and women in Kandy, Sri Lanka. <i>PLOS Global Public Health</i> , 2022, 2, e0000129.	1.5	3
22	Suicide in India during the first year of the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2022, 307, 215-220.	4.2	32
23	SARS-CoV-2 Infection and the Risk of Suicidal and Self-Harm Thoughts and Behaviour: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2022, 67, 813-828.	2.2	6
24	Suicide and self-harm in low- and middle- income countries during the COVID-19 pandemic: A systematic review. <i>PLOS Global Public Health</i> , 2022, 2, e0000282.	1.5	28
25	The impact of the COVID-19 pandemic on student mental health and wellbeing in UK university students: a multiyear cross-sectional analysis. <i>Journal of Mental Health</i> , 2022, 31, 597-604.	2.2	13
26	Midlife suicide: A systematic review and meta-analysis of socioeconomic, psychiatric and physical health risk factors. <i>Journal of Psychiatric Research</i> , 2022, 154, 233-241.	3.2	18
27	Has the COVID-19 pandemic influenced suicide rates differentially according to socioeconomic indices and ethnicity? More evidence is needed globally. <i>Epidemiology and Psychiatric Sciences</i> , 2022, 31, .	4.0	11
28	Interventions for self-harm in children and adolescents. <i>The Cochrane Library</i> , 2021, 2021, CD012013.	2.8	149
29	Pharmacological interventions for self-harm in adults. <i>The Cochrane Library</i> , 2021, 2021, CD011777.	2.8	47
30	Psychosocial interventions for self-harm in adults. <i>The Cochrane Library</i> , 2021, 2021, CD012189.	2.8	149
31	Changes in method specific suicide following a national pesticide ban in India (2011-2014). <i>Journal of Affective Disorders</i> , 2021, 278, 592-600.	4.2	19
32	Risk of neuropsychiatric and cardiovascular adverse events following treatment with varenicline and nicotine replacement therapy in the UK Clinical Practice Research Datalink: a case-control study. <i>Addiction</i> , 2021, 116, 1532-1545.	4.8	6
33	Evidence for an association between inflammatory markers and suicide: a cohort study based on 359,849 to 462,747 Taiwanese adults. <i>Journal of Affective Disorders</i> , 2021, 281, 967-971.	4.2	10
34	Childhood cognitive skill trajectories and suicide by mid-adulthood: an investigation of the 1958 British Birth Cohort. <i>Psychological Medicine</i> , 2021, 51, 400-407.	5.1	8
35	Is being a 'left-behind' child associated with an increased risk of self-poisoning in adulthood? Findings from a case-control study in Sri Lanka. <i>BMJ Global Health</i> , 2021, 6, e003734.	5.4	1
36	Comorbidity of self-harm and disordered eating in young people: Evidence from a UK population-based cohort. <i>Journal of Affective Disorders</i> , 2021, 282, 386-390.	4.2	20

#	ARTICLE	IF	CITATIONS
37	Mental health of children and young people during pandemic. <i>BMJ</i> , The, 2021, 372, n614.	7.5	146
38	An exploration of the genetic epidemiology of non-suicidal self-harm and suicide attempt. <i>BMC Psychiatry</i> , 2021, 21, 207.	2.6	13
39	Suicide Deaths in University Students in a UK City Between 2010 and 2018 – Case Series. <i>Crisis</i> , 2021, 42, 171-178.	1.5	7
40	Pesticide surveillance and deaths by suicide. <i>The Lancet Global Health</i> , 2021, 9, e738-e739.	6.2	4
41	Comorbidity of self-harm and disordered eating in young people: evidence from a UK population-based cohort. <i>BJPsych Open</i> , 2021, 7, S9-S9.	0.7	0
42	School-based interventions to prevent anxiety, depression and conduct disorder in children and young people: a systematic review and network meta-analysis. <i>Public Health Research</i> , 2021, 9, 1-284.	1.4	12
43	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. <i>Lancet Psychiatry</i> , the, 2021, 8, 579-588.	7.5	514
44	713 Domestic violence and self-poisoning in Sri Lanka. <i>International Journal of Epidemiology</i> , 2021, 50, .	2.0	1
45	Hospital presentations for self-poisoning during COVID-19 in Sri Lanka: an interrupted time-series analysis. <i>Lancet Psychiatry</i> , the, 2021, 8, 892-900.	7.5	33
46	Is Google Trends a useful tool for tracking mental and social distress during a public health emergency? A time-series analysis. <i>Journal of Affective Disorders</i> , 2021, 294, 737-744.	4.2	20
47	Accuracy of individual and combined risk-scale items in the prediction of repetition of self-harm: multicentre prospective cohort study. <i>BJPsych Open</i> , 2021, 7, e2.	0.7	5
48	An intervention to improve teacher well-being support and training to support students in UK high schools (the WISE study): A cluster randomised controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003847.	8.2	15
49	Mental health support and training to improve secondary school teachers'™ well-being: the WISE cluster RCT. <i>Public Health Research</i> , 2021, 9, 1-138.	1.4	4
50	Child suicide rates during the COVID-19 pandemic in England. <i>Journal of Affective Disorders Reports</i> , 2021, 6, 100273.	1.8	27
51	Systematic review of the impact of the COVID-19 pandemic on suicidal behaviour amongst health and social care workers across the world. <i>Journal of Affective Disorders Reports</i> , 2021, 6, 100271.	1.8	16
52	Evaluation of the impact and implementation of a national clinical programme for the management of self-harm in hospital emergency departments: study protocol for a natural experiment. <i>BMJ Open</i> , 2021, 11, e055962.	2.1	1
53	Psychosocial Interventions for People Who Self-Harm: Methodological Issues Involved in Trials to Evaluate Effectiveness. <i>Archives of Suicide Research</i> , 2020, 24, S32-S93.	2.6	17
54	The case for case-control studies in the field of suicide prevention. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e62.	4.0	16

#	ARTICLE	IF	CITATIONS
55	Prevention of suicide and reduction of self-harm among people with substance use disorder: A systematic review and meta-analysis of randomised controlled trials. <i>Comprehensive Psychiatry</i> , 2020, 96, 152135.	3.2	26
56	The incidence of suicide in University students in England and Wales 2000/2001â€“2016/2017: Record linkage study. <i>Journal of Affective Disorders</i> , 2020, 261, 113-120.	4.2	41
57	How many premature deaths from pesticide suicide have occurred since the agricultural Green Revolution?. <i>Clinical Toxicology</i> , 2020, 58, 227-232.	1.7	93
58	Timing of menarche and self-harm in adolescence and adulthood: a population-based cohort study. <i>Psychological Medicine</i> , 2020, 50, 2010-2018.	5.1	20
59	Trends in mental health, non-suicidal self-harm and suicide attempts in 16â€“24-year old students and non-students in England, 2000â€“2014. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 125-128.	3.3	46
60	Preventing suicide through pesticide regulation. <i>Lancet Psychiatry</i> , the, 2020, 7, 9-11.	7.5	28
61	Pubertal timing and self-harm: a prospective cohort analysis of males and females. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e170.	4.0	8
62	Exploring the Effects of Cigarette Smoking on Inflammatory Bowel Disease Using Mendelian Randomization. <i>Crohn's & Colitis</i> 360, 2020, 2, otaa018.	1.2	9
63	Factors associated with purchasing pesticide from shops for intentional self-poisoning in Sri Lanka. <i>Tropical Medicine and International Health</i> , 2020, 25, 1198-1204.	2.0	7
64	Gender difference in suicide in Taiwan over a century: a time trend analysis in 1905â€“1940 and 1959â€“2012. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 898-906.	3.9	2
65	Trends in suicide during the covid-19 pandemic. <i>BMJ</i> , The, 2020, 371, m4352.	7.5	196
66	Long-term impact of the expansion of a hospital liaison psychiatry service on patient care and costs following emergency department attendances for self-harm. <i>BJPsych Open</i> , 2020, 6, e34.	0.7	6
67	Contacts with primary and secondary healthcare prior to suicide: caseâ€“control whole-population-based study using person-level linked routine data in Wales, UK, 2000â€“2017. <i>British Journal of Psychiatry</i> , 2020, 217, 717-724.	3.4	46
68	Prospective associations between internet use and poor mental health: A population-based study. <i>PLoS ONE</i> , 2020, 15, e0235889.	2.5	18
69	Delivery of a Mental Health First Aid training package and staff peer support service in secondary schools: a process evaluation of uptake and fidelity of the WISE intervention. <i>Trials</i> , 2020, 21, 745.	1.6	5
70	Investigating evidence for a causal association between inflammation and self-harm: A multivariable Mendelian Randomisation study. <i>Brain, Behavior, and Immunity</i> , 2020, 89, 43-50.	6.2	22
71	Social media use, economic recession and income inequality in relation to trends in youth suicide in high-income countries: a time trends analysis. <i>Journal of Affective Disorders</i> , 2020, 275, 58-65.	4.2	38
72	Spatial patterning and correlates of self-harm in Manchester, England â€“ CORRIGENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, .	4.0	1

#	ARTICLE	IF	CITATIONS
73	Online help for people with suicidal thoughts provided by charities and healthcare organisations: a qualitative study of users' perceptions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1157-1166.	3.3	12
74	Suicide and the media: reporting could cost lives. <i>BMJ</i> , 2020, 368, m870.	7.5	3
75	Spatial patterning and correlates of self-harm in Manchester, England. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e72.	4.0	12
76	Suicide by pesticide poisoning in India: a review of pesticide regulations and their impact on suicide trends. <i>BMC Public Health</i> , 2020, 20, 251.	3.0	123
77	Suicide risk and prevention during the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020, 7, 468-471.	7.5	1,119
78	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: update of living systematic review. <i>F1000Research</i> , 2020, 9, 1097.	1.6	131
79	Suicide Research, Prevention, and COVID-19. <i>Crisis</i> , 2020, 41, 321-330.	1.5	100
80	Factors explaining variation in recommended care pathways following hospital-presenting self-harm: a multilevel national registry study. <i>BJPsych Open</i> , 2020, 6, e145.	0.7	13
81	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. <i>F1000Research</i> , 2020, 9, 1097.	1.6	147
82	Mapping population mental health concerns related to COVID-19 and the consequences of physical distancing: a Google trends analysis. <i>Wellcome Open Research</i> , 2020, 5, 82.	1.8	84
83	Mapping population mental health concerns related to COVID-19 and the consequences of physical distancing: a Google trends analysis. <i>Wellcome Open Research</i> , 2020, 5, 82.	1.8	75
84	Childhood adversity and self-poisoning: A hospital case control study in Sri Lanka. <i>PLoS ONE</i> , 2020, 15, e0242437.	2.5	11
85	Suicide among ambulance service staff: a review of coroner and employment records. <i>British Paramedic Journal</i> , 2020, 4, 10-15.	0.8	10
86	Impact of Pandemic on Suicide. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	2.2	17
87	Suicide and Happiness. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	2.2	3
88	Is teachers' mental health and wellbeing associated with students' mental health and wellbeing?. <i>Journal of Affective Disorders</i> , 2019, 242, 180-187.	4.2	183
89	Suicide by hanging is a priority for suicide prevention: method specific suicide in India (2001-2014). <i>Journal of Affective Disorders</i> , 2019, 257, 1-9.	4.2	33
90	Risk of suicide and repeat self-harm after hospital attendance for non-fatal self-harm in Sri Lanka: a cohort study. <i>Lancet Psychiatry</i> , 2019, 6, 659-666.	7.5	46

#	ARTICLE	IF	CITATIONS
91	New standard of proof for suicide at inquests in England and Wales. <i>BMJ: British Medical Journal</i> , 2019, 366, l4745.	5.6	13
92	School-based interventions to prevent anxiety and depression in children and young people: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2019, 6, 1011-1020.	7.5	177
93	Pathways between early life adversity and adolescent self-harm: the mediating role of inflammation in the Avon Longitudinal Study of Parents and Children. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 1094-1103.	6.1	44
94	Rising suicide rates among adolescents in England and Wales. <i>Lancet</i> , 2019, 394, 116-117.	11.9	76
95	Advance decisions to refuse treatment and suicidal behaviour in emergency care: "it's very much a step into the unknown". <i>BJPsych Open</i> , 2019, 5, e50.	0.7	3
96	Prevalence of non-suicidal self-harm and service contact in England, 2000-14: repeated cross-sectional surveys of the general population. <i>Lancet Psychiatry</i> , 2019, 6, 573-581.	7.5	287
97	In-utero and perinatal influences on suicide risk: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2019, 6, 477-492.	7.5	48
98	Is teachers' mental health and wellbeing associated with students' mental health and wellbeing?. <i>Journal of Affective Disorders</i> , 2019, 253, 460-466.	4.2	32
99	Predictors of future suicide attempt among adolescents with suicidal thoughts or non-suicidal self-harm: a population-based birth cohort study. <i>Lancet Psychiatry</i> , 2019, 6, 327-337.	7.5	296
100	Management of patients with an advance decision and suicidal behaviour: a systematic review. <i>BMJ Open</i> , 2019, 9, e023978.	2.1	12
101	Occupation-specific suicide risk in England: 2011-2015. <i>British Journal of Psychiatry</i> , 2019, 215, 594-599.	3.4	53
102	Risk assessment scales to predict risk of hospital treated repeat self-harm: A cost-effectiveness modelling analysis. <i>Journal of Affective Disorders</i> , 2019, 249, 208-215.	4.2	8
103	Prevalence and correlates of domestic violence among people seeking treatment for self-harm: data from a regional self-harm register. <i>Emergency Medicine Journal</i> , 2019, 36, 407-409.	2.0	8
104	The relationship between physical activity, mental wellbeing and symptoms of mental health disorder in adolescents: a cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 138.	4.5	126
105	Suicide and suicide risk. <i>Nature Reviews Disease Primers</i> , 2019, 5, 74.	18.4	524
106	Suicide deaths by gas inhalation in Toronto: An observational study of emerging methods of suicide. <i>Journal of Affective Disorders</i> , 2019, 243, 226-231.	4.2	7
107	Spatial patterning, correlates, and inequality in suicide across 432 neighborhoods in Taipei City, Taiwan. <i>Social Science and Medicine</i> , 2019, 222, 20-34.	4.0	28
108	Association of birth order with adolescent mental health and suicide attempts: a population-based longitudinal study. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 1079-1086.	5.0	19

#	ARTICLE	IF	CITATIONS
109	Relative toxicity of analgesics commonly used for intentional self-poisoning: A study of case fatality based on fatal and non-fatal overdoses. <i>Journal of Affective Disorders</i> , 2019, 246, 814-819.	4.2	14
110	Are left-behind families of migrant workers at increased risk of attempted suicide? â€œ a cohort study of 178,000+ individuals in Sri Lanka. <i>BMC Psychiatry</i> , 2019, 19, 25.	2.6	9
111	What distinguishes adolescents with suicidal thoughts from those who have attempted suicide? A population-based birth cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 91-99.	6.1	121
112	Banning paraquat would prevent nearly 200 deaths from suicide per year in Taiwan. <i>Taiwanese Journal of Psychiatry</i> , 2019, 33, 119.	0.2	4
113	Treatment as usual (TAU) as a control condition in trials of cognitive behavioural-based psychotherapy for self-harm: Impact of content and quality on outcomes in a systematic review. <i>Journal of Affective Disorders</i> , 2018, 235, 434-447.	4.2	24
114	Relative toxicity of benzodiazepines and hypnotics commonly used for self-poisoning: An epidemiological study of fatal toxicity and case fatality. <i>Journal of Psychopharmacology</i> , 2018, 32, 654-662.	4.1	26
115	Psychosocial characteristics as potential predictors of suicide in adults: an overview of the evidence with new results from prospective cohort studies. <i>Translational Psychiatry</i> , 2018, 8, 22.	4.9	98
116	Confounding by ill health in the observed association between BMI and mortality: evidence from the HUNT Study using offspring BMI as an instrument. <i>International Journal of Epidemiology</i> , 2018, 47, 760-770.	2.0	22
117	Vendor-based restrictions on pesticide sales to prevent pesticide self-poisoning - a pilot study. <i>BMC Public Health</i> , 2018, 18, 272.	3.0	14
118	A cluster randomised controlled trial of the Wellbeing in Secondary Education (WISE) Project â€œ an intervention to improve the mental health support and training available to secondary school teachers: protocol for an integrated process evaluation. <i>Trials</i> , 2018, 19, 270.	1.6	61
119	Natural environments and suicide. <i>Lancet Planetary Health</i> , The, 2018, 2, e109-e110.	10.8	8
120	Autistic Traits and Suicidal Thoughts, Plans, and Self-Harm in Late Adolescence: Population-Based Cohort Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 313-320.e6.	0.6	57
121	Navigating an unfamiliar world: how parents of young people who self-harm experience support and treatment. <i>Child and Adolescent Mental Health</i> , 2018, 23, 78-84.	4.7	21
122	Suicide and Self-Harm Related Internet Use. <i>Crisis</i> , 2018, 39, 469-478.	1.5	32
123	Mental health in medical, dentistry and veterinary students: cross-sectional online survey. <i>BJPsych Open</i> , 2018, 4, 441-446.	0.7	63
124	Relative toxicity of mood stabilisers and antipsychotics: case fatality and fatal toxicity associated with self-poisoning. <i>BMC Psychiatry</i> , 2018, 18, 399.	2.6	25
125	Personality traits and risk of suicide mortality: findings from a multi-cohort study in the general population. <i>World Psychiatry</i> , 2018, 17, 371-372.	9.5	18
126	Adolescent mental health in crisis. <i>BMJ: British Medical Journal</i> , 2018, 361, k2608.	5.6	120

#	ARTICLE	IF	CITATIONS
127	Accuracy of risk scales for predicting repeat self-harm and suicide: a multicentre, population-level cohort study using routine clinical data. <i>BMC Psychiatry</i> , 2018, 18, 113.	2.6	65
128	Using the internet for suicide-related purposes: Contrasting findings from young people in the community and self-harm patients admitted to hospital. <i>PLoS ONE</i> , 2018, 13, e0197712.	2.5	41
129	Individual-, family-, and school-level interventions targeting multiple risk behaviours in young people. <i>The Cochrane Library</i> , 2018, 2018, CD009927.	2.8	82
130	Potential Interventions for Preventing Pesticide Self-Poisoning by Restricting Access Through Vendors in Sri Lanka. <i>Crisis</i> , 2018, 39, 479-488.	1.5	10
131	Making Sense of an Unknown Terrain. <i>Qualitative Health Research</i> , 2017, 27, 215-225.	2.1	30
132	Regional variation in suicide rates in Sri Lanka between 1955 and 2011: a spatial and temporal analysis. <i>BMC Public Health</i> , 2017, 17, 193.	3.0	32
133	Prevalence and patterns of antidepressant switching amongst primary care patients in the UK. <i>Journal of Psychopharmacology</i> , 2017, 31, 553-560.	4.1	19
134	The global burden of fatal self-poisoning with pesticides 2006-15: Systematic review. <i>Journal of Affective Disorders</i> , 2017, 219, 93-104.	4.2	352
135	How do smoking cessation medicines compare with respect to their neuropsychiatric safety? A protocol for a systematic review, network meta-analysis and cost-effectiveness analysis. <i>BMJ Open</i> , 2017, 7, e015414.	2.1	4
136	Predictive accuracy of risk scales following self-harm: Multicentre, prospective cohort study. <i>British Journal of Psychiatry</i> , 2017, 210, 429-436.	3.4	97
137	Prevention of suicide with regulations aimed at restricting access to highly hazardous pesticides: a systematic review of the international evidence. <i>The Lancet Global Health</i> , 2017, 5, e1026-e1037.	6.2	165
138	Extending the liaison psychiatry service in a large hospital in the UK: a before and after evaluation of the economic impact and patient care following ED attendances for self-harm. <i>BMJ Open</i> , 2017, 7, e016906.	2.1	20
139	Effectiveness of household lockable pesticide storage to reduce pesticide self-poisoning in rural Asia: a community-based, cluster-randomised controlled trial. <i>Lancet</i> , 2017, 390, 1863-1872.	11.9	78
140	Preventing deaths from pesticide self-poisoning—learning from Sri Lanka's success. <i>The Lancet Global Health</i> , 2017, 5, e651-e652.	6.2	66
141	Suicide by pesticide poisoning remains a priority for suicide prevention in China: Analysis of national mortality trends 2006–2013. <i>Journal of Affective Disorders</i> , 2017, 208, 418-423.	4.2	123
142	Influences on antidepressant prescribing trends in the UK: 1995–2011. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 193-200.	3.3	125
143	Socioeconomic deprivation and the clinical management of self-harm: a small area analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1475-1481.	3.3	10
144	Newspaper Reporting on a Cluster of Suicides in the UK. <i>Crisis</i> , 2017, 38, 17-25.	1.5	17

#	ARTICLE	IF	CITATIONS
145	Suicide prevention through means restriction: Impact of the 2008-2011 pesticide restrictions on suicide in Sri Lanka. <i>PLoS ONE</i> , 2017, 12, e0172893.	2.5	85
146	Psychosocial Assessment of Self-Harm Patients and Risk of Repeat Presentation: An Instrumental Variable Analysis Using Time of Hospital Presentation. <i>PLoS ONE</i> , 2016, 11, e0149713.	2.5	45
147	The association between characteristics of fathering in infancy and depressive symptoms in adolescence: A UK birth cohort study. <i>Child Abuse and Neglect</i> , 2016, 58, 119-128.	2.8	9
148	Suicide and self-harm related internet use in patients presenting to hospital with self-harm: a cross-sectional study. <i>Lancet, The</i> , 2016, 388, S2.	11.9	5
149	Economic Recession, Unemployment, and Suicide. , 2016, , 284-300.		20
150	Identifying and Tracking Gas Suicides in the U.S. Using the National Violent Death Reporting System, 2005â€”2012. <i>American Journal of Preventive Medicine</i> , 2016, 51, S219-S225.	3.1	15
151	6.147 IMPACT OF BIRTH ORDER ON CHILD SELF-HARM WITH SUICIDAL INTENT: A POPULATION-BASED LONGITUDINAL STUDY. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, S250-S251.	0.6	0
152	Analysis of trends in adolescent suicides and accidental deaths in England and Wales, 1972â€”2011. <i>British Journal of Psychiatry</i> , 2016, 209, 327-333.	3.4	6
153	Changes in parenting strategies after a young personâ€™s self-harm: a qualitative study. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2016, 10, 20.	2.7	19
154	Assessing the role of insulinâ€™like growth factors and binding proteins in prostate cancer using Mendelian randomization: Genetic variants as instruments for circulating levels. <i>International Journal of Cancer</i> , 2016, 139, 1520-1533.	5.3	29
155	Psychosocial interventions following self-harm in adults: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2016, 3, 740-750.	7.5	209
156	Sleep duration, sleep quality and coronary heart disease mortality. <i>International Journal of Cardiology</i> , 2016, 223, 534-535.	1.6	6
157	A pilot cluster randomised controlled trial of a support and training intervention to improve the mental health of secondary school teachers and students â€” the WISE (Wellbeing in Secondary) Tj ETQq1 1 0.784314 rgBT 39	1.0	10
158	Protocol for a cluster randomised controlled trial of an intervention to improve the mental health support and training available to secondary school teachers â€” the WISE (Wellbeing in Secondary) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.0	0
159	Unemployment and initiation of psychotropic medication: a case-crossover study of 2â€”348â€”552 Norwegian employees. <i>Occupational and Environmental Medicine</i> , 2016, 73, oemed-2016-103578.	3.3	13
160	Adolescent over-general memory, life events and mental health outcomes: Findings from a UK cohort study. <i>Memory</i> , 2016, 24, 348-363.	1.7	20
161	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. <i>JAMA Pediatrics</i> , 2016, 170, 267.	6.1	505
162	Self-reported sleep duration and coronary heart disease mortality: A large cohort study of 400,000 Taiwanese adults. <i>International Journal of Cardiology</i> , 2016, 207, 246-251.	1.6	55

#	ARTICLE	IF	CITATIONS
163	Impact of paraquat regulation on suicide in South Korea. <i>International Journal of Epidemiology</i> , 2016, 45, 470-479.	2.0	104
164	The impact of self-harm by young people on parents and families: a qualitative study. <i>BMJ Open</i> , 2016, 6, e009631.	2.1	71
165	Health and unemployment: 14 years of follow-up on job loss in the Norwegian HUNT Study. <i>European Journal of Public Health</i> , 2016, 26, 312-317.	0.3	53
166	Newspaper reporting and the emergence of charcoal burning suicide in Taiwan: A mixed methods approach. <i>Journal of Affective Disorders</i> , 2016, 193, 355-361.	4.2	21
167	Using Data Linkage to Investigate Inconsistent Reporting of Self-Harm and Questionnaire Non-Response. <i>Archives of Suicide Research</i> , 2016, 20, 113-141.	2.6	66
168	Suicide and the Internet: Changes in the accessibility of suicide-related information between 2007 and 2014. <i>Journal of Affective Disorders</i> , 2016, 190, 370-375.	4.2	62
169	Teachers' wellbeing and depressive symptoms, and associated risk factors: A large cross sectional study in English secondary schools. <i>Journal of Affective Disorders</i> , 2016, 192, 76-82.	4.2	197
170	Suicide. , 2016, , 163-181.		8
171	Authors'™ reply to Large. <i>BMJ, The</i> , 2016, 532, i268.	7.5	0
172	Association of socio-economic position and suicide/attempted suicide in low and middle income countries in South and South-East Asia " a systematic review. <i>BMC Public Health</i> , 2015, 15, 1055.	3.0	60
173	Psychosocial and pharmacological treatments for deliberate self harm. <i>The Cochrane Library</i> , 2015, 2015, CD001764.	2.8	27
174	Association of Body Mass Index with Depression, Anxiety and Suicide"An Instrumental Variable Analysis of the HUNT Study. <i>PLoS ONE</i> , 2015, 10, e0131708.	2.5	39
175	Risk factors associated with purchasing pesticide from shops for self-poisoning: a protocol for a population-based case"control study. <i>BMJ Open</i> , 2015, 5, e007822.	2.1	7
176	Characteristics of people dying by suicide after job loss, financial difficulties and other economic stressors during a period of recession (2010"2011): A review of coroners' records. <i>Journal of Affective Disorders</i> , 2015, 183, 98-105.	4.2	120
177	Prevalence and associated harm of engagement in self-asphyxial behaviours ("choking game"™) in young people: a systematic review. <i>Archives of Disease in Childhood</i> , 2015, 100, 1106-1114.	2.7	40
178	Suicide risk assessment and intervention in people with mental illness. <i>BMJ, The</i> , 2015, 351, h4978-h4978.	7.5	219
179	Risk of suicide for individuals reporting asthma and atopy in young adulthood: Findings from the Glasgow Alumni study. <i>Psychiatry Research</i> , 2015, 225, 364-367.	3.3	6
180	Economic shocks, resilience, and male suicides in the Great Recession: cross-national analysis of 20 EU countries. <i>European Journal of Public Health</i> , 2015, 25, 404-409.	0.3	98

#	ARTICLE	IF	CITATIONS
181	Self-reported school experience as a predictor of self-harm during adolescence: A prospective cohort study in the South West of England (ALSPAC). <i>Journal of Affective Disorders</i> , 2015, 173, 163-169.	4.2	47
182	Risk of neuropsychiatric adverse events associated with varenicline: systematic review and meta-analysis. <i>BMJ, The</i> , 2015, 350, h1109-h1109.	7.5	118
183	Factors influencing coroners' verdicts: an analysis of verdicts given in 12 coroners' districts to researcher-defined suicides in England in 2005. <i>Journal of Public Health</i> , 2015, 37, 157-165.	2.0	30
184	Economic recession and suicidal behaviour: Possible mechanisms and ameliorating factors. <i>International Journal of Social Psychiatry</i> , 2015, 61, 73-81.	3.3	139
185	The longitudinal association between psychotic experiences, depression and suicidal behaviour in a population sample of adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1809-1817.	3.3	43
186	Exposure to, and searching for, information about suicide and self-harm on the Internet: Prevalence and predictors in a population based cohort of young adults. <i>Journal of Affective Disorders</i> , 2015, 185, 239-245.	4.2	91
187	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 2287-2323.	11.9	2,274
188	Variations in the hospital management of self-harm and patient outcome: A multi-site observational study in England. <i>Journal of Affective Disorders</i> , 2015, 174, 101-105.	4.2	25
189	Predicting suicide in older adults – a community-based cohort study in Taipei City, Taiwan. <i>Journal of Affective Disorders</i> , 2015, 172, 165-170.	4.2	26
190	Suicide by gases in England and Wales 2001–2011: Evidence of the emergence of new methods of suicide. <i>Journal of Affective Disorders</i> , 2015, 170, 190-195.	4.2	57
191	The diffusion of a new method of suicide: charcoal-burning suicide in Hong Kong and Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 227-236.	3.3	38
192	A Population Health Perspective on Suicide Research and Prevention. <i>Crisis</i> , 2015, 36, 155-160.	1.5	21
193	Searching for Suicide Methods. <i>Crisis</i> , 2015, 36, 325-331.	1.5	26
194	Body Mass Index in Young Adulthood and Suicidal Behavior up to Age 59 in a Cohort of Swedish Men. <i>PLoS ONE</i> , 2014, 9, e101213.	2.5	19
195	A Contact-Based Intervention for People Recently Discharged from Inpatient Psychiatric Care: A Pilot Study. <i>Archives of Suicide Research</i> , 2014, 18, 131-143.	2.6	13
196	The Impact of a Celebrity's Suicide on the Introduction and Establishment of a New Method of Suicide in South Korea. <i>Archives of Suicide Research</i> , 2014, 18, 221-226.	2.6	36
197	Regional Changes in Charcoal-Burning Suicide Rates in East/Southeast Asia from 1995 to 2011: A Time Trend Analysis. <i>PLoS Medicine</i> , 2014, 11, e1001622.	8.2	79
198	Clinical and social outcomes of adolescent self harm: population based birth cohort study. <i>BMJ, The</i> , 2014, 349, g5954-g5954.	7.5	210

#	ARTICLE	IF	CITATIONS
199	Reporting of drug induced depression and fatal and non-fatal suicidal behaviour in the UK from 1998 to 2011. <i>BMC Pharmacology & Toxicology</i> , 2014, 15, 54.	2.3	43
200	Suicide and the 2008 economic recession: Who is most at risk? Trends in suicide rates in England and Wales 2001-2011. <i>Social Science and Medicine</i> , 2014, 117, 76-85.	4.0	129
201	Risk factors for suicidal thoughts in adolescence-a prospective cohort study: the Young-HUNT study. <i>BMJ Open</i> , 2014, 4, e005867.	2.1	58
202	Parental socio-economic position during childhood as a determinant of self-harm in adolescence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 193-203.	3.3	37
203	Factors associated with the development of self-harm amongst a socio-economically deprived cohort of adolescents in Santiago, Chile. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 629-637.	3.3	20
204	Differences in risk factors for self-harm with and without suicidal intent: Findings from the ALSPAC cohort. <i>Journal of Affective Disorders</i> , 2014, 168, 407-414.	4.2	121
205	Associations between APOE and low-density lipoprotein cholesterol genotypes and cognitive and physical capability: the HALCyon programme. <i>Age</i> , 2014, 36, 9673.	2.9	23
206	Suicidal behaviour across the African continent: a review of the literature. <i>BMC Public Health</i> , 2014, 14, 606.	3.0	144
207	Suicide in Sri Lanka 1975-2012: age, period and cohort analysis of police and hospital data. <i>BMC Public Health</i> , 2014, 14, 839.	3.0	71
208	Parental Suicide Attempt and Offspring Self-Harm and Suicidal Thoughts: Results From the Avon Longitudinal Study of Parents and Children (ALSPAC) Birth Cohort. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 509-517.e2.	0.6	38
209	IQ and adolescent self-harm behaviours in the ALSPAC birth cohort. <i>Journal of Affective Disorders</i> , 2014, 152-154, 175-182.	4.2	21
210	Childhood traumatic events and adolescent overgeneral autobiographical memory: Findings in a UK cohort. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 330-338.	1.3	18
211	Non-fatal repetition of self-harm in Taipei City, Taiwan: cohort study. <i>British Journal of Psychiatry</i> , 2014, 204, 376-382.	3.4	24
212	Sleep Problems and Hospitalization for Self-Harm: A 15-Year Follow-Up of 9,000 Norwegian Adolescents. <i>The Young-HUNT Study. Sleep</i> , 2014, 37, 579-585.	1.1	17
213	“When You’re in the Hospital, You’re in a Sort of Bubble.” <i>Crisis</i> , 2014, 35, 154-160.	1.5	30
214	Hospital Presenting Self-Harm and Risk of Fatal and Non-Fatal Repetition: Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e89944.	2.5	424
215	UK health performance: findings of the Global Burden of Disease Study 2010. <i>Lancet</i> , The, 2013, 381, 997-1020.	11.9	488
216	Genetic markers of bone and joint health and physical capability in older adults: the HALCyon programme. <i>Bone</i> , 2013, 52, 278-285.	3.0	7

#	ARTICLE	IF	CITATIONS
217	Insulin-like growth factors (IGFs) and IGF-binding proteins in active monitoring of localized prostate cancer: a population-based observational study. <i>Cancer Causes and Control</i> , 2013, 24, 39-45.	1.8	8
218	Being Bullied During Childhood and the Prospective Pathways to Self-Harm in Late Adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 608-618.e2.	0.6	130
219	Changing trends in the prevalence of common mental disorders in Taiwan: a 20-year repeated cross-sectional survey. <i>Lancet, The</i> , 2013, 381, 235-241.	11.9	112
220	Qualitative interviewing with vulnerable populations: Individuals'™ experiences of participating in suicide and self-harm based research. <i>Journal of Affective Disorders</i> , 2013, 145, 356-362.	4.2	112
221	Changes in commonly used methods of suicide in England and Wales from 1901'–1907 to 2001'–2007. <i>Journal of Affective Disorders</i> , 2013, 144, 235-239.	4.2	24
222	Suicide, recession, and unemployment '– Authors' reply. <i>Lancet, The</i> , 2013, 381, 722.	11.9	18
223	Physicians' prescribing preferences were a potential instrument for patients' actual prescriptions of antidepressants. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 1386-1396.	4.9	51
224	Sleep and suicide: an analysis of a cohort of 394,000 Taiwanese adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1457-1465.	3.3	61
225	Psychotic Experiences and Psychotic Disorders at Age 18 in Relation to Psychotic Experiences at Age 12 in a Longitudinal Population-Based Cohort Study. <i>American Journal of Psychiatry</i> , 2013, 170, 742-750.	8.4	286
226	Long term effect of reduced pack sizes of paracetamol on poisoning deaths and liver transplant activity in England and Wales: interrupted time series analyses. <i>BMJ, The</i> , 2013, 346, f403-f403.	7.5	203
227	Suicide by burning barbecue charcoal in England. <i>Journal of Public Health</i> , 2013, 35, 223-227.	2.0	23
228	Perinatal risk factors for suicide in young adults in Taiwan. <i>International Journal of Epidemiology</i> , 2013, 42, 1381-1389.	2.0	14
229	Maternal Age at Child Birth, Birth Order, and Suicide at a Young Age: A Sibling Comparison. <i>American Journal of Epidemiology</i> , 2013, 177, 638-644.	3.6	36
230	Time trends in coroners' use of different verdicts for possible suicides and their impact on officially reported incidence of suicide in England: 1990'–2005. <i>Psychological Medicine</i> , 2013, 43, 1415-1422.	5.1	93
231	Impact of 2008 global economic crisis on suicide: time trend study in 54 countries. <i>BMJ, The</i> , 2013, 347, f5239-f5239.	7.5	511
232	School Intervention to Improve Mental Health of Students in Santiago, Chile. <i>JAMA Pediatrics</i> , 2013, 167, 1004.	6.1	60
233	Smoking cessation treatment and risk of depression, suicide, and self harm in the Clinical Practice Research Datalink: prospective cohort study. <i>BMJ, The</i> , 2013, 347, f5704-f5704.	7.5	105
234	Messages from Manchester: pilot randomised controlled trial following self-harm. <i>British Journal of Psychiatry</i> , 2013, 203, 73-74.	3.4	40

#	ARTICLE	IF	CITATIONS
235	The Impact of Media Reporting on the Emergence of Charcoal Burning Suicide in Taiwan. PLoS ONE, 2013, 8, e55000.	2.5	48
236	Identifying Probable Suicide Clusters in Wales Using National Mortality Data. PLoS ONE, 2013, 8, e71713.	2.5	37
237	Authors' reply to Davies. BMJ, The, 2013, 347, f7068-f7068.	7.5	0
238	Six-Year Follow-Up of Impact of Co-proxamol Withdrawal in England and Wales on Prescribing and Deaths: Time-Series Study. PLoS Medicine, 2012, 9, e1001213.	8.2	62
239	40,000 memories in young teenagers: Psychometric properties of the Autobiographical Memory Test in a UK cohort study. Memory, 2012, 20, 300-320.	1.7	60
240	Socioeconomic differences in childhood growth trajectories: at what age do height inequalities emerge?. Journal of Epidemiology and Community Health, 2012, 66, 143-148.	3.9	87
241	Childhood milk consumption is associated with better physical performance in old age. Age and Ageing, 2012, 41, 776-784.	1.6	18
242	Circulating Insulin-Like Growth Factors and IGF-Binding Proteins in PSA-Detected Prostate Cancer: The Large Caseâ€“Control Study ProtecT. Cancer Research, 2012, 72, 503-515.	0.9	51
243	The Effect of the School Environment on the Emotional Health of Adolescents: A Systematic Review. Pediatrics, 2012, 129, 925-949.	2.2	193
244	Using natural experiments to evaluate population health interventions: new Medical Research Council guidance. Journal of Epidemiology and Community Health, 2012, 66, 1182-1186.	3.9	726
245	Adiposity, Its Related Biologic Risk Factors, and Suicide: A Cohort Study of 542,088 Taiwanese Adults. American Journal of Epidemiology, 2012, 175, 804-815.	3.6	48
246	Changes in the geography of suicide in young men: England and Wales 1981â€“2005. Journal of Epidemiology and Community Health, 2012, 66, 536-543.	3.9	35
247	Factors associated with the decline in suicide by pesticide poisoning in Taiwan: A time trend analysis, 1987â€“2010. Clinical Toxicology, 2012, 50, 471-480.	1.7	44
248	Diurnal variation in probability of death following self-poisoning in Sri Lankaâ€“evidence for chronotoxicity in humans. International Journal of Epidemiology, 2012, 41, 1821-1828.	2.0	19
249	Impact of national policy initiatives on fatal and non-fatal self-harm after psychiatric hospital discharge: time series analysis. British Journal of Psychiatry, 2012, 201, 233-238.	3.4	25
250	A Multi-Cohort Study of Polymorphisms in the GH/IGF Axis and Physical Capability: The HALCyon Programme. PLoS ONE, 2012, 7, e29883.	2.5	10
251	Suicide and non-suicide mortality after self-harm in Taipei City, Taiwan. British Journal of Psychiatry, 2012, 200, 405-411.	3.4	51
252	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223.	11.9	7,201

#	ARTICLE	IF	CITATIONS
253	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2163-2196.	11.9	6,546
254	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2224-2260.	11.9	9,596
255	Increase in state suicide rates in the USA during economic recession. <i>Lancet, The</i> , 2012, 380, 1813-1814.	11.9	280
256	The use of the Internet by people who die by suicide in England: A cross sectional study. <i>Journal of Affective Disorders</i> , 2012, 141, 480-483.	4.2	33
257	The impact of pesticide suicide on the geographic distribution of suicide in Taiwan: a spatial analysis. <i>BMC Public Health</i> , 2012, 12, 260.	3.0	42
258	Maternal and offspring fasting glucose and type 2 diabetes-associated genetic variants and cognitive function at age 8: a Mendelian randomization study in the Avon Longitudinal Study of Parents and Children. <i>BMC Medical Genetics</i> , 2012, 13, 90.	2.0	28
259	Adolescent self-harm and suicidal thoughts in the ALSPAC cohort: a self-report survey in England. <i>BMC Psychiatry</i> , 2012, 12, 69.	2.6	106
260	Associations of Insulin and Insulin-Like Growth Factors with Physical Performance in Old Age in the Boyd Orr and Caerphilly Studies. <i>PLoS ONE</i> , 2012, 7, e30096.	2.5	12
261	A cross-sectional analysis of the association between diet and insulin-like growth factor (IGF)-I, IGF-II, IGF-binding protein (IGFBP)-2, and IGFBP-3 in men in the United Kingdom. <i>Cancer Causes and Control</i> , 2012, 23, 907-917.	1.8	33
262	Information sources used by the suicidal to inform choice of method. <i>Journal of Affective Disorders</i> , 2012, 136, 702-709.	4.2	55
263	Serum insulin-like growth factors and mortality in localised and advanced clinically detected prostate cancer. <i>Cancer Causes and Control</i> , 2012, 23, 347-354.	1.8	32
264	Association between locus of control in childhood and psychotic symptoms in early adolescence: Results from a large birth cohort. <i>Cognitive Neuropsychiatry</i> , 2011, 16, 385-402.	1.4	41
265	Does Smoking Cessation Cause Depression and Anxiety? Findings from the ATTEMPT Cohort. <i>Nicotine and Tobacco Research</i> , 2011, 13, 209-214.	2.6	27
266	Examining the association between maternal analgesic use during pregnancy and risk of psychotic symptoms during adolescence. <i>Schizophrenia Research</i> , 2011, 126, 220-225.	2.0	19
267	Formulation changes and time trends in outcome following paraquat ingestion in Sri Lanka. <i>Clinical Toxicology</i> , 2011, 49, 21-28.	1.7	33
268	The Association between Bankruptcy and Hospitalâ€‘Presenting Attempted Suicide: A Record Linkage Study. <i>Suicide and Life-Threatening Behavior</i> , 2011, 41, 676-684.	1.8	12
269	Childhood Socioeconomic Position and Objectively Measured Physical Capability Levels in Adulthood: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2011, 6, e15564.	2.5	126
270	Smoking Is Associated with, but Does Not Cause, Depressed Mood in Pregnancy â€‘ A Mendelian Randomization Study. <i>PLoS ONE</i> , 2011, 6, e21689.	2.5	48

#	ARTICLE	IF	CITATIONS
271	Pre-conception inter-pregnancy interval and risk of schizophrenia. <i>British Journal of Psychiatry</i> , 2011, 199, 338-339.	3.4	33
272	Effectiveness of Australian youth suicide prevention initiatives. <i>British Journal of Psychiatry</i> , 2011, 199, 423-429.	3.4	25
273	Body Weight, Obesity, and Suicide across the Life Course. , 2011, , 275-287.		2
274	Sleeping Problems and Suicide in 75,000 Norwegian Adults: A 20 Year Follow-up of the HUNT I Study. <i>Sleep</i> , 2011, 34, 1155-1159.	1.1	124
275	Absence of association of a single-nucleotide polymorphism in the TERT-CLPTM1L locus with age-related phenotypes in a large multicohort study: the HALCyon programme. <i>Aging Cell</i> , 2011, 10, 520-532.	6.7	8
276	Impact of different pack sizes of paracetamol in the United Kingdom and Ireland on intentional overdoses: a comparative study. <i>BMC Public Health</i> , 2011, 11, 460.	3.0	38
277	A community-based cluster randomised trial of safe storage to reduce pesticide self-poisoning in rural Sri Lanka: study protocol. <i>BMC Public Health</i> , 2011, 11, 879.	3.0	34
278	Why do people choose charcoal burning as a method of suicide? An interview based study of survivors in Taiwan. <i>Journal of Affective Disorders</i> , 2011, 131, 402-407.	4.2	62
279	School performance and risk of suicide in early adulthood: Follow-up of two national cohorts of Swedish schoolchildren. <i>Journal of Affective Disorders</i> , 2011, 131, 104-112.	4.2	58
280	“Well it's like someone at the other end cares about you.” A qualitative study exploring the views of users and providers of care of contact-based interventions following self-harm. <i>General Hospital Psychiatry</i> , 2011, 33, 166-176.	2.4	48
281	Geography of suicide in Taiwan: Spatial patterning and socioeconomic correlates. <i>Health and Place</i> , 2011, 17, 641-650.	3.3	110
282	Levels of insulin-like growth factor during pregnancy and maternal cancer risk: a nested case-control study. <i>Cancer Causes and Control</i> , 2011, 22, 945-953.	1.8	9
283	Symptom recognition and help seeking for depression in young adults: a vignette study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 495-505.	3.3	42
284	The prevalence of previous self-harm amongst self-poisoning patients in Sri Lanka. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 517-520.	3.3	15
285	Suicide epidemics: the impact of newly emerging methods on overall suicide rates - a time trends study. <i>BMC Public Health</i> , 2011, 11, 314.	3.0	53
286	Suicide in the Philippines: time trend analysis (1974-2005) and literature review. <i>BMC Public Health</i> , 2011, 11, 536.	3.0	47
287	School-based intervention to improve the mental health of low-income, secondary school students in Santiago, Chile (YPSA): study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 49.	1.6	15
288	ACTN3 genotype, athletic status, and life course physical capability: meta-analysis of the published literature and findings from nine studies. <i>Human Mutation</i> , 2011, 32, 1008-1018.	2.7	100

#	ARTICLE	IF	CITATIONS
289	The association of weight gain during adulthood with prostate cancer incidence and survival: A population-based cohort. <i>International Journal of Cancer</i> , 2011, 129, 1199-1206.	5.3	24
290	Long-term Impact of Poor Birth Condition on Social and Economic Outcomes in Early Adulthood. <i>Pediatrics</i> , 2011, 127, e1498-e1504.	2.2	21
291	Height loss and future coronary heart disease in London: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 461-464.	3.9	8
292	Media reporting and suicide: a time-series study of suicide from Clifton Suspension Bridge, UK, 1974-2007. <i>Journal of Public Health</i> , 2011, 33, 511-517.	2.0	16
293	Surveillance of Australian Suicidal Behaviour Using the Internet?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 1020-1022.	2.7	38
294	Internet Searches for a Specific Suicide Method Follow Its High-Profile Media Coverage. <i>American Journal of Psychiatry</i> , 2011, 168, 855-857.	8.4	33
295	Childhood facial emotion recognition and psychosis-like symptoms in a nonclinical population at 12 years of age: Results from the ALSPAC birth cohort. <i>Cognitive Neuropsychiatry</i> , 2011, 16, 136-157.	1.4	17
296	Coroners' verdicts and suicide statistics in England and Wales. <i>BMJ: British Medical Journal</i> , 2011, 343, d6030-d6030.	5.6	34
297	Suicidal behaviour and suicide from the Clifton Suspension Bridge, Bristol and surrounding area in the UK: 1994-2003. <i>European Journal of Public Health</i> , 2011, 21, 204-208.	0.3	22
298	The association between birth condition and neuropsychological functioning and educational attainment at school age: a cohort study. <i>Archives of Disease in Childhood</i> , 2011, 96, 30-37.	2.7	21
299	Socio-economic disadvantage from childhood to adulthood and locomotor function in old age: a lifecourse analysis of the Boyd Orr and Caerphilly prospective studies. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 1014-1023.	3.9	36
300	Part and parcel of teaching? Secondary school staff's views on supporting student emotional health and well-being. <i>British Educational Research Journal</i> , 2010, 36, 919-935.	2.5	127
301	Toxicity of antidepressants: rates of suicide relative to prescribing and non-fatal overdose. <i>British Journal of Psychiatry</i> , 2010, 196, 354-358.	3.4	163
302	Postcards, green cards and telephone calls: therapeutic contact with individuals following self-harm. <i>British Journal of Psychiatry</i> , 2010, 197, 5-7.	3.4	43
303	"Hidden" suicides amongst deaths certified as undetermined intent, accident by pesticide poisoning and accident by suffocation in Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 143-152.	3.3	91
304	Blood pressure and risk of prostate cancer: cohort Norway (CONOR). <i>Cancer Causes and Control</i> , 2010, 21, 463-472.	1.8	38
305	The relation between adiposity throughout the life course and variation in IGFs and IGFFBPs: evidence from the ProtecT (Prostate testing for cancer and Treatment) study. <i>Cancer Causes and Control</i> , 2010, 21, 1829-1842.	1.8	26
306	International regulatory activity restricting COX-2 inhibitor use and deaths due to gastrointestinal haemorrhage and myocardial infarction. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 778-785.	1.9	6

#	ARTICLE	IF	CITATIONS
307	Suicide in England and Wales 1861â€“2007: a time-trends analysis. <i>International Journal of Epidemiology</i> , 2010, 39, 1464-1475.	2.0	80
308	Factors influencing the decision to use hanging as a method of suicide: qualitative study. <i>British Journal of Psychiatry</i> , 2010, 197, 320-325.	3.4	78
309	What was the immediate impact on population health of the recent fall in hormone replacement therapy prescribing in England? Ecological study. <i>Journal of Public Health</i> , 2010, 32, 555-564.	2.0	13
310	The Evolution of the Epidemic of Charcoal-Burning Suicide in Taiwan: A Spatial and Temporal Analysis. <i>PLoS Medicine</i> , 2010, 7, e1000212.	8.2	66
311	Effect of withdrawal of co-proxamol on prescribing and deaths from drug poisoning in England and Wales: time series analysis. <i>BMJ: British Medical Journal</i> , 2009, 338, b2270-b2270.	5.6	70
312	The economic crisis and suicide. <i>BMJ: British Medical Journal</i> , 2009, 338, b1891-b1891.	5.6	60
313	Prospective Study of Peer Victimization in Childhood and Psychotic Symptoms in a Nonclinical Population at Age 12 Years. <i>Archives of General Psychiatry</i> , 2009, 66, 527.	13.1	319
314	Was the economic crisis 1997â€“1998 responsible for rising suicide rates in East/Southeast Asia? A timeâ€“trend analysis for Japan, Hong Kong, South Korea, Taiwan, Singapore and Thailand. <i>Social Science and Medicine</i> , 2009, 68, 1322-1331.	4.0	318
315	Supporting adolescent emotional health in schools: a mixed methods study of student and staff views in England. <i>BMC Public Health</i> , 2009, 9, 403.	3.0	38
316	Pattern of pesticide storage before pesticide self-poisoning in rural Sri Lanka. <i>BMC Public Health</i> , 2009, 9, 405.	3.0	44
317	Circulating insulinâ€“like growth factor peptides and prostate cancer risk: A systematic review and metaâ€“analysis. <i>International Journal of Cancer</i> , 2009, 124, 2416-2429.	5.3	224
318	Childhood stature and adult cancer risk: the Boyd Orr cohort. <i>Cancer Causes and Control</i> , 2009, 20, 243-251.	1.8	21
319	Components of the metabolic syndrome and risk of prostate cancer: the HUNT 2 cohort, Norway. <i>Cancer Causes and Control</i> , 2009, 20, 1181-1192.	1.8	107
320	Is low IQ associated with an increased risk of developing suicidal thoughts?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 34-38.	3.3	20
321	International impacts of regulatory action to limit antidepressant prescribing on rates of suicide in young people. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 579-588.	1.9	16
322	Height, wealth, and health: An overview with new data from three longitudinal studies. <i>Economics and Human Biology</i> , 2009, 7, 137-152.	1.7	207
323	Is IQ in Childhood Associated with Suicidal Thoughts and Attempts? Findings from The Mater University Study of Pregnancy and Its Outcomes. <i>Suicide and Life-Threatening Behavior</i> , 2009, 39, 282-293.	1.8	22
324	Varenicline and suicidal behaviour: a cohort study based on data from the General Practice Research Database. <i>BMJ: British Medical Journal</i> , 2009, 339, b3805-b3805.	5.6	176

#	ARTICLE	IF	CITATIONS
325	Resuscitation at birth and cognition at 8 years of age: a cohort study. <i>Lancet, The</i> , 2009, 373, 1615-1622.	11.9	122
326	Resuscitation at Birth and Cognition at 8 Years of Age: A Cohort Study. <i>Obstetrical and Gynecological Survey</i> , 2009, 64, 642-643.	0.4	0
327	IQ in Early Adulthood and Mortality By Middle Age. <i>Epidemiology</i> , 2009, 20, 100-109.	2.9	139
328	Maternal tobacco, cannabis and alcohol use during pregnancy and risk of adolescent psychotic symptoms in offspring. <i>British Journal of Psychiatry</i> , 2009, 195, 294-300.	3.4	98
329	Psychological autopsy study of suicide in three rural and semi-rural districts of Sri Lanka. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 280-285.	3.3	51
330	The population impact on incidence of suicide and non-fatal self harm of regulatory action against the use of selective serotonin reuptake inhibitors in under 18s in the United Kingdom: ecological study. <i>BMJ: British Medical Journal</i> , 2008, 336, 542-545.	5.6	85
331	Height and Prostate Cancer Risk: A Large Nested Case-Control Study (Protect) and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2325-2336.	1.9	84
332	Childhood circumstances and anthropometry: The Boyd Orr cohort. <i>Annals of Human Biology</i> , 2008, 35, 518-534.	1.0	37
333	Improvement in Survival after Paraquat Ingestion Following Introduction of a New Formulation in Sri Lanka. <i>PLoS Medicine</i> , 2008, 5, e49.	8.2	90
334	Suicide rates in young men in England and Wales in the 21st century: time trend study. <i>BMJ: British Medical Journal</i> , 2008, 336, 539-542.	5.6	110
335	Recreational Physical Activity and Cancer Risk in Subsites of the Colon (the Nord-Trøndelag Health) Tj ETQq1 1 0.784314 rgBT /Overlo	1.9	53
336	Infections in the CNS During Childhood and the Risk of Subsequent Psychotic Illness: A Cohort Study of More Than One Million Swedish Subjects. <i>American Journal of Psychiatry</i> , 2008, 165, 59-65.	8.4	203
337	Associations of Insulin-Like Growth Factor (IGF)-I, IGF-II, IGF Binding Protein (IGFBP)-2 and IGFBP-3 with Ultrasound Measures of Atherosclerosis and Plaque Stability in an Older Adult Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 1331-1338.	3.5	38
338	IQ and non-clinical psychotic symptoms in 12-year-olds: results from the ALSPAC birth cohort. <i>British Journal of Psychiatry</i> , 2008, 193, 185-191.	3.4	242
339	Hospital admissions for self harm after discharge from psychiatric inpatient care: cohort study. <i>BMJ: British Medical Journal</i> , 2008, 337, a2278-a2278.	5.6	73
340	Suicide and occupation: the impact of socio-economic, demographic and psychiatric differences. <i>Psychological Medicine</i> , 2007, 37, 1131-1140.	5.1	174
341	Schizophrenia and Neural Tube Defects: Comparisons From an Epidemiological Perspective. <i>Schizophrenia Bulletin</i> , 2007, 33, 853-858.	4.5	32
342	Childhood dairy intake and adult cancer risk: 65-y follow-up of the Boyd Orr cohort. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1722-1729.	4.6	98

#	ARTICLE	IF	CITATIONS
343	Social inequalities in antidepressant treatment and mortality: a longitudinal register study. <i>Psychological Medicine</i> , 2007, 37, 373.	5.1	117
344	Pesticide self-poisoning: thinking outside the box. <i>Lancet</i> , 2007, 369, 169-170.	11.9	41
345	Association of Adult Body Mass Index and Height with Anxiety, Depression, and Suicide in the General Population: The HUNT Study. <i>American Journal of Epidemiology</i> , 2007, 167, 193-202.	3.6	203
346	Effect of barriers on the Clifton suspension bridge, England, on local patterns of suicide: implications for prevention. <i>British Journal of Psychiatry</i> , 2007, 190, 266-267.	3.4	87
347	Body mass index in middle life and future risk of hospital admission for psychoses or depression: findings from the Renfrew/Paisley study. <i>Psychological Medicine</i> , 2007, 37, 1151-1161.	5.1	31
348	Does Restricting Pack Size of Paracetamol (Acetaminophen) Reduce Suicides?. <i>PLoS Medicine</i> , 2007, 4, e152.	8.2	15
349	Explaining non-help-seeking amongst young adults with mental distress: a dynamic interpretive model of illness behaviour. <i>Sociology of Health and Illness</i> , 2007, 29, 983-1002.	2.2	185
350	The global distribution of fatal pesticide self-poisoning: Systematic review. <i>BMC Public Health</i> , 2007, 7, 357.	3.0	722
351	Childhood dairy intake and adult cancer risk: 65-y follow-up of the Boyd Orr cohort. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1722-1729.	4.6	48
352	Continuing Controversy Over Monitoring Men With Localized Prostate Cancer: A Systematic Review of Programs in the Prostate Specific Antigen Era. <i>Journal of Urology</i> , 2006, 176, 439-449.	3.6	45
353	Milk as a food for growth? The insulin-like growth factors link. <i>Public Health Nutrition</i> , 2006, 9, 359-368.	2.4	86
354	Relationship between antidepressant sales and secular trends in suicide rates in the Nordic countries. <i>British Journal of Psychiatry</i> , 2006, 188, 354-358.	3.4	77
355	Associations of Adiposity from Childhood into Adulthood with Insulin Resistance and the Insulin-Like Growth Factor System: 65-Year Follow-Up of the Boyd Orr Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 3287-3295.	3.5	49
356	Insulin-Like Growth Factor-I and Growth in Height, Leg Length, and Trunk Length between Ages 5 and 10 Years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2514-2519.	3.5	87
357	Associations of Childhood and Adulthood Height and the Components of Height with Insulin-Like Growth Factor Levels in Adulthood: A 65-Year Follow-Up of the Boyd Orr Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 1382-1389.	3.5	28
358	Choice of Poison for Intentional Self-Poisoning in Rural Sri Lanka. <i>Clinical Toxicology</i> , 2006, 44, 283-286.	1.7	116
359	Association of Body Mass Index with Suicide Mortality: A Prospective Cohort Study of More than One Million Men. <i>American Journal of Epidemiology</i> , 2006, 163, 1-8.	3.6	143
360	Suicidal behaviour and SSRIs: updated meta-analysis. <i>BMJ: British Medical Journal</i> , 2006, 332, 1453-2.	5.6	10

#	ARTICLE	IF	CITATIONS
361	Patterns of hospital transfer for self-poisoned patients in rural Sri Lanka: implications for estimating the incidence of self-poisoning in the developing world. <i>Bulletin of the World Health Organization</i> , 2006, 2006, 276-282.	1.5	62
362	Crisis card following self-harm: 12-month follow-up of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2005, 187, 186-187.	3.4	80
363	Suicide by hanging: multicentre study based on coroners' records in England. <i>British Journal of Psychiatry</i> , 2005, 186, 260-261.	3.4	37
364	Could associations between breastfeeding and insulin-like growth factors underlie associations of breastfeeding with adult chronic disease? The Avon Longitudinal Study of Parents and Children. <i>Clinical Endocrinology</i> , 2005, 62, 728-737.	2.5	59
365	Factors associated with the non-assessment of self-harm patients attending an Accident and Emergency Department: Results of a national study. <i>Journal of Affective Disorders</i> , 2005, 89, 91-97.	4.2	78
366	Changing patterns of suicide in a poor, rural county over the 20th century. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 601-604.	3.3	15
367	The epidemiology and management of self-harm amongst adults in England. <i>Journal of Public Health</i> , 2005, 27, 67-73.	2.0	97
368	Cohort Profile: The Boyd Orr cohortâ€”an historical cohort study based on the 65 year follow-up of the Carnegie Survey of Diet and Health (1937â€”39). <i>International Journal of Epidemiology</i> , 2005, 34, 742-749.	2.0	59
369	Association of Insulin-like Growth Factor I and Insulin-like Growth Factorâ€”Binding Protein-3 With Intelligence Quotient Among 8- to 9-Year-Old Children in the Avon Longitudinal Study of Parents and Children. <i>Pediatrics</i> , 2005, 116, e681-e686.	2.2	84
370	Selective serotonin reuptake inhibitors (SSRIs) and suicide in adults: meta-analysis of drug company data from placebo controlled, randomised controlled trials submitted to the MHRA's safety review. <i>BMJ: British Medical Journal</i> , 2005, 330, 385.	5.6	337
371	The epidemiology and prevention of suicide by hanging: a systematic review. <i>International Journal of Epidemiology</i> , 2005, 34, 433-442.	2.0	281
372	Strong Inverse Association Between Height and Suicide in a Large Cohort of Swedish Men: Evidence of Early Life Origins of Suicidal Behavior?. <i>American Journal of Psychiatry</i> , 2005, 162, 1373-1375.	8.4	74
373	Social Adversity in Childhood and the Risk of Developing Psychosis: A National Cohort Study. <i>American Journal of Psychiatry</i> , 2005, 162, 1652-1657.	8.4	227
374	Help-seeking behaviour in men and women with common mental health problems: cross-sectional study. <i>British Journal of Psychiatry</i> , 2005, 186, 297-301.	3.4	399
375	Antidepressant treatment and the risk of fatal and non-fatal self harm in first episode depression: nested case-control study. <i>BMJ: British Medical Journal</i> , 2005, 330, 389.	5.6	212
376	Opportunity cost of antidepressant prescribing in England: analysis of routine data. <i>BMJ: British Medical Journal</i> , 2005, 330, 999-1000.	5.6	35
377	The Usefulness of Coroners' Data on Suicides for Providing Information Relevant to Prevention. <i>Suicide and Life-Threatening Behavior</i> , 2005, 35, 607-614.	1.8	21
378	Epidemiology of intentional self-poisoning in rural Sri Lanka. <i>British Journal of Psychiatry</i> , 2005, 187, 583-584.	3.4	122

#	ARTICLE	IF	CITATIONS
379	Does the misreporting of adult body size depend upon an individual's height and weight? Methodological debate. <i>International Journal of Epidemiology</i> , 2004, 33, 1398-1399.	2.0	8
380	Suicide by Gunshot in the United Kingdom: A review of the literature. <i>Medicine, Science and the Law</i> , 2004, 44, 295-310.	1.0	34
381	Parents' Growth in Childhood and the Birth Weight of Their Offspring. <i>Epidemiology</i> , 2004, 15, 308-316.	2.9	67
382	Variations in the hospital management of self harm in adults in England: observational study. <i>BMJ: British Medical Journal</i> , 2004, 328, 1108-1109.	5.6	88
383	Paternal age and schizophrenia: a population based cohort study. <i>BMJ: British Medical Journal</i> , 2004, 329, 1070.	5.6	255
384	Life course breast cancer risk factors and adult breast density (United Kingdom). <i>Cancer Causes and Control</i> , 2004, 15, 947-955.	1.8	59
385	Suicide risk in small areas in England and Wales, 1991-1993. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 45-52.	3.3	72
386	Social fragmentation, severe mental illness and suicide. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 165-170.	3.3	66
387	Screen-detected prostate cancer and the insulin-like growth factor axis: Results of a population-based case-control study. <i>International Journal of Cancer</i> , 2004, 108, 887-892.	5.3	51
388	Binners, fillers and filers: A qualitative study of GPs who don't return postal questionnaires. <i>European Journal of General Practice</i> , 2004, 10, 146-151.	2.2	11
389	Antidepressants and suicide: Authors' reply. <i>BMJ: British Medical Journal</i> , 2004, 329, 461.3-462.	5.6	0
390	Why are suicide rates rising in young men but falling in the elderly? a time-series analysis of trends in England and Wales 1950-1998. <i>Social Science and Medicine</i> , 2003, 57, 595-611.	4.0	244
391	Urban-rural differences in suicide trends in young adults: England and Wales, 1981-1998. <i>Social Science and Medicine</i> , 2003, 57, 1183-1194.	4.0	111
392	Suicide: the spatial and social components of despair in Britain 1980-2000. <i>Transactions of the Institute of British Geographers</i> , 2003, 28, 442-460.	2.9	45
393	National suicide rates as an indicator of the effect of suicide on premature mortality. <i>Lancet</i> , The, 2003, 362, 961-962.	11.9	51
394	Suicide by intentional ingestion of pesticides: a continuing tragedy in developing countries. <i>International Journal of Epidemiology</i> , 2003, 32, 902-909.	2.0	962
395	Influence of cohort effects on patterns of suicide in England and Wales, 1950-1999. <i>British Journal of Psychiatry</i> , 2003, 182, 164-170.	3.4	56
396	Locally developed guidelines for the aftercare of deliberate self-harm patients in general practice. <i>Primary Health Care Research and Development</i> , 2003, 4, 21-28.	1.2	4

#	ARTICLE	IF	CITATIONS
397	Patterns of Fetal and Childhood Growth and the Development of Psychosis in Young Males: A Cohort Study. <i>American Journal of Epidemiology</i> , 2003, 158, 291-300.	3.6	84
398	Height, Leg Length, and Cancer: The Caerphilly Study. <i>Nutrition and Cancer</i> , 2003, 47, 34-39.	2.1	31
399	Commentary: Can adult anthropometry be used as a "biomarker" for prenatal and childhood exposures?. <i>International Journal of Epidemiology</i> , 2002, 31, 390-394.	2.0	134
400	Associations between premorbid intellectual performance, early-life exposures and early-onset schizophrenia. <i>British Journal of Psychiatry</i> , 2002, 181, 298-305.	3.4	128
401	General practice based intervention to prevent repeat episodes of deliberate self harm: cluster randomised controlled trial * Commentary: Clinical guidelines have limitations. <i>BMJ: British Medical Journal</i> , 2002, 324, 1254-1254.	5.6	87
402	Paracetamol recall: a natural experiment influencing analgesic poisoning. <i>Medical Journal of Australia</i> , 2002, 176, 561-563.	1.7	2
403	Paracetamol recall: a natural experiment influencing analgesic poisoning. <i>Medical Journal of Australia</i> , 2002, 176, 561-563.	1.7	0
404	Patterns and predictors of hospitalisation in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2001, 178, 518-523.	3.4	67
405	Association between schizophrenia and social inequality at birth: case-control study. <i>British Journal of Psychiatry</i> , 2001, 179, 346-350.	3.4	133
406	International trends in prostate-cancer mortality in the "PSA era". <i>International Journal of Cancer</i> , 2001, 92, 893-898.	5.3	150
407	Psychosocial and Pharmacological Treatment of Patients Following Deliberate Self-Harm: The Methodological Issues Involved in Evaluating Effectiveness. <i>Suicide and Life-Threatening Behavior</i> , 2001, 31, 169-180.	1.8	29
408	Effects of legislation restricting pack sizes of paracetamol and salicylate on self poisoning in the United Kingdom: before and after study. <i>BMJ: British Medical Journal</i> , 2001, 322, 1203-1203.	5.6	327
409	Guidelines and educational outreach visits from community pharmacists to improve prescribing in general practice: a randomised controlled trial. <i>Journal of Health Services Research and Policy</i> , 2001, 6, 207-213.	1.7	27
410	Socioeconomic measures in early old age as indicators of previous lifetime exposure to environmental health hazards. <i>Sociology of Health and Illness</i> , 2000, 22, 415-430.	2.2	18
411	Comparison of trends in method-specific suicide rates in Australia and England & Wales, 1968-97. <i>Australian and New Zealand Journal of Public Health</i> , 2000, 24, 153-157.	1.7	33
412	Youth Suicide Trends in Australian Metropolitan and Non-Metropolitan Areas, 1988-1997. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, 822-828.	2.7	46
413	Suicide and unemployment in young people. <i>British Journal of Psychiatry</i> , 1999, 175, 263-270.	3.4	101
414	Sex differences in suicide trends in England and Wales. <i>Lancet, The</i> , 1999, 353, 556-557.	11.9	33

#	ARTICLE	IF	CITATIONS
415	Ecological study of social fragmentation, poverty, and suicide. <i>BMJ: British Medical Journal</i> , 1999, 319, 1034-1037.	5.6	207
416	Socioeconomic and dietary influences on leg length and trunk length in childhood: a reanalysis of the Carnegie (Boyd Orr) survey of diet and health in prewar Britain (1937-1939). <i>Paediatric and Perinatal Epidemiology</i> , 1998, 12, 96-113.	1.7	138
417	Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. <i>BMJ: British Medical Journal</i> , 1998, 317, 441-447.	5.6	356
418	General practice based intervention to prevent repeat episodes of deliberate self harm: cluster randomised controlled trial. <i>BMJ: British Medical Journal</i> , 0, .	5.6	1
419	Using natural experiments to evaluate population health interventions: new Medical Research Council guidance. <i>Journal of Epidemiology and Community Health</i> , 0, .	3.9	1
420	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: protocol for a living systematic review. <i>F1000Research</i> , 0, 9, 644.	1.6	16
421	Tracking online searches for emotional wellbeing concerns and coping strategies in the UK during the COVID-19 pandemic: a Google Trends analysis. <i>Wellcome Open Research</i> , 0, 5, 220.	1.8	6
422	Antidepressants in pregnancy: applying causal epidemiological methods to understand service-use outcomes in women and long-term neurodevelopmental outcomes in exposed children. <i>Health Technology Assessment</i> , 0, , 1-83.	2.9	0
423	Development of a Brief Intervention for Emergency Department Attendees Presenting With Self-Harm and Co-Occurring Substance Use Problems. <i>Crisis</i> , 0, , .	1.5	1
424	Travel Distance to Hospital Is Associated With Self-Harm Hospital Presentation But Not Suicide. <i>Crisis</i> , 0, , .	1.5	0
425	Evaluating Population-Level Interventions and Exposures for Suicide Prevention. <i>Crisis</i> , 0, , .	1.5	0