

David Gunnell

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2792014/david-gunnell-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

408
papers

42,885
citations

81
h-index

200
g-index

442
ext. papers

49,779
ext. citations

6.6
avg, IF

7.16
L-index

#	Paper	IF	Citations
408	Barriers to students opting-in to universities notifying emergency contacts when serious mental health concerns emerge: A UK mixed methods analysis of policy preferences. <i>Journal of Affective Disorders Reports</i> , 2022 , 7, 100289	1.4	0
407	An ecological study of temporal trends in 'deaths of despair' in England and Wales.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	0
406	Clinical and psychosocial factors associated with domestic violence among men and women in Kandy, Sri Lanka. <i>PLOS Global Public Health</i> , 2022 , 2, e0000129		1
405	Suicide in India during the first year of the COVID-19 pandemic.. <i>Journal of Affective Disorders</i> , 2022 , 307, 215-220	6.6	2
404	SARS-CoV-2 Infection and the Risk of Suicidal and Self-Harm Thoughts and Behaviour: A Systematic Review.. <i>Canadian Journal of Psychiatry</i> , 2022 , 7067437221094552	4.8	0
403	Suicide and self-harm in low- and middle- income countries during the COVID-19 pandemic: A systematic review. <i>PLOS Global Public Health</i> , 2022 , 2, e0000282		2
402	Understanding suicide clusters through exploring self-harm: Semi-structured interviews with individuals presenting with near-fatal self-harm during a suicide cluster. <i>Social Science and Medicine</i> , 2021 , 292, 114566	5.1	0
401	An intervention to improve teacher well-being support and training to support students in UK high schools (the WISE study): A cluster randomised controlled trial. <i>PLoS Medicine</i> , 2021 , 18, e1003847	11.6	4
400	Mental health support and training to improve secondary school teachers' well-being: the WISE cluster RCT. <i>Public Health Research</i> , 2021 , 9, 1-138	1.7	
399	Child suicide rates during the COVID-19 pandemic in England. <i>Journal of Affective Disorders Reports</i> , 2021 , 6, 100273	1.4	5
398	Systematic review of the impact of the COVID-19 pandemic on suicidal behaviour amongst health and social care workers across the world. <i>Journal of Affective Disorders Reports</i> , 2021 , 6, 100271	1.4	5
397	Is being a 'left-behind' child associated with an increased risk of self-poisoning in adulthood? Findings from a case-control study in Sri Lanka. <i>BMJ Global Health</i> , 2021 , 6,	6.6	1
396	Childhood adversity, pubertal timing and self-harm: a longitudinal cohort study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	0
395	Comorbidity of self-harm and disordered eating in young people: Evidence from a UK population-based cohort. <i>Journal of Affective Disorders</i> , 2021 , 282, 386-390	6.6	2
394	An exploration of the genetic epidemiology of non-suicidal self-harm and suicide attempt. <i>BMC Psychiatry</i> , 2021 , 21, 207	4.2	4
393	Characteristics of Survivors of Suicide Seeking Counseling From an NGO in Denmark: Analyses of a National Database. <i>Archives of Suicide Research</i> , 2021 , 1-16	2.3	1
392	Suicide Deaths in University Students in a UK City Between 2010 and 2018 - Case Series. <i>Crisis</i> , 2021 , 42, 171-178	2.8	1

391	Pesticide surveillance and deaths by suicide. <i>The Lancet Global Health</i> , 2021 , 9, e738-e739	13.6	2
390	Comorbidity of self-harm and disordered eating in young people: evidence from a UK population-based cohort. <i>BJPsych Open</i> , 2021 , 7, S9-S9	5	
389	The early impact of paraquat ban on suicide in Taiwan. <i>Clinical Toxicology</i> , 2021 , 1-5	2.9	3
388	Changes in method specific suicide following a national pesticide ban in India (2011-2014). <i>Journal of Affective Disorders</i> , 2021 , 278, 592-600	6.6	4
387	Risk of neuropsychiatric and cardiovascular adverse events following treatment with varenicline and nicotine replacement therapy in the UK Clinical Practice Research Datalink: a case-cross-over study. <i>Addiction</i> , 2021 , 116, 1532-1545	4.6	3
386	Evidence for an association between inflammatory markers and suicide: a cohort study based on 359,849 to 462,747 Taiwanese adults. <i>Journal of Affective Disorders</i> , 2021 , 281, 967-971	6.6	2
385	Childhood cognitive skill trajectories and suicide by mid-adulthood: an investigation of the 1958 British Birth Cohort. <i>Psychological Medicine</i> , 2021 , 51, 400-407	6.9	5
384	Non-suicidal self-harm: an evolving epidemiology. <i>Psychological Medicine</i> , 2021 , 1	6.9	0
383	School-based interventions to prevent anxiety, depression and conduct disorder in children and young people: a systematic review and network meta-analysis. <i>Public Health Research</i> , 2021 , 9, 1-284	1.7	0
382	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. <i>Lancet Psychiatry</i> , 2021 , 8, 579-588	23.3	167
381	Suicide Risk and Prevention During the COVID-19 Pandemic: One Year On. <i>Archives of Suicide Research</i> , 2021 , 1-6	2.3	12
380	Hospital presentations for self-poisoning during COVID-19 in Sri Lanka: an interrupted time-series analysis. <i>Lancet Psychiatry</i> , 2021 , 8, 892-900	23.3	7
379	Is Google Trends a useful tool for tracking mental and social distress during a public health emergency? A time-series analysis. <i>Journal of Affective Disorders</i> , 2021 , 294, 737-744	6.6	2
378	Evaluation of the impact and implementation of a national clinical programme for the management of self-harm in hospital emergency departments: study protocol for a natural experiment.. <i>BMJ Open</i> , 2021 , 11, e055962	3	
377	Investigating evidence for a causal association between inflammation and self-harm: A multivariable Mendelian Randomisation study. <i>Brain, Behavior, and Immunity</i> , 2020 , 89, 43-50	16.6	1
376	Social media use, economic recession and income inequality in relation to trends in youth suicide in high-income countries: a time trends analysis. <i>Journal of Affective Disorders</i> , 2020 , 275, 58-65	6.6	14
375	Spatial patterning and correlates of self-harm in Manchester, England [CORRIGENDUM]. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29,	5.1	78
374	Online help for people with suicidal thoughts provided by charities and healthcare organisations: a qualitative study of users' perceptions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1157-1165	4.5	0

373	Suicide by pesticide poisoning in India: a review of pesticide regulations and their impact on suicide trends. <i>BMC Public Health</i> , 2020 , 20, 251	4.1	58
372	Suicide risk and prevention during the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020 , 7, 468-471	23.3	608
371	Factors explaining variation in recommended care pathways following hospital-presenting self-harm: a multilevel national registry study. <i>BJPsych Open</i> , 2020 , 6, e145	5	1
370	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. <i>F1000Research</i> , 2020 , 9, 1097	3.6	68
369	Mapping population mental health concerns related to COVID-19 and the consequences of physical distancing: a Google trends analysis. <i>Wellcome Open Research</i> , 2020 , 5, 82	4.8	52
368	Mapping population mental health concerns related to COVID-19 and the consequences of physical distancing: a Google trends analysis. <i>Wellcome Open Research</i> , 2020 , 5, 82	4.8	36
367	Childhood adversity and self-poisoning: A hospital case control study in Sri Lanka. <i>PLoS ONE</i> , 2020 , 15, e0242437	3.7	5
366	Suicide among ambulance service staff: a review of coroner and employment records. <i>British Paramedic Journal</i> , 2020 , 4, 10-15	0.6	5
365	Impact of Pandemic on Suicide: Excess Suicides in Taiwan During the 1918-1920 Influenza Pandemic. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	12
364	Accuracy of individual and combined risk-scale items in the prediction of repetition of self-harm: multicentre prospective cohort study. <i>BJPsych Open</i> , 2020 , 7, e2	5	1
363	Timing of menarche and self-harm in adolescence and adulthood: a population-based cohort study. <i>Psychological Medicine</i> , 2020 , 50, 2010-2018	6.9	12
362	Trends in mental health, non-suicidal self-harm and suicide attempts in 16-24-year old students and non-students in England, 2000-2014. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 125-128	4.5	18
361	Preventing suicide through pesticide regulation. <i>Lancet Psychiatry</i> , 2020 , 7, 9-11	23.3	11
360	Perinatal adversity profiles and suicide attempt in adolescence and young adulthood: longitudinal analyses from two 20-year birth cohort studies. <i>Psychological Medicine</i> , 2020 , 1-13	6.9	12
359	Pubertal timing and self-harm: a prospective cohort analysis of males and females. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e170	5.1	4
358	Exploring the Effects of Cigarette Smoking on Inflammatory Bowel Disease Using Mendelian Randomization. <i>Crohns & Colitis</i> 2020 , 2, otaa018	1.4	1
357	Factors associated with purchasing pesticide from shops for intentional self-poisoning in Sri Lanka. <i>Tropical Medicine and International Health</i> , 2020 , 25, 1198-1204	2.3	1
356	Gender difference in suicide in Taiwan over a century: a time trend analysis in 1905-1940 and 1959-2012. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 898-906	5.1	1

355	Long-term impact of the expansion of a hospital liaison psychiatry service on patient care and costs following emergency department attendances for self-harm. <i>BJPsych Open</i> , 2020 , 6, e34	5	3
354	Contacts with primary and secondary healthcare prior to suicide: case-control whole-population-based study using person-level linked routine data in Wales, UK, 2000-2017. <i>British Journal of Psychiatry</i> , 2020 , 217, 717-724	5.4	14
353	Domestic violence and self-poisoning in Sri Lanka. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	7
352	Prospective associations between internet use and poor mental health: A population-based study. <i>PLoS ONE</i> , 2020 , 15, e0235889	3.7	3
351	Delivery of a Mental Health First Aid training package and staff peer support service in secondary schools: a process evaluation of uptake and fidelity of the WISE intervention. <i>Trials</i> , 2020 , 21, 745	2.8	3
350	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. <i>F1000Research</i> , 2020 , 9, 1097	3.6	50
349	Psychosocial Interventions for People Who Self-Harm: Methodological Issues Involved in Trials to Evaluate Effectiveness. <i>Archives of Suicide Research</i> , 2020 , 24, S32-S93	2.3	12
348	Prevention of suicide and reduction of self-harm among people with substance use disorder: A systematic review and meta-analysis of randomised controlled trials. <i>Comprehensive Psychiatry</i> , 2020 , 96, 152135	7.3	16
347	The incidence of suicide in University students in England and Wales 2000/2001-2016/2017: Record linkage study. <i>Journal of Affective Disorders</i> , 2020 , 261, 113-120	6.6	21
346	How many premature deaths from pesticide suicide have occurred since the agricultural Green Revolution?. <i>Clinical Toxicology</i> , 2020 , 58, 227-232	2.9	42
345	Rising suicide rates among adolescents in England and Wales. <i>Lancet, The</i> , 2019 , 394, 116-117	40	36
344	Advance decisions to refuse treatment and suicidal behaviour in emergency care: 'it's very much a step into the unknown'. <i>BJPsych Open</i> , 2019 , 5, e50	5	0
343	Prevalence of non-suicidal self-harm and service contact in England, 2000-14: repeated cross-sectional surveys of the general population. <i>Lancet Psychiatry, the</i> , 2019 , 6, 573-581	23.3	144
342	In-utero and perinatal influences on suicide risk: a systematic review and meta-analysis. <i>Lancet Psychiatry, the</i> , 2019 , 6, 477-492	23.3	28
341	Is teachers' mental health and wellbeing associated with students' mental health and wellbeing?. <i>Journal of Affective Disorders</i> , 2019 , 253, 460-466	6.6	13
340	Predictors of future suicide attempt among adolescents with suicidal thoughts or non-suicidal self-harm: a population-based birth cohort study. <i>Lancet Psychiatry, the</i> , 2019 , 6, 327-337	23.3	137
339	Management of patients with an advance decision and suicidal behaviour: a systematic review. <i>BMJ Open</i> , 2019 , 9, e023978	3	8
338	Occupation-specific suicide risk in England: 2011-2015. <i>British Journal of Psychiatry</i> , 2019 , 1-6	5.4	17

337	Risk assessment scales to predict risk of hospital treated repeat self-harm: A cost-effectiveness modelling analysis. <i>Journal of Affective Disorders</i> , 2019 , 249, 208-215	6.6	5
336	Spatial patterning and correlates of self-harm in Manchester, England. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e72	5.1	3
335	Is teachers' mental health and wellbeing associated with students' mental health and wellbeing?. <i>Journal of Affective Disorders</i> , 2019 , 242, 180-187	6.6	67
334	Suicide by hanging is a priority for suicide prevention: method specific suicide in India (2001-2014). <i>Journal of Affective Disorders</i> , 2019 , 257, 1-9	6.6	15
333	Risk of suicide and repeat self-harm after hospital attendance for non-fatal self-harm in Sri Lanka: a cohort study. <i>Lancet Psychiatry</i> , 2019 , 6, 659-666	23.3	24
332	School-based interventions to prevent anxiety and depression in children and young people: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2019 , 6, 1011-1020	23.3	61
331	Pathways between early-life adversity and adolescent self-harm: the mediating role of inflammation in the Avon Longitudinal Study of Parents and Children. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 1094-1103	7.9	12
330	Banning paraquat would prevent nearly 200 deaths from suicide per year in Taiwan. <i>Taiwanese Journal of Psychiatry</i> , 2019 , 33, 119	0.4	2
329	Prevalence and correlates of domestic violence among people seeking treatment for self-harm: data from a regional self-harm register. <i>Emergency Medicine Journal</i> , 2019 , 36, 407-409	1.5	3
328	The relationship between physical activity, mental wellbeing and symptoms of mental health disorder in adolescents: a cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 138	8.4	52
327	Suicide and suicide risk. <i>Nature Reviews Disease Primers</i> , 2019 , 5, 74	51.1	173
326	Suicide deaths by gas inhalation in Toronto: An observational study of emerging methods of suicide. <i>Journal of Affective Disorders</i> , 2019 , 243, 226-231	6.6	3
325	Spatial patterning, correlates, and inequality in suicide across 432 neighborhoods in Taipei City, Taiwan. <i>Social Science and Medicine</i> , 2019 , 222, 20-34	5.1	10
324	Association of birth order with adolescent mental health and suicide attempts: a population-based longitudinal study. <i>European Child and Adolescent Psychiatry</i> , 2019 , 28, 1079-1086	5.5	10
323	Relative toxicity of analgesics commonly used for intentional self-poisoning: A study of case fatality based on fatal and non-fatal overdoses. <i>Journal of Affective Disorders</i> , 2019 , 246, 814-819	6.6	10
322	Are left-behind families of migrant workers at increased risk of attempted suicide? - a cohort study of 178,000+ individuals in Sri Lanka. <i>BMC Psychiatry</i> , 2019 , 19, 25	4.2	5
321	What distinguishes adolescents with suicidal thoughts from those who have attempted suicide? A population-based birth cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 91-99	7.9	67
320	Treatment as usual (TAU) as a control condition in trials of cognitive behavioural-based psychotherapy for self-harm: Impact of content and quality on outcomes in a systematic review. <i>Journal of Affective Disorders</i> , 2018 , 235, 434-447	6.6	15

319	Relative toxicity of benzodiazepines and hypnotics commonly used for self-poisoning: An epidemiological study of fatal toxicity and case fatality. <i>Journal of Psychopharmacology</i> , 2018 , 32, 654-662	4.6	15
318	Psychosocial characteristics as potential predictors of suicide in adults: an overview of the evidence with new results from prospective cohort studies. <i>Translational Psychiatry</i> , 2018 , 8, 22	8.6	59
317	Confounding by ill health in the observed association between BMI and mortality: evidence from the HUNT Study using offspring BMI as an instrument. <i>International Journal of Epidemiology</i> , 2018 , 47, 760-770	7.8	16
316	Vendor-based restrictions on pesticide sales to prevent pesticide self-poisoning - a pilot study. <i>BMC Public Health</i> , 2018 , 18, 272	4.1	9
315	A cluster randomised controlled trial of the Wellbeing in Secondary Education (WISE) Project - an intervention to improve the mental health support and training available to secondary school teachers: protocol for an integrated process evaluation. <i>Trials</i> , 2018 , 19, 270	2.8	58
314	Natural environments and suicide. <i>Lancet Planetary Health, The</i> , 2018 , 2, e109-e110	9.8	3
313	Autistic Traits and Suicidal Thoughts, Plans, and Self-Harm in Late Adolescence: Population-Based Cohort Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018 , 57, 313-320.e6	7.2	32
312	Accuracy of risk scales for predicting repeat self-harm and suicide: a multicentre, population-level cohort study using routine clinical data. <i>BMC Psychiatry</i> , 2018 , 18, 113	4.2	37
311	Using the internet for suicide-related purposes: Contrasting findings from young people in the community and self-harm patients admitted to hospital. <i>PLoS ONE</i> , 2018 , 13, e0197712	3.7	19
310	Potential Interventions for Preventing Pesticide Self-Poisoning by Restricting Access Through Vendors in Sri Lanka. <i>Crisis</i> , 2018 , 39, 479-488	2.8	7
309	Navigating an unfamiliar world: how parents of young people who self-harm experience support and treatment. <i>Child and Adolescent Mental Health</i> , 2018 , 23, 78-84	2.2	8
308	Suicide and Self-Harm Related Internet Use. <i>Crisis</i> , 2018 , 39, 469-478	2.8	12
307	Mental health in medical, dentistry and veterinary students: cross-sectional online survey. <i>BJPsych Open</i> , 2018 , 4, 441-446	5	25
306	Relative toxicity of mood stabilisers and antipsychotics: case fatality and fatal toxicity associated with self-poisoning. <i>BMC Psychiatry</i> , 2018 , 18, 399	4.2	10
305	Personality traits and risk of suicide mortality: findings from a multi-cohort study in the general population. <i>World Psychiatry</i> , 2018 , 17, 371-372	14.4	12
304	Individual-, family-, and school-level interventions targeting multiple risk behaviours in young people. <i>The Cochrane Library</i> , 2018 , 10, CD009927	5.2	31
303	Making Sense of an Unknown Terrain: How Parents Understand Self-Harm in Young People. <i>Qualitative Health Research</i> , 2017 , 27, 215-225	3.9	17
302	Regional variation in suicide rates in Sri Lanka between 1955 and 2011: a spatial and temporal analysis. <i>BMC Public Health</i> , 2017 , 17, 193	4.1	23

301	Prevalence and patterns of antidepressant switching amongst primary care patients in the UK. <i>Journal of Psychopharmacology</i> , 2017 , 31, 553-560	4.6	15
300	The global burden of fatal self-poisoning with pesticides 2006-15: Systematic review. <i>Journal of Affective Disorders</i> , 2017 , 219, 93-104	6.6	202
299	How do smoking cessation medicines compare with respect to their neuropsychiatric safety? A protocol for a systematic review, network meta-analysis and cost-effectiveness analysis. <i>BMJ Open</i> , 2017 , 7, e015414	3	4
298	Predictive accuracy of risk scales following self-harm: multicentre, prospective cohort study. <i>British Journal of Psychiatry</i> , 2017 , 210, 429-436	5.4	76
297	Prevention of suicide with regulations aimed at restricting access to highly hazardous pesticides: a systematic review of the international evidence. <i>The Lancet Global Health</i> , 2017 , 5, e1026-e1037	13.6	99
296	Extending the liaison psychiatry service in a large hospital in the UK: a before and after evaluation of the economic impact and patient care following ED attendances for self-harm. <i>BMJ Open</i> , 2017 , 7, e016906	3	14
295	Authors' reply. <i>British Journal of Psychiatry</i> , 2017 , 211, 183-184	5.4	
294	Effectiveness of household lockable pesticide storage to reduce pesticide self-poisoning in rural Asia: a community-based, cluster-randomised controlled trial. <i>Lancet, The</i> , 2017 , 390, 1863-1872	4.0	5.0
293	Preventing deaths from pesticide self-poisoning-learning from Sri Lanka's success. <i>The Lancet Global Health</i> , 2017 , 5, e651-e652	13.6	41
292	Suicide by pesticide poisoning remains a priority for suicide prevention in China: Analysis of national mortality trends 2006-2013. <i>Journal of Affective Disorders</i> , 2017 , 208, 418-423	6.6	94
291	Influences on antidepressant prescribing trends in the UK: 1995-2011. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 193-200	4.5	71
290	Socioeconomic deprivation and the clinical management of self-harm: a small area analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1475-1481	4.5	4
289	Suicide prevention through means restriction: Impact of the 2008-2011 pesticide restrictions on suicide in Sri Lanka. <i>PLoS ONE</i> , 2017 , 12, e0172893	3.7	5.0
288	Newspaper Reporting on a Cluster of Suicides in the UK. <i>Crisis</i> , 2017 , 38, 17-25	2.8	14
287	Psychosocial interventions following self-harm in adults: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2016 , 3, 740-750	23.3	109
286	Sleep duration, sleep quality and coronary heart disease mortality. <i>International Journal of Cardiology</i> , 2016 , 223, 534-535	3.2	5
285	A pilot cluster randomised controlled trial of a support and training intervention to improve the mental health of secondary school teachers and students - the WISE (Wellbeing in Secondary Education) study. <i>BMC Public Health</i> , 2016 , 16, 1060	4.1	22
284	Protocol for a cluster randomised controlled trial of an intervention to improve the mental health support and training available to secondary school teachers - the WISE (Wellbeing in Secondary Education) study. <i>BMC Public Health</i> , 2016 , 16, 1089	4.1	17

283	Unemployment and initiation of psychotropic medication: a case-crossover study of 2 348 552 Norwegian employees. <i>Occupational and Environmental Medicine</i> , 2016 , 73, 719-726	2.1	10
282	Psychosocial interventions for self-harm in adults. <i>The Cochrane Library</i> , 2016 , CD012189	5.2	92
281	Adolescent over-general memory, life events and mental health outcomes: Findings from a UK cohort study. <i>Memory</i> , 2016 , 24, 348-63	1.8	15
280	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013: Findings From the Global Burden of Disease 2013 Study. <i>JAMA Pediatrics</i> , 2016 , 170, 267-87	8.3	347
279	Self-reported sleep duration and coronary heart disease mortality: A large cohort study of 400,000 Taiwanese adults. <i>International Journal of Cardiology</i> , 2016 , 207, 246-51	3.2	38
278	Impact of paraquat regulation on suicide in South Korea. <i>International Journal of Epidemiology</i> , 2016 , 45, 470-9	7.8	71
277	The impact of self-harm by young people on parents and families: a qualitative study. <i>BMJ Open</i> , 2016 , 6, e009631	3	39
276	Health and unemployment: 14 years of follow-up on job loss in the Norwegian HUNT Study. <i>European Journal of Public Health</i> , 2016 , 26, 312-7	2.1	35
275	Newspaper reporting and the emergence of charcoal burning suicide in Taiwan: A mixed methods approach. <i>Journal of Affective Disorders</i> , 2016 , 193, 355-61	6.6	11
274	Using Data Linkage to Investigate Inconsistent Reporting of Self-Harm and Questionnaire Non-Response. <i>Archives of Suicide Research</i> , 2016 , 20, 113-41	2.3	45
273	Suicide and the Internet: Changes in the accessibility of suicide-related information between 2007 and 2014. <i>Journal of Affective Disorders</i> , 2016 , 190, 370-375	6.6	39
272	Teachers' wellbeing and depressive symptoms, and associated risk factors: A large cross sectional study in English secondary schools. <i>Journal of Affective Disorders</i> , 2016 , 192, 76-82	6.6	113
271	Authors' reply to Large. <i>BMJ, The</i> , 2016 , 532, i268	5.9	
270	Psychosocial Assessment of Self-Harm Patients and Risk of Repeat Presentation: An Instrumental Variable Analysis Using Time of Hospital Presentation. <i>PLoS ONE</i> , 2016 , 11, e0149713	3.7	34
269	The association between characteristics of fathering in infancy and depressive symptoms in adolescence: A UK birth cohort study. <i>Child Abuse and Neglect</i> , 2016 , 58, 119-28	4.3	6
268	Suicide and self-harm related internet use in patients presenting to hospital with self-harm: a cross-sectional study. <i>Lancet, The</i> , 2016 , 388, S2	4.0	4
267	Economic Recession, Unemployment, and Suicide 2016 , 284-300		9
266	Identifying and Tracking Gas Suicides in the U.S. Using the National Violent Death Reporting System, 2005-2012. <i>American Journal of Preventive Medicine</i> , 2016 , 51, S219-S225	6.1	11

265	Analysis of trends in adolescent suicides and accidental deaths in England and Wales, 1972-2011. <i>British Journal of Psychiatry</i> , 2016 , 209, 327-333	5.4	5
264	Changes in parenting strategies after a young person's self-harm: a qualitative study. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2016 , 10, 20	6.8	7
263	Assessing the role of insulin-like growth factors and binding proteins in prostate cancer using Mendelian randomization: Genetic variants as instruments for circulating levels. <i>International Journal of Cancer</i> , 2016 , 139, 1520-33	7.5	18
262	Economic shocks, resilience, and male suicides in the Great Recession: cross-national analysis of 20 EU countries. <i>European Journal of Public Health</i> , 2015 , 25, 404-9	2.1	72
261	Self-reported school experience as a predictor of self-harm during adolescence: a prospective cohort study in the South West of England (ALSPAC). <i>Journal of Affective Disorders</i> , 2015 , 173, 163-9	6.6	33
260	Risk of neuropsychiatric adverse events associated with varenicline: systematic review and meta-analysis. <i>BMJ, The</i> , 2015 , 350, h1109	5.9	91
259	Factors influencing coroners' verdicts: an analysis of verdicts given in 12 coroners' districts to researcher-defined suicides in England in 2005. <i>Journal of Public Health</i> , 2015 , 37, 157-65	3.5	22
258	Economic recession and suicidal behaviour: Possible mechanisms and ameliorating factors. <i>International Journal of Social Psychiatry</i> , 2015 , 61, 73-81	8.5	102
257	The longitudinal association between psychotic experiences, depression and suicidal behaviour in a population sample of adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1809-17	4.5	34
256	Exposure to, and searching for, information about suicide and self-harm on the Internet: Prevalence and predictors in a population based cohort of young adults. <i>Journal of Affective Disorders</i> , 2015 , 185, 239-45	6.6	52
255	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 2287-323	4.0	1776
254	Variations in the hospital management of self-harm and patient outcome: a multi-site observational study in England. <i>Journal of Affective Disorders</i> , 2015 , 174, 101-5	6.6	15
253	Predicting suicide in older adults - a community-based cohort study in Taipei City, Taiwan. <i>Journal of Affective Disorders</i> , 2015 , 172, 165-70	6.6	19
252	Suicide by gases in England and Wales 2001-2011: evidence of the emergence of new methods of suicide. <i>Journal of Affective Disorders</i> , 2015 , 170, 190-5	6.6	43
251	The diffusion of a new method of suicide: charcoal-burning suicide in Hong Kong and Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 227-36	4.5	30
250	Association of socio-economic position and suicide/attempted suicide in low and middle income countries in South and South-East Asia - a systematic review. <i>BMC Public Health</i> , 2015 , 15, 1055	4.1	40
249	Interventions for self-harm in children and adolescents. <i>The Cochrane Library</i> , 2015 , CD012013	5.2	94
248	Association of Body Mass Index with Depression, Anxiety and Suicide-An Instrumental Variable Analysis of the HUNT Study. <i>PLoS ONE</i> , 2015 , 10, e0131708	3.7	28

247	Risk factors associated with purchasing pesticide from shops for self-poisoning: a protocol for a population-based case-control study. <i>BMJ Open</i> , 2015 , 5, e007822	3	5
246	Characteristics of people dying by suicide after job loss, financial difficulties and other economic stressors during a period of recession (2010-2011): A review of coroners' records. <i>Journal of Affective Disorders</i> , 2015 , 183, 98-105	6.6	94
245	Pharmacological interventions for self-harm in adults. <i>The Cochrane Library</i> , 2015 , CD011777	5.2	32
244	Prevalence and associated harm of engagement in self-asphyxial behaviours ('choking game') in young people: a systematic review. <i>Archives of Disease in Childhood</i> , 2015 , 100, 1106-14	2.2	26
243	Suicide risk assessment and intervention in people with mental illness. <i>BMJ, The</i> , 2015 , 351, h4978	5.9	142
242	Risk of suicide for individuals reporting asthma and atopy in young adulthood: findings from the Glasgow Alumni study. <i>Psychiatry Research</i> , 2015 , 225, 364-7	9.9	5
241	A Population Health Perspective on Suicide Research and Prevention. <i>Crisis</i> , 2015 , 36, 155-60	2.8	15
240	Searching for Suicide Methods: Accessibility of Information About Helium as a Method of Suicide on the Internet. <i>Crisis</i> , 2015 , 36, 325-31	2.8	17
239	Factors associated with the development of self-harm amongst a socio-economically deprived cohort of adolescents in Santiago, Chile. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 629-37	4.5	17
238	Differences in risk factors for self-harm with and without suicidal intent: findings from the ALSPAC cohort. <i>Journal of Affective Disorders</i> , 2014 , 168, 407-14	6.6	81
237	Associations between APOE and low-density lipoprotein cholesterol genotypes and cognitive and physical capability: the HALCYon programme. <i>Age</i> , 2014 , 36, 9673		20
236	Suicidal behaviour across the African continent: a review of the literature. <i>BMC Public Health</i> , 2014 , 14, 606	4.1	102
235	Suicide in Sri Lanka 1975-2012: age, period and cohort analysis of police and hospital data. <i>BMC Public Health</i> , 2014 , 14, 839	4.1	51
234	Challenges and opportunities of a paperless baseline survey in Sri Lanka. <i>BMC Research Notes</i> , 2014 , 7, 452	2.3	10
233	Parental suicide attempt and offspring self-harm and suicidal thoughts: Results from the Avon Longitudinal Study of Parents and Children (ALSPAC) birth cohort. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 509-17.e2	7.2	29
232	IQ and adolescent self-harm behaviours in the ALSPAC birth cohort. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 175-82	6.6	14
231	Childhood traumatic events and adolescent overgeneral autobiographical memory: findings in a U.K. cohort. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014 , 45, 330-8	2.6	14
230	Non-fatal repetition of self-harm in Taipei City, Taiwan: cohort study. <i>British Journal of Psychiatry</i> , 2014 , 204, 376-82	5.4	17

229	Sleep problems and hospitalization for self-harm: a 15-year follow-up of 9,000 Norwegian adolescents. The Young-HUNT Study. <i>Sleep</i> , 2014 , 37, 579-85	1.1	14
228	Body mass index in young adulthood and suicidal behavior up to age 59 in a cohort of Swedish men. <i>PLoS ONE</i> , 2014 , 9, e101213	3.7	16
227	A contact-based intervention for people recently discharged from inpatient psychiatric care: a pilot study. <i>Archives of Suicide Research</i> , 2014 , 18, 131-43	2.3	12
226	The impact of a celebrity's suicide on the introduction and establishment of a new method of suicide in South Korea. <i>Archives of Suicide Research</i> , 2014 , 18, 221-6	2.3	29
225	Regional changes in charcoal-burning suicide rates in East/Southeast Asia from 1995 to 2011: a time trend analysis. <i>PLoS Medicine</i> , 2014 , 11, e1001622	11.6	59
224	Clinical and social outcomes of adolescent self harm: population based birth cohort study. <i>BMJ, The</i> , 2014 , 349, g5954	5.9	137
223	Reporting of drug induced depression and fatal and non-fatal suicidal behaviour in the UK from 1998 to 2011. <i>BMC Pharmacology & Toxicology</i> , 2014 , 15, 54	2.6	31
222	Suicide and the 2008 economic recession: who is most at risk? Trends in suicide rates in England and Wales 2001-2011. <i>Social Science and Medicine</i> , 2014 , 117, 76-85	5.1	92
221	Risk factors for suicidal thoughts in adolescence--a prospective cohort study: the Young-HUNT study. <i>BMJ Open</i> , 2014 , 4, e005867	3	41
220	Parental socio-economic position during childhood as a determinant of self-harm in adolescence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 193-203	4.5	26
219	Hospital presenting self-harm and risk of fatal and non-fatal repetition: systematic review and meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e89944	3.7	295
218	"When you're in the hospital, you're in a sort of bubble." Understanding the high risk of self-harm and suicide following psychiatric discharge: a qualitative study. <i>Crisis</i> , 2014 , 35, 154-60	2.8	20
217	UK health performance: findings of the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013 , 381, 997-1020	40	401
216	Genetic markers of bone and joint health and physical capability in older adults: the HALCyon programme. <i>Bone</i> , 2013 , 52, 278-85	4.7	4
215	Insulin-like growth factors (IGFs) and IGF-binding proteins in active monitoring of localized prostate cancer: a population-based observational study. <i>Cancer Causes and Control</i> , 2013 , 24, 39-45	2.8	8
214	Being bullied during childhood and the prospective pathways to self-harm in late adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013 , 52, 608-18.e2	7.2	92
213	Changing trends in the prevalence of common mental disorders in Taiwan: a 20-year repeated cross-sectional survey. <i>Lancet, The</i> , 2013 , 381, 235-41	40	81
212	Qualitative interviewing with vulnerable populations: individuals' experiences of participating in suicide and self-harm based research. <i>Journal of Affective Disorders</i> , 2013 , 145, 356-62	6.6	84

211	Changes in commonly used methods of suicide in England and Wales from 1901-1907 to 2001-2007. <i>Journal of Affective Disorders</i> , 2013 , 144, 235-9	6.6	20
210	Suicide, recession, and unemployment - authors' reply. <i>Lancet, The</i> , 2013 , 381, 722	4.0	17
209	Physicians' prescribing preferences were a potential instrument for patients' actual prescriptions of antidepressants. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 1386-96	5.7	37
208	Sleep and suicide: an analysis of a cohort of 394,000 Taiwanese adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1457-65	4.5	50
207	Psychotic experiences and psychotic disorders at age 18 in relation to psychotic experiences at age 12 in a longitudinal population-based cohort study. <i>American Journal of Psychiatry</i> , 2013 , 170, 742-50	11.9	206
206	Long term effect of reduced pack sizes of paracetamol on poisoning deaths and liver transplant activity in England and Wales: interrupted time series analyses. <i>BMJ, The</i> , 2013 , 346, f403	5.9	146
205	Suicide by burning barbecue charcoal in England. <i>Journal of Public Health</i> , 2013 , 35, 223-7	3.5	18
204	Perinatal risk factors for suicide in young adults in Taiwan. <i>International Journal of Epidemiology</i> , 2013 , 42, 1381-9	7.8	12
203	Maternal age at child birth, birth order, and suicide at a young age: a sibling comparison. <i>American Journal of Epidemiology</i> , 2013 , 177, 638-44	3.8	31
202	Time trends in coroners' use of different verdicts for possible suicides and their impact on officially reported incidence of suicide in England: 1990-2005. <i>Psychological Medicine</i> , 2013 , 43, 1415-22	6.9	67
201	Validation of suicide and self-harm records in the Clinical Practice Research Datalink. <i>British Journal of Clinical Pharmacology</i> , 2013 , 76, 145-57	3.8	61
200	Impact of 2008 global economic crisis on suicide: time trend study in 54 countries. <i>BMJ, The</i> , 2013 , 347, f5239	5.9	350
199	School intervention to improve mental health of students in Santiago, Chile: a randomized clinical trial. <i>JAMA Pediatrics</i> , 2013 , 167, 1004-10	8.3	44
198	Smoking cessation treatment and risk of depression, suicide, and self harm in the Clinical Practice Research Datalink: prospective cohort study. <i>BMJ, The</i> , 2013 , 347, f5704	5.9	88
197	Messages from Manchester: pilot randomised controlled trial following self-harm. <i>British Journal of Psychiatry</i> , 2013 , 203, 73-4	5.4	37
196	The impact of media reporting on the emergence of charcoal burning suicide in Taiwan. <i>PLoS ONE</i> , 2013 , 8, e55000	3.7	38
195	Identifying probable suicide clusters in wales using national mortality data. <i>PLoS ONE</i> , 2013 , 8, e71713	3.7	28
194	Authors' reply to Davies. <i>BMJ, The</i> , 2013 , 347, f7068	5.9	

193	Information sources used by the suicidal to inform choice of method. <i>Journal of Affective Disorders</i> , 2012 , 136, 702-9	6.6	44
192	Serum insulin-like growth factors and mortality in localised and advanced clinically detected prostate cancer. <i>Cancer Causes and Control</i> , 2012 , 23, 347-54	2.8	30
191	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223	40	5768
190	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96	40	4971
189	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2224-60	40	7625
188	Increase in state suicide rates in the USA during economic recession. <i>Lancet, The</i> , 2012 , 380, 1813-4	40	219
187	The use of the Internet by people who die by suicide in England: a cross sectional study. <i>Journal of Affective Disorders</i> , 2012 , 141, 480-3	6.6	26
186	The impact of pesticide suicide on the geographic distribution of suicide in Taiwan: a spatial analysis. <i>BMC Public Health</i> , 2012 , 12, 260	4.1	30
185	Maternal and offspring fasting glucose and type 2 diabetes-associated genetic variants and cognitive function at age 8: a Mendelian randomization study in the Avon Longitudinal Study of Parents and Children. <i>BMC Medical Genetics</i> , 2012 , 13, 90	2.1	19
184	Adolescent self-harm and suicidal thoughts in the ALSPAC cohort: a self-report survey in England. <i>BMC Psychiatry</i> , 2012 , 12, 69	4.2	80
183	Associations of insulin and insulin-like growth factors with physical performance in old age in the Boyd Orr and Caerphilly studies. <i>PLoS ONE</i> , 2012 , 7, e30096	3.7	9
182	A cross-sectional analysis of the association between diet and insulin-like growth factor (IGF)-I, IGF-II, IGF-binding protein (IGFBP)-2, and IGFBP-3 in men in the United Kingdom. <i>Cancer Causes and Control</i> , 2012 , 23, 907-17	2.8	30
181	Six-year follow-up of impact of co-proxamol withdrawal in England and Wales on prescribing and deaths: time-series study. <i>PLoS Medicine</i> , 2012 , 9, e1001213	11.6	50
180	40,000 memories in young teenagers: psychometric properties of the Autobiographical Memory Test in a UK cohort study. <i>Memory</i> , 2012 , 20, 300-20	1.8	51
179	Socioeconomic differences in childhood growth trajectories: at what age do height inequalities emerge?. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 143-8	5.1	72
178	Childhood milk consumption is associated with better physical performance in old age. <i>Age and Ageing</i> , 2012 , 41, 776-84	3	14
177	Circulating insulin-like growth factors and IGF-binding proteins in PSA-detected prostate cancer: the large case-control study ProtecT. <i>Cancer Research</i> , 2012 , 72, 503-15	10.1	44
176	The effect of the school environment on the emotional health of adolescents: a systematic review. <i>Pediatrics</i> , 2012 , 129, 925-49	7.4	148

175	Using natural experiments to evaluate population health interventions: new Medical Research Council guidance. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 1182-6	5.1	565
174	Adiposity, its related biologic risk factors, and suicide: a cohort study of 542,088 taiwanese adults. <i>American Journal of Epidemiology</i> , 2012 , 175, 804-15	3.8	38
173	Changes in the geography of suicide in young men: England and Wales 1981--2005. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 536-43	5.1	33
172	Factors associated with the decline in suicide by pesticide poisoning in Taiwan: a time trend analysis, 1987-2010. <i>Clinical Toxicology</i> , 2012 , 50, 471-80	2.9	41
171	Diurnal variation in probability of death following self-poisoning in Sri Lanka--evidence for chronotoxicity in humans. <i>International Journal of Epidemiology</i> , 2012 , 41, 1821-8	7.8	9
170	Impact of national policy initiatives on fatal and non-fatal self-harm after psychiatric hospital discharge: time series analysis. <i>British Journal of Psychiatry</i> , 2012 , 201, 233-8	5.4	18
169	A multi-cohort study of polymorphisms in the GH/IGF axis and physical capability: the HALCyon programme. <i>PLoS ONE</i> , 2012 , 7, e29883	3.7	10
168	Suicide and non-suicide mortality after self-harm in Taipei City, Taiwan. <i>British Journal of Psychiatry</i> , 2012 , 200, 405-11	5.4	39
167	Examining the association between maternal analgesic use during pregnancy and risk of psychotic symptoms during adolescence. <i>Schizophrenia Research</i> , 2011 , 126, 220-5	3.6	18
166	Formulation changes and time trends in outcome following paraquat ingestion in Sri Lanka. <i>Clinical Toxicology</i> , 2011 , 49, 21-8	2.9	21
165	The association between bankruptcy and hospital-presenting attempted suicide: a record linkage study. <i>Suicide and Life-Threatening Behavior</i> , 2011 , 41, 676-84	3.9	6
164	Childhood socioeconomic position and objectively measured physical capability levels in adulthood: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2011 , 6, e15564	3.7	104
163	Smoking is associated with, but does not cause, depressed mood in pregnancy--a mendelian randomization study. <i>PLoS ONE</i> , 2011 , 6, e21689	3.7	42
162	Pre-conception inter-pregnancy interval and risk of schizophrenia. <i>British Journal of Psychiatry</i> , 2011 , 199, 338-9	5.4	30
161	Effectiveness of Australian youth suicide prevention initiatives. <i>British Journal of Psychiatry</i> , 2011 , 199, 423-9	5.4	23
160	Body Weight, Obesity, and Suicide across the Life Course 2011 , 275-287		2
159	Sleeping problems and suicide in 75,000 Norwegian adults: a 20 year follow-up of the HUNT I study. <i>Sleep</i> , 2011 , 34, 1155-9	1.1	98
158	Absence of association of a single-nucleotide polymorphism in the TERT-CLPTM1L locus with age-related phenotypes in a large multicohort study: the HALCyon programme. <i>Aging Cell</i> , 2011 , 10, 520-32	9.9	7

157	Impact of different pack sizes of paracetamol in the United Kingdom and Ireland on intentional overdoses: a comparative study. <i>BMC Public Health</i> , 2011 , 11, 460	4.1	27
156	A community-based cluster randomised trial of safe storage to reduce pesticide self-poisoning in rural Sri Lanka: study protocol. <i>BMC Public Health</i> , 2011 , 11, 879	4.1	31
155	Why do people choose charcoal burning as a method of suicide? An interview based study of survivors in Taiwan. <i>Journal of Affective Disorders</i> , 2011 , 131, 402-7	6.6	51
154	School performance and risk of suicide in early adulthood: follow-up of two national cohorts of Swedish schoolchildren. <i>Journal of Affective Disorders</i> , 2011 , 131, 104-12	6.6	43
153	"Well it's like someone at the other end cares about you." A qualitative study exploring the views of users and providers of care of contact-based interventions following self-harm. <i>General Hospital Psychiatry</i> , 2011 , 33, 166-76	5.6	37
152	Geography of suicide in Taiwan: spatial patterning and socioeconomic correlates. <i>Health and Place</i> , 2011 , 17, 641-50	4.6	87
151	Levels of insulin-like growth factor during pregnancy and maternal cancer risk: a nested case-control study. <i>Cancer Causes and Control</i> , 2011 , 22, 945-53	2.8	6
150	Symptom recognition and help seeking for depression in young adults: a vignette study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 495-505	4.5	27
149	The prevalence of previous self-harm amongst self-poisoning patients in Sri Lanka. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 517-20	4.5	11
148	Suicide epidemics: the impact of newly emerging methods on overall suicide rates - a time trends study. <i>BMC Public Health</i> , 2011 , 11, 314	4.1	40
147	Suicide in the Philippines: time trend analysis (1974-2005) and literature review. <i>BMC Public Health</i> , 2011 , 11, 536	4.1	31
146	School-based intervention to improve the mental health of low-income, secondary school students in Santiago, Chile (YPSA): study protocol for a randomized controlled trial. <i>Trials</i> , 2011 , 12, 49	2.8	10
145	ACTN3 genotype, athletic status, and life course physical capability: meta-analysis of the published literature and findings from nine studies. <i>Human Mutation</i> , 2011 , 32, 1008-18	4.7	74
144	The association of weight gain during adulthood with prostate cancer incidence and survival: a population-based cohort. <i>International Journal of Cancer</i> , 2011 , 129, 1199-206	7.5	21
143	Association between locus of control in childhood and psychotic symptoms in early adolescence: results from a large birth cohort. <i>Cognitive Neuropsychiatry</i> , 2011 , 16, 385-402	2	35
142	Does smoking cessation cause depression and anxiety? Findings from the ATTEMPT cohort. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 209-14	4.9	25
141	Long-term impact of poor birth condition on social and economic outcomes in early adulthood. <i>Pediatrics</i> , 2011 , 127, e1498-504	7.4	17
140	Height loss and future coronary heart disease in London: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 461-4	5.1	7

139	Media reporting and suicide: a time-series study of suicide from Clifton Suspension Bridge, UK, 1974-2007. <i>Journal of Public Health</i> , 2011 , 33, 511-7	3.5	15
138	Internet searches for a specific suicide method follow its high-profile media coverage. <i>American Journal of Psychiatry</i> , 2011 , 168, 855-7	11.9	28
137	Milk and linear growth: programming of the igf-I axis and implication for health in adulthood. <i>Nestle Nutrition Workshop Series Paediatric Programme</i> , 2011 , 67, 79-97		28
136	Childhood facial emotion recognition and psychosis-like symptoms in a nonclinical population at 12 years of age: results from the ALSPAC birth cohort. <i>Cognitive Neuropsychiatry</i> , 2011 , 16, 136-57	2	12
135	Suicidal behaviour and suicide from the Clifton Suspension Bridge, Bristol and surrounding area in the UK: 1994-2003. <i>European Journal of Public Health</i> , 2011 , 21, 204-8	2.1	16
134	The association between birth condition and neuropsychological functioning and educational attainment at school age: a cohort study. <i>Archives of Disease in Childhood</i> , 2011 , 96, 30-7	2.2	18
133	Socio-economic disadvantage from childhood to adulthood and locomotor function in old age: a lifecourse analysis of the Boyd Orr and Caerphilly prospective studies. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 1014-23	5.1	28
132	Suicide in England and Wales 1861-2007: a time-trends analysis. <i>International Journal of Epidemiology</i> , 2010 , 39, 1464-75	7.8	61
131	Factors influencing the decision to use hanging as a method of suicide: qualitative study. <i>British Journal of Psychiatry</i> , 2010 , 197, 320-5	5.4	58
130	What was the immediate impact on population health of the recent fall in hormone replacement therapy prescribing in England? Ecological study. <i>Journal of Public Health</i> , 2010 , 32, 555-64	3.5	13
129	The evolution of the epidemic of charcoal-burning suicide in Taiwan: a spatial and temporal analysis. <i>PLoS Medicine</i> , 2010 , 7, e1000212	11.6	58
128	Toxicity of antidepressants: rates of suicide relative to prescribing and non-fatal overdose. <i>British Journal of Psychiatry</i> , 2010 , 196, 354-8	5.4	127
127	Postcards, green cards and telephone calls: therapeutic contact with individuals following self-harm. <i>British Journal of Psychiatry</i> , 2010 , 197, 5-7	5.4	41
126	'Hidden' suicides amongst deaths certified as undetermined intent, accident by pesticide poisoning and accident by suffocation in Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 143-52	4.5	71
125	Blood pressure and risk of prostate cancer: Cohort Norway (CONOR). <i>Cancer Causes and Control</i> , 2010 , 21, 463-72	2.8	31
124	The relation between adiposity throughout the life course and variation in IGFs and IGF-BPs: evidence from the ProtecT (Prostate testing for cancer and Treatment) study. <i>Cancer Causes and Control</i> , 2010 , 21, 1829-42	2.8	23
123	International regulatory activity restricting COX-2 inhibitor use and deaths due to gastrointestinal haemorrhage and myocardial infarction. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 778-85	2.6	5
122	Advance directives and suicidal behaviour. <i>BMJ, The</i> , 2010 , 341, c4557	5.9	9

121	Effect of withdrawal of co-proxamol on prescribing and deaths from drug poisoning in England and Wales: time series analysis. <i>BMJ, The</i> , 2009 , 338, b2270	5.9	59
120	Prospective study of peer victimization in childhood and psychotic symptoms in a nonclinical population at age 12 years. <i>Archives of General Psychiatry</i> , 2009 , 66, 527-36		260
119	Was the economic crisis 1997-1998 responsible for rising suicide rates in East/Southeast Asia? A time-trend analysis for Japan, Hong Kong, South Korea, Taiwan, Singapore and Thailand. <i>Social Science and Medicine</i> , 2009 , 68, 1322-31	5.1	255
118	Supporting adolescent emotional health in schools: a mixed methods study of student and staff views in England. <i>BMC Public Health</i> , 2009 , 9, 403	4.1	34
117	Pattern of pesticide storage before pesticide self-poisoning in rural Sri Lanka. <i>BMC Public Health</i> , 2009 , 9, 405	4.1	37
116	Circulating insulin-like growth factor peptides and prostate cancer risk: a systematic review and meta-analysis. <i>International Journal of Cancer</i> , 2009 , 124, 2416-29	7.5	200
115	Childhood stature and adult cancer risk: the Boyd Orr cohort. <i>Cancer Causes and Control</i> , 2009 , 20, 243-51	1.8	17
114	Components of the metabolic syndrome and risk of prostate cancer: the HUNT 2 cohort, Norway. <i>Cancer Causes and Control</i> , 2009 , 20, 1181-92	2.8	86
113	Is low IQ associated with an increased risk of developing suicidal thoughts? A cohort study based on an 18-month follow-up of the national psychiatric morbidity survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 34-8	4.5	18
112	International impacts of regulatory action to limit antidepressant prescribing on rates of suicide in young people. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 579-88	2.6	12
111	Population impact of regulatory activity restricting prescribing of COX-2 inhibitors: ecological study. <i>British Journal of Clinical Pharmacology</i> , 2009 , 68, 752-64	3.8	15
110	Relationship between blood alcohol concentration on admission and outcome in dimethoate organophosphorus self-poisoning. <i>British Journal of Clinical Pharmacology</i> , 2009 , 68, 916-9	3.8	22
109	Height, wealth, and health: an overview with new data from three longitudinal studies. <i>Economics and Human Biology</i> , 2009 , 7, 137-52	2.6	174
108	Is IQ in childhood associated with suicidal thoughts and attempts? Findings from the Mater University Study of Pregnancy and its outcomes. <i>Suicide and Life-Threatening Behavior</i> , 2009 , 39, 282-93	3.9	19
107	Part and parcel of teaching? Secondary school staff's views on supporting student emotional health and well-being. <i>British Educational Research Journal</i> , 2009 , 36, 919-935	1.6	88
106	Varenicline and suicidal behaviour: a cohort study based on data from the General Practice Research Database. <i>BMJ, The</i> , 2009 , 339, b3805	5.9	143
105	Resuscitation at birth and cognition at 8 years of age: a cohort study. <i>Lancet, The</i> , 2009 , 373, 1615-22	4.0	106
104	IQ in early adulthood and mortality by middle age: cohort study of 1 million Swedish men. <i>Epidemiology</i> , 2009 , 20, 100-9	3.1	116

103	Maternal tobacco, cannabis and alcohol use during pregnancy and risk of adolescent psychotic symptoms in offspring. <i>British Journal of Psychiatry</i> , 2009 , 195, 294-300	5.4	68
102	The population impact on incidence of suicide and non-fatal self harm of regulatory action against the use of selective serotonin reuptake inhibitors in under 18s in the United Kingdom: ecological study. <i>BMJ, The</i> , 2008 , 336, 542-5	5.9	69
101	Suicide and the internet. <i>BMJ, The</i> , 2008 , 336, 800-2	5.9	150
100	Height and prostate cancer risk: a large nested case-control study (ProtecT) and meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2325-36	4	80
99	Childhood circumstances and anthropometry: the Boyd Orr cohort. <i>Annals of Human Biology</i> , 2008 , 35, 518-34	1.7	30
98	Improvement in survival after paraquat ingestion following introduction of a new formulation in Sri Lanka. <i>PLoS Medicine</i> , 2008 , 5, e49	11.6	70
97	Suicide rates in young men in England and Wales in the 21st century: time trend study. <i>BMJ, The</i> , 2008 , 336, 539-42	5.9	90
96	Recreational physical activity and cancer risk in subsites of the colon (the Nord-Trøndelag Health Study). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 183-8	4	45
95	Infections in the CNS during childhood and the risk of subsequent psychotic illness: a cohort study of more than one million Swedish subjects. <i>American Journal of Psychiatry</i> , 2008 , 165, 59-65	11.9	168
94	Associations of insulin-like growth factor (IGF)-I, IGF-II, IGF binding protein (IGFBP)-2 and IGFBP-3 with ultrasound measures of atherosclerosis and plaque stability in an older adult population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1331-8	5.6	35
93	IQ and non-clinical psychotic symptoms in 12-year-olds: results from the ALSPAC birth cohort. <i>British Journal of Psychiatry</i> , 2008 , 193, 185-91	5.4	187
92	Hospital admissions for self harm after discharge from psychiatric inpatient care: cohort study. <i>BMJ, The</i> , 2008 , 337, a2278	5.9	58
91	Psychological autopsy study of suicide in three rural and semi-rural districts of Sri Lanka. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 280-5	4.5	40
90	Association of adult body mass index and height with anxiety, depression, and suicide in the general population: the HUNT study. <i>American Journal of Epidemiology</i> , 2008 , 167, 193-202	3.8	173
89	Body mass index in middle life and future risk of hospital admission for psychoses or depression: findings from the Renfrew/Paisley study. <i>Psychological Medicine</i> , 2007 , 37, 1151-61	6.9	25
88	Does restricting pack size of paracetamol (acetaminophen) reduce suicides?. <i>PLoS Medicine</i> , 2007 , 4, e152	11.6	12
87	Explaining non-help-seeking amongst young adults with mental distress: a dynamic interpretive model of illness behaviour. <i>Sociology of Health and Illness</i> , 2007 , 29, 983-1002	3	144
86	The global distribution of fatal pesticide self-poisoning: systematic review. <i>BMC Public Health</i> , 2007 , 7, 357	4.1	558

85	Suicide and occupation: the impact of socio-economic, demographic and psychiatric differences. <i>Psychological Medicine</i> , 2007 , 37, 1131-40	6.9	128
84	Schizophrenia and neural tube defects: comparisons from an epidemiological perspective. <i>Schizophrenia Bulletin</i> , 2007 , 33, 853-8	1.3	28
83	Childhood dairy intake and adult cancer risk: 65-y follow-up of the Boyd Orr cohort. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 1722-9	7	80
82	Social inequalities in antidepressant treatment and mortality: a longitudinal register study. <i>Psychological Medicine</i> , 2007 , 37, 373-82	6.9	74
81	Pesticide self-poisoning: thinking outside the box. <i>Lancet, The</i> , 2007 , 369, 169-70	4.0	35
80	Effect of barriers on the Clifton suspension bridge, England, on local patterns of suicide: implications for prevention. <i>British Journal of Psychiatry</i> , 2007 , 190, 266-7	5.4	67
79	Childhood dairy intake and adult cancer risk: 65-y follow-up of the Boyd Orr cohort. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 1722-1729	7	44
78	Associations of adiposity from childhood into adulthood with insulin resistance and the insulin-like growth factor system: 65-year follow-up of the Boyd Orr Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3287-95	5.6	44
77	Insulin-like growth factor-I and growth in height, leg length, and trunk length between ages 5 and 10 years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 2514-9	5.6	76
76	Associations of childhood and adulthood height and the components of height with insulin-like growth factor levels in adulthood: a 65-year follow-up of the Boyd Orr cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1382-9	5.6	25
75	Choice of poison for intentional self-poisoning in rural Sri Lanka. <i>Clinical Toxicology</i> , 2006 , 44, 283-6	2.9	91
74	The geography of despair among 15-44-year-old men in England and Wales: putting suicide on the map. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 1040-7	5.1	55
73	Association of body mass index with suicide mortality: a prospective cohort study of more than one million men. <i>American Journal of Epidemiology</i> , 2006 , 163, 1-8	3.8	120
72	Continuing controversy over monitoring men with localized prostate cancer: a systematic review of programs in the prostate specific antigen era. <i>Journal of Urology</i> , 2006 , 176, 439-49	2.5	40
71	Milk as a food for growth? The insulin-like growth factors link. <i>Public Health Nutrition</i> , 2006 , 9, 359-68	3.3	74
70	Relationship between antidepressant sales and secular trends in suicide rates in the Nordic countries. <i>British Journal of Psychiatry</i> , 2006 , 188, 354-8	5.4	62
69	Did intense adverse media publicity impact on prescribing of paroxetine and the notification of suspected adverse drug reactions? Analysis of routine databases, 2001-2004. <i>British Journal of Clinical Pharmacology</i> , 2006 , 61, 224-8	3.8	31
68	Suicidal behaviour and SSRIs: updated meta-analysis. <i>BMJ, The</i> , 2006 , 332, 1453	5.9	6

67	Patterns of hospital transfer for self-poisoned patients in rural Sri Lanka: implications for estimating the incidence of self-poisoning in the developing world. <i>Bulletin of the World Health Organization</i> , 2006 , 84, 276-82	8.2	52
66	Antidepressant treatment and the risk of fatal and non-fatal self harm in first episode depression: nested case-control study. <i>BMJ, The</i> , 2005 , 330, 389	5.9	159
65	Opportunity cost of antidepressant prescribing in England: analysis of routine data. <i>BMJ, The</i> , 2005 , 330, 999-1000	5.9	30
64	The usefulness of coroners' data on suicides for providing information relevant to prevention. <i>Suicide and Life-Threatening Behavior</i> , 2005 , 35, 607-14	3.9	18
63	Epidemiology of intentional self-poisoning in rural Sri Lanka. <i>British Journal of Psychiatry</i> , 2005 , 187, 583-4	4.4	100
62	Crisis card following self-harm: 12-month follow-up of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2005 , 187, 186-7	5.4	56
61	Suicide by hanging: multicentre study based on coroners' records in England. <i>British Journal of Psychiatry</i> , 2005 , 186, 260-1	5.4	31
60	Could associations between breastfeeding and insulin-like growth factors underlie associations of breastfeeding with adult chronic disease? The Avon Longitudinal Study of Parents and Children. <i>Clinical Endocrinology</i> , 2005 , 62, 728-37	3.4	55
59	Factors associated with the non-assessment of self-harm patients attending an Accident and Emergency Department: results of a national study. <i>Journal of Affective Disorders</i> , 2005 , 89, 91-7	6.6	59
58	Changing patterns of suicide in a poor, rural county over the 20th century: a comparison with national trends. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 601-4	4.5	14
57	The epidemiology and management of self-harm amongst adults in England. <i>Journal of Public Health</i> , 2005 , 27, 67-73	3.5	79
56	Cohort profile: The Boyd Orr cohort--an historical cohort study based on the 65 year follow-up of the Carnegie Survey of Diet and Health (1937-39). <i>International Journal of Epidemiology</i> , 2005 , 34, 742-9	7.8	55
55	Association of insulin-like growth factor I and insulin-like growth factor-binding protein-3 with intelligence quotient among 8- to 9-year-old children in the Avon Longitudinal Study of Parents and Children. <i>Pediatrics</i> , 2005 , 116, e681-6	7.4	69
54	Selective serotonin reuptake inhibitors (SSRIs) and suicide in adults: meta-analysis of drug company data from placebo controlled, randomised controlled trials submitted to the MHRA's safety review. <i>BMJ, The</i> , 2005 , 330, 385	5.9	239
53	The epidemiology and prevention of suicide by hanging: a systematic review. <i>International Journal of Epidemiology</i> , 2005 , 34, 433-42	7.8	199
52	Strong inverse association between height and suicide in a large cohort of Swedish men: evidence of early life origins of suicidal behavior?. <i>American Journal of Psychiatry</i> , 2005 , 162, 1373-5	11.9	60
51	Social adversity in childhood and the risk of developing psychosis: a national cohort study. <i>American Journal of Psychiatry</i> , 2005 , 162, 1652-7	11.9	200
50	Help-seeking behaviour in men and women with common mental health problems: cross-sectional study. <i>British Journal of Psychiatry</i> , 2005 , 186, 297-301	5.4	301

49	Missing deaths from pesticide self-poisoning at the IFCS Forum IV. <i>Bulletin of the World Health Organization</i> , 2005 , 83, 157-8	8.2	14
48	Does the misreporting of adult body size depend upon an individual's height and weight? Methodological debate. <i>International Journal of Epidemiology</i> , 2004 , 33, 1398-9	7.8	6
47	Suicide by gunshot in the United Kingdom: a review of the literature. <i>Medicine, Science and the Law</i> , 2004 , 44, 295-310	1.1	29
46	Parents' growth in childhood and the birth weight of their offspring. <i>Epidemiology</i> , 2004 , 15, 308-16	3.1	58
45	Variations in the hospital management of self harm in adults in England: observational study. <i>BMJ, The</i> , 2004 , 328, 1108-9	5.9	74
44	Paternal age and schizophrenia: a population based cohort study. <i>BMJ, The</i> , 2004 , 329, 1070	5.9	218
43	Life course breast cancer risk factors and adult breast density (United Kingdom). <i>Cancer Causes and Control</i> , 2004 , 15, 947-955	2.8	52
42	Suicide risk in small areas in England and Wales, 1991-1993. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 45-52	4.5	61
41	Social fragmentation, severe mental illness and suicide. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 165-70	4.5	53
40	Screen-detected prostate cancer and the insulin-like growth factor axis: results of a population-based case-control study. <i>International Journal of Cancer</i> , 2004 , 108, 887-92	7.5	47
39	Antidepressants and suicide: what is the balance of benefit and harm. <i>BMJ, The</i> , 2004 , 329, 34-8	5.9	95
38	Binners, fillers and filers--a qualitative study of GPs who don't return postal questionnaires. <i>European Journal of General Practice</i> , 2004 , 10, 146-51	2.8	11
37	Factors influencing help seeking in mentally distressed young adults: a cross-sectional survey. <i>British Journal of General Practice</i> , 2004 , 54, 248-53	1.6	116
36	Antidepressants and suicide: Authors' reply 2004 , 329, 461.3-462		
35	Patterns of General Practitioner consultation for mental illness by young people in rural areas. A cross-sectional study. <i>Health Statistics Quarterly</i> , 2004 , 30-3		1
34	Influence of cohort effects on patterns of suicide in England and Wales, 1950-1999. <i>British Journal of Psychiatry</i> , 2003 , 182, 164-70	5.4	45
33	Locally developed guidelines for the aftercare of deliberate self-harm patients in general practice. <i>Primary Health Care Research and Development</i> , 2003 , 4, 21-28	1.6	2
32	Patterns of fetal and childhood growth and the development of psychosis in young males: a cohort study. <i>American Journal of Epidemiology</i> , 2003 , 158, 291-300	3.8	73

31	Height, leg length, and cancer: the Caerphilly Study. <i>Nutrition and Cancer</i> , 2003 , 47, 34-9	2.8	28
30	Why are suicide rates rising in young men but falling in the elderly?-- a time-series analysis of trends in England and Wales 1950-1998. <i>Social Science and Medicine</i> , 2003 , 57, 595-611	5.1	205
29	Urban-rural differences in suicide trends in young adults: England and Wales, 1981-1998. <i>Social Science and Medicine</i> , 2003 , 57, 1183-94	5.1	96
28	Suicide: the spatial and social components of despair in Britain 1980-2000. <i>Transactions of the Institute of British Geographers</i> , 2003 , 28, 442-460	2.5	35
27	National suicide rates as an indicator of the effect of suicide on premature mortality. <i>Lancet, The</i> , 2003 , 362, 961-2	4.0	44
26	Commentary: Can adult anthropometry be used as a Biomarker for prenatal and childhood exposures?. <i>International Journal of Epidemiology</i> , 2002 , 31, 390-394	7.8	124
25	Associations between premorbid intellectual performance, early-life exposures and early-onset schizophrenia. Cohort study. <i>British Journal of Psychiatry</i> , 2002 , 181, 298-305	5.4	118
24	General practice based intervention to prevent repeat episodes of deliberate self harm: cluster randomised controlled trial. <i>BMJ, The</i> , 2002 , 324, 1254-7	5.9	63
23	Paracetamol recall: a natural experiment influencing analgesic poisoning. <i>Medical Journal of Australia</i> , 2002 , 176, 561-2; author reply 562-3	4	1
22	Paracetamol recall: a natural experiment influencing analgesic poisoning. <i>Medical Journal of Australia</i> , 2002 , 176, 561-563	4	
21	Can adult anthropometry be used as a 'biomarker' for prenatal and childhood exposures?. <i>International Journal of Epidemiology</i> , 2002 , 31, 390-4	7.8	45
20	Patterns and predictors of hospitalisation in first-episode psychosis. Prospective cohort study. <i>British Journal of Psychiatry</i> , 2001 , 178, 518-23	5.4	56
19	Association between schizophrenia and social inequality at birth: case-control study. <i>British Journal of Psychiatry</i> , 2001 , 179, 346-50	5.4	104
18	International trends in prostate-cancer mortality in the "PSA ERA". <i>International Journal of Cancer</i> , 2001 , 92, 893-8	7.5	131
17	Psychosocial and pharmacological treatment of patients following deliberate self-harm: the methodological issues involved in evaluating effectiveness. <i>Suicide and Life-Threatening Behavior</i> , 2001 , 31, 169-80	3.9	26
16	Effects of legislation restricting pack sizes of paracetamol and salicylate on self poisoning in the United Kingdom: before and after study. <i>BMJ: British Medical Journal</i> , 2001 , 322, 1203-7		242
15	Guidelines and educational outreach visits from community pharmacists to improve prescribing in general practice: a randomised controlled trial. <i>Journal of Health Services Research and Policy</i> , 2001 , 6, 207-13	2.4	23
14	Socioeconomic measures in early old age as indicators of previous lifetime exposure to environmental health hazards. <i>Sociology of Health and Illness</i> , 2000 , 22, 415-430	3	12

13	Comparison of trends in method-specific suicide rates in Australia and England & Wales, 1968-97. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 153-7	2.3	29
12	Youth suicide trends in Australian metropolitan and non-metropolitan areas, 1988-1997. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 822-8	2.6	42
11	Psychosocial versus pharmacological treatments for deliberate self harm. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD001764		78
10	Suicide and unemployment in young people. Analysis of trends in England and Wales, 1921-1995. <i>British Journal of Psychiatry</i> , 1999 , 175, 263-70	5.4	87
9	Sex differences in suicide trends in England and Wales. <i>Lancet, The</i> , 1999 , 353, 556-7	4.0	28
8	Ecological study of social fragmentation, poverty, and suicide. <i>BMJ: British Medical Journal</i> , 1999 , 319, 1034-7		149
7	Socio-economic and dietary influences on leg length and trunk length in childhood: a reanalysis of the Carnegie (Boyd Orr) survey of diet and health in prewar Britain (1937-39). <i>Paediatric and Perinatal Epidemiology</i> , 1998 , 12 Suppl 1, 96-113	2.7	109
6	Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. <i>BMJ: British Medical Journal</i> , 1998 , 317, 441-7		273
5			
4	Using natural experiments to evaluate population health interventions: new Medical Research Council guidance		1
3	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: protocol for a living systematic review. <i>F1000Research</i> , 9 , 644	3.6	11
2	Tracking online searches for emotional wellbeing concerns and coping strategies in the UK during the COVID-19 pandemic: a Google Trends analysis. <i>Wellcome Open Research</i> , 5 , 220	4.8	1
1	Child Suicide Rates During the COVID-19 pandemic in England		8