David Gunnell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2792014/publications.pdf

Version: 2024-02-01

425 papers

55,849 citations

92 h-index 1381

443 all docs 443 docs citations

443 times ranked

65313 citing authors

g-index

#	Article	IF	CITATIONS
1	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2224-2260.	6.3	9,397
2	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223.	6.3	7,061
3	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196.	6.3	6,376
4	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	6.3	2,184
5	Suicide risk and prevention during the COVID-19 pandemic. Lancet Psychiatry, the, 2020, 7, 468-471.	3.7	1,054
6	Suicide by intentional ingestion of pesticides: a continuing tragedy in developing countries. International Journal of Epidemiology, 2003, 32, 902-909.	0.9	955
7	The global distribution of fatal pesticide self-poisoning: Systematic review. BMC Public Health, 2007, 7, 357.	1.2	710
8	Using natural experiments to evaluate population health interventions: new Medical Research Council guidance. Journal of Epidemiology and Community Health, 2012, 66, 1182-1186.	2.0	696
9	Impact of 2008 global economic crisis on suicide: time trend study in 54 countries. BMJ, The, 2013, 347, f5239-f5239.	3.0	489
10	UK health performance: findings of the Global Burden of Disease Study 2010. Lancet, The, 2013, 381, 997-1020.	6.3	479
11	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. JAMA Pediatrics, 2016, 170, 267.	3.3	479
12	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. Lancet Psychiatry,the, 2021, 8, 579-588.	3.7	455
13	Suicide and suicide risk. Nature Reviews Disease Primers, 2019, 5, 74.	18.1	450
14	Hospital Presenting Self-Harm and Risk of Fatal and Non-Fatal Repetition: Systematic Review and Meta-Analysis. PLoS ONE, 2014, 9, e89944.	1.1	405
15	Help-seeking behaviour in men and women with common mental health problems: cross-sectional study. British Journal of Psychiatry, 2005, 186, 297-301.	1.7	390
16	Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. BMJ: British Medical Journal, 1998, 317, 441-447.	2.4	355
17	Selective serotonin reuptake inhibitors (SSRIs) and suicide in adults: meta-analysis of drug company data from placebo controlled, randomised controlled trials submitted to the MHRA's safety review. BMJ: British Medical Journal, 2005, 330, 385.	2.4	330
18	Effects of legislation restricting pack sizes of paracetamol and salicylate on self poisoning in the United Kingdom: before and after study. BMJ: British Medical Journal, 2001, 322, 1203-1203.	2.4	327

#	Article	IF	CITATIONS
19	The global burden of fatal self-poisoning with pesticides 2006-15: Systematic review. Journal of Affective Disorders, 2017, 219, 93-104.	2.0	318
20	Prospective Study of Peer Victimization in Childhood and Psychotic Symptoms in a Nonclinical Population at Age 12 Years. Archives of General Psychiatry, 2009, 66, 527.	13.8	316
21	Was the economic crisis 1997–1998 responsible for rising suicide rates in East/Southeast Asia? A time–trend analysis for Japan, Hong Kong, South Korea, Taiwan, Singapore and Thailand. Social Science and Medicine, 2009, 68, 1322-1331.	1.8	313
22	The epidemiology and prevention of suicide by hanging: a systematic review. International Journal of Epidemiology, 2005, 34, 433-442.	0.9	275
23	Psychotic Experiences and Psychotic Disorders at Age 18 in Relation to Psychotic Experiences at Age 12 in a Longitudinal Population-Based Cohort Study. American Journal of Psychiatry, 2013, 170, 742-750.	4.0	273
24	Prevalence of non-suicidal self-harm and service contact in England, 2000–14: repeated cross-sectional surveys of the general population. Lancet Psychiatry,the, 2019, 6, 573-581.	3.7	268
25	Predictors of future suicide attempt among adolescents with suicidal thoughts or non-suicidal self-harm: a population-based birth cohort study. Lancet Psychiatry,the, 2019, 6, 327-337.	3.7	268
26	Increase in state suicide rates in the USA during economic recession. Lancet, The, 2012, 380, 1813-1814.	6.3	266
27	Paternal age and schizophrenia: a population based cohort study. BMJ: British Medical Journal, 2004, 329, 1070.	2.4	252
28	Why are suicide rates rising in young men but falling in the elderly?—a time-series analysis of trends in England and Wales 1950–1998. Social Science and Medicine, 2003, 57, 595-611.	1.8	242
29	IQ and non-clinical psychotic symptoms in 12-year-olds: results from the ALSPAC birth cohort. British Journal of Psychiatry, 2008, 193, 185-191.	1.7	233
30	Social Adversity in Childhood and the Risk of Developing Psychosis: A National Cohort Study. American Journal of Psychiatry, 2005, 162, 1652-1657.	4.0	224
31	Circulating insulinâ€ike growth factor peptides and prostate cancer risk: A systematic review and metaâ€analysis. International Journal of Cancer, 2009, 124, 2416-2429.	2.3	222
32	Suicide risk assessment and intervention in people with mental illness. BMJ, The, 2015, 351, h4978-h4978.	3.0	213
33	Antidepressant treatment and the risk of fatal and non-fatal self harm in first episode depression: nested case-control study. BMJ: British Medical Journal, 2005, 330, 389.	2.4	211
34	Height, wealth, and health: An overview with new data from three longitudinal studies. Economics and Human Biology, 2009, 7, 137-152.	0.7	205
35	Ecological study of social fragmentation, poverty, and suicide. BMJ: British Medical Journal, 1999, 319, 1034-1037.	2.4	203
36	Infections in the CNS During Childhood and the Risk of Subsequent Psychotic Illness: A Cohort Study of More Than One Million Swedish Subjects. American Journal of Psychiatry, 2008, 165, 59-65.	4.0	201

#	Article	IF	Citations
37	Clinical and social outcomes of adolescent self harm: population based birth cohort study. BMJ, The, 2014, 349, g5954-g5954.	3.0	200
38	Association of Adult Body Mass Index and Height with Anxiety, Depression, and Suicide in the General Population: The HUNT Study. American Journal of Epidemiology, 2007, 167, 193-202.	1.6	198
39	Long term effect of reduced pack sizes of paracetamol on poisoning deaths and liver transplant activity in England and Wales: interrupted time series analyses. BMJ, The, 2013, 346, f403-f403.	3.0	191
40	Suicide and the internet. BMJ: British Medical Journal, 2008, 336, 800-802.	2.4	186
41	The Effect of the School Environment on the Emotional Health of Adolescents: A Systematic Review. Pediatrics, 2012, 129, 925-949.	1.0	186
42	Trends in suicide during the covid-19 pandemic. BMJ, The, 2020, 371, m4352.	3.0	184
43	Teachers' wellbeing and depressive symptoms, and associated risk factors: A large cross sectional study in English secondary schools. Journal of Affective Disorders, 2016, 192, 76-82.	2.0	183
44	Explaining nonâ€helpâ€seeking amongst young adults with mental distress: a dynamic interpretive model of illness behaviour. Sociology of Health and Illness, 2007, 29, 983-1002.	1.1	182
45	Varenicline and suicidal behaviour: a cohort study based on data from the General Practice Research Database. BMJ: British Medical Journal, 2009, 339, b3805-b3805.	2.4	174
46	Suicide and occupation: the impact of socio-economic, demographic and psychiatric differences. Psychological Medicine, 2007, 37, 1131-1140.	2.7	168
47	Psychosocial interventions following self-harm in adults: a systematic review and meta-analysis. Lancet Psychiatry,the, 2016, 3, 740-750.	3.7	165
48	Toxicity of antidepressants: rates of suicide relative to prescribing and non-fatal overdose. British Journal of Psychiatry, 2010, 196, 354-358.	1.7	155
49	Is teachers' mental health and wellbeing associated with students' mental health and wellbeing?. Journal of Affective Disorders, 2019, 242, 180-187.	2.0	155
50	School-based interventions to prevent anxiety and depression in children and young people: a systematic review and network meta-analysis. Lancet Psychiatry,the, 2019, 6, 1011-1020.	3.7	155
51	Prevention of suicide with regulations aimed at restricting access to highly hazardous pesticides: a systematic review of the international evidence. The Lancet Global Health, 2017, 5, e1026-e1037.	2.9	154
52	International trends in prostate-cancer mortality in the ?PSA era?. International Journal of Cancer, 2001, 92, 893-898.	2.3	150
53	Association of Body Mass Index with Suicide Mortality: A Prospective Cohort Study of More than One Million Men. American Journal of Epidemiology, 2006, 163, 1-8.	1.6	141
54	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. F1000Research, 2020, 9, 1097.	0.8	141

#	Article	IF	Citations
55	Psychosocial interventions for self-harm in adults. The Cochrane Library, 2021, 2021, CD012189.	1.5	140
56	Interventions for self-harm in children and adolescents. The Cochrane Library, 2021, 2021, CD012013.	1.5	139
57	Socioâ€economic and dietary influences on leg length and trunk length in childhood: a reanalysis of the Carnegie (Boyd Orr) survey of diet and health in prewar Britain (1937–39). Paediatric and Perinatal Epidemiology, 1998, 12, 96-113.	0.8	138
58	IQ in Early Adulthood and Mortality By Middle Age. Epidemiology, 2009, 20, 100-109.	1.2	137
59	Mental health of children and young people during pandemic. BMJ, The, 2021, 372, n614.	3.0	136
60	Commentary: Can adult anthropometry be used as a  biomarker' for prenatal and childhood exposures?. International Journal of Epidemiology, 2002, 31, 390-394.	0.9	134
61	Economic recession and suicidal behaviour: Possible mechanisms and ameliorating factors. International Journal of Social Psychiatry, 2015, 61, 73-81.	1.6	134
62	Association between schizophrenia and social inequality at birth: case–control study. British Journal of Psychiatry, 2001, 179, 346-350.	1.7	132
63	Associations between premorbid intellectual performance, early-life exposures and early-onset schizophrenia. British Journal of Psychiatry, 2002, 181, 298-305.	1.7	128
64	Suicidal behaviour across the African continent: a review of the literature. BMC Public Health, 2014, 14, 606.	1.2	128
65	Factors influencing help seeking in mentally distressed young adults: a cross-sectional survey. British Journal of General Practice, 2004, 54, 248-53.	0.7	127
66	Being Bullied During Childhood and the Prospective Pathways to Self-Harm in Late Adolescence. Journal of the American Academy of Child and Adolescent Psychiatry, 2013, 52, 608-618.e2.	0.3	125
67	Suicide and the 2008 economic recession: Who is most at risk? Trends in suicide rates in England and Wales 2001–2011. Social Science and Medicine, 2014, 117, 76-85.	1.8	125
68	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: update of living systematic review. F1000Research, 2020, 9, 1097.	0.8	123
69	Antidepressants and suicide: what is the balance of benefit and harm. BMJ: British Medical Journal, 2004, 329, 34-38.	2.4	122
70	Childhood Socioeconomic Position and Objectively Measured Physical Capability Levels in Adulthood: A Systematic Review and Meta-Analysis. PLoS ONE, 2011, 6, e15564.	1.1	121
71	Suicide by pesticide poisoning remains a priority for suicide prevention in China: Analysis of national mortality trends 2006–2013. Journal of Affective Disorders, 2017, 208, 418-423.	2.0	120
72	Epidemiology of intentional self-poisoning in rural Sri Lanka. British Journal of Psychiatry, 2005, 187, 583-584.	1.7	119

#	Article	IF	CITATIONS
73	Sleeping Problems and Suicide in 75,000 Norwegian Adults: A 20 Year Follow-up of the HUNT I Study. Sleep, 2011, 34, 1155-1159.	0.6	118
74	Characteristics of people dying by suicide after job loss, financial difficulties and other economic stressors during a period of recession (2010–2011): A review of coroners׳ records. Journal of Affective Disorders, 2015, 183, 98-105.	2.0	117
75	Psychosocial and pharmacological treatments for deliberate self harm. , 1999, , CD001764.		116
76	Part and parcel of teaching? Secondary school staff's views on supporting student emotional health and wellâ€being. British Educational Research Journal, 2010, 36, 919-935.	1.4	116
77	Resuscitation at birth and cognition at 8 years of age: a cohort study. Lancet, The, 2009, 373, 1615-1622.	6.3	116
78	Social inequalities in antidepressant treatment and mortality: a longitudinal register study. Psychological Medicine, 2007, 37, 373.	2.7	115
79	Differences in risk factors for self-harm with and without suicidal intent: Findings from the ALSPAC cohort. Journal of Affective Disorders, 2014, 168, 407-414.	2.0	114
80	Choice of Poison for Intentional Self-Poisoning in Rural Sri Lanka. Clinical Toxicology, 2006, 44, 283-286.	0.8	113
81	The relationship between physical activity, mental wellbeing and symptoms of mental health disorder in adolescents: a cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 138.	2.0	113
82	Risk of neuropsychiatric adverse events associated with varenicline: systematic review and meta-analysis. BMJ, The, 2015, 350, h1109-h1109.	3.0	112
83	What distinguishes adolescents with suicidal thoughts from those who have attempted suicide? A populationâ€based birth cohort study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 91-99.	3.1	111
84	Suicide rates in young men in England and Wales in the 21st century: time trend study. BMJ: British Medical Journal, 2008, 336, 539-542.	2.4	110
85	Qualitative interviewing with vulnerable populations: Individuals' experiences of participating in suicide and self-harm based research. Journal of Affective Disorders, 2013, 145, 356-362.	2.0	110
86	Adolescent mental health in crisis. BMJ: British Medical Journal, 2018, 361, k2608.	2.4	110
87	Urban–rural differences in suicide trends in young adults: England and Wales, 1981–1998. Social Science and Medicine, 2003, 57, 1183-1194.	1.8	109
88	Changing trends in the prevalence of common mental disorders in Taiwan: a 20-year repeated cross-sectional survey. Lancet, The, 2013, 381, 235-241.	6.3	109
89	Components of the metabolic syndrome and risk of prostate cancer: the HUNT 2 cohort, Norway. Cancer Causes and Control, 2009, 20, 1181-1192.	0.8	105
90	Suicide by pesticide poisoning in India: a review of pesticide regulations and their impact on suicide trends. BMC Public Health, 2020, 20, 251.	1.2	105

#	Article	IF	CITATIONS
91	Geography of suicide in Taiwan: Spatial patterning and socioeconomic correlates. Health and Place, 2011, 17, 641-650.	1.5	104
92	Smoking cessation treatment and risk of depression, suicide, and self harm in the Clinical Practice Research Datalink: prospective cohort study. BMJ, The, 2013, 347, f5704-f5704.	3.0	104
93	Influences on antidepressant prescribing trends in the UK: 1995–2011. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 193-200.	1.6	103
94	Adolescent self-harm and suicidal thoughts in the ALSPAC cohort: a self-report survey in England. BMC Psychiatry, 2012, 12, 69.	1.1	102
95	Suicide and unemployment in young people. British Journal of Psychiatry, 1999, 175, 263-270.	1.7	101
96	The epidemiology and management of self-harm amongst adults in England. Journal of Public Health, 2005, 27, 67-73.	1.0	97
97	Childhood dairy intake and adult cancer risk: 65-y follow-up of the Boyd Orr cohort. American Journal of Clinical Nutrition, 2007, 86, 1722-1729.	2.2	97
98	<i>ACTN3</i> genotype, athletic status, and life course physical capability: metaâ€analysis of the published literature and findings from nine studies. Human Mutation, 2011, 32, 1008-1018.	1.1	97
99	Maternal tobacco, cannabis and alcohol use during pregnancy and risk of adolescent psychotic symptoms in offspring. British Journal of Psychiatry, 2009, 195, 294-300.	1.7	95
100	Impact of paraquat regulation on suicide in South Korea. International Journal of Epidemiology, 2016, 45, 470-479.	0.9	95
101	Predictive accuracy of risk scales following self-harm: Multicentre, prospective cohort study. British Journal of Psychiatry, 2017, 210, 429-436.	1.7	95
102	Economic shocks, resilience, and male suicides in the Great Recession: cross-national analysis of 20 EU countries. European Journal of Public Health, 2015, 25, 404-409.	0.1	93
103	Psychosocial characteristics as potential predictors of suicide in adults: an overview of the evidence with new results from prospective cohort studies. Translational Psychiatry, 2018, 8, 22.	2.4	93
104	Suicide Research, Prevention, and COVID-19. Crisis, 2020, 41, 321-330.	0.9	93
105	Improvement in Survival after Paraquat Ingestion Following Introduction of a New Formulation in Sri Lanka. PLoS Medicine, 2008, 5, e49.	3.9	89
106	â€~Hidden' suicides amongst deaths certified as undetermined intent, accident by pesticide poisoning and accident by suffocation in Taiwan. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 143-152.	1.6	88
107	Time trends in coroners' use of different verdicts for possible suicides and their impact on officially reported incidence of suicide in England: 1990–2005. Psychological Medicine, 2013, 43, 1415-1422.	2.7	88
108	General practice based intervention to prevent repeat episodes of deliberate self harm: cluster randomised controlled trial * Commentary: Clinical guidelines have limitations. BMJ: British Medical Journal, 2002, 324, 1254-1254.	2.4	87

#	Article	IF	CITATIONS
109	Variations in the hospital management of self harm in adults in England: observational study. BMJ: British Medical Journal, 2004, 328, 1108-1109.	2.4	87
110	Milk as a food for growth? The insulin-like growth factors link. Public Health Nutrition, 2006, 9, 359-368.	1.1	85
111	Insulin-Like Growth Factor-I and Growth in Height, Leg Length, and Trunk Length between Ages 5 and 10 Years. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 2514-2519.	1.8	85
112	Socioeconomic differences in childhood growth trajectories: at what age do height inequalities emerge?. Journal of Epidemiology and Community Health, 2012, 66, 143-148.	2.0	85
113	Patterns of Fetal and Childhood Growth and the Development of Psychosis in Young Males: A Cohort Study. American Journal of Epidemiology, 2003, 158, 291-300.	1.6	84
114	Effect of barriers on the Clifton suspension bridge, England, on local patterns of suicide: implications for prevention. British Journal of Psychiatry, 2007, 190, 266-267.	1.7	84
115	The population impact on incidence of suicide and non-fatal self harm of regulatory action against the use of selective serotonin reuptake inhibitors in under 18s in the United Kingdom: ecological study. BMJ: British Medical Journal, 2008, 336, 542-545.	2.4	84
116	Exposure to, and searching for, information about suicide and self-harm on the Internet: Prevalence and predictors in a population based cohort of young adults. Journal of Affective Disorders, 2015, 185, 239-245.	2.0	84
117	How many premature deaths from pesticide suicide have occurred since the agricultural Green Revolution?. Clinical Toxicology, 2020, 58, 227-232.	0.8	84
118	Association of Insulin-like Growth Factor I and Insulin-like Growth Factor-Binding Protein-3 With Intelligence Quotient Among 8- to 9-Year-Old Children in the Avon Longitudinal Study of Parents and Children. Pediatrics, 2005, 116 , $e681$ - $e686$.	1.0	83
119	Height and Prostate Cancer Risk: A Large Nested Case-Control Study (ProtecT) and Meta-analysis. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 2325-2336.	1.1	83
120	Mapping population mental health concerns related to COVID-19 and the consequences of physical distancing: a Google trends analysis. Wellcome Open Research, 2020, 5, 82.	0.9	81
121	Crisis card following self-harm: 12-month follow-up of a randomised controlled trial. British Journal of Psychiatry, 2005, 187, 186-187.	1.7	80
122	Suicide in England and Wales 1861–2007: a time-trends analysis. International Journal of Epidemiology, 2010, 39, 1464-1475.	0.9	79
123	Suicide prevention through means restriction: Impact of the 2008-2011 pesticide restrictions on suicide in Sri Lanka. PLoS ONE, 2017, 12, e0172893.	1.1	78
124	Relationship between antidepressant sales and secular trends in suicide rates in the Nordic countries. British Journal of Psychiatry, 2006, 188, 354-358.	1.7	77
125	Factors influencing the decision to use hanging as a method of suicide: qualitative study. British Journal of Psychiatry, 2010, 197, 320-325.	1.7	77
126	Factors associated with the non-assessment of self-harm patients attending an Accident and Emergency Department: Results of a national study. Journal of Affective Disorders, 2005, 89, 91-97.	2.0	76

#	Article	IF	Citations
127	Regional Changes in Charcoal-Burning Suicide Rates in East/Southeast Asia from 1995 to 2011: A Time Trend Analysis. PLoS Medicine, 2014, 11, e1001622.	3.9	76
128	Suicide risk in small areas in England and Wales, 1991?1993. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 45-52.	1.6	71
129	Strong Inverse Association Between Height and Suicide in a Large Cohort of Swedish Men: Evidence of Early Life Origins of Suicidal Behavior?. American Journal of Psychiatry, 2005, 162, 1373-1375.	4.0	71
130	Hospital admissions for self harm after discharge from psychiatric inpatient care: cohort study. BMJ: British Medical Journal, 2008, 337, a2278-a2278.	2.4	71
131	Effectiveness of household lockable pesticide storage to reduce pesticide self-poisoning in rural Asia: a community-based, cluster-randomised controlled trial. Lancet, The, 2017, 390, 1863-1872.	6.3	71
132	Mapping population mental health concerns related to COVID-19 and the consequences of physical distancing: a Google trends analysis. Wellcome Open Research, 2020, 5, 82.	0.9	71
133	Effect of withdrawal of co-proxamol on prescribing and deaths from drug poisoning in England and Wales: time series analysis. BMJ: British Medical Journal, 2009, 338, b2270-b2270.	2.4	69
134	Suicide in Sri Lanka 1975–2012: age, period and cohort analysis of police and hospital data. BMC Public Health, 2014, 14, 839.	1,2	69
135	Validation of suicide and selfâ€harm records in the <scp>C</scp> linical <scp>P</scp> ractice <scp>R</scp> esearch <scp>D</scp> atalink. British Journal of Clinical Pharmacology, 2013, 76, 145-157.	1.1	68
136	The impact of self-harm by young people on parents and families: a qualitative study. BMJ Open, 2016, 6, e009631.	0.8	68
137	Patterns and predictors of hospitalisation in first-episode psychosis. British Journal of Psychiatry, 2001, 178, 518-523.	1.7	67
138	Parents' Growth in Childhood and the Birth Weight of Their Offspring. Epidemiology, 2004, 15, 308-316.	1.2	67
139	The geography of despair among 15-44-year-old men in England and Wales: putting suicide on the map. Journal of Epidemiology and Community Health, 2006, 60, 1040-1047.	2.0	67
140	Individual-, family-, and school-level interventions targeting multiple risk behaviours in young people. The Cochrane Library, 2018, 2018, CD009927.	1.5	67
141	Social fragmentation, severe mental illness and suicide. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 165-170.	1.6	65
142	Rising suicide rates among adolescents in England and Wales. Lancet, The, 2019, 394, 116-117.	6.3	65
143	The Evolution of the Epidemic of Charcoal-Burning Suicide in Taiwan: A Spatial and Temporal Analysis. PLoS Medicine, 2010, 7, e1000212.	3.9	64
144	Using Data Linkage to Investigate Inconsistent Reporting of Self-Harm and Questionnaire Non-Response. Archives of Suicide Research, 2016, 20, 113-141.	1,2	62

#	Article	lF	Citations
145	Why do people choose charcoal burning as a method of suicide? An interview based study of survivors in Taiwan. Journal of Affective Disorders, 2011, 131, 402-407.	2.0	61
146	Preventing deaths from pesticide self-poisoningâ€"learning from Sri Lanka's success. The Lancet Global Health, 2017, 5, e651-e652.	2.9	61
147	A cluster randomised controlled trial of the Wellbeing in Secondary Education (WISE) Project – an intervention to improve the mental health support and training available to secondary school teachers: protocol for an integrated process evaluation. Trials, 2018, 19, 270.	0.7	61
148	Patterns of hospital transfer for self-poisoned patients in rural Sri Lanka: implications for estimating the incidence of self-poisoning in the developing world. Bulletin of the World Health Organization, 2006, 206-282.	1.5	61
149	Six-Year Follow-Up of Impact of Co-proxamol Withdrawal in England and Wales on Prescribing and Deaths: Time-Series Study. PLoS Medicine, 2012, 9, e1001213.	3.9	60
150	Cohort Profile: The Boyd Orr cohort—an historical cohort study based on the 65 year follow-up of the Carnegie Survey of Diet and Health (1937–39). International Journal of Epidemiology, 2005, 34, 742-749.	0.9	59
151	Sleep and suicide: an analysis of a cohort of 394,000 Taiwanese adults. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1457-1465.	1.6	59
152	Mental health in medical, dentistry and veterinary students: cross-sectional online survey. BJPsych Open, 2018, 4, 441-446.	0.3	59
153	Accuracy of risk scales for predicting repeat self-harm and suicide: a multicentre, population-level cohort study using routine clinical data. BMC Psychiatry, 2018, 18, 113.	1.1	59
154	Life course breast cancer risk factors and adult breast density (United Kingdom). Cancer Causes and Control, 2004, 15, 947-955.	0.8	58
155	Could associations between breastfeeding and insulin-like growth factors underlie associations of breastfeeding with adult chronic disease? The Avon Longitudinal Study of Parents and Children. Clinical Endocrinology, 2005, 62, 728-737.	1.2	58
156	School Intervention to Improve Mental Health of Students in Santiago, Chile. JAMA Pediatrics, 2013, 167, 1004.	3.3	58
157	The economic crisis and suicide. BMJ: British Medical Journal, 2009, 338, b1891-b1891.	2.4	57
158	School performance and risk of suicide in early adulthood: Follow-up of two national cohorts of Swedish schoolchildren. Journal of Affective Disorders, 2011, 131, 104-112.	2.0	57
159	Association of socio-economic position and suicide/attempted suicide in low and middle income countries in South and South-East Asia – a systematic review. BMC Public Health, 2015, 15, 1055.	1.2	57
160	Suicide and the Internet: Changes in the accessibility of suicide-related information between 2007 and 2014. Journal of Affective Disorders, 2016, 190, 370-375.	2.0	57
161	40,000 memories in young teenagers: Psychometric properties of the Autobiographical Memory Test in a UK cohort study. Memory, 2012, 20, 300-320.	0.9	56
162	Influence of cohort effects on patterns of suicide in England and Wales, 1950–1999. British Journal of Psychiatry, 2003, 182, 164-170.	1.7	55

#	Article	IF	CITATIONS
163	Information sources used by the suicidal to inform choice of method. Journal of Affective Disorders, 2012, 136, 702-709.	2.0	55
164	Autistic Traits and Suicidal Thoughts, Plans, and Self-Harm in Late Adolescence: Population-Based Cohort Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 313-320.e6.	0.3	55
165	Suicide by gases in England and Wales 2001–2011: Evidence of the emergence of new methods of suicide. Journal of Affective Disorders, 2015, 170, 190-195.	2.0	54
166	Recreational Physical Activity and Cancer Risk in Subsites of the Colon (the Nord-TrÃ,ndelag Health) Tj ETQq0 0 (O rgBT /Ov	erlogk 10 Tf 5
167	Suicide epidemics: the impact of newly emerging methods on overall suicide rates - a time trends study. BMC Public Health, 2011, 11, 314.	1.2	53
168	Risk factors for suicidal thoughts in adolescence-a prospective cohort study: the Young-HUNT study. BMJ Open, 2014, 4, e005867-e005867.	0.8	53
169	Self-reported sleep duration and coronary heart disease mortality: A large cohort study of 400,000 Taiwanese adults. International Journal of Cardiology, 2016, 207, 246-251.	0.8	52
170	National suicide rates as an indicator of the effect of suicide on premature mortality. Lancet, The, 2003, 362, 961-962.	6.3	51
171	Screen-detected prostate cancer and the insulin-like growth factor axis: Results of a population-based case-control study. International Journal of Cancer, 2004, 108, 887-892.	2.3	51
172	Health and unemployment: 14 years of follow-up on job loss in the Norwegian HUNT Study. European Journal of Public Health, 2016, 26, 312-317.	0.1	51
173	Circulating Insulin-Like Growth Factors and IGF-Binding Proteins in PSA-Detected Prostate Cancer: The Large Case–Control Study ProtecT. Cancer Research, 2012, 72, 503-515.	0.4	50
174	Suicide and non-suicide mortality after self-harm in Taipei City, Taiwan. British Journal of Psychiatry, 2012, 200, 405-411.	1.7	50
175	Physicians' prescribing preferences were a potential instrument for patients' actual prescriptions of antidepressants. Journal of Clinical Epidemiology, 2013, 66, 1386-1396.	2.4	50
176	Associations of Adiposity from Childhood into Adulthood with Insulin Resistance and the Insulin-Like Growth Factor System: 65-Year Follow-Up of the Boyd Orr Cohort. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 3287-3295.	1.8	49
177	Psychological autopsy study of suicide in three rural and semi-rural districts of Sri Lanka. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 280-285.	1.6	49
178	Can adult anthropometry be used as a 'biomarker' for prenatal and childhood exposures?. International Journal of Epidemiology, 2002, 31, 390-4.	0.9	49
179	Smoking Is Associated with, but Does Not Cause, Depressed Mood in Pregnancy – A Mendelian Randomization Study. PLoS ONE, 2011, 6, e21689.	1.1	48
180	Adiposity, Its Related Biologic Risk Factors, and Suicide: A Cohort Study of 542,088 Taiwanese Adults. American Journal of Epidemiology, 2012, 175, 804-815.	1.6	48

#	Article	IF	CITATIONS
181	Childhood dairy intake and adult cancer risk: 65-y follow-up of the Boyd Orr cohort. American Journal of Clinical Nutrition, 2007, 86, 1722-1729.	2.2	48
182	"Well it's like someone at the other end cares about you.―A qualitative study exploring the views of users and providers of care of contact-based interventions following self-harm. General Hospital Psychiatry, 2011, 33, 166-176.	1.2	47
183	Youth Suicide Trends in Australian Metropolitan and Non-Metropolitan Areas, 1988–1997. Australian and New Zealand Journal of Psychiatry, 2000, 34, 822-828.	1.3	46
184	In-utero and perinatal influences on suicide risk: a systematic review and meta-analysis. Lancet Psychiatry,the, 2019, 6, 477-492.	3.7	46
185	Continuing Controversy Over Monitoring Men With Localized Prostate Cancer: A Systematic Review of Programs in the Prostate Specific Antigen Era. Journal of Urology, 2006, 176, 439-449.	0.2	45
186	The Impact of Media Reporting on the Emergence of Charcoal Burning Suicide in Taiwan. PLoS ONE, 2013, 8, e55000.	1.1	45
187	Pharmacological interventions for self-harm in adults. The Cochrane Library, 2021, 2021, CD011777.	1.5	45
188	Self-reported school experience as a predictor of self-harm during adolescence: A prospective cohort study in the South West of England (ALSPAC). Journal of Affective Disorders, 2015, 173, 163-169.	2.0	45
189	Suicide: the spatial and social components of despair in Britain 1980-2000. Transactions of the Institute of British Geographers, 2003, 28, 442-460.	1.8	44
190	Suicide in the Philippines: time trend analysis (1974-2005) and literature review. BMC Public Health, 2011, 11, 536.	1.2	44
191	Factors associated with the decline in suicide by pesticide poisoning in Taiwan: A time trend analysis, 1987–2010. Clinical Toxicology, 2012, 50, 471-480.	0.8	44
192	Occupation-specific suicide risk in England: 2011–2015. British Journal of Psychiatry, 2019, 215, 594-599.	1.7	44
193	Pattern of pesticide storage before pesticide self-poisoning in rural Sri Lanka. BMC Public Health, 2009, 9, 405.	1.2	43
194	Postcards, green cards and telephone calls: therapeutic contact with individuals following self-harm. British Journal of Psychiatry, 2010, 197, 5-7.	1.7	43
195	Psychosocial Assessment of Self-Harm Patients and Risk of Repeat Presentation: An Instrumental Variable Analysis Using Time of Hospital Presentation. PLoS ONE, 2016, 11, e0149713.	1.1	43
196	Reporting of drug induced depression and fatal and non-fatal suicidal behaviour in the UK from 1998 to 2011. BMC Pharmacology & Expression and fatal and non-fatal suicidal behaviour in the UK from 1998 to 2011. BMC Pharmacology & Expression and Fatal and non-fatal suicidal behaviour in the UK from 1998 to 2011.	1.0	42
197	Suicide Risk and Prevention During the COVID-19 Pandemic: One Year On. Archives of Suicide Research, 2022, 26, 1944-1949.	1.2	42
198	The longitudinal association between psychotic experiences, depression and suicidal behaviour in a population sample of adolescents. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1809-1817.	1.6	41

#	Article	IF	Citations
199	Trends in mental health, nonâ€suicidal selfâ€harm and suicide attempts in 16–24-year old students and non-students in England, 2000–2014. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 125-128.	1.6	41
200	Pesticide self-poisoning: thinking outside the box. Lancet, The, 2007, 369, 169-170.	6.3	40
201	Association between locus of control in childhood and psychotic symptoms in early adolescence: Results from a large birth cohort. Cognitive Neuropsychiatry, 2011, 16, 385-402.	0.7	40
202	Symptom recognition and help seeking for depression in young adults: a vignette study. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 495-505.	1.6	40
203	The impact of pesticide suicide on the geographic distribution of suicide in Taiwan: a spatial analysis. BMC Public Health, 2012, 12, 260.	1.2	40
204	Messages from Manchester: pilot randomised controlled trial following self-harm. British Journal of Psychiatry, 2013, 203, 73-74.	1.7	40
205	Risk of suicide and repeat self-harm after hospital attendance for non-fatal self-harm in Sri Lanka: a cohort study. Lancet Psychiatry,the, 2019, 6, 659-666.	3.7	40
206	Association of Body Mass Index with Depression, Anxiety and Suicideâ€"An Instrumental Variable Analysis of the HUNT Study. PLoS ONE, 2015, 10, e0131708.	1.1	39
207	Using the internet for suicide-related purposes: Contrasting findings from young people in the community and self-harm patients admitted to hospital. PLoS ONE, 2018, 13, e0197712.	1.1	39
208	Pathways between earlyâ€life adversity and adolescent selfâ€harm: the mediating role of inflammation in the Avon Longitudinal Study of Parents and Children. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 1094-1103.	3.1	39
209	Associations of Insulin-Like Growth Factor (IGF)-I, IGF-II, IGF Binding Protein (IGFBP)-2 and IGFBP-3 with Ultrasound Measures of Atherosclerosis and Plaque Stability in an Older Adult Population. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 1331-1338.	1.8	38
210	Supporting adolescent emotional health in schools: a mixed methods study of student and staff views in England. BMC Public Health, 2009, 9, 403.	1.2	38
211	Blood pressure and risk of prostate cancer: cohort Norway (CONOR). Cancer Causes and Control, 2010, 21, 463-472.	0.8	38
212	Impact of different pack sizes of paracetamol in the United Kingdom and Ireland on intentional overdoses: a comparative study. BMC Public Health, 2011, 11, 460.	1.2	38
213	Surveillance of Australian Suicidal Behaviour Using the Internet?. Australian and New Zealand Journal of Psychiatry, 2011, 45, 1020-1022.	1.3	38
214	Prevalence and associated harm of engagement in self-asphyxial behaviours (â€~choking game') in young people: a systematic review. Archives of Disease in Childhood, 2015, 100, 1106-1114.	1.0	38
215	The incidence of suicide in University students in England and Wales 2000/2001–2016/2017: Record linkage study. Journal of Affective Disorders, 2020, 261, 113-120.	2.0	38
216	Suicide by hanging: multicentre study based on coroners' records in England. British Journal of Psychiatry, 2005, 186, 260-261.	1.7	37

#	Article	IF	Citations
217	Did intense adverse media publicity impact on prescribing of paroxetine and the notification of suspected adverse drug reactions? Analysis of routine databases, 2001-2004. British Journal of Clinical Pharmacology, 2006, 61, 224-228.	1.1	37
218	Childhood circumstances and anthropometry: The Boyd Orr cohort. Annals of Human Biology, 2008, 35, 518-534.	0.4	37
219	Maternal Age at Child Birth, Birth Order, and Suicide at a Young Age: A Sibling Comparison. American Journal of Epidemiology, 2013, 177, 638-644.	1.6	36
220	Parental Suicide Attempt and Offspring Self-Harm and Suicidal Thoughts: Results From the Avon Longitudinal Study of Parents and Children (ALSPAC) Birth Cohort. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 509-517.e2.	0.3	36
221	The diffusion of a new method of suicide: charcoal-burning suicide in Hong Kong and Taiwan. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 227-236.	1.6	36
222	Opportunity cost of antidepressant prescribing in England: analysis of routine data. BMJ: British Medical Journal, 2005, 330, 999-1000.	2.4	35
223	Socio-economic disadvantage from childhood to adulthood and locomotor function in old age: a lifecourse analysis of the Boyd Orr and Caerphilly prospective studies. Journal of Epidemiology and Community Health, 2011, 65, 1014-1023.	2.0	35
224	Changes in the geography of suicide in young men: England and Wales 1981–2005. Journal of Epidemiology and Community Health, 2012, 66, 536-543.	2.0	35
225	The Impact of a Celebrity's Suicide on the Introduction and Establishment of a New Method of Suicide in South Korea. Archives of Suicide Research, 2014, 18, 221-226.	1.2	35
226	Contacts with primary and secondary healthcare prior to suicide: case–control whole-population-based study using person-level linked routine data in Wales, UK, 2000–2017. British Journal of Psychiatry, 2020, 217, 717-724.	1.7	35
227	Suicide by Gunshot in the United Kingdom: A review of the literature. Medicine, Science and the Law, 2004, 44, 295-310.	0.6	34
228	Parental socio-economic position during childhood as a determinant of self-harm in adolescence. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 193-203.	1.6	34
229	Sex differences in suicide trends in England and Wales. Lancet, The, 1999, 353, 556-557.	6.3	33
230	Comparison of trends in method-specific suicide rates in Australia and England & Wales, 1968-97. Australian and New Zealand Journal of Public Health, 2000, 24, 153-157.	0.8	33
231	Formulation changes and time trends in outcome following paraquat ingestion in Sri Lanka. Clinical Toxicology, 2011, 49, 21-28.	0.8	33
232	Pre-conception inter-pregnancy interval and risk of schizophrenia. British Journal of Psychiatry, 2011, 199, 338-339.	1.7	33
233	A community-based cluster randomised trial of safe storage to reduce pesticide self-poisoning in rural Sri Lanka: study protocol. BMC Public Health, 2011, 11, 879.	1.2	33
234	Internet Searches for a Specific Suicide Method Follow Its High-Profile Media Coverage. American Journal of Psychiatry, 2011, 168, 855-857.	4.0	33

#	Article	IF	CITATIONS
235	Coroners' verdicts and suicide statistics in England and Wales. BMJ: British Medical Journal, 2011, 343, d6030-d6030.	2.4	33
236	Identifying Probable Suicide Clusters in Wales Using National Mortality Data. PLoS ONE, 2013, 8, e71713.	1.1	33
237	The use of the Internet by people who die by suicide in England: A cross sectional study. Journal of Affective Disorders, 2012, 141, 480-483.	2.0	32
238	A cross-sectional analysis of the association between diet and insulin-like growth factor (IGF)-I, IGF-II, IGF-binding protein (IGFBP)-2, and IGFBP-3 in men in the United Kingdom. Cancer Causes and Control, 2012, 23, 907-917.	0.8	32
239	Serum insulin-like growth factors and mortality in localised and advanced clinically detected prostate cancer. Cancer Causes and Control, 2012, 23, 347-354.	0.8	32
240	Social media use, economic recession and income inequality in relation to trends in youth suicide in high-income countries: a time trends analysis. Journal of Affective Disorders, 2020, 275, 58-65.	2.0	32
241	Body mass index in middle life and future risk of hospital admission for psychoses or depression: findings from the Renfrew/Paisley study. Psychological Medicine, 2007, 37, 1151-1161.	2.7	31
242	Relationship between blood alcohol concentration on admission and outcome in dimethoate organophosphorus selfâ€poisoning. British Journal of Clinical Pharmacology, 2009, 68, 916-919.	1.1	31
243	Height, Leg Length, and Cancer: The Caerphilly Study. Nutrition and Cancer, 2003, 47, 34-39.	0.9	30
244	Schizophrenia and Neural Tube Defects: Comparisons From an Epidemiological Perspective. Schizophrenia Bulletin, 2007, 33, 853-858.	2.3	30
245	Milk and Linear Growth: Programming of the IGF-I Axis and Implication for Health in Adulthood. Nestle Nutrition Workshop Series Paediatric Programme, 2011, 67, 79-97.	1.5	30
246	Regional variation in suicide rates in Sri Lanka between 1955 and 2011: a spatial and temporal analysis. BMC Public Health, 2017, 17, 193.	1.2	30
247	Suicide by hanging is a priority for suicide prevention: method specific suicide in India (2001–2014). Journal of Affective Disorders, 2019, 257, 1-9.	2.0	30
248	Hospital presentations for self-poisoning during COVID-19 in Sri Lanka: an interrupted time-series analysis. Lancet Psychiatry,the, 2021, 8, 892-900.	3.7	30
249	â€When You're in the Hospital, You're in a Sort of Bubble.― Crisis, 2014, 35, 154-160.	0.9	30
250	Psychosocial and Pharmacological Treatment of Patients Following Deliberate Self-Harm: The Methodological Issues Involved in Evaluating Effectiveness. Suicide and Life-Threatening Behavior, 2001, 31, 169-180.	0.9	29
251	Factors influencing coroners' verdicts: an analysis of verdicts given in 12 coroners' districts to researcher-defined suicides in England in 2005. Journal of Public Health, 2015, 37, 157-165.	1.0	29

A pilot cluster randomised controlled trial of a support and training intervention to improve the mental health of secondary school teachers and students – the WISE (Wellbeing in Secondary) Tj ETQq0 0 0 rgB**I.** Dverlock 10 Tf 50 S

#	Article	IF	CITATIONS
253	Making Sense of an Unknown Terrain. Qualitative Health Research, 2017, 27, 215-225.	1.0	29
254	Associations of Childhood and Adulthood Height and the Components of Height with Insulin-Like Growth Factor Levels in Adulthood: A 65-Year Follow-Up of the Boyd Orr Cohort. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 1382-1389.	1.8	28
255	Maternal and offspring fasting glucose and type 2 diabetes-associated genetic variants and cognitive function at age 8: a Mendelian randomization study in the Avon Longitudinal Study of Parents and Children. BMC Medical Genetics, 2012, 13, 90.	2.1	28
256	Is teachers' mental health and wellbeing associated with students' mental health and wellbeing?. Journal of Affective Disorders, 2019, 253, 460-466.	2.0	28
257	Preventing suicide through pesticide regulation. Lancet Psychiatry, the, 2020, 7, 9-11.	3.7	28
258	Guidelines and educational outreach visits from community pharmacists to improve prescribing in general practice: a randomised controlled trial. Journal of Health Services Research and Policy, 2001, 6, 207-213.	0.8	27
259	Does Smoking Cessation Cause Depression and Anxiety? Findings from the ATTEMPT Cohort. Nicotine and Tobacco Research, 2011, 13, 209-214.	1.4	27
260	Suicide and Self-Harm Related Internet Use. Crisis, 2018, 39, 469-478.	0.9	27
261	The relation between adiposity throughout the life course and variation in IGFs and IGFBPs: evidence from the ProtecT (Prostate testing for cancer and Treatment) study. Cancer Causes and Control, 2010, 21, 1829-1842.	0.8	26
262	Assessing the role of insulinâ€like growth factors and binding proteins in prostate cancer using Mendelian randomization: Genetic variants as instruments for circulating levels. International Journal of Cancer, 2016, 139, 1520-1533.	2.3	26
263	Effectiveness of Australian youth suicide prevention initiatives. British Journal of Psychiatry, 2011, 199, 423-429.	1.7	25
264	Impact of national policy initiatives on fatal and non-fatal self-harm after psychiatric hospital discharge: time series analysis. British Journal of Psychiatry, 2012, 201, 233-238.	1.7	25
265	Psychosocial and pharmacological treatments for deliberate self harm. The Cochrane Library, 2015, 2015, CD001764.	1.5	25
266	Predicting suicide in older adults $\hat{a} \in \hat{a}$ a community-based cohort study in Taipei City, Taiwan. Journal of Affective Disorders, 2015, 172, 165-170.	2.0	25
267	Spatial patterning, correlates, and inequality in suicide across 432 neighborhoods in Taipei City, Taiwan. Social Science and Medicine, 2019, 222, 20-34.	1.8	25
268	Prevention of suicide and reduction of self-harm among people with substance use disorder: A systematic review and meta-analysis of randomised controlled trials. Comprehensive Psychiatry, 2020, 96, 152135.	1.5	25
269	Searching for Suicide Methods. Crisis, 2015, 36, 325-331.	0.9	25
270	Relative toxicity of benzodiazepines and hypnotics commonly used for self-poisoning: An epidemiological study of fatal toxicity and case fatality. Journal of Psychopharmacology, 2018, 32, 654-662.	2.0	24

#	Article	IF	CITATIONS
271	The association of weight gain during adulthood with prostate cancer incidence and survival: A populationâ€based cohort. International Journal of Cancer, 2011, 129, 1199-1206.	2.3	23
272	Changes in commonly used methods of suicide in England and Wales from 1901–1907 to 2001–2007. Journal of Affective Disorders, 2013, 144, 235-239.	2.0	23
273	Associations between APOE and low-density lipoprotein cholesterol genotypes and cognitive and physical capability: the HALCyon programme. Age, 2014, 36, 9673.	3.0	23
274	Treatment as usual (TAU) as a control condition in trials of cognitive behavioural-based psychotherapy for self-harm: Impact of content and quality on outcomes in a systematic review. Journal of Affective Disorders, 2018, 235, 434-447.	2.0	23
275	Relative toxicity of mood stabilisers and antipsychotics: case fatality and fatal toxicity associated with self-poisoning. BMC Psychiatry, 2018, 18, 399.	1.1	23
276	Child suicide rates during the COVID-19 pandemic in England. Journal of Affective Disorders Reports, 2021, 6, 100273.	0.9	23
277	Suicide in India during the first year of the COVID-19 pandemic. Journal of Affective Disorders, 2022, 307, 215-220.	2.0	23
278	Is IQ in Childhood Associated with Suicidal Thoughts and Attempts? Findings from The Mater University Study of Pregnancy and Its Outcomes. Suicide and Life-Threatening Behavior, 2009, 39, 282-293.	0.9	22
279	Suicide by burning barbecue charcoal in England. Journal of Public Health, 2013, 35, 223-227.	1.0	22
280	Non-fatal repetition of self-harm in Taipei City, Taiwan: cohort study. British Journal of Psychiatry, 2014, 204, 376-382.	1.7	22
281	Variations in the hospital management of self-harm and patient outcome: A multi-site observational study in England. Journal of Affective Disorders, 2015, 174, 101-105.	2.0	22
282	Protocol for a cluster randomised controlled trial of an intervention to improve the mental health support and training available to secondary school teachers – the WISE (Wellbeing in Secondary) Tj ETQq0 0 () rguBaT /Ov	erl ae k 10 Tf 5
283	The Usefulness of Coroners' Data on Suicides for Providing Information Relevant to Prevention. Suicide and Life-Threatening Behavior, 2005, 35, 607-614.	0.9	21
284	Childhood stature and adult cancer risk: the Boyd Orr cohort. Cancer Causes and Control, 2009, 20, 243-251.	0.8	21
285	Newspaper reporting and the emergence of charcoal burning suicide in Taiwan: A mixed methods approach. Journal of Affective Disorders, 2016, 193, 355-361.	2.0	21
286	Confounding by ill health in the observed association between BMI and mortality: evidence from the HUNT Study using offspring BMI as an instrument. International Journal of Epidemiology, 2018, 47, 760-770.	0.9	21
287	Suicide and self-harm in low- and middle- income countries during the COVID-19 pandemic: A systematic review. PLOS Global Public Health, 2022, 2, e0000282.	0.5	21
288	Is low IQ associated with an increased risk of developing suicidal thoughts?. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 34-38.	1.6	20

#	Article	IF	Citations
289	Long-term Impact of Poor Birth Condition on Social and Economic Outcomes in Early Adulthood. Pediatrics, 2011, 127, e1498-e1504.	1.0	20
290	Suicidal behaviour and suicide from the Clifton Suspension Bridge, Bristol and surrounding area in the UK: 1994–2003. European Journal of Public Health, 2011, 21, 204-208.	0.1	20
291	Factors associated with the development of self-harm amongst a socio-economically deprived cohort of adolescents in Santiago, Chile. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 629-637.	1.6	20
292	Navigating an unfamiliar world: how parents of young people who selfâ€harm experience support and treatment. Child and Adolescent Mental Health, 2018, 23, 78-84.	1.8	20
293	A Population Health Perspective on Suicide Research and Prevention. Crisis, 2015, 36, 155-160.	0.9	20
294	Examining the association between maternal analgesic use during pregnancy and risk of psychotic symptoms during adolescence. Schizophrenia Research, 2011, 126, 220-225.	1.1	19
295	The association between birth condition and neuropsychological functioning and educational attainment at school age: a cohort study. Archives of Disease in Childhood, 2011, 96, 30-37.	1.0	19
296	IQ and adolescent self-harm behaviours in the ALSPAC birth cohort. Journal of Affective Disorders, 2014, 152-154, 175-182.	2.0	19
297	Extending the liaison psychiatry service in a large hospital in the UK: a before and after evaluation of the economic impact and patient care following ED attendances for self-harm. BMJ Open, 2017, 7, e016906.	0.8	19
298	Is Google Trends a useful tool for tracking mental and social distress during a public health emergency? A time–series analysis. Journal of Affective Disorders, 2021, 294, 737-744.	2.0	19
299	Childhood milk consumption is associated with better physical performance in old age. Age and Ageing, 2012, 41, 776-784.	0.7	18
300	Suicide, recession, and unemployment – Authors' reply. Lancet, The, 2013, 381, 722.	6.3	18
301	Body Mass Index in Young Adulthood and Suicidal Behavior up to Age 59 in a Cohort of Swedish Men. PLoS ONE, 2014, 9, e101213.	1.1	18
302	Changes in parenting strategies after a young person's self-harm: a qualitative study. Child and Adolescent Psychiatry and Mental Health, 2016, 10, 20.	1.2	18
303	Adolescent over-general memory, life events and mental health outcomes: Findings from a UK cohort study. Memory, 2016, 24, 348-363.	0.9	18
304	Prevalence and patterns of antidepressant switching amongst primary care patients in the UK. Journal of Psychopharmacology, 2017, 31, 553-560.	2.0	18
305	Association of birth order with adolescent mental health and suicide attempts: a population-based longitudinal study. European Child and Adolescent Psychiatry, 2019, 28, 1079-1086.	2.8	18
306	Investigating evidence for a causal association between inflammation and self-harm: A multivariable Mendelian Randomisation study. Brain, Behavior, and Immunity, 2020, 89, 43-50.	2.0	18

#	Article	IF	CITATIONS
307	Comorbidity of self-harm and disordered eating in young people: Evidence from a UK population-based cohort. Journal of Affective Disorders, 2021, 282, 386-390.	2.0	18
308	Socioeconomic measures in early old age as indicators of previous lifetime exposure to environmental health hazards. Sociology of Health and Illness, 2000, 22, 415-430.	1.1	17
309	Childhood facial emotion recognition and psychosis-like symptoms in a nonclinical population at 12 years of age: Results from the ALSPAC birth cohort. Cognitive Neuropsychiatry, 2011, 16, 136-157.	0.7	17
310	Diurnal variation in probability of death following self-poisoning in Sri Lanka-evidence for chronotoxicity in humans. International Journal of Epidemiology, 2012, 41, 1821-1828.	0.9	17
311	Childhood traumatic events and adolescent overgeneral autobiographical memory: Findings in a UK cohort. Journal of Behavior Therapy and Experimental Psychiatry, 2014, 45, 330-338.	0.6	17
312	Sleep Problems and Hospitalization for Self-Harm: A 15-Year Follow-Up of 9,000 Norwegian Adolescents. The Young-HUNT Study. Sleep, 2014, 37, 579-585.	0.6	17
313	Newspaper Reporting on a Cluster of Suicides in the UK. Crisis, 2017, 38, 17-25.	0.9	17
314	Impact of Pandemic on Suicide. Journal of Clinical Psychiatry, 2020, 81, .	1.1	17
315	International impacts of regulatory action to limit antidepressant prescribing on rates of suicide in young people. Pharmacoepidemiology and Drug Safety, 2009, 18, 579-588.	0.9	16
316	Population impact of regulatory activity restricting prescribing of COXâ€⊋ inhibitors: ecological study. British Journal of Clinical Pharmacology, 2009, 68, 752-764.	1.1	16
317	Media reporting and suicide: a time-series study of suicide from Clifton Suspension Bridge, UK, 1974–2007. Journal of Public Health, 2011, 33, 511-517.	1.0	16
318	Psychosocial Interventions for People Who Self-Harm: Methodological Issues Involved in Trials to Evaluate Effectiveness. Archives of Suicide Research, 2020, 24, S32-S93.	1.2	16
319	Timing of menarche and self-harm in adolescence and adulthood: a population-based cohort study. Psychological Medicine, 2020, 50, 2010-2018.	2.7	16
320	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: protocol for a living systematic review. F1000Research, 0, 9, 644.	0.8	16
321	Systematic review of the impact of the COVID-19 pandemic on suicidal behaviour amongst health and social care workers across the world. Journal of Affective Disorders Reports, 2021, 6, 100271.	0.9	16
322	Changing patterns of suicide in a poor, rural county over the 20th century. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 601-604.	1.6	15
323	Does Restricting Pack Size of Paracetamol (Acetaminophen) Reduce Suicides?. PLoS Medicine, 2007, 4, e152.	3.9	15
324	The prevalence of previous self-harm amongst self-poisoning patients in Sri Lanka. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 517-520.	1.6	15

#	Article	IF	CITATIONS
325	School-based intervention to improve the mental health of low-income, secondary school students in Santiago, Chile (YPSA): study protocol for a randomized controlled trial. Trials, 2011, 12, 49.	0.7	15
326	Identifying and Tracking Gas Suicides in the U.S. Using the National Violent Death Reporting System, 2005–2012. American Journal of Preventive Medicine, 2016, 51, S219-S225.	1.6	15
327	Changes in method specific suicide following a national pesticide ban in India (2011–2014). Journal of Affective Disorders, 2021, 278, 592-600.	2.0	15
328	Missing deaths from pesticide self-poisoning at the IFCS Forum IV. Bulletin of the World Health Organization, 2005, 83, 157-8.	1.5	15
329	Perinatal risk factors for suicide in young adults in Taiwan. International Journal of Epidemiology, 2013, 42, 1381-1389.	0.9	14
330	Personality traits and risk of suicide mortality: findings from a multiâ€cohort study in the general population. World Psychiatry, 2018, 17, 371-372.	4.8	14
331	Relative toxicity of analgesics commonly used for intentional self-poisoning: A study of case fatality based on fatal and non-fatal overdoses. Journal of Affective Disorders, 2019, 246, 814-819.	2.0	14
332	Perinatal adversity profiles and suicide attempt in adolescence and young adulthood: longitudinal analyses from two 20-year birth cohort studies. Psychological Medicine, 2022, 52, 1255-1267.	2.7	14
333	The early impact of paraquat ban on suicide in Taiwan. Clinical Toxicology, 2022, 60, 131-135.	0.8	14
334	What was the immediate impact on population health of the recent fall in hormone replacement therapy prescribing in England? Ecological study. Journal of Public Health, 2010, 32, 555-564.	1.0	13
335	A Contact-Based Intervention for People Recently Discharged from Inpatient Psychiatric Care: A Pilot Study. Archives of Suicide Research, 2014, 18, 131-143.	1.2	13
336	Vendor-based restrictions on pesticide sales to prevent pesticide self-poisoning - a pilot study. BMC Public Health, 2018, 18, 272.	1.2	13
337	Prospective associations between internet use and poor mental health: A population-based study. PLoS ONE, 2020, 15, e0235889.	1.1	13
338	The Association between Bankruptcy and Hospitalâ€Presenting Attempted Suicide: A Record Linkage Study. Suicide and Life-Threatening Behavior, 2011, 41, 676-684.	0.9	12
339	Associations of Insulin and Insulin-Like Growth Factors with Physical Performance in Old Age in the Boyd Orr and Caerphilly Studies. PLoS ONE, 2012, 7, e30096.	1.1	12
340	Unemployment and initiation of psychotropic medication: a case-crossover study of 2â€348â€552 Norwegian employees. Occupational and Environmental Medicine, 2016, 73, oemed-2016-103578.	1.3	12
341	Domestic violence and self-poisoning in Sri Lanka. Psychological Medicine, 2022, 52, 1183-1191.	2.7	12
342	Factors explaining variation in recommended care pathways following hospital-presenting self-harm: a multilevel national registry study. BJPsych Open, 2020, 6, e145.	0.3	12

#	Article	IF	CITATIONS
343	An intervention to improve teacher well-being support and training to support students in UK high schools (the WISE study): A cluster randomised controlled trial. PLoS Medicine, 2021, 18, e1003847.	3.9	12
344	Binners, fillers and filers: A qualitative study of GPs who don't return postal questionnaires. European Journal of General Practice, 2004, 10, 146-151.	0.9	11
345	Challenges and opportunities of a paperless baseline survey in Sri Lanka. BMC Research Notes, 2014, 7, 452.	0.6	11
346	New standard of proof for suicide at inquests in England and Wales. BMJ: British Medical Journal, 2019, 366, l4745.	2.4	11
347	The case for case–control studies in the field of suicide prevention. Epidemiology and Psychiatric Sciences, 2020, 29, e62.	1.8	11
348	Online help for people with suicidal thoughts provided by charities and healthcare organisations: a qualitative study of users' perceptions. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1157-1166.	1.6	11
349	Spatial patterning and correlates of self-harm in Manchester, England. Epidemiology and Psychiatric Sciences, 2020, 29, e72.	1.8	11
350	An exploration of the genetic epidemiology of non-suicidal self-harm and suicide attempt. BMC Psychiatry, 2021, 21, 207.	1.1	11
351	School-based interventions to prevent anxiety, depression and conduct disorder in children and young people: a systematic review and network meta-analysis. Public Health Research, 2021, 9, 1-284.	0.5	11
352	Advance directives and suicidal behaviour. BMJ: British Medical Journal, 2010, 341, c4557-c4557.	2.4	11
353	A Multi-Cohort Study of Polymorphisms in the GH/IGF Axis and Physical Capability: The HALCyon Programme. PLoS ONE, 2012, 7, e29883.	1.1	10
354	Socioeconomic deprivation and the clinical management of self-harm: a small area analysis. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1475-1481.	1.6	10
355	Management of patients with an advance decision and suicidal behaviour: a systematic review. BMJ Open, 2019, 9, e023978.	0.8	10
356	Suicide among ambulance service staff: a review of coroner and employment records. British Paramedic Journal, 2020, 4, 10-15.	0.3	10
357	Levels of insulin-like growth factor during pregnancy and maternal cancer risk: a nested case–control study. Cancer Causes and Control, 2011, 22, 945-953.	0.8	9
358	The association between characteristics of fathering in infancy and depressive symptoms in adolescence: A UK birth cohort study. Child Abuse and Neglect, 2016, 58, 119-128.	1.3	9
359	Are left-behind families of migrant workers at increased risk of attempted suicide? – a cohort study of 178,000+ individuals in Sri Lanka. BMC Psychiatry, 2019, 19, 25.	1.1	9
360	Evidence for an association between inflammatory markers and suicide: a cohort study based on 359,849 to 462,747 Taiwanese adults. Journal of Affective Disorders, 2021, 281, 967-971.	2.0	9

#	Article	IF	Citations
361	Potential Interventions for Preventing Pesticide Self-Poisoning by Restricting Access Through Vendors in Sri Lanka. Crisis, 2018, 39, 479-488.	0.9	9
362	Suicidal behaviour and SSRIs: updated meta-analysis. BMJ: British Medical Journal, 2006, 332, 1453.2.	2.4	9
363	Childhood adversity and self-poisoning: A hospital case control study in Sri Lanka. PLoS ONE, 2020, 15, e0242437.	1.1	9
364	The impact of the COVID-19 pandemic on student mental health and wellbeing in UK university students: a multiyear cross-sectional analysis. Journal of Mental Health, 2022, 31, 597-604.	1.0	9
365	Does the misreporting of adult body size depend upon an individual's height and weight? Methodological debate. International Journal of Epidemiology, 2004, 33, 1398-1399.	0.9	8
366	Absence of association of a single-nucleotide polymorphism in the TERT-CLPTM1L locus with age-related phenotypes in a large multicohort study: the HALCyon programme. Aging Cell, 2011, 10, 520-532.	3.0	8
367	Height loss and future coronary heart disease in London: the Whitehall II study. Journal of Epidemiology and Community Health, 2011, 65, 461-464.	2.0	8
368	Insulin-like growth factors (IGFs) and IGF-binding proteins in active monitoring of localized prostate cancer: a population-based observational study. Cancer Causes and Control, 2013, 24, 39-45.	0.8	8
369	Natural environments and suicide. Lancet Planetary Health, The, 2018, 2, e109-e110.	5.1	8
370	Risk assessment scales to predict risk of hospital treated repeat self-harm: A cost-effectiveness modelling analysis. Journal of Affective Disorders, 2019, 249, 208-215.	2.0	8
371	Pubertal timing and self-harm: a prospective cohort analysis of males and females. Epidemiology and Psychiatric Sciences, 2020, 29, e170.	1.8	8
372	Childhood cognitive skill trajectories and suicide by mid-adulthood: an investigation of the 1958 British Birth Cohort. Psychological Medicine, 2021, 51, 400-407.	2.7	8
373	An ecological study of temporal trends in â€~deaths of despair' in England and Wales. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1135-1144.	1.6	8
374	Risk factors associated with purchasing pesticide from shops for self-poisoning: a protocol for a population-based case-control study. BMJ Open, 2015, 5, e007822-e007822.	0.8	7
375	Prevalence and correlates of domestic violence among people seeking treatment for self-harm: data from a regional self-harm register. Emergency Medicine Journal, 2019, 36, emermed-2018-207561.	0.4	7
376	International regulatory activity restricting COX-2 inhibitor use and deaths due to gastrointestinal haemorrhage and myocardial infarction. Pharmacoepidemiology and Drug Safety, 2010, 19, 778-785.	0.9	6
377	Genetic markers of bone and joint health and physical capability in older adults: the HALCyon programme. Bone, 2013, 52, 278-285.	1.4	6
378	Risk of suicide for individuals reporting asthma and atopy in young adulthood: Findings from the Glasgow Alumni study. Psychiatry Research, 2015, 225, 364-367.	1.7	6

#	Article	IF	Citations
379	Analysis of trends in adolescent suicides and accidental deaths in England and Wales, 1972–2011. British Journal of Psychiatry, 2016, 209, 327-333.	1.7	6
380	Sleep duration, sleep quality and coronary heart disease mortality. International Journal of Cardiology, 2016, 223, 534-535.	0.8	6
381	Exploring the Effects of Cigarette Smoking on Inflammatory Bowel Disease Using Mendelian Randomization. Crohn's & Colitis 360, 2020, 2, otaa018.	0.5	6
382	Factors associated with purchasing pesticide from shops for intentional selfâ€poisoning in Sri Lanka. Tropical Medicine and International Health, 2020, 25, 1198-1204.	1.0	6
383	Risk of neuropsychiatric and cardiovascular adverse events following treatment with varenicline and nicotine replacement therapy in the UK Clinical Practice Research Datalink: a case–crossâ€over study. Addiction, 2021, 116, 1532-1545.	1.7	6
384	Tracking online searches for emotional wellbeing concerns and coping strategies in the UK during the COVID-19 pandemic: a Google Trends analysis. Wellcome Open Research, 0, 5, 220.	0.9	6
385	Understanding suicide clusters through exploring self-harm: Semi-structured interviews with individuals presenting with near-fatal self-harm during a suicide cluster. Social Science and Medicine, 2022, 292, 114566.	1.8	6
386	Self-harm and suicide during and after opioid agonist treatment among primary care patients in England: a cohort study. Lancet Psychiatry,the, 2022, 9, 151-159.	3.7	6
387	Suicide and self-harm related internet use in patients presenting to hospital with self-harm: a cross-sectional study. Lancet, The, 2016, 388, S2.	6.3	5
388	Suicide deaths by gas inhalation in Toronto: An observational study of emerging methods of suicide. Journal of Affective Disorders, 2019, 243, 226-231.	2.0	5
389	Delivery of a Mental Health First Aid training package and staff peer support service in secondary schools: a process evaluation of uptake and fidelity of the WISE intervention. Trials, 2020, 21, 745.	0.7	5
390	Suicide Deaths in University Students in a UK City Between 2010 and 2018 – Case Series. Crisis, 2021, 42, 171-178.	0.9	5
391	Accuracy of individual and combined risk-scale items in the prediction of repetition of self-harm: multicentre prospective cohort study. BJPsych Open, 2021, 7, e2.	0.3	5
392	SARS-CoV-2 Infection and the Risk of Suicidal and Self-Harm Thoughts and Behaviour: A Systematic Review. Canadian Journal of Psychiatry, 2022, 67, 813-828.	0.9	5
393	Societal factors and psychological distress indicators associated with the recent rise in youth suicide in Taiwan: A time trend analysis. Australian and New Zealand Journal of Psychiatry, 2023, 57, 537-549.	1.3	5
394	Locally developed guidelines for the aftercare of deliberate self-harm patients in general practice. Primary Health Care Research and Development, 2003, 4, 21-28.	0.5	4
395	How do smoking cessation medicines compare with respect to their neuropsychiatric safety? A protocol for a systematic review, network meta-analysis and cost-effectiveness analysis. BMJ Open, 2017, 7, e015414.	0.8	4
396	Long-term impact of the expansion of a hospital liaison psychiatry service on patient care and costs following emergency department attendances for self-harm. BJPsych Open, 2020, 6, e34.	0.3	4

#	Article	IF	CITATIONS
397	Childhood adversity, pubertal timing and self-harm: a longitudinal cohort study. Psychological Medicine, 2022, 52, 3807-3815.	2.7	4
398	Characteristics of Survivors of Suicide Seeking Counseling From an NGO in Denmark: Analyses of a National Database. Archives of Suicide Research, 2022, 26, 1362-1377.	1.2	4
399	Method-Specific Suicide Rates and Accessibility of Means. Crisis, 2022, 43, 375-384.	0.9	4
400	Pesticide surveillance and deaths by suicide. The Lancet Global Health, 2021, 9, e738-e739.	2.9	4
401	Banning paraquat would prevent nearly 200 deaths from suicide per year in Taiwan. Taiwanese Journal of Psychiatry, 2019, 33, 119.	0.1	3
402	Barriers to students opting-in to universities notifying emergency contacts when serious mental health concerns emerge: A UK mixed methods analysis of policy preferences. Journal of Affective Disorders Reports, 2022, 7, 100289.	0.9	3
403	Clinical and psychosocial factors associated with domestic violence among men and women in Kandy, Sri Lanka. PLOS Global Public Health, 2022, 2, e0000129.	0.5	3
404	Paracetamol recall: a natural experiment influencing analgesic poisoning. Medical Journal of Australia, 2002, 176, 561-563.	0.8	2
405	Advance decisions to refuse treatment and suicidal behaviour in emergency care: â€it's very much a step into the unknown'. BJPsych Open, 2019, 5, e50.	0.3	2
406	Non-suicidal self-harm: an evolving epidemiology. Psychological Medicine, 2023, 53, 283-283.	2.7	2
407	Mental health support and training to improve secondary school teachers' well-being: the WISE cluster RCT. Public Health Research, 2021, 9, 1-138.	0.5	2
408	Suicide and Happiness. Journal of Clinical Psychiatry, 2020, 81, .	1,1	2
409	Authors' reply. British Journal of Psychiatry, 2017, 211, 183-184.	1.7	1
410	Gender difference in suicide in Taiwan over a century: a time trend analysis in 1905–1940 and 1959–2012. Journal of Epidemiology and Community Health, 2020, 74, jech-2020-214058.	2.0	1
411	Spatial patterning and correlates of self-harm in Manchester, England – CORRIGENDUM. Epidemiology and Psychiatric Sciences, 2020, 29, .	1.8	1
412	Suicide and the media: reporting could cost lives. BMJ, The, 2020, 368, m870.	3.0	1
413	Is being a 'left-behind' child associated with an increased risk of self-poisoning in adulthood? Findings from a case–control study in Sri Lanka. BMJ Global Health, 2021, 6, e003734.	2.0	1
414	713Domestic violence and self-poisoning in Sri Lanka. International Journal of Epidemiology, 2021, 50, .	0.9	1

#	Article	IF	CITATIONS
415	General practice based intervention to prevent repeat episodes of deliberate self harm: cluster randomised controlled trial. , 0, .		1
416	Using natural experiments to evaluate population health interventions: new Medical Research Council guidance. , 0, .		1
417	Patterns of General Practitioner consultation for mental illness by young people in rural areas. A cross-sectional study. Health Statistics Quarterly, 2004, , 30-3.	0.9	1
418	Evaluation of the impact and implementation of a national clinical programme for the management of self-harm in hospital emergency departments: study protocol for a natural experiment. BMJ Open, 2021, 11, e055962.	0.8	1
419	Paracetamol recall: a natural experiment influencing analgesic poisoning. Medical Journal of Australia, 2002, 176, 561-563.	0.8	O
420	Resuscitation at Birth and Cognition at 8 Years of Age: A Cohort Study. Obstetrical and Gynecological Survey, 2009, 64, 642-643.	0.2	0
421	6.147 IMPACT OF BIRTH ORDER ON CHILD SELF-HARM WITH SUICIDAL INTENT: A POPULATION-BASED LONGITUDINAL STUDY. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, S250-S251.	0.3	O
422	Comorbidity of self-harm and disordered eating in young people: evidence from a UK population-based cohort. BJPsych Open, 2021, 7, S9-S9.	0.3	0
423	Antidepressants and suicide: Authors' reply. BMJ: British Medical Journal, 2004, 329, 461.3-462.	2.4	O
424	Authors' reply to Davies. BMJ, The, 2013, 347, f7068-f7068.	3.0	0
425	Authors' reply to Large. BMJ, The, 2016, 532, i268.	3.0	O