

V V Utochnikova

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2792243/v-v-utochnikova-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65 papers	936 citations	19 h-index	27 g-index
66 ext. papers	1,107 ext. citations	3.8 avg, IF	4.41 L-index

#	Paper	IF	Citations
65	Ytterbium complexes with 2-(tosylamino)-benzylidene-N-(2-halobenzoyl)-hydrazones for solution-processable NIR OLEDs. <i>Journal of Materials Chemistry C</i> , 2022 , 10, 1371-1380	7.1	2
64	Record efficiency of 1000 nm electroluminescence from a solution-processable host-free OLED.. <i>Dalton Transactions</i> , 2022 , 51, 3833-3838	4.3	0
63	Ytterbium complexes with 2-tosylamino-4-bromobenzylidene-halogenbenzoyhydrazones for highly NIR emitting solution-processed OLEDs. <i>Journal of Luminescence</i> , 2022 , 244, 118702	3.8	3
62	Novel ytterbium Schiff base complex: Toward efficient solution-processed NIR-emitting OLED. <i>Organic Electronics</i> , 2022 , 105, 106492	3.5	0
61	Europium complexes with dinitropyrazole: unusual luminescence thermal behavior and irreversible temperature sensing. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 25480-25484	3.6	0
60	Various Structural Design Modifications: -Substituted Diphenylphosphinopyridine Bridged Cu(I) Complexes in Organic Light-Emitting Diodes. <i>Inorganic Chemistry</i> , 2021 , 60, 2315-2332	5.1	12
59	Highly NIR-emitting ytterbium complexes containing 2-(tosylaminobenzylidene)-N-benzoylhydrazone anions: structure in solution and use for bioimaging. <i>Dalton Transactions</i> , 2021 , 50, 3786-3791	4.3	4
58	Eu(tta)DPPZ-based organic light-emitting diodes: spin-coating . vacuum-deposition. <i>Dalton Transactions</i> , 2021 , 50, 9685-9689	4.3	4
57	Lanthanide complexes as OLED emitters. <i>Fundamental Theories of Physics</i> , 2021 , 59, 1-91	0.8	1
56	Ytterbium and Europium Complexes with Naphtho[1,2]thiazole-2-carboxylic and Naphtho[2,1]thiazole-2-carboxylic Acid Anions for Organic Light-Emitting Diodes (OLED). <i>Russian Journal of Inorganic Chemistry</i> , 2021 , 66, 170-178	1.5	3
55	Terbium and europium aromatic carboxylates in the polystyrene matrix: The first metal-organic-based material for high-temperature thermometry. <i>Journal of Luminescence</i> , 2021 , 239, 118400	3.8	2
54	Eu-doped cholesteric mixtures with a highly thermosensitive circular polarization of luminescence. <i>Journal of Molecular Liquids</i> , 2021 , 341, 117431	6	1
53	Towards efficient terbium-based solution-processed OLEDs: Hole mobility increase by the ligand design. <i>Journal of Alloys and Compounds</i> , 2021 , 887, 161319	5.7	3
52	Dual vis-NIR emissive bimetallic naphthoates of Eu-Yb-Gd: a new approach toward Yb luminescence intensity increase through Eu -IYb energy transfer. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 7213-7219	3.6	2
51	Identifying lifetime as one of the key parameters responsible for the low brightness of lanthanide-based OLEDs. <i>Dalton Transactions</i> , 2021 , 50, 12806-12813	4.3	3
50	New approach to increase the sensitivity of Tb-Eu-based luminescent thermometer. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 25450-25454	3.6	2
49	NIR emitting terephthalates (Sm Dy Gd1-2)(tph)3(H2O)4 for luminescence thermometry in the physiological range. <i>Journal of Rare Earths</i> , 2020 , 38, 492-497	3.7	9

48	Sensing of HO in DO: is there an easy way?. <i>Analyst, The</i> , 2020 , 145, 759-763	5	5
47	How does the ligand affect the sensitivity of the luminescent thermometers based on Tb-Eu complexes. <i>Dalton Transactions</i> , 2020 , 49, 12156-12160	4.3	2
46	Superhydrophobic and luminescent highly porous nanostructured alumina monoliths modified with tris(8-hydroxyquinolino)aluminium. <i>Microporous and Mesoporous Materials</i> , 2020 , 293, 109804	5.3	3
45	On the design of new europium heteroaromatic carboxylates for OLED application. <i>Dyes and Pigments</i> , 2019 , 170, 107604	4.6	20
44	On the Structural Features of Substituted Lanthanide Benzoates. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 2320-2332	2.3	12
43	TbO in a calcium apatite matrix featuring a triple trigger-type relaxation of magnetization. <i>Dalton Transactions</i> , 2019 , 48, 5299-5307	4.3	8
42	On the development of a new approach to the design of lanthanide-based materials for solution-processed OLEDs. <i>Dalton Transactions</i> , 2019 , 48, 17298-17309	4.3	14
41	Brightly luminescent lanthanide pyrazolecarboxylates: Synthesis, luminescent properties and influence of ligand isomerism. <i>Journal of Luminescence</i> , 2019 , 205, 429-439	3.8	21
40	Lanthanide Complexes with 2-(Tosylamino)-benzylidene-N-(aryloyl)hydrazones: Universal Luminescent Materials. <i>Chemistry of Materials</i> , 2019 , 31, 759-773	9.6	34
39	Surface modified Ln _x La _{1-x} F ₃ (Ln = Dy, Yb) nanoparticles: Toward bright NIR luminescence. <i>Dyes and Pigments</i> , 2019 , 160, 890-897	4.6	8
38	Remarkable high efficiency of red emitters using Eu(III) ternary complexes. <i>Chemical Communications</i> , 2018 , 54, 5221-5224	5.8	28
37	The peculiarities of complex formation and energy transfer processes in lanthanide complexes with 2-(tosylamino)-benzylidene-N-benzoylhydrazone. <i>Dalton Transactions</i> , 2018 , 47, 4524-4533	4.3	18
36	Rare-Earth Complexes with the 5,5'-Bitetrazolate Ligand: Synthesis, Structure, Luminescence Properties, and Combustion Catalysis. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 805-815	2.3	10
35	From Isolated Anions to Polymer Structures through Linking with I: Synthesis, Structure, and Properties of Two Complex Bismuth(III) Iodine Iodides. <i>Inorganic Chemistry</i> , 2018 , 57, 4077-4087	5.1	48
34	Terbium-europium fluorides surface modified with benzoate and terephthalate anions for temperature sensing: Does sensitivity depend on the ligand?. <i>Journal of Luminescence</i> , 2018 , 201, 500-508	3.8	17
33	Lanthanide pyrazolecarboxylates for OLEDs and bioimaging. <i>Journal of Luminescence</i> , 2018 , 202, 38-46	3.8	24
32	The development of a new approach toward lanthanide-based OLED fabrication: new host materials for Tb-based emitters. <i>Dalton Transactions</i> , 2018 , 47, 16350-16357	4.3	19
31	Lanthanide tetrafluorobenzoates as emitters for OLEDs: New approach for host selection. <i>Organic Electronics</i> , 2017 , 44, 85-93	3.5	30

30	Lanthanide heterometallic terephthalates: Concentration quenching and the principles of the Multiphotonic emission <i>Optical Materials</i> , 2017 , 74, 201-208	3.3	9
29	Surface modified EuLa1-xF3 nanoparticles as luminescent biomarkers: Still plenty of room at the bottom. <i>Dyes and Pigments</i> , 2017 , 143, 348-355	4.6	16
28	Europium 2-benzofuranoate: Synthesis and use for bioimaging. <i>Optical Materials</i> , 2017 , 74, 191-196	3.3	14
27	Isolated DyO ⁺ Embedded in a Ceramic Apatite Matrix Featuring Single-Molecule Magnet Behavior with a High Energy Barrier for Magnetization Relaxation. <i>Angewandte Chemie</i> , 2017 , 129, 13601-13605	3.6	6
26	Lanthanide Fluorobenzoates as Bio-Probes: a Quest for the Optimal Ligand Fluorination Degree. <i>Chemistry - A European Journal</i> , 2017 , 23, 14944-14953	4.8	20
25	Lanthanide Tetrafluoroterephthalates for Luminescent Ink-Jet Printing. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 5635-5639	2.3	14
24	"Isolated" DyO Embedded in a Ceramic Apatite Matrix Featuring Single-Molecule Magnet Behavior with a High Energy Barrier for Magnetization Relaxation. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 13416-13420	16.4	41
23	Luminescence Enhancement by p-Substituent Variation. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 107-114	2.3	22
22	Front Cover: Lanthanide Tetrafluoroterephthalates for Luminescent Ink-Jet Printing (Eur. J. Inorg. Chem. 48/2017). <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 5629-5629	2.3	
21	Lanthanide Tetrafluoroterephthalates for Luminescent Ink-Jet Printing. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 5630-5630	2.3	
20	Luminescence enhancement of nanosized ytterbium and europium fluorides by surface complex formation with aromatic carboxylates. <i>Journal of Luminescence</i> , 2016 , 170, 633-640	3.8	18
19	Lanthanide 9-anthracenate: solution processable emitters for efficient purely NIR emitting host-free OLEDs. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 9848-9855	7.1	42
18	Photoluminescence of lanthanide aromatic carboxylates. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2016 , 42, 679-694	1.6	53
17	OLED thin film fabrication from poorly soluble terbium o -phenoxybenzoate through soluble mixed-ligand complexes. <i>Organic Electronics</i> , 2016 , 28, 319-329	3.5	20
16	EXAFS characterisation of metal bonding in highly luminescent, UV stable, water-soluble and biocompatible lanthanide complexes. <i>Journal of Physics: Conference Series</i> , 2016 , 712, 012137	0.3	3
15	Unusual Luminescence Properties of Heterometallic REE Terephthalates. <i>European Journal of Inorganic Chemistry</i> , 2015 , 2015, 1660-1664	2.3	28
14	Highly Luminescent, Water-Soluble Lanthanide Fluorobenzoates: Syntheses, Structures and Photophysics, Part I: Lanthanide Pentafluorobenzoates. <i>Chemistry - A European Journal</i> , 2015 , 21, 17921-17932	4.8	46
13	Lanthanide complexes with 2-(tosylamino)benzylidene-N-benzoylhydrazone, which exhibit high NIR emission. <i>Dalton Transactions</i> , 2015 , 44, 12660-9	4.3	30

12	Mixed-ligand terbium hydroxyaromatic carboxylates with o-phenanthroline: luminescence quenching at 300 and 77K. <i>Mendeleev Communications</i> , 2014 , 24, 91-93	1.9	22
11	Lanthanide complexes with aromatic o-phosphorylated ligands: synthesis, structure elucidation and photophysical properties. <i>Dalton Transactions</i> , 2014 , 43, 3121-36	4.3	36
10	New rare-earth metal acyl pyrazolonates: Synthesis, crystals structures, and luminescence properties. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2014 , 40, 627-633	1.6	9
9	Mixed-ligand terbium terephthalates: Synthesis, photophysical and thermal properties and use for luminescent terbium terephthalate thin film deposition. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2013 , 253, 72-80	4.7	20
8	New approach to deposition of thin luminescent films of lanthanide aromatic carboxylates. <i>Inorganic Chemistry Communication</i> , 2012 , 16, 4-7	3.1	17
7	Novel terbium luminescent complexes with o-phosphorylated phenolate ligands. <i>Inorganic Chemistry Communication</i> , 2012 , 20, 73-76	3.1	17
6	Reactive chemical vapour deposition (RCVD) of non-volatile terbium aromatic carboxylate thin films. <i>Journal of Materials Chemistry</i> , 2012 , 22, 4897		14
5	Reactive Chemical Vapor Deposition Method as New Approach for Obtaining Electroluminescent Thin Film Materials. <i>Advances in Materials Science and Engineering</i> , 2012 , 2012, 1-9	1.5	8
4	Thin Films of Tb(pobz) ₃ (Hpobz = 2-phenoxybenzoic acid): Reactive CVD and Optical Properties. <i>ECS Transactions</i> , 2009 , 25, 1107-1114	1	9
3	Gas-phase synthesis of terbium and lutetium carboxylates. <i>Russian Journal of Inorganic Chemistry</i> , 2008 , 53, 1878-1884	1.5	12
2	Gas-phase synthesis of lanthanide(III) benzoates Ln(Bz) ₃ (Ln = La, Tb, Lu). <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2007 , 33, 454-457	1.6	12
1	Solution and gas-phase synthesis of the heteroligand yttrium complex with dipivaloylmethane and bis(salicylidene)ethylenediamine Y(dpm)(salen). <i>Moscow University Chemistry Bulletin</i> , 2007 , 62, 226-229 ^{0.5}		4