

Matthias B Schulze

List of Articles by Year in descending order

Source: [//exaly.com/author-pdf/2792432/publications.pdf](https://exaly.com/author-pdf/2792432/publications.pdf)

Version: 2025-02-01

545

PR articles

33,967

PR citations

4538

81

PR h-index

3849

175

g-index

566

documents

37883

doc citations

5558

84

h-index

61610

citing authors

#	ARTICLE	IF	CITATIONS
1	Inflammation and gut barrier function-related genes and colorectal cancer risk in western European populations. <i>Mutagenesis</i> , 2025, 40, 48-60.	5.2	10
2	Association of circulating fatty acids with cardiovascular disease risk: analysis of individual-level data in three large prospective cohorts and updated meta-analysis. <i>European Journal of Preventive Cardiology</i> , 2025, 32, 233-246.	2.0	21
3	Perturbations in the blood metabolome up to a decade before prostate cancer diagnosis in 4387 matched case-control sets from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2025, 156, 943-952.	4.3	2
4	Sex- and site-specific associations of circulating lipocalin 2 and incident colorectal cancer: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2025, 156, 930-942.	4.3	1
5	Examining causal relationships between educational attainment and type 2 diabetes using genetic analysis: findings from the EPIC-InterAct study through Mendelian randomisation. <i>Journal of Epidemiology and Community Health</i> , 2025, 79, 373-379.	2.9	1
6	Nature or nurture: genetic and environmental predictors of adiposity gain in adults. <i>EBioMedicine</i> , 2025, 111, 105510.	9.7	0
7	Associations between degree of food processing and all-cause and cause-specific mortality: a multicentre prospective cohort analysis in 9 European countries. <i>Lancet Regional Health - Europe</i> , The, 2025, 50, 101208.	7.0	9
8	Inflammatory Potential of the Diet and Risk of Crohn's Disease and Ulcerative Colitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2025, 61, 1032-1042.	3.7	12
9	Diurnal timing of physical activity in relation to obesity and diabetes in the German National Cohort (NAKO). <i>International Journal of Obesity</i> , 2025, 49, 921-930.	3.0	5
10	Identifying Metabolomic Mediators of the Physical Activity and Colorectal Cancer Relationship. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2025, 34, 578-587.	1.1	4
11	Associations between degree of food processing and colorectal cancer risk in a large-scale European cohort. <i>International Journal of Cancer</i> , 2025, 157, 260-276.	4.3	6
12	Adherence to the Mediterranean Diet and Obesity-Linked Cancer Risk in EPIC. <i>JAMA Network Open</i> , 2025, 8, e2461031.	6.6	12
13	Sex Differences in the Relationship of Socioeconomic Position With Cardiovascular Disease, Cardiovascular Risk Factors, and Estimated Cardiovascular Disease Risk: Results of the German National Cohort. <i>Journal of the American Heart Association</i> , 2025, 14, .	4.0	4
14	Determinants of ascending aortic morphology: cross-sectional deep learning-based analysis on 25 073 non-contrast-enhanced NAKO MRI studies. <i>European Heart Journal Cardiovascular Imaging</i> , 2025, 26, 895-907.	1.4	1
15	The Oral Glucose Tolerance Test: Changed Results Using Different Drinking Solutions?. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2025, 133, 133-138.	1.5	0
16	Alcohol and smoking habits in association with hepatocellular carcinoma risk. <i>International Journal of Cancer</i> , 2025, 157, 644-657.	4.3	3
17	Dietary species richness provides a comparable marker for better nutrition and health across contexts. <i>Nature Food</i> , 2025, 6, 577-586.	14.6	11
18	Education level and risk of breast cancer by tumor subtype in the EPIC cohort. <i>International Journal of Cancer</i> , 2025, 157, 672-686.	4.3	3

#	ARTICLE	IF	CITATIONS
19	The baseline examinations of the German National Cohort (NAKO): recruitment protocol, response, and weighting. <i>European Journal of Epidemiology</i> , 2025, 40, 475-489.	5.3	8
20	EPIC-Potsdam sub-cohort study: The early role of trace elements, oxidative stress, and anthropometrics in Alzheimer's disease and dementia onset. <i>Journal of Alzheimer's Disease</i> , 2025, 105, 977-989.	2.6	1
21	Diabetes-Related Dietary Patterns and Endometrial Cancer Risk and Survival in the European Prospective Investigation into Cancer and Nutrition Study. <i>Nutrients</i> , 2025, 17, 1645.	4.5	1
22	What can we learn from an intersectionality-informed description of study participants? Results from the German National Cohort. <i>International Journal for Equity in Health</i> , 2025, 24, .	3.3	0
23	Associations of low-carb diets with glycaemic control and diabetic complications among adult Ghanaians: the RODAM study. <i>European Journal of Nutrition</i> , 2025, 64, .	3.4	0
24	Nut consumption, linoleic and $\hat{\pm}$ -linolenic acid intakes, and genetics: how fatty acid desaturase 1 impacts plasma fatty acids and type 2 diabetes risk in EPIC-InterAct and PREDIMED studies. <i>BMC Medicine</i> , 2025, 23, .	7.1	0
25	Protein diversity, type 2 diabetes, and effect modifiers: a multi-country prospective study. <i>International Journal of Epidemiology</i> , 2025, 54, .	4.9	0
26	Association Between Dietary Intake and Blood Concentrations of One-Carbon-Metabolism-Related Nutrients in European Prospective Investigation into Cancer and Nutrition. <i>Nutrients</i> , 2025, 17, 1970.	4.5	1
27	Can serum metabolic signatures inform on the relationship between healthy lifestyle and colon cancer risk?. <i>Cancer & Metabolism</i> , 2025, 13, .	4.8	0
28	A genome-wide association study in 10,000 individuals links plasma N-glycome to liver disease and anti-inflammatory proteins. <i>Nature Communications</i> , 2025, 16, .	13.7	2
29	Physiological serum uric acid concentrations correlate with arterial stiffness in a sex-dependent manner. <i>BMC Medicine</i> , 2025, 23, .	7.1	1
30	Body mass index and breast cancer risk among postmenopausal women with and without cardiometabolic diseases: Findings from two prospective cohort studies in Europe. <i>Cancer</i> , 2025, 131, .	4.0	0
31	Plant-based dietary patterns and breast cancer risk in the European prospective investigation into cancer and nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , 2025, 40, 947-958.	5.3	1
32	Circulating epigenetic signatures classifying brain insulin resistance in humans. <i>Science Translational Medicine</i> , 2025, 17, .	12.5	0
33	Epigenetic biomarkers predict macrovascular events in individuals with type 2 diabetes. <i>Cell Reports Medicine</i> , 2025, 6, 102290.	6.6	1
34	Protein intake and cardiovascular diseases: an umbrella review of systematic reviews for the evidence-based guideline on protein intake of the German Nutrition Society. <i>European Journal of Nutrition</i> , 2025, 64, .	3.4	0
35	Plant-based dietary patterns and age-specific risk of multimorbidity of cancer and cardiometabolic diseases: a prospective analysis. <i>The Lancet Healthy Longevity</i> , 2025, 6, 100742.	10.3	4
36	Role of Polyunsaturated Fat in Modifying Cardiovascular Risk Associated With Family History of Cardiovascular Disease: Pooled De Novo Results From 15 Observational Studies. <i>Circulation</i> , 2024, 149, 305-316.	18.1	1

#	ARTICLE	IF	CITATIONS
37	Dietary intakes of dioxins and polychlorobiphenyls (PCBs) and mortality: EPIC cohort study in 9 European countries. <i>International Journal of Hygiene and Environmental Health</i> , 2024, 255, 114287.	4.4	16
38	Lifestyle changes in middle age and risk of cancer: evidence from the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Epidemiology</i> , 2024, 39, 147-159.	5.3	10
39	Role of Polyunsaturated Fat in Modifying Cardiovascular Risk Associated With Family History of Cardiovascular Disease: Pooled De Novo Results From 15 Observational Studies. <i>Circulation</i> , 2024, 149, 305-316.	18.1	13
40	Dietary protein and blood pressure: an umbrella review of systematic reviews and evaluation of the evidence. <i>European Journal of Nutrition</i> , 2024, 63, 1041-1058.	3.4	5
41	Association between pre-diagnostic circulating lipid metabolites and colorectal cancer risk: a nested case-control study in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>EBioMedicine</i> , 2024, 101, 105024.	9.7	19
42	Dietary intake of plant- and animal-derived protein and incident cardiovascular diseases: the pan-European EPIC-CVD case-cohort study. <i>American Journal of Clinical Nutrition</i> , 2024, 119, 1164-1174.	4.7	14
43	Association between Protein Intake and Diabetes Complications Risk Following Incident Type 2 Diabetes: The EPIC-Potsdam Study. <i>Metabolites</i> , 2024, 14, 172.	3.4	3
44	Large-scale assessment of physical activity in a population using high-resolution hip-worn accelerometry: the German National Cohort (NAKO). <i>Scientific Reports</i> , 2024, 14, .	3.4	9
45	Childhood and adolescence factors and multiple sclerosis: results from the German National Cohort (NAKO). <i>BMC Neurology</i> , 2024, 24, .	1.9	3
46	Protein intake and cancer: an umbrella review of systematic reviews for the evidence-based guideline of the German Nutrition Society. <i>European Journal of Nutrition</i> , 2024, 63, 1471-1486.	3.4	5
47	Fine-mapping analysis including over 254,000 East Asian and European descendants identifies 136 putative colorectal cancer susceptibility genes. <i>Nature Communications</i> , 2024, 15, .	13.7	15
48	Biomarker signatures associated with ageing free of major chronic diseases: results from a population-based sample of the EPIC-Potsdam cohort. <i>Age and Ageing</i> , 2024, 53, ii60-ii69.	1.8	2
49	Hepatic steatosis, metabolic dysfunction and risk of mortality: findings from a multinational prospective cohort study. <i>BMC Medicine</i> , 2024, 22, .	7.1	22
50	Healthy lifestyle change and all-cause and cancer mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>BMC Medicine</i> , 2024, 22, .	7.1	16
51	Metabolically healthy obesity: from epidemiology and mechanisms to clinical implications. <i>Nature Reviews Endocrinology</i> , 2024, 20, 633-646.	32.0	91
52	Lipidome changes due to improved dietary fat quality inform cardiometabolic risk reduction and precision nutrition. <i>Nature Medicine</i> , 2024, 30, 2867-2877.	33.0	46
53	On the use of the healthy lifestyle index to investigate specific disease outcomes. <i>Scientific Reports</i> , 2024, 14, .	3.4	12
54	Pre-diagnostic plasma advanced glycation end-products and soluble receptor for advanced glycation end-products and mortality in colorectal cancer patients. <i>International Journal of Cancer</i> , 2024, 155, 1982-1995.	4.3	2

#	ARTICLE	IF	CITATIONS
55	Food biodiversity and gastrointestinal cancer risk in nine European countries: Analysis within a prospective cohort study. <i>European Journal of Cancer</i> , 2024, 210, 114258.	4.9	9
56	Association of body shape phenotypes and body fat distribution indexes with inflammatory biomarkers in the European Prospective Investigation into Cancer and Nutrition (EPIC) and UK Biobank. <i>BMC Medicine</i> , 2024, 22, .	7.1	13
57	Adiposity assessed close to diagnosis and prostate cancer prognosis in the EPIC study. <i>JNCI Cancer Spectrum</i> , 2024, 8, .	2.9	2
58	Nutritional quality of diet characterized by the Nutri-Score profiling system and cardiovascular disease risk: a prospective study in 7 European countries. <i>Lancet Regional Health - Europe</i> , The, 2024, 46, 101006.	7.0	6
59	Circulating inflammatory and immune response proteins and endometrial cancer risk: a nested case-control study and Mendelian randomization analyses. <i>EBioMedicine</i> , 2024, 108, 105341.	9.7	9
60	Food consumption by degree of food processing and risk of type 2 diabetes mellitus: a prospective cohort analysis of the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Lancet Regional Health - Europe</i> , The, 2024, 46, 101043.	7.0	32
61	Mental health of individuals with pre-existing mental illnesses at the beginning of the COVID-19 pandemic: results of the German National Cohort (NAKO). <i>Frontiers in Public Health</i> , 2024, 12, .	2.7	2
62	Prognostic role of pre-diagnostic circulating inflammatory biomarkers in breast cancer survival: evidence from the EPIC cohort study. <i>British Journal of Cancer</i> , 2024, 131, 1496-1505.	5.5	4
63	A multi-dimensional Sustainable Diet Index (SDI) for Ghanaian adults under transition: the RODAM Study. <i>Nutrition Journal</i> , 2024, 23, .	3.3	2
64	Degree of food processing and breast cancer risk: a prospective study in 9 European countries. <i>Food Production Processing and Nutrition</i> , 2024, 6, .	5.1	5
65	Healthy food diversity and the risk of major chronic diseases in the EPIC-Potsdam study. <i>Scientific Reports</i> , 2024, 14, .	3.4	2
66	Prediagnostic Plasma Nutrimetabolomics and Prostate Cancer Risk: A Nested Caseâ€“Control Analysis Within the EPIC Study. <i>Cancers</i> , 2024, 16, 4116.	3.8	0
67	Associations between dietary mycotoxins exposures and risk of hepatocellular carcinoma in a European cohort. <i>PLoS ONE</i> , 2024, 19, e0315561.	2.3	5
68	Baseline and lifetime alcohol consumption and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). <i>International Journal of Cancer</i> , 2023, 152, 348-362.	4.3	21
69	Protein and amino acid intakes in relation to prostate cancer risk and mortalityâ€“A prospective study in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Medicine</i> , 2023, 12, 4725-4738.	2.6	6
70	Assessment of the EarlyCDTâ€“Lung test as an early biomarker of lung cancer in everâ€“smokers: A retrospective nested caseâ€“control study in two prospective cohorts. <i>International Journal of Cancer</i> , 2023, 152, 2002-2010.	4.3	2
71	Changes in Lifestyle and Risk of Colorectal Cancer in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Gastroenterology</i> , 2023, 118, 702-711.	0.7	22
72	Blood cell DNA methylation biomarkers in preclinical malignant pleural mesothelioma: The EPIC prospective cohort. <i>International Journal of Cancer</i> , 2023, 152, 725-737.	4.3	8

#	ARTICLE	IF	CITATIONS
73	Mediating Role of Lifestyle Behaviors in the Association between Education and Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2023, 32, 132-140.	1.1	7
74	Serum Extracellular Vesicle-Derived microRNAs as Potential Biomarkers for Pleural Mesothelioma in a European Prospective Study. <i>Cancers</i> , 2023, 15, 125.	3.8	9
75	Prediagnostic serum calcium concentrations and risk of colorectal cancer development in 2 large European prospective cohorts. <i>American Journal of Clinical Nutrition</i> , 2023, 117, 33-45.	4.7	15
76	Effects of Supplemented Mediterranean Diets on Plasma-Phospholipid Fatty Acid Profiles and Risk of Cardiovascular Disease after 1 Year of Intervention in the PREDIMED Trial. <i>Clinical Chemistry</i> , 2023, 69, 283-294.	1.1	2
77	Prediagnostic serum glyceraldehyde-derived advanced glycation end products and mortality among colorectal cancer patients. <i>International Journal of Cancer</i> , 2023, 152, 2257-2268.	4.3	6
78	Response by Eichelmann and Schulze to Letter Regarding Article, "Deep Lipidomics in Human Plasma: Cardiometabolic Disease Risk and Effect of Dietary Fat Modulation". <i>Circulation</i> , 2023, 147, .	18.1	0
79	Circulating amino acid levels and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition and UK Biobank cohorts. <i>BMC Medicine</i> , 2023, 21, .	7.1	39
80	Dietary intake of total, heme and non-heme iron and the risk of colorectal cancer in a European prospective cohort study. <i>British Journal of Cancer</i> , 2023, , .	5.5	15
81	Grip strength values and cut-off points based on over 200,000 adults of the German National Cohort - a comparison to the EWGSOP2 cut-off points. <i>Age and Ageing</i> , 2023, 52, .	1.8	30
82	Association between classes and subclasses of polyphenol intake and 5-year body weight changes in the EPIC-PANACEA study. <i>Obesity</i> , 2023, 31, 1146-1158.	4.0	6
83	Dietary patterns related to biological mechanisms and survival after breast cancer diagnosis: results from a cohort study. <i>British Journal of Cancer</i> , 2023, 128, 1301-1310.	5.5	16
84	Plasma Lipidomic n-6 Polyunsaturated Fatty Acids and Type 2 Diabetes Risk in the EPIC-Potsdam Prospective Cohort Study. <i>Diabetes Care</i> , 2023, 46, 836-844.	6.2	27
85	Dietary fatty acids and endometrial cancer risk within the European Prospective Investigation into Cancer and Nutrition. <i>BMC Cancer</i> , 2023, 23, .	2.9	3
86	Food processing and cancer risk in Europe: results from the prospective EPIC cohort study. <i>Lancet Planetary Health</i> , The, 2023, 7, e219-e232.	18.4	91
87	Correlation Analysis between Dietary Intake of Tyrosols and Their Food Sources and Urinary Excretion of Tyrosol and Hydroxytyrosol in a European Population. <i>Antioxidants</i> , 2023, 12, 715.	5.8	5
88	Reliability estimates for assessing meal timing derived from longitudinal repeated 24-hour dietary recalls. <i>American Journal of Clinical Nutrition</i> , 2023, 117, 964-975.	4.7	13
89	The association between body fatness and mortality among breast cancer survivors: results from a prospective cohort study. <i>European Journal of Epidemiology</i> , 2023, 38, 545-557.	5.3	22
90	Replacement of dietary saturated with unsaturated fatty acids is associated with beneficial effects on lipidome metabolites: a secondary analysis of a randomized trial. <i>American Journal of Clinical Nutrition</i> , 2023, 117, 1248-1261.	4.7	25

#	ARTICLE	IF	CITATIONS
91	Heptadecanoic Acid Is Not a Key Mediator in the Prevention of Diet-Induced Hepatic Steatosis and Insulin Resistance in Mice. <i>Nutrients</i> , 2023, 15, 2052.	4.5	9
92	Metabolically defined body size and body shape phenotypes and risk of postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Medicine</i> , 2023, 12, 12668-12682.	2.6	12
93	Associations between dietary inflammatory scores and biomarkers of inflammation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Clinical Nutrition</i> , 2023, 42, 1115-1125.	5.3	26
94	Reproductive and hormonal factors and risk of renal cell carcinoma among women in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Medicine</i> , 2023, 12, 15588-15600.	2.6	1
95	Interaction between plasma phospholipid odd-chain fatty acids and GAD65 autoantibodies on the incidence of adult-onset diabetes: the EPIC-InterAct case-cohort study. <i>Diabetologia</i> , 2023, 66, 1460-1471.	7.6	7
96	Excessive copper impairs intrahepatocyte trafficking and secretion of selenoprotein P. <i>Nature Communications</i> , 2023, 14, .	13.7	42
97	Diet and lifestyle in relation to small intestinal cancer risk: findings from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2023, 34, 927-937.	1.7	3
98	A body shape index (ABSI) is associated inversely with post-menopausal progesterone-receptor-negative breast cancer risk in a large European cohort. <i>BMC Cancer</i> , 2023, 23, .	2.9	9
99	A nutritional biomarker score of the Mediterranean diet and incident type 2 diabetes: Integrated analysis of data from the MedLey randomised controlled trial and the EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2023, 20, e1004221.	8.1	25
100	Protein intake and bone health: an umbrella review of systematic reviews for the evidence-based guideline of the German Nutrition Society. <i>Osteoporosis International</i> , 2023, 34, 1335-1353.	4.1	20
101	Metabolic health and cardiometabolic risk clusters: implications for prediction, prevention, and treatment. <i>Lancet Diabetes and Endocrinology</i> , 2023, 11, 426-440.	21.8	149
102	A lipidomics score captures improved dietary fat quality and is related to cardiometabolic risk. <i>European Journal of Preventive Cardiology</i> , 2023, 30, .	2.0	0
103	Association of Mediterranean diet with survival after breast cancer diagnosis in women from nine European countries: results from the EPIC cohort study. <i>BMC Medicine</i> , 2023, 21, .	7.1	26
104	Differences in DNA methylation of HAMP in blood cells predicts the development of type 2 diabetes. <i>Molecular Metabolism</i> , 2023, 75, 101774.	5.9	12
105	Subgroups of adult-onset diabetes: a data-driven cluster analysis in a Ghanaian population. <i>Scientific Reports</i> , 2023, 13, .	3.4	13
106	Plasma lipidic fingerprint associated with type 2 diabetes in patients with coronary heart disease: CORDIOPREV study. <i>Cardiovascular Diabetology</i> , 2023, 22, .	9.4	3
107	Intake of the Total, Classes, and Subclasses of (Poly)Phenols and Risk of Prostate Cancer: A Prospective Analysis of the EPIC Study. <i>Cancers</i> , 2023, 15, 4067.	3.8	5
108	Macrovascular and renal microvascular complications in West Africans with intermediate hyperglycemia living in West Africa and Europe: The RODAM study. <i>Heliyon</i> , 2023, 9, e19334.	3.3	1

#	ARTICLE	IF	CITATIONS
109	Protein intake and type 2 diabetes mellitus: an umbrella review of systematic reviews for the evidence-based guideline for protein intake of the German Nutrition Society. <i>European Journal of Nutrition</i> , 2023, 63, 33-50.	3.4	16
110	Prospective and Mendelian randomization analyses on the association of circulating fatty acid binding protein 4 (FABP-4) and risk of colorectal cancer. <i>BMC Medicine</i> , 2023, 21, .	7.1	16
111	Protein intake and body weight, fat mass and waist circumference: an umbrella review of systematic reviews for the evidence-based guideline on protein intake of the German Nutrition Society. <i>European Journal of Nutrition</i> , 2023, 63, 3-32.	3.4	12
112	Age at Menopause and the Risk of Stroke: Observational and Mendelian Randomization Analysis in 204â€™%244 Postmenopausal Women. <i>Journal of the American Heart Association</i> , 2023, 12, .	4.0	8
113	Dietary amino acids and risk of stroke subtypes: a prospective analysis of 356,000 participants in seven European countries. <i>European Journal of Nutrition</i> , 2023, 63, 209-220.	3.4	6
114	Body mass index and cancer risk among adults with and without cardiometabolic diseases: evidence from the EPIC and UK Biobank prospective cohort studies. <i>BMC Medicine</i> , 2023, 21, .	7.1	32
115	Consumption of ultra-processed foods and risk of multimorbidity of cancer and cardiometabolic diseases: aÂmultinational cohort study. <i>Lancet Regional Health - Europe, The</i> , 2023, 35, 100771.	7.0	140
116	Ultra-processed foods, adiposity and risk of head and neck cancer and oesophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study: a mediation analysis. <i>European Journal of Nutrition</i> , 2023, 63, 377-396.	3.4	20
117	Validation of prevalent diabetes risk scores based on non-invasively measured predictors in Ghanaian migrant and non-migrant populations â€™ The RODAM study. <i>Public Health in Practice</i> , 2023, 6, 100453.	1.3	1
118	Chronic disease outcome metadata from German observational studies â€™ public availability and FAIR principles. <i>Scientific Data</i> , 2023, 10, .	5.7	5
119	Genes with epigenetic alterations in human pancreatic islets impact mitochondrial function, insulin secretion, and type 2 diabetes. <i>Nature Communications</i> , 2023, 14, .	13.7	54
120	Long-term weight change and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2022, 50, 1914-1926.	4.9	19
121	A Prospective Diet-Wide Association Study for Risk of Colorectal Cancer in EPIC. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 864-873.e13.	6.0	41
122	Plasma concentrations of persistent organic pollutants and pancreatic cancer risk. <i>International Journal of Epidemiology</i> , 2022, 51, 479-490.	4.9	28
123	Evaluation of protein and amino acid intake estimates from the EPIC dietary questionnaires and 24-hÂdietary recalls using different food composition databases. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 80-89.	3.2	20
124	Blood copper and risk of cardiometabolic diseases: a Mendelian randomization study. <i>Human Molecular Genetics</i> , 2022, 31, 783-791.	2.9	28
125	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, e1061-e1082.	6.0	41
126	High-risk subtypes of chronic lymphocytic leukemia are detectable as early as 16 years prior to diagnosis. <i>Blood</i> , 2022, 139, 1557-1563.	4.2	37

#	ARTICLE	IF	CITATIONS
127	Obesity Partially Mediates the Diabetogenic Effect of Lowering LDL Cholesterol. <i>Diabetes Care</i> , 2022, 45, 232-240.	6.2	19
128	Circulating inflammatory cytokines and risk of five cancers: a Mendelian randomization analysis. <i>BMC Medicine</i> , 2022, 20, .	7.1	132
129	Dietary protein intake and health-related outcomes: a methodological protocol for the evidence evaluation and the outline of an evidence to decision framework underlying the evidence-based guideline of the German Nutrition Society. <i>European Journal of Nutrition</i> , 2022, 61, 2091-2101.	3.4	11
130	Fetuin-A and risk of diabetes-related vascular complications: a prospective study. <i>Cardiovascular Diabetology</i> , 2022, 21, .	9.4	23
131	Inflammatory potential of diet and pancreatic cancer risk in the EPIC study. <i>European Journal of Nutrition</i> , 2022, 61, 2313-2320.	3.4	9
132	Prospective evaluation of 92 serum protein biomarkers for early detection of ovarian cancer. <i>British Journal of Cancer</i> , 2022, 126, 1301-1309.	5.5	41
133	Circulating Sex Hormone Levels and Colon Cancer Risk in Men: A Nested Case-Control Study and Meta-Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 793-803.	1.1	24
134	Serum potassium concentration and its association with hypertension among Ghanaian migrants and non-migrants: The RODAM study. <i>Atherosclerosis</i> , 2022, 342, 36-43.	1.5	6
135	Plasma Industrial and Ruminant Trans Fatty Acids and Incident Type 2 Diabetes in the EPIC-Potsdam Cohort. <i>Diabetes Care</i> , 2022, 45, 845-853.	6.2	14
136	Dietary B group vitamin intake and the bladder cancer risk: a pooled analysis of prospective cohort studies. <i>European Journal of Nutrition</i> , 2022, 61, 2397-2416.	3.4	13
137	Trans Fatty Acid Biomarkers and Incident Type 2 Diabetes: Pooled Analysis of 12 Prospective Cohort Studies in the Fatty Acids and Outcomes Research Consortium (FORCE). <i>Diabetes Care</i> , 2022, 45, 854-863.	6.2	12
138	Physical activity attenuates but does not eliminate coronary heart disease risk amongst adults with risk factors: EPIC-CVD case-cohort study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1618-1629.	2.0	15
139	Impaired Metabolic Health and Low Cardiorespiratory Fitness Independently Associate With Subclinical Atherosclerosis in Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e2417-e2424.	4.1	3
140	Dihydroceramide- and ceramide-profiling provides insights into human cardiometabolic disease etiology. <i>Nature Communications</i> , 2022, 13, .	13.7	53
141	Dietary Choices Impact on Greenhouse Gas Emissions: Determinants and Correlates in a Sample of Adults from Eastern Germany. <i>Sustainability</i> , 2022, 14, 3854.	2.9	4
142	Genetically Determined Reproductive Aging and Coronary Heart Disease: A Bidirectional 2-sample Mendelian Randomization. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e2952-e2961.	4.1	20
143	Biomarkers of the transsulfuration pathway and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2022, 151, 708-716.	4.3	7
144	Dietary intakes of dioxins and polychlorobiphenyls (PCBs) and breast cancer risk in 9 European countries. <i>Environment International</i> , 2022, 163, 107213.	10.2	22

#	ARTICLE	IF	CITATIONS
145	Circulating inflammatory biomarkers, adipokines and breast cancer risk—a case-control study nested within the EPIC cohort. <i>BMC Medicine</i> , 2022, 20, .	7.1	23
146	Body Size at Different Ages and Risk of 6 Cancers: A Mendelian Randomization and Prospective Cohort Study. <i>Journal of the National Cancer Institute</i> , 2022, 114, 1296-1300.	4.6	25
147	Deep Lipidomics in Human Plasma: Cardiometabolic Disease Risk and Effect of Dietary Fat Modulation. <i>Circulation</i> , 2022, 146, 21-35.	18.1	94
148	Impact of applying a diabetes risk score in primary care on change in physical activity: a pragmatic cluster randomised trial. <i>Acta Diabetologica</i> , 2022, 59, 1031-1040.	2.3	4
149	Obesity and Impaired Metabolic Health Increase Risk of COVID-19-Related Mortality in Young and Middle-Aged Adults to the Level Observed in Older People: The LEOSS Registry. <i>Frontiers in Medicine</i> , 2022, 9, .	2.4	20
150	Impact of cumulative body mass index and cardiometabolic diseases on survival among patients with colorectal and breast cancer: a multi-centre cohort study. <i>BMC Cancer</i> , 2022, 22, .	2.9	11
151	Inflammatory potential of the diet and association with risk of differentiated thyroid cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Nutrition</i> , 2022, 61, 3625-3635.	3.4	8
152	Associations between exploratory dietary patterns and incident type 2 diabetes: a federated meta-analysis of individual participant data from 25 cohort studies. <i>European Journal of Nutrition</i> , 2022, 61, 3649-3667.	3.4	11
153	Cruciferous Vegetable Intake and Bulky DNA Damage within Non-Smokers and Former Smokers in the Gen-Air Study (EPIC Cohort). <i>Nutrients</i> , 2022, 14, 2477.	4.5	5
154	Determinants of blood acylcarnitine concentrations in healthy individuals of the European Prospective Investigation into Cancer and Nutrition. <i>Clinical Nutrition</i> , 2022, 41, 1735-1745.	5.3	16
155	A New Evidence-Based Diet Score to Capture Associations of Food Consumption and Chronic Disease Risk. <i>Nutrients</i> , 2022, 14, 2359.	4.5	15
156	Precision prognostics for the development of complications in diabetes. <i>Diabetologia</i> , 2022, 65, 1867-1882.	7.6	69
157	Impact of a food-based dietary fat exchange model for replacing dietary saturated with unsaturated fatty acids in healthy men on plasma phospholipids fatty acid profiles and dietary patterns. <i>European Journal of Nutrition</i> , 2022, 61, 3669-3684.	3.4	5
158	Dietary and Plasma Phospholipid Profiles in Vegans and Omnivores—Results from the RBVD Study. <i>Nutrients</i> , 2022, 14, 2900.	4.5	10
159	Circulating Isovalerylcarnitine and Lung Cancer Risk: Evidence from Mendelian Randomization and Prediagnostic Blood Measurements. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1966-1974.	1.1	11
160	Cigarette Smoking and Endometrial Cancer Risk: Observational and Mendelian Randomization Analyses. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1839-1848.	1.1	14
161	Diet and BMI Correlate with Metabolite Patterns Associated with Aggressive Prostate Cancer. <i>Nutrients</i> , 2022, 14, 3306.	4.5	4
162	Retinol and Retinol Binding Protein 4 Levels and Cardiometabolic Disease Risk. <i>Circulation Research</i> , 2022, 131, 637-649.	13.2	30

#	ARTICLE	IF	CITATIONS
163	A longitudinal evaluation of alcohol intake throughout adulthood and colorectal cancer risk. <i>European Journal of Epidemiology</i> , 2022, 37, 915-929.	5.3	27
164	Birth Order, Caesarean Section, or Daycare Attendance in Relation to Child- and Adult-Onset Type 1 Diabetes: Results from the German National Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 10880.	2.9	6
165	Immunoglobulin G N-Glycosylation Signatures in Incident Type 2 Diabetes and Cardiovascular Disease. <i>Diabetes Care</i> , 2022, 45, 2729-2736.	6.2	42
166	The cost-effectiveness of a uniform versus age-based threshold for one-off screening for prevention of cardiovascular disease. <i>European Journal of Health Economics</i> , 2022, 24, 1033-1045.	1.9	3
167	A saturated map of common genetic variants associated with human height. <i>Nature</i> , 2022, 610, 704-712.	37.9	687
168	Mild-to-Moderate Kidney Dysfunction and Cardiovascular Disease: Observational and Mendelian Randomization Analyses. <i>Circulation</i> , 2022, 146, 1507-1517.	18.1	51
169	Pan-cancer analysis of pre-diagnostic blood metabolite concentrations in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2022, 20, .	7.1	32
170	Framework and baseline examination of the German National Cohort (NAKO). <i>European Journal of Epidemiology</i> , 2022, 37, 1107-1124.	5.3	126
171	Automated imaging-based abdominal organ segmentation and quality control in 20,000 participants of the UK Biobank and German National Cohort Studies. <i>Scientific Reports</i> , 2022, 12, .	3.4	14
172	Pre-Diagnostic Circulating Resistin Concentrations Are Not Associated with Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Study. <i>Cancers</i> , 2022, 14, 5499.	3.8	9
173	Dietary Intake of 91 Individual Polyphenols and 5-Year Body Weight Change in the EPIC-PANACEA Cohort. <i>Antioxidants</i> , 2022, 11, 2425.	5.8	8
174	Characterization of the degree of food processing in the European Prospective Investigation into Cancer and Nutrition: application of the Nova classification and validation using selected biomarkers of food processing. <i>Frontiers in Nutrition</i> , 2022, 9, .	4.3	45
175	Body shape phenotypes of multiple anthropometric traits and cancer risk: a multi-national cohort study. <i>British Journal of Cancer</i> , 2022, 128, 594-605.	5.5	14
176	Replication of 15 loci involved in human plasma protein N-glycosylation in 4802 samples from four cohorts. <i>Glycobiology</i> , 2021, 31, 82-88.	2.2	24
177	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 162-171.	4.7	15
178	Weight change in middle adulthood and risk of cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2021, 148, 1637-1651.	4.3	32
179	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 104-113.	1.1	23
180	Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Case-Control Study Nested within a European Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 182-192.	1.1	13

#	ARTICLE	IF	CITATIONS
181	Plant foods, dietary fibre and risk of ischaemic heart disease in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Epidemiology</i> , 2021, 50, 212-222.	4.9	21
182	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. <i>Diabetes Care</i> , 2021, 44, 98-106.	6.2	118
183	Lipid Profiles and Heart Failure Risk. <i>Circulation Research</i> , 2021, 128, 309-320.	13.2	87
184	Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2021, 44, 416-424.	6.2	6
185	Association between anthropometry and lifestyle factors and risk of Bâ€cell lymphoma: An exposomeâ€wide analysis. <i>International Journal of Cancer</i> , 2021, 148, 2115-2128.	4.3	18
186	BMI and BMI change following incident type 2 diabetes and risk of microvascular and macrovascular complications: the EPIC-Potsdam study. <i>Diabetologia</i> , 2021, 64, 814-825.	7.6	61
187	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 874-885.	1.1	18
188	Prospective Identification of Elevated Circulating CDCP1 in Patients Years before Onset of Lung Cancer. <i>Cancer Research</i> , 2021, 81, 3738-3748.	3.8	42
189	Vegan Diet and Bone Healthâ€Results from the Cross-Sectional RBVD Study. <i>Nutrients</i> , 2021, 13, 685.	4.5	62
190	Trace element profile and incidence of type 2 diabetes, cardiovascular disease and colorectal cancer: results from the EPIC-Potsdam cohort study. <i>European Journal of Nutrition</i> , 2021, 60, 3267-3278.	3.4	76
191	Dietary intake of trans fatty acids and breast cancer risk in 9 European countries. <i>BMC Medicine</i> , 2021, 19, .	7.1	38
192	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. <i>Carcinogenesis</i> , 2021, 42, 705-713.	2.8	13
193	Pepper Alkaloids and Processed Meat Intake: Results from a Randomized Trial and the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Molecular Nutrition and Food Research</i> , 2021, 65, .	4.0	14
194	PrÃvention des Typ-2-Diabetes. <i>Diabetes Aktuell</i> , 2021, 19, 57-60.	0.0	0
195	Metabolic signatures of greater body size and their associations with risk of colorectal and endometrial cancers in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2021, 19, .	7.1	40
196	A comparison of complementary measures of vitamin B6 status, function, and metabolism in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 338-347.	4.7	10
197	Dietary intake of advanced glycation endproducts and risk of hepatobiliary cancers: A multinational cohort study. <i>International Journal of Cancer</i> , 2021, 149, 854-864.	4.3	20
198	Effect of Microbial Status on Hepatic Odd-Chain Fatty Acids Is Diet-Dependent. <i>Nutrients</i> , 2021, 13, 1546.	4.5	15

#	ARTICLE	IF	CITATIONS
199	Novel Biomarkers of Habitual Alcohol Intake and Associations With Risk of Pancreatic and Liver Cancers and Liver Disease Mortality. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1542-1550.	4.6	37
200	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and trans fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , 2021, 149, 865-882.	4.3	42
201	An Empirically Derived Definition of Metabolically Healthy Obesity Based on Risk of Cardiovascular and Total Mortality. <i>JAMA Network Open</i> , 2021, 4, e218505.	6.6	110
202	Dietary Methyl-Group Donor Intake and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrients</i> , 2021, 13, 1843.	4.5	10
203	Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , 2021, 36, 953-964.	5.3	18
204	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021, 42, 2439-2454.	2.2	1,249
205	Associations between dietary amino acid intakes and blood concentration levels. <i>Clinical Nutrition</i> , 2021, 40, 3772-3779.	5.3	18
206	Advanced glycation end-products, measured as skin autofluorescence, associate with vascular stiffness in diabetic, pre-diabetic and normoglycemic individuals: a cross-sectional study. <i>Cardiovascular Diabetology</i> , 2021, 20, .	9.4	50
207	Circulating tryptophan metabolites and risk of colon cancer: Results from case-control and prospective cohort studies. <i>International Journal of Cancer</i> , 2021, 149, 1659-1669.	4.3	45
208	Hepcidin-regulating iron metabolism genes and pancreatic ductal adenocarcinoma: a pathway analysis of genome-wide association studies. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 1408-1417.	4.7	16
209	Einsamkeit während der ersten Welle der SARS-CoV-2-Pandemie – Ergebnisse der NAKO-Gesundheitsstudie. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , 2021, 64, 1157-1164.	1.3	34
210	Factors associated with serum ferritin levels and iron excess: results from the EPIC-EurGast study. <i>European Journal of Nutrition</i> , 2021, 61, 101-114.	3.4	11
211	Polyphenol Intake and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Antioxidants</i> , 2021, 10, 1249.	5.8	7
212	Prospective analysis of circulating metabolites and endometrial cancer risk. <i>Gynecologic Oncology</i> , 2021, 162, 475-481.	3.0	43
213	Association of the odd-chain fatty acid content in lipid groups with type 2 diabetes risk: A targeted analysis of lipidomics data in the EPIC-Potsdam cohort. <i>Clinical Nutrition</i> , 2021, 40, 4988-4999.	5.3	69
214	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , 2021, 13, 3132.	4.5	19
215	Are Circulating Immune Cells a Determinant of Pancreatic Cancer Risk? A Prospective Study Using Epigenetic Cell Count Measures. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 2179-2187.	1.1	6
216	Consumption of ultra-processed foods associated with weight gain and obesity in adults: A multi-national cohort study. <i>Clinical Nutrition</i> , 2021, 40, 5079-5088.	5.3	104

#	ARTICLE	IF	CITATIONS
217	A New Pipeline for the Normalization and Pooling of Metabolomics Data. <i>Metabolites</i> , 2021, 11, 631.	3.4	21
218	Association of Cycling With All-Cause and Cardiovascular Disease Mortality Among Persons With Diabetes. <i>JAMA Internal Medicine</i> , 2021, 181, 1196.	10.5	23
219	Endogenous Circulating Sex Hormone Concentrations and Colon Cancer Risk in Postmenopausal Women: A Prospective Study and Meta-Analysis. <i>JNCI Cancer Spectrum</i> , 2021, 5, .	2.9	14
220	Identification and Characterization of Human Observational Studies in Nutritional Epidemiology on Gut Microbiomics for Joint Data Analysis. <i>Nutrients</i> , 2021, 13, 3292.	4.5	8
221	Association of Pre-diagnostic Antibody Responses to <i>Escherichia coli</i> and <i>Bacteroides fragilis</i> Toxin Proteins with Colorectal Cancer in a European Cohort. <i>Gut Microbes</i> , 2021, 13, .	10.2	40
222	Global pandemics interconnected " obesity, impaired metabolic health and COVID-19. <i>Nature Reviews Endocrinology</i> , 2021, 17, 135-149.	32.0	397
223	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003834.	8.1	34
224	Prediagnostic Blood Selenium Status and Mortality among Patients with Colorectal Cancer in Western European Populations. <i>Biomedicines</i> , 2021, 9, 1521.	3.4	20
225	A newly developed and externally validated non-clinical score accurately predicts 10-year cardiovascular disease risk in the general adult population. <i>Scientific Reports</i> , 2021, 11, .	3.4	11
226	A plasma fatty acid profile associated to type 2 diabetes development: from the CORDIOPREV study. <i>European Journal of Nutrition</i> , 2021, 61, 843-857.	3.4	7
227	Co-benefits from sustainable dietary shifts for population and environmental health: an assessment from a large European cohort study. <i>Lancet Planetary Health, The</i> , 2021, 5, e786-e796.	18.4	139
228	Reduced Rank Regression-Derived Dietary Patterns Related to the Fatty Liver Index and Associations with Type 2 Diabetes Mellitus among Ghanaian Populations under Transition: The RODAM Study. <i>Nutrients</i> , 2021, 13, 3679.	4.5	8
229	Risk Prediction for Renal Cell Carcinoma: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 507-512.	1.1	8
230	Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPIC-CVD Case-Cohort Study Across Nine European Countries. <i>Journal of the American Heart Association</i> , 2021, 10, .	4.0	44
231	Urinary Concentrations of (+)-Catechin and (-)-Epicatechin as Biomarkers of Dietary Intake of Flavan-3-ols in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , 2021, 13, 4157.	4.5	13
232	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021, 600, 675-679.	37.9	845
233	Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. <i>BMC Medicine</i> , 2021, 19, .	7.1	15
234	Dietary Intake of Advanced Glycation End Products (AGEs) and Mortality among Individuals with Colorectal Cancer. <i>Nutrients</i> , 2021, 13, 4435.	4.5	16

#	ARTICLE	IF	CITATIONS
235	Exogenous hormone use and cutaneous melanoma risk in women: The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 3267-3280.	4.3	19
236	Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 147, 648-661.	4.3	49
237	Acculturation and Food Intake Among Ghanaian Migrants in Europe: Findings From the RODAM Study. <i>Journal of Nutrition Education and Behavior</i> , 2020, 52, 114-125.	0.5	18
238	Plasma N-Glycans as Emerging Biomarkers of Cardiometabolic Risk: A Prospective Investigation in the EPIC-Potsdam Cohort Study. <i>Diabetes Care</i> , 2020, 43, 661-668.	6.2	78
239	Comparing Calculated Nutrient Intakes Using Different Food Composition Databases: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Nutrients</i> , 2020, 12, 2906.	4.5	25
240	Geographic location determines beta-cell autoimmunity among adult Ghanaians: Findings from the RODAM study. <i>Immunity, Inflammation and Disease</i> , 2020, 8, 299-309.	2.4	7
241	Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. <i>Scientific Data</i> , 2020, 7, .	5.7	42
242	The branched-chain amino acids valine and leucine have differential effects on hepatic lipid metabolism. <i>FASEB Journal</i> , 2020, 34, 9727-9739.	0.6	51
243	Desaturase Activity and the Risk of Type 2 Diabetes and Coronary Artery Disease: A Mendelian Randomization Study. <i>Nutrients</i> , 2020, 12, 2261.	4.5	23
244	Citrus intake and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). <i>European Journal of Epidemiology</i> , 2020, 35, 1057-1067.	5.3	15
245	Mediating effect of soluble B-cell activation immune markers on the association between anthropometric and lifestyle factors and lymphoma development. <i>Scientific Reports</i> , 2020, 10, .	3.4	8
246	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020, 43, 2660-2667.	6.2	47
247	Association of familial history of diabetes or myocardial infarction and stroke with risk of cardiovascular diseases in four German cohorts. <i>Scientific Reports</i> , 2020, 10, .	3.4	9
248	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. <i>Scientific Reports</i> , 2020, 10, .	3.4	170
249	Epigenetic Changes in Islets of Langerhans Preceding the Onset of Diabetes. <i>Diabetes</i> , 2020, 69, 2503-2517.	4.2	33
250	Opposing Associations of NT-proBNP With Risks of Diabetes and Diabetes-Related Complications. <i>Diabetes Care</i> , 2020, 43, 2930-2937.	6.2	38
251	Mendelian Randomization Study on Amino Acid Metabolism Suggests Tyrosine as Causal Trait for Type 2 Diabetes. <i>Nutrients</i> , 2020, 12, 3890.	4.5	14
252	Antibody Responses to Helicobacter pylori and Risk of Developing Colorectal Cancer in a European Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1475-1481.	1.1	19

#	ARTICLE	IF	CITATIONS
253	A metabolomic study of red and processed meat intake and acylcarnitine concentrations in human urine and blood. American Journal of Clinical Nutrition, 2020, 112, 381-388.	4.7	35
254	SNP rs6564851 in the BCO1 Gene Is Associated with Varying Provitamin a Plasma Concentrations but Not with Retinol Concentrations among Adolescents from Rural Ghana. Nutrients, 2020, 12, 1786.	4.5	8
255	Selbstberichtete Krebserkrankungen in der NAKO Gesundheitsstudie: Erfassungsmethoden und erste Ergebnisse. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 2020, 63, 385-396.	1.3	2
256	Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2020, 147, 1649-1656.	4.3	12
257	Selbst berichtete Infektionen in der NAKO Gesundheitsstudie â€œ Einordnung in die gegenwÄrtige Forschungslandschaft. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 2020, 63, 404-414.	1.3	7
258	Erfassung selbst berichteter kardiovaskulÄrer und metabolischer Erkrankungen in der NAKO Gesundheitsstudie: Methoden und erste Ergebnisse. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 2020, 63, 439-451.	1.3	13
259	Blutdruckmessung in der NAKO â€œ methodische Unterschiede, Blutdruckverteilung und Bekanntheit der Hypertonie im Vergleich zu anderen bevÄlkerungsbezogenen Studien in Deutschland. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 2020, 63, 452-464.	1.3	5
260	NÄchtliche VerkehrslÄrmbelÄstigung in Deutschland: individuelle und regionale Unterschiede in der NAKO Gesundheitsstudie. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 2020, 63, 332-343.	1.3	7
261	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1739-1749.	1.1	25
262	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. American Journal of Clinical Nutrition, 2020, 112, 631-643.	4.7	30
263	Associations of a vegan diet with inflammatory biomarkers. Scientific Reports, 2020, 10, .	3.4	41
264	Anthropometrische Messungen in der NAKO Gesundheitsstudie â€œ mehr als nur GrÄÄe und Gewicht. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 2020, 63, 290-300.	1.3	30
265	Obesity and cardiovascular disease risk among Africans residing in Europe and Africa: the RODAM study. Obesity Research and Clinical Practice, 2020, 14, 151-157.	1.6	12
266	KÄrperliche AktivitÄt in der NAKO Gesundheitsstudie: erste Ergebnisse des multimodalen Erhebungskonzepts. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 2020, 63, 301-311.	1.3	13
267	Messung der kÄrperlichen Fitness in der NAKO Gesundheitsstudie â€œ Methoden, QualitÄtssicherung und erste deskriptive Ergebnisse. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 2020, 63, 312-321.	1.3	4
268	Lungenfunktion in der NAKO Gesundheitsstudie: Methoden und erste Ergebnisse. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 2020, 63, 322-331.	1.3	3
269	Personen mit Migrationshintergrund in der NAKO Gesundheitsstudie â€œ soziodemografische Merkmale und Vergleiche mit der autochthonen deutschen BevÄlkerung. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 2020, 63, 279-289.	1.3	24
270	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. Breast Cancer Research, 2020, 22, .	4.8	37

#	ARTICLE	IF	CITATIONS
271	Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. <i>International Journal of Cancer</i> , 2020, 147, 1325-1333.	4.3	9
272	Serum levels of hsa-miR-16-5p, hsa-miR-29a-3p, hsa-miR-150-5p, hsa-miR-155-5p and hsa-miR-223-3p and su risk of chronic lymphocytic leukemia in the EPIC study. <i>International Journal of Cancer</i> , 2020, 147, 1315-1324.	4.3	33
273	Diabetesrisikoscores: Einsatz in der Diabetesprvention. <i>Diabetologie</i> , 2020, 16, 226-233.	0.2	0
274	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 681-686.	1.1	24
275	Die Basiserhebung der NAKO Gesundheitsstudie: Teilnahme an den Untersuchungsmodulen, Qualittssicherung und Nutzung von Sekundrdaten. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , 2020, 63, 254-266.	1.3	73
276	Intake and metabolism of omega-3 and omega-6 polyunsaturated fatty acids: nutritional implications for cardiometabolic diseases. <i>Lancet Diabetes and Endocrinology</i> , the, 2020, 8, 915-930.	21.8	172
277	Epigenome-wide association study in whole blood on type 2 diabetes among sub-Saharan African individuals: findings from the RODAM study. <i>International Journal of Epidemiology</i> , 2019, 48, 58-70.	4.9	73
278	Reproducibility of Novel Immune-Inflammatory Biomarkers Over 4 Months: An Analysis with Repeated Measures Design. <i>Biomarkers in Medicine</i> , 2019, 13, 639-648.	1.5	3
279	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019, 149, 1985-1993.	2.9	36
280	Trans Fatty Acid Biomarkers and Incident Type 2 Diabetes: Pooled Analysis from 10 Prospective Cohort Studies in the Fatty Acids and Outcome Research Consortium (FORCE) (OR33-02-19). <i>Current Developments in Nutrition</i> , 2019, 3, nzz039.OR33-02-19.	0.2	3
281	Early-life factors are associated with waist circumference and type 2 diabetes among Ghanaian adults: The RODAM Study. <i>Scientific Reports</i> , 2019, 9, .	3.4	14
282	Prevalence and determinants of type 2 diabetes among lean African migrants and non-migrants: the RODAM study. <i>Journal of Global Health</i> , 2019, 9, .	2.7	31
283	Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , 2019, 10, .	13.7	117
284	Gene-Lifestyle interaction on risk of type 2 diabetes: A systematic review. <i>Obesity Reviews</i> , 2019, 20, 1557-1571.	7.5	81
285	Risikokommunikation und Inanspruchnahme von Prventionsangeboten des Diabetes mellitus Typ 2 mithilfe des Deutschen Diabetes-Risiko-Tests. <i>Diabetologie Und Stoffwechsel</i> , 2019, 14, 132-138.	0.3	1
286	Associations of short stature and components of height with incidence of type 2 diabetes: mediating effects of cardiometabolic risk factors. <i>Diabetologia</i> , 2019, 62, 2211-2221.	7.6	60
287	The prevalence of metabolic syndrome among Ghanaian migrants and their homeland counterparts: the Research on Obesity and type 2 Diabetes among African Migrants (RODAM) study. <i>European Journal of Public Health</i> , 2019, 29, 906-913.	0.3	16
288	Fatty Acid-Binding Protein 4 and Risk of Type 2 Diabetes, Myocardial Infarction and Stroke: A Prospective Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, , .	4.1	10

#	ARTICLE	IF	CITATIONS
289	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. <i>Journal of Nutrition</i> , 2019, 149, 1047-1055.	2.9	7
290	Dietary Patterns Are Associated with Predicted 10-Year Risk of Cardiovascular Disease Among Ghanaian Populations: the Research on Obesity and Diabetes in African Migrants (RODAM) Study. <i>Journal of Nutrition</i> , 2019, 149, 755-769.	2.9	23
291	Association of Chemerin Plasma Concentration With Risk of Colorectal Cancer. <i>JAMA Network Open</i> , 2019, 2, e190896.	6.6	30
292	Dyslipidaemia among Ghanaian migrants in three European countries and their compatriots in rural and urban Ghana: The RODAM study. <i>Atherosclerosis</i> , 2019, 284, 83-91.	1.5	10
293	ErnÄhrung und Diabetesrisiko. <i>Diabetologe</i> , 2019, 15, 230-236.	0.2	0
294	Biomarkers of Dietary Omega-6 Fatty Acids and Incident Cardiovascular Disease and Mortality. <i>Circulation</i> , 2019, 139, 2422-2436.	18.1	296
295	Potential effects of reduced red meat compared with increased fiber intake on glucose metabolism and liver fat content: a randomized and controlled dietary intervention study. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 288-296.	4.7	24
296	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , 2019, 51, 452-469.	25.2	106
297	Cross-sectional study of association between psychosocial stressors with chronic kidney disease among migrant and non-migrant Ghanaians living in Europe and Ghana: the RODAM study. <i>BMJ Open</i> , 2019, 9, e027931.	1.9	12
298	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019, 17, .	7.1	23
299	Perceived discrimination and stressful life events are associated with cardiovascular risk score in migrant and non-migrant populations: The RODAM study. <i>International Journal of Cardiology</i> , 2019, 286, 169-174.	2.2	28
300	Insulin-Like Growth Factor Binding Protein 2 (IGFBP-2) and the Risk of Developing Type 2 Diabetes. <i>Diabetes</i> , 2019, 68, 188-197.	4.2	64
301	Differential associations between psychosocial stress and obesity among Ghanaians in Europe and in Ghana: findings from the RODAM study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 55, 45-56.	2.6	15
302	Dietary intake of advanced glycation end products (AGEs) and changes in body weight in European adults. <i>European Journal of Nutrition</i> , 2019, 59, 2893-2904.	3.4	50
303	Selecting the optimal risk threshold of diabetes risk scores to identify high-risk individuals for diabetes prevention: a cost-effectiveness analysis. <i>Acta Diabetologica</i> , 2019, 57, 447-454.	2.3	14
304	Changes of trace element status during aging: results of the EPIC-Potsdam cohort study. <i>European Journal of Nutrition</i> , 2019, 59, 3045-3058.	3.4	73
305	Vom Risikotest zur Risikowahrnehmung. <i>Diabetes Aktuell</i> , 2019, 17, 108-109.	0.0	2
306	Title is missing!. , 2019, .		1

#	ARTICLE	IF	CITATIONS
307	Dietary patterns and type 2 diabetes among Ghanaian migrants in Europe and their compatriots in Ghana: the RODAM study. <i>Nutrition and Diabetes</i> , 2018, 8, .	4.6	31
308	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. <i>Nature Genetics</i> , 2018, 50, 559-571.	25.2	429
309	Cardiovascular disease risk prediction in sub-Saharan African populations â€” Comparative analysis of risk algorithms in the RODAM study. <i>International Journal of Cardiology</i> , 2018, 254, 310-315.	2.2	51
310	Chronic kidney disease burden among African migrants in three European countries and in urban and rural Ghana: the RODAM cross-sectional study. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1812-1822.	0.8	46
311	Type 2 diabetes mellitus management among Ghanaian migrants resident in three European countries and their compatriots in rural and urban Ghana â€” The RODAM study. <i>Diabetes Research and Clinical Practice</i> , 2018, 136, 32-38.	5.9	10
312	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. <i>Diabetes</i> , 2018, 67, 1200-1205.	4.2	23
313	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. <i>Diabetologia</i> , 2018, 61, 1325-1332.	7.6	24
314	Variations in hypertension awareness, treatment, and control among Ghanaian migrants living in Amsterdam, Berlin, London, and nonmigrant Ghanaians living in rural and urban Ghana â€” the RODAM study. <i>Journal of Hypertension</i> , 2018, 36, 169-177.	2.2	57
315	Metabolically healthy obesity: the low-hanging fruit in obesity treatment?. <i>Lancet Diabetes and Endocrinology</i> , the, 2018, 6, 249-258.	21.8	270
316	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018, 41, 277-285.	6.2	19
317	Macht Zucker krank? Wie viel Zucker macht krank?. <i>Aktuelle Ernährungsmedizin Klinik Und Praxis</i> , 2018, 43, S20-S23.	0.0	0
318	Differences in alcohol consumption and drinking patterns in Ghanaians in Europe and Africa: The RODAM Study. <i>PLoS ONE</i> , 2018, 13, e0206286.	2.3	26
319	2.1-07Cardiovascular disease risk prediction in sub-Saharan African migrant and home populations â€” comparative analysis of risk algorithms in the RODAM study. <i>European Journal of Public Health</i> , 2018, 28, .	0.3	0
320	Transition from metabolic healthy to unhealthy phenotypes and association with cardiovascular disease risk across BMI categories in 90â€”257 women (the Nurses' Health Study): 30 year follow-up from a prospective cohort study. <i>Lancet Diabetes and Endocrinology</i> , the, 2018, 6, 714-724.	21.8	364
321	Nordic diet, Mediterranean diet, and the risk of chronic diseases: the EPIC-Potsdam study. <i>BMC Medicine</i> , 2018, 16, .	7.1	117
322	Comparison of metabolite networks from four German population-based studies. <i>International Journal of Epidemiology</i> , 2018, 47, 2070-2081.	4.9	11
323	Evaluating Mediterranean diet and risk of chronic disease in cohort studies: an umbrella review of meta-analyses. <i>European Journal of Epidemiology</i> , 2018, 33, 909-931.	5.3	181
324	Ideal cardiovascular health among Ghanaian populations in three European countries and rural and urban Ghana: the RODAM study. <i>Internal and Emergency Medicine</i> , 2018, 13, 845-856.	2.6	27

#	ARTICLE	IF	CITATIONS
325	A systematic review of methods to assess intake of saturated fat (SF) among healthy European adults and children: a DEDIPAC (Determinants of Diet and Physical Activity) study. <i>BMC Nutrition</i> , 2018, 4, .	2.0	5
326	Gaussian graphical models identified food intake networks and risk of type 2 diabetes, CVD, and cancer in the EPIC-Potsdam study. <i>European Journal of Nutrition</i> , 2018, 58, 1673-1686.	3.4	22
327	Metabolic health in normal-weight and obese individuals. <i>Diabetologia</i> , 2018, 62, 558-566.	7.6	151
328	Medication non-adherence and blood pressure control among hypertensive migrant and non-migrant populations of sub-Saharan African origin: the RODAM study. <i>Journal of Human Hypertension</i> , 2018, 33, 131-148.	2.6	7
329	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , 2017, 542, 186-190.	37.9	612
330	An extended fatty liver index to predict non-alcoholic fatty liver disease. <i>Diabetes and Metabolism</i> , 2017, 43, 229-239.	3.5	25
331	Multiple imputation was a valid approach to estimate absolute risk from a prediction model based on case-€cohort data. <i>Journal of Clinical Epidemiology</i> , 2017, 84, 130-141.	3.7	13
332	Peripheral insulin resistance rather than beta cell dysfunction accounts for geographical differences in impaired fasting blood glucose among sub-Saharan African individuals: findings from the RODAM study. <i>Diabetologia</i> , 2017, 60, 854-864.	7.6	23
333	Dietary Patterns and Type 2 Diabetes: A Systematic Literature Review and Meta-Analysis of Prospective Studies. <i>Journal of Nutrition</i> , 2017, 147, 1174-1182.	2.9	417
334	Odd-chain fatty acids as a biomarker for dietary fiber intake: a novel pathway for endogenous production from propionate . <i>American Journal of Clinical Nutrition</i> , 2017, 105, 1544-1551.	4.7	148
335	Innovative ways of studying the effect of migration on obesity and diabetes beyond the common designs: lessons from the RODAM study. <i>Annals of the New York Academy of Sciences</i> , 2017, 1391, 54-70.	4.0	25
336	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 263-275.	4.7	53
337	Association between socioeconomic position and the prevalence of type 2 diabetes in Ghanaians in different geographic locations: the RODAM study. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 633-639.	2.9	51
338	Association between chemerin, omentin-1 and risk of heart failure in the population-based EPIC-Potsdam study. <i>Scientific Reports</i> , 2017, 7, .	3.4	29
339	Omega-6 fatty acid biomarkers and incident type 2 diabetes: pooled analysis of individual-level data for 39-740 adults from 20 prospective cohort studies. <i>Lancet Diabetes and Endocrinology</i> , the, 2017, 5, 965-974.	21.8	266
340	In utero exposure to malaria is associated with metabolic traits in adolescence: The Agogo 2000 birth cohort study. <i>Journal of Infection</i> , 2017, 75, 455-463.	2.8	10
341	Genetic variants including markers from the exome chip and metabolite traits of type 2 diabetes. <i>Scientific Reports</i> , 2017, 7, .	3.4	14
342	Migration and Cardiovascular Disease Risk Among Ghanaian Populations in Europe:. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017, 10, .	4.1	32

#	ARTICLE	IF	CITATIONS
343	Dietary Patterns Derived by Reduced Rank Regression Are Inversely Associated with Type 2 Diabetes Risk across 5 Ethnic Groups in the Multiethnic Cohort. <i>Current Developments in Nutrition</i> , 2017, 1, e000620.	0.2	31
344	Temporal changes in predicted risk of type 2 diabetes in Germany: findings from the German Health Interview and Examination Surveys 1997â€“1999 and 2008â€“2011. <i>BMJ Open</i> , 2017, 7, e013058.	1.9	14
345	Smoking prevalence differs by location of residence among Ghanaians in Africa and Europe: The RODAM study. <i>PLoS ONE</i> , 2017, 12, e0177291.	2.3	20
346	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002409.	8.1	64
347	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. <i>BMC Medicine</i> , 2017, 15, .	7.1	67
348	Serum phospholipid fatty acids, dietary patterns and type 2 diabetes among urban Ghanaians. <i>Nutrition Journal</i> , 2017, 16, .	3.3	8
349	Determinants of diet and physical activity (DEDIPAC): a summary of findings. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, .	4.3	74
350	An epigenome-wide association study in whole blood of measures of adiposity among Ghanaians: the RODAM study. <i>Clinical Epigenetics</i> , 2017, 9, .	3.9	66
351	Metabolite ratios as potential biomarkers for type 2 diabetes: a DIRECT study. <i>Diabetologia</i> , 2017, 61, 117-129.	7.6	43
352	Food variety, dietary diversity, and type 2 diabetes in a multi-center cross-sectional study among Ghanaian migrants in Europe and their compatriots in Ghana: the RODAM study. <i>European Journal of Nutrition</i> , 2017, 57, 2723-2733.	3.4	32
353	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2017, 50, 26-41.	25.2	387
354	Adolescent health in rural Ghana: A cross-sectional study on the co-occurrence of infectious diseases, malnutrition and cardio-metabolic risk factors. <i>PLoS ONE</i> , 2017, 12, e0180436.	2.3	16
355	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2016, 13, e1002094.	8.1	183
356	Evaluating dietary patterns. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2016, 19, 341-346.	3.0	92
357	Omentin-1, Adiponectin, and the Risk of Developing Type 2 Diabetes. <i>Diabetes Care</i> , 2016, 39, e79-e80.	6.2	30
358	Association between omentin-1, adiponectin and bone health under consideration of osteoprotegerin as possible mediator. <i>Journal of Endocrinological Investigation</i> , 2016, 39, 1347-1355.	2.8	12
359	Omentin-1 and risk of stroke: Results from the epic-Potsdam cohort study. <i>Atherosclerosis</i> , 2016, 252, e218.	1.5	0
360	General Framework for Metaâ€“Analysis of Haplotype Association Tests. <i>Genetic Epidemiology</i> , 2016, 40, 244-252.	3.1	0

#	ARTICLE	IF	CITATIONS
361	Random Survival Forest in practice: a method for modelling complex metabolomics data in time to event analysis. <i>International Journal of Epidemiology</i> , 2016, 45, 1406-1420.	4.9	97
362	ErnÄhrungsempfehlungen zur Behandlung des Diabetes mellitus â€“ Empfehlungen zur Proteinzufuhr. <i>Diabetologie Und Stoffwechsel</i> , 2016, 11, 272-282.	0.3	7
363	Obesity and type 2 diabetes in sub-Saharan Africans â€“ Is the burden in todayâ€™s Africa similar to African migrants in Europe? The RODAM study. <i>BMC Medicine</i> , 2016, 14, .	7.1	166
364	Circulating Omentin as a Novel Biomarker for Colorectal Cancer Risk: Data from the EPICâ€™Potsdam Cohort Study. <i>Cancer Research</i> , 2016, 76, 3862-3871.	3.8	46
365	Omentin-1 and risk of myocardial infarction and stroke: Results from the EPIC-Potsdam cohort study. <i>Atherosclerosis</i> , 2016, 251, 415-421.	1.5	52
366	Divergent associations of height with cardiometabolic disease and cancer: epidemiology, pathophysiology, and global implications. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 457-467.	21.8	109
367	Gaussian Graphical Models Identify Networks of Dietary Intake in a German Adult Population. <i>Journal of Nutrition</i> , 2016, 146, 646-652.	2.9	32
368	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016, 39, 572-581.	6.2	76
369	Insulin-Like Growth Factor 1 and Insulin-Like Growth Factorâ€™Binding Protein 3 in Relation to the Risk of Type 2 Diabetes Mellitus: Results From the EPICâ€™Potsdam Study. <i>American Journal of Epidemiology</i> , 2016, 183, 553-560.	3.3	50
370	Metabolically healthy obesity and cardiovascular events: A systematic review and meta-analysis. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 956-966.	2.0	358
371	Plasma osteoprotegerin, its correlates, and risk of heart failure: a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016, 32, 113-123.	5.3	22
372	A Dietary Pattern Derived by Reduced Rank Regression is Associated with Type 2 Diabetes in An Urban Ghanaian Population. <i>Nutrients</i> , 2015, 7, 5497-5514.	4.5	25
373	Associations of Erythrocyte Fatty Acids in the De Novo Lipogenesis Pathway with Proxies of Liver Fat Accumulation in the EPIC-Potsdam Study. <i>PLoS ONE</i> , 2015, 10, e0127368.	2.3	30
374	Identification of Four Mouse Diabetes Candidate Genes Altering β^2 -Cell Proliferation. <i>PLoS Genetics</i> , 2015, 11, e1005506.	3.2	40
375	Amino acids, lipid metabolites, and ferritin as potential mediators linking red meat consumption to type 2 diabetes. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 1241-1250.	4.7	107
376	Weight cycling and the risk of type 2 diabetes in the EPIC-Germany cohort. <i>Diabetologia</i> , 2015, 58, 2718-2725.	7.6	17
377	Early Diet and Later Cancer Risk: Prospective Associations of Dietary Patterns During Critical Periods of Childhood with the GH-IGF Axis, Insulin Resistance and Body Fatness in Younger Adulthood. <i>Nutrition and Cancer</i> , 2015, 67, 877-892.	2.4	9
378	Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. <i>Nature Communications</i> , 2015, 6, .	13.7	186

#	ARTICLE	IF	CITATIONS
379	Comparable Dietary Patterns Describe Dietary Behavior across Ethnic Groups in the Netherlands, but Different Elements in the Diet Are Associated with Glycated Hemoglobin and Fasting Glucose Concentrations. <i>Journal of Nutrition</i> , 2015, 145, 1884-1891.	2.9	23
380	Characterization of metabolically unhealthy normal-weight individuals: Risk factors and their associations with type 2 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 862-871.	9.1	91
381	DIFE – DEUTSCHER DIABETES-RISIKO-TEST® (DRT) – Die aktualisierte Version. <i>Diabetes Aktuell</i> , 2015, 13, 63-64.	0.0	0
382	Rationale and cross-sectional study design of the Research on Obesity and type 2 Diabetes among African Migrants: the RODAM study. <i>BMJ Open</i> , 2015, 4, e004877.	1.9	104
383	Vitamin A: potential misclassification of vitamin A status among patients with type 2 diabetes and hypertension in urban Ghana. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 207-214.	4.7	10
384	Evaluation of various biomarkers as potential mediators of the association between δ^5 desaturase, δ^6 desaturase, and stearyl-CoA desaturase activity and incident type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition – Potsdam Study. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 155-164.	4.7	45
385	Untargeted Metabolic Profiling Identifies Altered Serum Metabolites of Type 2 Diabetes Mellitus in a Prospective, Nested Case Control Study. <i>Clinical Chemistry</i> , 2015, 61, 487-497.	1.1	120
386	Association between the Fatty Liver Index and Risk of Type 2 Diabetes in the EPIC-Potsdam Study. <i>PLoS ONE</i> , 2015, 10, e0124749.	2.3	62
387	Reproducibility of Retinol Binding Protein 4 and Omentin-1 Measurements over a Four Months Period: A Reliability Study in a Cohort of 207 Apparently Healthy Participants. <i>PLoS ONE</i> , 2015, 10, e0138480.	2.3	16
388	Association between erythrocyte membrane fatty acids and biomarkers of dyslipidemia in the EPIC-Potsdam study. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 517-525.	2.5	28
389	Gene-Lifestyle Interaction and Type 2 Diabetes: The EPIC InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2014, 11, e1001647.	8.1	208
390	Dietary Intakes of Individual Flavanols and Flavonols Are Inversely Associated with Incident Type 2 Diabetes in European Populations. <i>Journal of Nutrition</i> , 2014, 144, 335-343.	2.9	128
391	Adiponectin and Risk of Stroke. <i>Stroke</i> , 2014, 45, 10-17.	6.0	47
392	Mit Ballaststoffen gegen Ballast. <i>Aktuelle Ernährungsmedizin Klinik Und Praxis</i> , 2014, 39, S21-S24.	0.0	1
393	Diabetesrisikoscores. <i>Diabetologe</i> , 2014, 10, 554-565.	0.2	3
394	Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. <i>Diabetes Care</i> , 2014, 37, 3164-3171.	6.2	64
395	Dietary Protein Intake and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. <i>Diabetes Care</i> , 2014, 37, 1854-1862.	6.2	163
396	Dietary fish intake and the risk for type 2 diabetes and cardiovascular disease. <i>Current Opinion in Lipidology</i> , 2014, 25, 228-229.	4.0	5

#	ARTICLE	IF	CITATIONS
397	Associated factors of estimated desaturase activity in the EPIC-Potsdam study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 503-510.	3.2	11
398	Inflammatory dietary pattern and risk of depression among women. <i>Brain, Behavior, and Immunity</i> , 2014, 36, 46-53.	4.5	169
399	Evaluation of various biomarkers as potential mediators of the association between coffee consumption and incident type 2 diabetes in the EPIC-Potsdam Study , ,. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 891-900.	4.7	69
400	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology,the</i> , 2014, 2, 810-818.	21.8	493
401	Breast-feeding and maternal risk of type 2 diabetes: a prospective study and meta-analysis. <i>Diabetologia</i> , 2014, 57, 1355-1365.	7.6	100
402	Linking diet, physical activity, cardiorespiratory fitness and obesity to serum metabolite networks: findings from a population-based study. <i>International Journal of Obesity</i> , 2014, 38, 1388-1396.	3.0	93
403	Update of the German Diabetes Risk Score and external validation in the German MONICA/KORA study. <i>Diabetes Research and Clinical Practice</i> , 2014, 104, 459-466.	5.9	49
404	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. <i>Lancet Diabetes and Endocrinology,the</i> , 2014, 2, 19-29.	21.8	148
405	Common Genetic Variants Highlight the Role of Insulin Resistance and Body Fat Distribution in Type 2 Diabetes, Independent of Obesity. <i>Diabetes</i> , 2014, 63, 4378-4387.	4.2	168
406	Erythrocyte membrane fatty acid fluidity and risk of type 2 diabetes in the EPIC-Potsdam study. <i>Diabetologia</i> , 2014, 58, 282-289.	7.6	60
407	A priori-defined diet quality indexes and risk of type 2 diabetes: the Multiethnic Cohort. <i>Diabetologia</i> , 2014, 58, 98-112.	7.6	108
408	Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. <i>European Journal of Clinical Nutrition</i> , 2014, 69, 455-461.	2.5	40
409	Impact of the Adipokine Adiponectin and the Hepatokine Fetuin-A on the Development of Type 2 Diabetes: Prospective Cohort- and Cross-Sectional Phenotyping Studies. <i>PLoS ONE</i> , 2014, 9, e92238.	2.3	70
410	Dietary pattern analysis and biomarkers of low-grade inflammation: a systematic literature review. <i>Nutrition Reviews</i> , 2013, 71, 511-527.	5.6	534
411	Metabolically healthy obesity: epidemiology, mechanisms, and clinical implications. <i>Lancet Diabetes and Endocrinology,the</i> , 2013, 1, 152-162.	21.8	747
412	The TCF7L2 rs7903146 (T) allele is associated with type 2 diabetes in urban Ghana: a hospital-based caseâ€“control study. <i>BMC Medical Genetics</i> , 2013, 14, .	1.8	43
413	Variation of serum metabolites related to habitual diet: a targeted metabolomic approach in EPIC-Potsdam. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 1100-1108.	2.5	117
414	Dietary Glycemic Index, Glycemic Load, and Digestible Carbohydrate Intake Are Not Associated with Risk of Type 2 Diabetes in Eight European Countries. <i>Journal of Nutrition</i> , 2013, 143, 93-99.	2.9	85

#	ARTICLE	IF	CITATIONS
415	Identification of Serum Metabolites Associated With Risk of Type 2 Diabetes Using a Targeted Metabolomic Approach. <i>Diabetes</i> , 2013, 62, 639-648.	4.2	928
416	Measures of general and central obesity and risk of type 2 diabetes in a Ghanaian population. <i>Tropical Medicine and International Health</i> , 2013, 18, 141-151.	1.9	42
417	Consumption of sweet beverages and type 2 diabetes incidence in European adults: results from EPIC-InterAct. <i>Diabetologia</i> , 2013, 56, 1520-1530.	7.6	231
418	Omega-3 and Omega-6 Fatty Acids and Type 2 Diabetes. <i>Current Diabetes Reports</i> , 2013, 13, 279-288.	5.1	34
419	Plasma 25-hydroxyvitamin D and its genetic determinants in relation to incident type 2 diabetes: a prospective case-cohort study. <i>European Journal of Epidemiology</i> , 2013, 28, 743-752.	5.3	41
420	Financial Conflicts of Interest and Reporting Bias Regarding the Association between Sugar-Sweetened Beverages and Weight Gain: A Systematic Review of Systematic Reviews. <i>PLoS Medicine</i> , 2013, 10, e1001578.	8.1	286
421	Validation of the German Diabetes Risk Score within a population-based representative cohort. <i>Diabetic Medicine</i> , 2013, 30, 1047-1053.	2.9	10
422	The Association Between Dietary Flavonoid and Lignan Intakes and Incident Type 2 Diabetes in European Populations. <i>Diabetes Care</i> , 2013, 36, 3961-3970.	6.2	120
423	Plasma Uric Acid Is Associated with Increased Risk of Type 2 Diabetes Independent of Diet and Metabolic Risk Factors. <i>Journal of Nutrition</i> , 2013, 143, 80-85.	2.9	93
424	The Association between Dietary Energy Density and Type 2 Diabetes in Europe: Results from the EPIC-InterAct Study. <i>PLoS ONE</i> , 2013, 8, e59947.	2.3	17
425	The Value of Genetic Information for Diabetes Risk Prediction – Differences According to Sex, Age, Family History and Obesity. <i>PLoS ONE</i> , 2013, 8, e64307.	2.3	36
426	Long-Term Risk of Incident Type 2 Diabetes and Measures of Overall and Regional Obesity: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2012, 9, e1001230.	8.1	167
427	Recent insights into the relation of δ^5 desaturase and δ^6 desaturase activity to the development of type 2 diabetes. <i>Current Opinion in Lipidology</i> , 2012, 23, 4-10.	4.0	126
428	Diabetes mellitus Typ 2: Sterben normalgewichtige Patienten fr¼her? – HÄrhere MortalitÄt ist nicht auf Patienten mit Åbergewicht beschrÄnkt. <i>Deutsche Medizinische Wochenschrift</i> , 2012, 137, 2140-2140.	0.2	0
429	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1445-1453.	4.7	77
430	Epidemiologische Forschung - Deutsches Zentrum fr¼r Diabetesforschung. <i>Diabetes Aktuell</i> , 2012, 10, 118-122.	0.0	0
431	Plain-water intake and risk of type 2 diabetes in young and middle-aged women. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1454-1460.	4.7	95
432	Red Meat Consumption and Mortality. <i>Archives of Internal Medicine</i> , 2012, 172, 555.	8.1	671

#	ARTICLE	IF	CITATIONS
433	Dietary patterns of adolescents in Germany - Associations with nutrient intake and other health related lifestyle characteristics. BMC Pediatrics, 2012, 12, .	1.8	58
434	ErnÄhrung bei diabetischer DyslipidÄmie. Diabetologe, 2012, 8, 556-561.	0.2	0
435	Critical review: vegetables and fruit in the prevention of chronic diseases. European Journal of Nutrition, 2012, 51, 637-663.	3.4	1,491
436	Body iron stores and risk of type 2 diabetes: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Potsdam study. Diabetologia, 2012, 55, 2613-2621.	7.6	114
437	Tea Consumption and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. PLoS ONE, 2012, 7, e36910.	2.3	65
438	Body adiposity index, body fat content and incidence of type 2 diabetes. Diabetologia, 2012, 55, 1660-1667.	7.6	82
439	A dietary pattern that is associated with C-peptide and risk of colorectal cancer in women. Cancer Causes and Control, 2012, 23, 959-965.	1.7	37
440	Biomarker und RisikoprÄdiktion des Typ-2-Diabetes. Diabetologe, 2012, 8, 18-25.	0.2	0
441	A dietary pattern derived to correlate with estrogens and risk of postmenopausal breast cancer. Breast Cancer Research and Treatment, 2012, 132, 1157-1162.	2.4	42
442	Alcohol consumption and risk of type 2 diabetes in European men and women: influence of beverage type and body sizeThe EPICÄ“InterAct study. Journal of Internal Medicine, 2012, 272, 358-370.	7.3	70
443	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. Diabetologia, 2012, 56, 47-59.	7.6	142
444	Consumption of red meat and whole-grain bread in relation to biomarkers of obesity, inflammation, glucose metabolism and oxidative stress. European Journal of Nutrition, 2012, 52, 337-345.	3.4	194
445	Assessing improvement in disease prediction using net reclassification improvement: impact of risk cut-offs and number of risk categories. European Journal of Epidemiology, 2012, 28, 25-33.	5.3	31
446	Association of Common Genetic Variants in the MAP4K4 Locus with Prediabetic Traits in Humans. PLoS ONE, 2012, 7, e47647.	2.3	30
447	Risk Assessment Tools for Identifying Individuals at Risk of Developing Type 2 Diabetes. Epidemiologic Reviews, 2011, 33, 46-62.	2.1	266
448	Erythrocyte membrane phospholipid fatty acids, desaturase activity, and dietary fatty acids in relation to risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition (EPIC)Ä“Potsdam Study. American Journal of Clinical Nutrition, 2011, 93, 127-142.	4.7	238
449	Red meat consumption and risk of type 2 diabetes: 3 cohorts of US adults and an updated meta-analysis. American Journal of Clinical Nutrition, 2011, 94, 1088-1096.	4.7	610
450	Mediterranean Diet and Type 2 Diabetes Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC) Study. Diabetes Care, 2011, 34, 1913-1918.	6.2	193

#	ARTICLE	IF	CITATIONS
451	The Body Adiposity Index and the Sexual Dimorphism in Body Fat. <i>Obesity</i> , 2011, 19, 1729-1729.	4.0	19
452	Erythrocyte membrane phospholipid polyunsaturated fatty acids are related to plasma C-reactive protein and adiponectin in middle-aged German women and men. <i>European Journal of Nutrition</i> , 2011, 50, 625-636.	3.4	35
453	The potential of the Internet for health communication: The use of an interactive on-line tool for diabetes risk prediction. <i>Patient Education and Counseling</i> , 2011, 83, 106-112.	2.1	15
454	Television watching and incident diabetes: Findings from the European Prospective Investigation into Cancer and Nutrition—Potsdam Study*. <i>Journal of Diabetes</i> , 2010, 2, 23-27.	3.0	69
455	Fasting plasma glucose and Type 2 diabetes risk: a non-linear relationship. <i>Diabetic Medicine</i> , 2010, 27, 473-476.	2.9	19
456	Presence of Gallstones or Kidney Stones and Risk of Type 2 Diabetes. <i>American Journal of Epidemiology</i> , 2010, 171, 447-454.	3.3	70
457	Development of a Type 2 Diabetes Risk Model From a Panel of Serum Biomarkers From the Inter99 Cohort: Response to Kolberg et al.. <i>Diabetes Care</i> , 2010, 33, e28-e28.	6.2	5
458	Estimation of the contribution of biomarkers of different metabolic pathways to risk of type 2 diabetes. <i>European Journal of Epidemiology</i> , 2010, 26, 29-38.	5.3	42
459	Association of AHSG Gene Polymorphisms With Fetuin-A Plasma Levels and Cardiovascular Diseases in the EPIC-Potsdam Study. <i>Circulation: Cardiovascular Genetics</i> , 2009, 2, 607-613.	3.8	90
460	Anthropometry and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2079-2089.	1.1	115
461	Fruit and vegetable intakes and subsequent changes in body weight in European populations: results from the project on Diet, Obesity, and Genes (DiOGenes). <i>American Journal of Clinical Nutrition</i> , 2009, 90, 202-209.	4.7	115
462	Dietary fat intake and subsequent weight change in adults: results from the European Prospective Investigation into Cancer and Nutrition cohorts. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 1632-1641.	4.7	70
463	A Case-Control Study on Fat-to-Muscle Ratio and Risk of Breast Cancer. <i>Nutrition and Cancer</i> , 2009, 61, 466-474.	2.4	24
464	Glycemic index in overweight development: distinguishing limited evidence from limits in evidence. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 243-244.	4.7	3
465	Association of a diabetes risk score with risk of myocardial infarction, stroke, specific types of cancer, and mortality: a prospective study in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Potsdam cohort. <i>European Journal of Epidemiology</i> , 2009, 24, 281-288.	5.3	55
466	Polymorphisms within insulin-degrading enzyme (IDE) gene determine insulin metabolism and risk of type 2 diabetes. <i>Journal of Molecular Medicine</i> , 2009, 87, 1145-1151.	3.7	63
467	Dietary glycaemic index and glycaemic load in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S188-S205.	2.5	54
468	Specific food group combinations explaining the variation in intakes of nutrients and other important food components in the European Prospective Investigation into Cancer and Nutrition: an application of the reduced rank regression method. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S263-S274.	2.5	20

#	ARTICLE	IF	CITATIONS
469	Dietary glycaemic index, glycaemic load and subsequent changes of weight and waist circumference in European men and women. <i>International Journal of Obesity</i> , 2009, 33, 1280-1288.	3.0	62
470	Association of the FTO rs9939609 Single Nucleotide Polymorphism With C-reactive Protein Levels. <i>Obesity</i> , 2009, 17, 330-334.	4.0	41
471	Aberrant promotor methylation in MDS hematopoietic cells during in vitro lineage specific differentiation is differently associated with DNMT isoforms. <i>Leukemia Research</i> , 2009, 33, 434-442.	0.7	23
472	Use of Multiple Metabolic and Genetic Markers to Improve the Prediction of Type 2 Diabetes: the EPIC-Potsdam Study. <i>Diabetes Care</i> , 2009, 32, 2116-2119.	6.2	127
473	Pischon et al. Respond to "Variable Selection versus Shrinkage in Control of Confounders". <i>American Journal of Epidemiology</i> , 2008, 167, 530-531.	3.3	0
474	A Statistical Test for the Equality of Differently Adjusted Incidence Rate Ratios. <i>American Journal of Epidemiology</i> , 2008, 167, 517-522.	3.3	34
475	Metabolic syndrome and risk of incident diabetes: findings from the European Prospective Investigation into Cancer and Nutrition-Potsdam Study. <i>Cardiovascular Diabetology</i> , 2008, 7, 35.	9.4	83
476	General and Abdominal Adiposity and Risk of Death in Europe. <i>New England Journal of Medicine</i> , 2008, 359, 2105-2120.	34.6	1,906
477	Plasma Fetuin-A Levels and the Risk of Myocardial Infarction and Ischemic Stroke. <i>Circulation</i> , 2008, 118, 2555-2562.	18.1	296
478	Dietary Patterns and Risk of Mortality From Cardiovascular Disease, Cancer, and All Causes in a Prospective Cohort of Women. <i>Circulation</i> , 2008, 118, 230-237.	18.1	457
479	A food pattern that is predictive of flavonol intake and risk of pancreatic cancer. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1653-1662.	4.7	46
480	Validierung des Deutschen Diabetes-Risiko-Scores mit metabolischen Risikofaktoren für Typ-2-Diabetes. <i>Deutsche Medizinische Wochenschrift</i> , 2008, 133, 878-883.	0.2	9
481	Intake of Vegetables, Legumes, and Fruit, and Risk for All-Cause, Cardiovascular, and Cancer Mortality in a European Diabetic Population. <i>Journal of Nutrition</i> , 2008, 138, 775-781.	2.9	202
482	A priori-defined dietary patterns and markers of cardiovascular disease risk in the Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Clinical Nutrition</i> , 2008, 88, 185-194.	4.7	233
483	Letter by Pischon et al Regarding Article, "Adiponectin and Coronary Heart Disease: A Prospective Study and Meta-Analysis". <i>Circulation</i> , 2007, 115, .	18.1	3
484	Fiber and Magnesium Intake and Incidence of Type 2 Diabetes. <i>Archives of Internal Medicine</i> , 2007, 167, 956.	8.1	483
485	Associations between markers of subclinical atherosclerosis and dietary patterns derived by principal components analysis and reduced rank regression in the Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Clinical Nutrition</i> , 2007, 85, 1615-1625.	4.7	124
486	DNA methylation profiling of myelodysplastic syndrome hematopoietic progenitor cells during in vitro lineage-specific differentiation. <i>Experimental Hematology</i> , 2007, 35, 712-723.	0.4	34

#	ARTICLE	IF	CITATIONS
487	Variation in the HHEX–IDE gene region predisposes to type 2 diabetes in the prospective, population-based EPIC-Potsdam cohort. <i>Diabetologia</i> , 2007, 50, 2405-2407.	7.6	24
488	Body mass index history and risk of type 2 diabetes: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)–Potsdam Study. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 427-433.	4.7	167
489	Intake of sugar-sweetened beverages and weight gain: a systematic review–3. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 274-288.	4.7	1,108
490	Body mass index history and risk of type 2 diabetes: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)–Potsdam Study–3. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 427-433.	4.7	160
491	Intake of sugar-sweetened beverages and weight gain: a systematic review. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 274-288.	4.7	1,976
492	Dietary Patterns and Changes in Body Weight in Women. <i>Obesity</i> , 2006, 14, 1444-1453.	4.0	189
493	A prospective study of dietary patterns, meat intake and the risk of gestational diabetes mellitus. <i>Diabetologia</i> , 2006, 49, 2604-2613.	7.6	236
494	Estimating the Proportion of Disease due to Classes of Sufficient Causes. <i>American Journal of Epidemiology</i> , 2006, 163, 76-83.	3.3	30
495	Consumption of Trans Fatty Acids Is Related to Plasma Biomarkers of Inflammation and Endothelial Dysfunction. <i>Journal of Nutrition</i> , 2005, 135, 562-566.	2.9	511
496	A Homocysteine Metabolism–Related Dietary Pattern and the Risk of Coronary Heart Disease in Two Independent German Study Populations. <i>Journal of Nutrition</i> , 2005, 135, 1981-1988.	2.9	63
497	Hyperproinsulinaemia and risk of Type 2 diabetes mellitus in women. <i>Diabetic Medicine</i> , 2005, 22, 1178-1184.	2.9	19
498	A prospective study of lipoprotein(a) and risk of coronary heart disease among women with type 2 diabetes. <i>Diabetologia</i> , 2005, 48, 1469-1476.	7.6	32
499	Dietary pattern, inflammation, and incidence of type 2 diabetes in women. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 675-684.	4.7	344
500	Dietary pattern, inflammation, and incidence of type 2 diabetes in women. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 675-684.	4.7	316
501	Is Atherosclerosis in Diabetes and Impaired Fasting Glucose Driven by Elevated LDL Cholesterol or by Decreased HDL Cholesterol?: Response to Drexel et al.. <i>Diabetes Care</i> , 2005, 28, 1264-1264.	6.2	3
502	PRIMARY PREVENTION OF DIABETES: What Can Be Done and How Much Can Be Prevented?. <i>Annual Review of Public Health</i> , 2005, 26, 445-467.	15.5	260
503	Dietary Patterns, Meat Intake, and the Risk of Type 2 Diabetes in Women. <i>Archives of Internal Medicine</i> , 2004, 164, 2235.	8.1	431
504	Sugar-Sweetened Beverages, Weight Gain, and Incidence of Type 2 Diabetes in Young and Middle-Aged Women. <i>JAMA - Journal of the American Medical Association</i> , 2004, 292, 927.	16.6	1,362

#	ARTICLE	IF	CITATIONS
505	THREE AUTHORS REPLY. American Journal of Epidemiology, 2004, 159, 914-914.	3.3	1
506	Moderate alcohol intake and markers of inflammation and endothelial dysfunction among diabetic men. Diabetologia, 2004, 47, 1760-1767.	7.6	76
507	Joint role of non-HDL cholesterol and glycated haemoglobin in predicting future coronary heart disease events among women with type 2 diabetes. Diabetologia, 2004, 47, 2129-2136.	7.6	43
508	Application of a New Statistical Method to Derive Dietary Patterns in Nutritional Epidemiology. American Journal of Epidemiology, 2004, 159, 935-944.	3.3	563
509	Consumption of (n-3) Fatty Acids Is Related to Plasma Biomarkers of Inflammation and Endothelial Activation in Women. Journal of Nutrition, 2004, 134, 1806-1811.	2.9	328
510	Glycemic index, glycemic load, and dietary fiber intake and incidence of type 2 diabetes in younger and middle-aged women. American Journal of Clinical Nutrition, 2004, 80, 348-356.	4.7	655
511	Major dietary patterns are related to plasma concentrations of markers of inflammation and endothelial dysfunction. American Journal of Clinical Nutrition, 2004, 80, 1029-1035.	4.7	800
512	Processed meat intake and incidence of Type 2 diabetes in younger and middle-aged women. Diabetologia, 2003, 46, 1465-1473.	7.6	200
513	Risk of Hypertension among Women in the EPIC-Potsdam Study: Comparison of Relative Risk Estimates for Exploratory and Hypothesis-oriented Dietary Patterns. American Journal of Epidemiology, 2003, 158, 365-373.	3.3	94
514	Biologische Marker in der Epidemiologie: Begriffe, Anwendungen, Perspektiven (Teil I). Gesundheitswesen, 2002, 64, 99-107.	0.6	18
515	Biologische Marker in der Epidemiologie: Begriffe, Anwendungen, Perspektiven (Teil II). Gesundheitswesen, 2002, 64, 145-152.	0.6	1
516	The effect of differences in measurement procedure on the comparability of blood pressure estimates in multi-centre studies. Blood Pressure Monitoring, 2002, 7, 95-104.	0.7	48
517	Dietary patterns and risk of hypertension, type 2 diabetes mellitus, and coronary heart disease. Current Atherosclerosis Reports, 2002, 4, 462-467.	4.7	107
518	Title is missing!. European Journal of Epidemiology, 2000, 16, 891-898.	5.3	53
519	Food based dietary patterns and chronic disease prevention. BMJ: British Medical Journal, 0, , k2396.	0.1	445
520	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. BMJ, The, 0, , m3173.	0.2	71
521	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. BMJ, The, 0, , m2194.	0.2	99
522	Increase in mental disorders during the COVID-19 pandemic—the role of occupational and financial strains. An analysis of the German National Cohort (NAKO) Study. Deutsches Ärztblatt International, 0, , .	0.1	35

#	ARTICLE	IF	CITATIONS
523	Title is missing!. , 0, .		5
524	Title is missing!. , 0, .		1
525	Title is missing!. , 0, .		3
526	Title is missing!. , 0, .		1
527	Title is missing!. , 0, .		2
528	Title is missing!. , 0, .		1
529	Title is missing!. , 0, .		1
530	Higher intakes of dietary dicarbonyl compounds are associated with lower risk of cardiovascular disease. <i>European Journal of Preventive Cardiology</i> , 0, 32, 1588-1600.	2.0	2
531	Reassessing the association between age at menarche and cardiovascular disease: observational and Mendelian randomization analyses. <i>European Journal of Preventive Cardiology</i> , 0, , .	2.0	2
532	Fruits, Vegetables, Legumes, and Potatoes and Risk of Crohn's Disease and Ulcerative Colitis. <i>American Journal of Gastroenterology</i> , 0, 121, 733-744.	0.7	0
533	Polygenic prediction of body mass index and obesity through the life course and across ancestries. <i>Nature Medicine</i> , 0, 31, 3151-3168.	33.0	10
534	Thyroid hormones and epithelial ovarian cancer risk and survival: results from the European Prospective Investigation into Cancer and Nutrition study. <i>Journal of the National Cancer Institute</i> , 0, 117, 2343-2351.	4.6	0
535	Biodiverse diets present co-benefits for greenhouse gas emissions, land use, mortality rates and nutritional adequacy in Europe. <i>Nature Food</i> , 0, 6, 857-867.	14.6	1
536	Circulating fatty acid binding protein 4 () Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 237 Td (<sc>FABP</sc>) Tj ETQq0 0 0 rgB Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 0, 158, 546-559.	4.3	0
537	Intake of total, classes, and subclasses of (poly)phenols and risk of lymphoid neoplasms: a prospective analysis in the EPIC cohort. <i>British Journal of Cancer</i> , 0, 133, 1864-1871.	5.5	0
538	Does lifestyle explain the relationship between socioeconomic position and multimorbidity of cancer and cardiometabolic diseases? A mediation analysis applied to the European Prospective Investigation into Cancer and Nutrition. <i>Journal of Epidemiology and Community Health</i> , 0, 80, 3-9.	2.9	0
539	Childhood maltreatment and adult diseases in the general population: the mediating role of smoking and overweight in a time-sequence design. <i>BMC Public Health</i> , 0, 25, .	3.1	0
540	Scoping Review of Dietary Quality Indices: Heterogeneity of Definitions and Health Associations among Adults. <i>Nutrition Reviews</i> , 0, , .	5.6	2

#	ARTICLE	IF	CITATIONS
541	Lifestyle changes and postmenopausal breast cancer risk in women from the European Prospective Investigation into Cancer and Nutrition. <i>Breast Cancer Research</i> , 0, 27, .	4.8	0
542	Association of a Lifestyle Risk Index With Visceral and Subcutaneous Adipose Tissue in the German National Cohort (NAKO). <i>International Journal of Cancer</i> , 0, , .	4.0	0
543	From cigarettes to symptoms: the association between smoking and depression in the German National Cohort (NAKO). <i>BMC Public Health</i> , 0, 26, .	3.1	0
544	Integrating polygenic and methylation risk scores for pleural mesothelioma risk stratification. <i>International Journal of Cancer</i> , 0, , .	4.3	0
545	The proteomic profile of leisure time physical activity across two decades: implications for future cardiovascular risk and mortality. <i>European Journal of Preventive Cardiology</i> , 0, , .	2.0	0