Selcuk Bilmis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2792609/publications.pdf

Version: 2024-02-01

16411 24915 15,712 293 64 109 citations h-index g-index papers 307 307 307 9323 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Determination of the spectroscopic parameters of beauty-partners of <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:misub><mml:mi>T</mml:mi><mml:mrow><mml:mi>c</mml:mi>ccc<td>1.6 ml:mrow></td><td>k/mml:msub</td></mml:mrow></mml:misub></mml:math>	1.6 ml:mrow>	k/mml:msub
2	Semileptonic <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msub><mml:mi mathvariant="normal">Ξ</mml:mi><mml:mi></mml:mi></mml:msub></mml:math> baryon decays in the light cone QCD sum rules. Physical Review D, 2021, 104, .	1,6	8
3	Strong and electromagnetic decays of the radially excited \$\$D_s\$\$ and \$\$B_s\$\$ mesons in light cone QCD sum rules. European Physical Journal C, 2021, 81, 1.	1.4	0
4	Light-cone sum rules for radial excitation of decuplet to octet baryons electromagnetic transition form factors. Modern Physics Letters A, 2021, 36, .	0.5	0
5	Are the new excited Ωc baryons negative parity states?. Modern Physics Letters A, 2020, 35, 1950344.	0.5	8
6	Multipole moments of heavy vector and axial-vector mesons in QCD. Physical Review D, 2020, 101, . http://www.w3.org/1998/Math/Math/ML	1.6	1
7	display="inline"> <mml:mrow><mml:msup><mml:mrow><mml:mi>i³</mml:mi></mml:mrow><mml:mrow><mml:ni stretchy="false">â†'<mml:msup><mml:mrow><mml:mi mathvariant="normal">î"</mml:mi></mml:mrow><mml:mrow><mml:mo>+</mml:mo></mml:mrow></mml:msup>(<mml:mo><mml:mn>1600</mml:mn><mml:mo) 0.784314="" 1="" 10="" 50<="" etqq1="" overlock="" rgbt="" td="" tf="" tj=""><td>>1.6nml:mc</td><td>02</td></mml:mo)></mml:mo></mml:ni></mml:mrow></mml:msup></mml:mrow>	> 1.6 nml:mc	02
8	Phy Properties of excited B states in QCD. Nuclear Physics B, 2019, 947, 114726.	0.9	7
9	The mass and residues of radially and orbitally excited doubly heavy baryons in QCD. Nuclear Physics A, 2019, 984, 99-111.	0.6	9
10	The Belle II Physics Book. Progress of Theoretical and Experimental Physics, 2019, 2019, .	1.8	384
11	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$\$qrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	1.4	10
12	Determination of f0 - a00 mixing angle from QCD sum rules. European Physical Journal A, 2018, 54, 1.	1.0	8
13	Reanalysis of â,,¦c↹Ξc+K- Decay in QCD. Advances in High Energy Physics, 2018, 2018, 1-9.	0.5	4
14	Light-cone distribution amplitudes of light J = 2â^'â^' tensor mesons in QCD. Nuclear Physics B, 2018, 931, 132-145.	0.9	4
15	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}}\$\$ t t \hat{A}^- production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7 \hat{A} \$\$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	1.4	34
16	Measurement of the $\frac{1}{2}$ wathrm{t}-overline{mathrm{t}} \$\$ t t \hat{A}^- production cross section using events in the \$\$mathrm {e}mu \$\$ e \hat{I} -4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	1.4	40
17	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	54
18	Search for electroweak production of charginos in final states with two \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11

#	Article	IF	CITATIONS
19	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt{s} = 8{,mathrm{{TeV}}} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	1.4	16
20	Measurement of the WZ production cross section in pp collisions at $\$$ sqrt $\{s\} = 7$ \$\$ s = 7 and 8 $\$$ s,ext $\{TeV\}$ \$\$ TeV and search for anomalous triple gauge couplings at $\$$ sqrt $\{s\} = 8$,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	1.4	37
21	Measurement of prompt and nonprompt $\frac{5}{p}$ production in $\frac{p}{mathrm \{p\}}$ p p and $\frac{p}{mathrm \{p\}}$ p Pb collisions at $\frac{5}{mathrm \{nn\}}$ =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	1.4	53
22	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ $\{T\}$	1.4	29
23	Scalar unparticle signals at the LHC. Physical Review D, 2017, 95, .	1.6	9
24	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\$$ sqrt $\{s\} = 8$ \$ $s = 8$ \$,ext $\{TeV\}$ \$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	1.4	52
25	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$\$$ sqrt $\{s_{mathrm{N};mathrm{N}}\}=5.02 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	103
26	Search for associated production of dark matter with a Higgs boson decaying to b b \hat{A}^- \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
27	Observation of Y(1S) pair production in proton-proton collisions at s = 8 $\$$ sqrt{s}=8 $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	48
28	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	35
29	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13 $ \$\$ sqrt $\{s\}=13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
30	Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3\$ production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
31	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
32	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
33	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
34	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
35	Suppression and azimuthal anisotropy of prompt and nonprompt $\$ (mathrm{J}}/psi \$\$ J / $\ddot{\Gamma}$ production in PbPb collisions at \$\$sqrt{{s_{_{ext {NN}}}}} =2.76\$\$ s NN = 2.76 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 252.	1.4	82
36	Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	1.4	32

3

#	Article	IF	CITATIONS
37	Measurement of the top quark mass using single top quark events in proton-proton collisions at $\$$ sqrt $\{s\}$ = 8 \$\$ s = 8 ÂTeV. European Physical Journal C, 2017, 77, 354.	1.4	23
38	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\{s\}$ $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	95
39	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
40	Measurement of electroweak-induced production of \hat{W}^3 with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
41	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13 $ \$\$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
42	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
43	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
44	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	5
45	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at s = 8 $\$\$$ sqrt{s}=8 $\$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
46	Measurements of jet charge with dijet events in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
47	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	21
48	Search for new physics with dijet angular distributions in proton-proton collisions at s = 13 $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
49	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $s=13$ \$\$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	62
50	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s = 13 $ \$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	41
51	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	1.4	2
52	Search for high-mass $Z\hat{1}^3$ resonances in e+eâ^ $\hat{1}^3$ and $\hat{1}^1/4 + \hat{1}^1/4$ â^ $\hat{1}^3$ final states in proton-proton collisions at s = 8 \$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	\$ 1.6	7
53	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \ddot{l}_n , leptons and two jets in proton-proton collisions at $s=13~$ \$\$ sqrt $\{s\}=13~$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
54	Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	4

#	Article	IF	Citations
55	Measurement of the triple-differential dijet cross section in proton-proton collisions at s =8,ext {TeV} s = 8 TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	1.4	23
56	Strong Coupling Constants of Negative Parity Heavy Baryons with π and K Mesons. Advances in High Energy Physics, 2017, 2017, 1-6.	0.5	2
57	Analysis of Radial Excitations of Octet Baryons in QCD Sum Rules. Advances in High Energy Physics, 2017, 2017, 1-6.	0.5	4
58	Measurements of the associated production of a Z boson and b jets in pp collisions at $\$\{qrt\{s\}\} = 8$, ext $TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	1.4	30
59	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H â†' WW decays. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
60	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
61	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = $2.76 $ \$\$ sqrt{s_{mathrm{N};mathrm{N}}}= $2.76 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	18
62	Measurement of the double-differential inclusive jet cross section in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	1.4	55
63	Measurement of the $\{\{\text{mathrm}\{W\}\}^{+}\}$ mathrm $\{W\}^{-}\}$ \$\ W + W - cross section in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	1.4	74
64	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	1.4	33
65	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
66	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm $\{e\}$ mu \$\$ e ν pair in proton–proton collisions at \$\$sqrt $\{s\}=8$ ~ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	1.4	16
67	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
68	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
69	Search for anomalous single top quark production in association with a photon in pp collisions at s = $8 $ \$\$ sqrt s = $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	27
70	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	7
71	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
72	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	1.4	25

#	Article	IF	Citations
73	Search for new physics in same-sign dilepton events in proton $\hat{\epsilon}$ proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	1.4	64
74	Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	1.4	16
75	Search for dark matter particles in proton-proton collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
76	Search for s channel single top quark production in pp collisions at $s = 7 $ \$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
77	Measurement of inclusive jet production and nuclear modifications in pPb collisions at \$\$sqrt{s_{_mathrm {NN}}} =5.02,mathrm{TeV} \$\$ s NN. European Physical Journal C, 2016, 76, 372.	1.4	29
78	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
79	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the ell/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	41
80	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
81	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
82	Evidence for exclusive $\hat{I}^{3\hat{I}^3}$ \hat{a}^{\dagger} ' $W+W$ \hat{a}^{\bullet} ' production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	42
83	Search for supersymmetry in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
84	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$\$qrt\{s\} = 8;ext\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	1.4	18
85	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s = 7 $ \$ sqrt $\{s\}=7 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
86	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	12
87	Measurement of the mass of the top quark in decays with a J/ $\hat{\Gamma}$ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	6
88	Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$,ext $\{TeV\}$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	1.4	26
89	Measurement of $\mbox{smathrm } \{t\}$ overline $\{mathrm \{t\}\}$ tt \hat{A}^- production with additional jet activity, including $\mbox{smathrm } \{b\}$ bquark jets, in the dilepton decay channel using pp collisions at $\mbox{ssqrt} \{s\} = 8$, ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	1.4	34
90	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ ightarrow mathrm $\{W\}^{pm}+X$ pp \hat{a}^{t} W \hat{A}^{t} + X production at $\{q\}^{pm}$ = 8\$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	1.4	83

#	Article	IF	Citations
91	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	23
92	Search for $W\hat{a}\in 2$ \hat{a} †' tb in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	3
93	Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$\$$ sqrt{s_{mathrm{NN}}}= $2.76 \$\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	29
94	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
95	Search for excited leptons in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
96	Measurement of the $\frac{t}{\text{overline}}{\text{mathrm}\{t\}}$ t t \hat{A} production cross section in the all-jets final state in pp collisions at $\frac{s}{\text{overline}}$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	1.4	41
97	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	1.4	499
98	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ \hat{a} ," $\hat{l}\frac{1}{2}$ b b \hat{A}^- final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	1.4	30
99	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
100	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
101	Search for heavy Majorana neutrinos in $e\hat{A}\pm e\hat{A}\pm +$ jets and $e\hat{A}\pm \hat{1}\frac{1}{4}\hat{A}\pm +$ jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	35
102	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \ddot{l} , leptons in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
103	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}=8$,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	1.4	62
104	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 $ \$\$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
105	Constraints on dark photon from neutrino-electron scattering experiments. Physical Review D, 2015, 92, .	1.6	96
106	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s $$$ sqrt{s} $$$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
107	Search for third-generation scalar leptoquarks in the $t\ddot{l}$, channel in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
108	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	34

#	Article	IF	CITATIONS
109	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s = 8 $ \$\$ sqrt $s = 8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	37
110	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
111	Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	81
112	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	12
113	Search for a light charged Higgs boson decaying to c s \hat{A}^- \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	1.6	44
114	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
115	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	1
116	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015 , 2015 , 1 .	1.6	92
117	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	1.4	541
118	Measurement of the $Z\hat{I}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	1.6	11
119	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	1.4	68
120	Measurement of the differential cross section for top quark pair production in pp collisions at $s=8$, ext TeV \$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	1.4	191
121	Measurements of the \frac{Z} \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$	1.4	32
122	Comparison of the Z/\hat{i} \hat{a} — + jets to \hat{i} + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	6
123	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
124	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	1.4	73
125	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	1.4	31
126	Measurements of differential and double-differential Drellâ€"Yan cross sections in protonâ€"proton collisions at $\$$ sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	1.4	88

#	Article	lF	CITATIONS
127	Search for decays of stopped long-lived particles produced in protonâ \in proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	1.4	44
128	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6 Â+	26
129	and B± â†' J Ï`K ± and â,,¬ B c ± â†' J / Ï`Ï€ ± Ï€ ± Ï€ â^" / â,,¬ B c ± â†' J / Ï`Ï€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{mathrm{c}}) o mathrm{J}/psi {pi}^{pm}{pi}^{pm} Tj ETQq1 1 0.7	84314 rgE	3T /Overlock 17
130	2015, 1. Search for disappearing tracks in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	46
131	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$$ sqrt $\{s_{mathrm{NN}}\}=2.76 \$$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
132	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ \$\$ sqrt $s = 8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	78
133	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76 \$$ sqrt $\{s\}=2.76 \$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	10
134	Search for dark matter, extra dimensions, and unparticles in monojet events in protonâ \in proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	1.4	320
135	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ s = 7 $\$$ s, ext $\{TeV\}$ \$\$ TeV. European Physical Journal C, 2015, 75, 288.	1.4	54
136	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s=7$ s = 7 s,ext {TeV}\$ TeV. European Physical Journal C, 2015, 75, 302.	1.4	6
137	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton–proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	1.4	43
138	Search for heavy neutrinos and $\$$ mathrm $\{W\}$ \$\$ W bosons with right-handed couplings in protonâ \in "proton collisions at $\$$ qrt $\{s\}$ = 8,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	1.4	179
139	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	1.4	43
140	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	81
141	Measurement of pseudorapidity distributions of charged particles in protonâ \in proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	1.4	49
142	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	1.4	241
143	Measurement of prompt $\mathbb{N}^{\hat{i}}$ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	1.6	61
144	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	1.4	342

#	Article	IF	Citations
145	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	1.6	51
146	Study of hadronic event-shape variables in multijet final states in pp collisions at $s=7$ \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	3
147	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	17
148	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	43
149	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1.	1.6	169
150	Measurement of the $\$ toverline{t} $\$ production cross section in the dilepton channel in pp collisions at $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	52
151	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\$ sqrt{{ $s_{NN}}$ } \$ =2.76 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	77
152	Measurement of associated W + charm production in pp collisions at $q = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	1.6	55
153	Search for new physics in events with same-sign dileptons and jets in pp collisions at sqrts = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	48
154	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{s_{NN}}{1.00} = 5.02$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 1.	1.4	75
155	Measurement of WZ and ZZ production in pp collisions at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ $\$$ \$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	1.4	23
156	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. European Physical Journal C, 2014, 74, 2980.	1.4	171
157	Measurement of jet multiplicity distributions in $\frac{t}{v}$ at \hat{A}^- production in pp collisions at $\frac{t}{s} = 7$,ext TeV $s = 7$ TeV. European Physical Journal C, 2014, 74, 3014.	1.4	16
158	Study of double parton scattering using W + 2-jet events in proton-proton collisions at sqrts = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
159	Event activity dependence of $Y $ (nS) production in $q = 1.00$ sqrt{s} $q = 1.00$ TeV pPb and $q = 1.00$ sqrt{s} $q = 1.00$ FeV pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	56
160	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}} $\mbox{schannel}$ channel in pp collisions at $\mbox{schannel}$ $\mbox{schannel}$ in pp collisions at $\mbox{schannel}$ $\mbox{schannel}$ $\mbox{schannel}$ in pp collisions at $\mbox{schannel}$ sch	1.6	20
161	Evidence for the 125 GeV Higgs boson decaying to a pair of Ï,, leptons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	123
162	Search for $W\hat{a}\in \hat{a}$ \hat{a} to decays in the lepton + jets final state in pp collisions at \hat{a} sqrt \hat{a} = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	26

#	Article	IF	CITATIONS
163	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $\$ sqrt $\{s\}$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	31
164	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	100
165	Measurement of the t-channel single-top-quark production cross section and of the $ V tb $ CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	70
166	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $$$ sqrt ${s}$ $$$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	39
167	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	1.6	4
168	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $$$ sqrt $\{s\}$ $$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
169	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	69
170	Measurement of the top-quark mass in all-jets $\frac{1}{2}$ hbox $t^2 = 1$ hove the top-quark mass in all-jets $\frac{1}{2}$ hbox $t^2 = 1$ hove the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-jets $t^2 = 1$ has a substitution of the top-quark mass in all-	1.4	35
171	Study of the production of charged pions, kaons, and protons in pPb collisions at $\$$ sqrt $\{s_{NN}\} = 0$ \$\\$ s N N = 5.02 \$\\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 2847.	1.4	85
172	Probing color coherence effects in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901.	1.4	17
173	Measurement of the (toverline $\{t\}$) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$) = 8 TeV., 2014, 2014, 1.		3
174	Search for the associated production of the Higgs boson with a top-quark pair., 2014, 2014, 1.		6
175	Search for microscopic black holes in pp collisions at \$ sqrt{s}=8 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	44
176	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	17
177	Searches for long-lived charged particles in pp collisions at $\$ sqrt{s} $\$ =7 and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	118
178	Study of exclusive two-photon production of W+W \hat{a} in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	75
179	Observation of a new boson with mass near 125 GeV in pp collisions at $\$ sqrt{s}=7 $\$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	320
180	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, $2013, 2013, 1$.	1.6	39

#	Article	IF	Citations
181	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	1.6	58
182	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the all-jet final state in pp collisions at $q=0$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
183	Measurement of the X(3872) production cross section via decays to J/Ï˙Ï€ + Ï€ − in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
184	Study of the underlying event at forward rapidity in pp collisions at \$ $qrt{s}=0.9,2.76$; mathrm{and};7; mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	1.6	50
185	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
186	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	33
187	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
188	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	20
189	Search for supersymmetry in pp collisions at \$sqrt{s} =7\$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	1.4	20
190	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	1.4	68
191	Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$ in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on $ZZ\hat{I}^3$ and $Z\hat{I}^3\hat{I}^3$ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	14
192	Measurement of the W-boson helicity in top-quark decays from $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	30
193	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $\hat{i}\pm T$ and b-quark multiplicity in pp collisions at $\sqrt{s} = 8 \text{ mathrm} $ TeV\\$. European Physical Journal C, 2013, 73, 2568.	1.4	147
194	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
195	Measurement of masses in the $mathrm{t}$ overline $mathrm{t}$ \$ system by kinematic endpoints in pp collisions at $q=0.013$, 73, 2494.	1.4	55
196	Search for physics beyond the standard model in events with \ddot{l} , leptons, jets, and large transverse momentum imbalance in pp collisions at $\frac{s}{TeV}$. European Physical Journal C, 2013, 73, 2493.	1.4	22
197	Measurement of the $mathrm{t}ar{mathrm{t}}$ production cross section in the \ddot{l} ,+jets channel in pp collisions at $q=1$ mbox $q=1$ mb	1.4	24
198	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	1.4	32

#	Article	IF	CITATIONS
199			

#	Article	IF	CITATIONS
217	Measurement of the cross section for production of $\$$ boverline b X $\$$ decaying to muons in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	6
218	Measurement of the $Z/\hat{l}^3*\hat{a}$ €‰+ \hat{a} €‰b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	39
219	Search for anomalous production of multilepton events in pp collisions at sqrt = 7,TeV . Journal of High Energy Physics, 2012, 2012, 1.	1.6	68
220	Search for a light charged Higgs boson in top quark decays in pp collisions at $\$$ sqrt $\{s\} = 7$; TeV $\$$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	117
221	Search for leptonic decays of $W\hat{a}\in \mathbb{Z}^2$ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	49
222	Search for stopped long-lived particles produced in pp collisions at sqrt s = ext7TeV} 5. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
223	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $q=0$ sqrt $q=0$ for $q=0$ for $q=0$ sqrt $q=0$ for $q=0$ f	1.6	30
224	Measurement of the underlying event activity in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
225	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
226	Search for dark matter and large extra dimensions in monojet events in pp collisions at sqrt s = 7} TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	168
227	Search for a fermiophobic Higgs boson in pp collisions at sqrt sqrt = 7 TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
228	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	95
229	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\$ sqrt{{{s_{mathrm{NN}}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	85
230	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the dilepton channel in pp collisions at \$ $qt{s}=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	69
231	Search for exclusive or semi-exclusive $\hat{I}^3\hat{I}^3$ production and observation of exclusive and semi-exclusive e+eâ^ production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	51
232	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\$ sqrt $\{s\}=7$ \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	7
233	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	41
234	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\ \sqrt{s}=7 \ TeV$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	11

#	Article	IF	CITATIONS
235	Search for resonant $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	26
236	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
237	Measurement of the single-top-quark t-channel cross section in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	83
238	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at \$ $qt_s=7$; TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	14
239	Measurement of the top-quark mass in $\mbox{mathrm{t}}$ mathrm{t} events with lepton+jets final states in pp collisions at \mbox{quark} TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	38
240	Measurement of the underlying event in the Drell–Yan process in proton–proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	33
241	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $q=0.9, 2.76, mbox{and }7-mbox{TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	154
242	A search for a doubly-charged Higgs boson in pp collisions at $q=7 \mod TeV$. European Physical Journal C, 2012, 72, 1.	1.4	129
243	Measurement of the top-quark mass in $\frac{t}{v}$ events with dilepton final states in pp collisions at $\frac{t}{v}$ mbox TeV . European Physical Journal C, 2012, 72, 1.	1.4	42
244	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	26
245			

#	Article	IF	CITATIONS
253	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at	1.6	16
254	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
255	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{NN}}=2.76$ -mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	369
256	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $sqrt{s_{NN}}= 2.76$ mbox{TeV}. European Physical Journal C, 2012, 72, 1.	1.4	181
257	Jet production rates in association with W and Z bosons in pp collisions at $q = 7 $ {ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
258	Exclusive $\hat{1}^3\hat{1}^3$ → $\hat{1}^1/4 + \hat{1}^1/4$ â^' production in proton-proton collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	56
259	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\$ sqrt $\$ s} = 7;TeV $\$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	26
260	Prompt and non-prompt $J/\tilde{\Gamma}$ production in pp collisions at $sqrt\{s\} = 7$ TeV. European Physical Journal C, 2011, 71, 1.	1.4	135
261	Measurement of the $mathrm{{tar{t}}}$ production cross section in pp collisions at $qrt{s}=7$ TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	1.4	37
262	Search for heavy stable charged particles in pp collisions at	1.6	38
263	Inclusive b-hadron production cross section with muons in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	23
264	Measurement of $\{\text{ext}\{B\}\}$ overline $\{\text{ext}\{B\}\}$ angular correlations based on secondary vertex reconstruction at $\{\text{s} = 7, \{\text{ext}\{\text{TeV}\}\}\}$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	32
265	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\$$ sqrt $\$$ = 7; $\{$ ext $\{$ TeV $\}\}$ $\$$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	59
266	Measurement of Bose-Einstein correlations in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	30
267	Strange particle production in pp collisions at	1.6	139
268	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	1.6	22
269	Search for resonances in the dilepton mass distribution in pp collisions at sqrt sqrt and Journal of High Energy Physics, 2011, 2011, 1.	1.6	39
270	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at	1.6	26

#	Article	IF	CITATIONS
271	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	1.6	46
272	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at sqrt sqrt FeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	10
273	Measurement of the $\{m t\}$ ar $\{m t\}$ production cross section and the top quark mass in the dilepton channel in pp collisions at sqrt $\{s\}$ = 7 TeV . Journal of High Energy Physics, 2011, 2011, 1.	1.6	53
274	Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt {{{s_{ext{NN}}}}} \$  = 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
275	Search for light resonances decaying into pairs of muons as a signal of new physics. Journal of High Energy Physics, 2011, 2011, 1.	1.6	13
276	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	1.6	29
277	Search for same-sign top-quark pair production at	1.6	40
278	Charged particle transverse momentum spectra in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	56
279	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at sqrt sqrt and TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	20
280	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\{\{s_{ext}NN\}\}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	99
281	Search for new physics with jets and missing transverse momentum in pp collisions at sqrt = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	49
282	Search for supersymmetry in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	1.6	32
283	Measurement of the underlying event activity at the LHC with $\$$ sqrt $\{s\} = 7 \$$ TeV and comparison with $\$$ sqrt $\{s\} = 0.9 \$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	97
284	Measurement of the Drell-Yan cross section in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	36
285	Measurement of the inclusive W and Z production cross sections in pp collisions at \$ sqrt $\{s\} = 7$ \$ TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	1.6	158
286	Measurement of energy flow at large pseudorapidities in pp collisions at $\$$ sqrt $\{s\}$ = 0. $\{9\}$ $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	25
287	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV. , 2011, 2011, 1.		5
288	First measurement of the underlying event activity at \hat{A} the \hat{A} LHC \hat{A} with \hat{A} \$ sqrt {s} = 0.9\$ \hat{A} TeV. European Physical Journal C, 2010, 70, 555-572.	1.4	50

#	Article	IF	CITATIONS
289	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	1.4	120
290	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $q=0.9\$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	1.6	230
291	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	1.6	497
292	Constraints on nonstandard neutrino interactions and unparticle physics with $<$ mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $<$ mml:msub> $<$ mml:mover accent="true"> $<$ mml:mi> 1 /2 $<$ mml:mi> $<$ mml:mi> $<$ mml:mo> 2 / $<$ mml:mo> $<$ mml:mo> $<$ mml:mo> $<$ mml:math> $<$ mml:mi> $<$ mthe mathvariant="bold"> $<$ mml:mi> $<$ mml:mi> $<$ mml:mo> 2 / $<$ mml:mo> $<$ mml:mo> $<$ mml:msup> $<$ mml:math> $<$ mml:mo> $<$ mo> $<$ mml:mo> $<$ mml:m	o>< me ml:m	o>âg
293	Kno-Sheng nuclear power reactor. Physical Review D, 2010, 32, . display="filine">< mml:msub>< mml:mover accent="true">< mml:mi>ν< mml:mo>¯< mml:mover>< mml:mi mathvariant="normal">e-electron scattering cross section with a Csl(Tl) scintillating crystal array at the Kuo-Sheng nuclear power reactor. Physical Review D. 2010, 81.	1.6	151