

Min-Xia Yao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2792682/publications.pdf>

Version: 2024-02-01

25
papers

862
citations

706676

14
h-index

620720

26
g-index

26
all docs

26
docs citations

26
times ranked

1088
citing authors

#	ARTICLE	IF	CITATIONS
1	Ligand field and anion-driven structures and magnetic properties of dysprosium complexes. <i>CrystEngComm</i> , 2021, 23, 2825-2834.	1.3	5
2	Strong intramolecular Dy ^{III} –Dy ^{III} magnetic couplings up to 15.00 cm ^{−1} in phenoxyl-bridged dinuclear 4f complexes. <i>New Journal of Chemistry</i> , 2020, 44, 2083-2090.	1.4	14
3	Synthesis, structures and magnetic properties of cyano- and amide-bridged Fe ^{III} -Ln ^{III} tetranuclear heterometallic clusters. <i>Journal of Coordination Chemistry</i> , 2019, 72, 1097-1107.	0.8	4
4	Self-assembly of rare octanuclear quad(double-stranded) cluster helicates showing slow magnetic relaxation and the magnetocaloric effect. <i>New Journal of Chemistry</i> , 2018, 42, 17652-17658.	1.4	15
5	Synthesis, structures and magnetic properties of chiral 3d–3d–4f heterotrimetallic complexes based on [(Tp*)Fe(CN) ₃] [−] . <i>New Journal of Chemistry</i> , 2017, 41, 5988-5994.	1.4	9
6	Synthesis, structures and magnetism of heterotrimetallic Ni–Cu–Ln complexes based on a dicompartmental imine–oxime ligand. <i>New Journal of Chemistry</i> , 2017, 41, 11097-11103.	1.4	6
7	Synthesis, Structures, and Magnetic Properties of Chiral One-dimensional Cr ^{III} -Mn ^{III} Heterobimetallic Complexes Based on [(Tp)Cr(CN) ₃] [−] . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2016, 642, 14-19.	0.6	3
8	Rare single-molecule magnets with six-coordinate Ln ^{III} ions exhibiting a trigonal antiprism configuration. <i>Dalton Transactions</i> , 2016, 45, 10689-10695.	1.6	25
9	Cyanide-bridged heterobimetallic magnetic complexes based on metalloporphyrinate and tricyanometalate building blocks. <i>New Journal of Chemistry</i> , 2016, 40, 365-371.	1.4	6
10	The new dicyanoruthenium(ⁱⁱⁱ) building block with 2-hydroxyacetophenone imine for heterobimetallic complexes. <i>RSC Advances</i> , 2015, 5, 93470-93479.	1.7	5
11	Synthesis, structures and magnetism of heterodinuclear Ni–Ln complexes: field-induced single-molecule magnet behavior in the dysprosium analogue. <i>New Journal of Chemistry</i> , 2015, 39, 3467-3473.	1.4	17
12	Synthesis, structures and magnetism of a series of dinuclear and one-dimensional Ni–Ln complexes: single-molecule magnetic behavior in one-dimensional nitrate-bridged Dy analogue. <i>New Journal of Chemistry</i> , 2015, 39, 8356-8363.	1.4	9
13	Enantiopure heterobimetallic single-chain magnets from the chiral Ru ^{III} building block. <i>Dalton Transactions</i> , 2014, 43, 933-936.	1.6	39
14	Crystal structures and magnetic properties of chiral heterobimetallic chains based on the dicyanoruthenate building block. <i>Dalton Transactions</i> , 2014, 43, 18047-18055.	1.6	17
15	Controlled Synthesis of Heterotrimetallic Single-Chain Magnets from Anisotropic High-Spin 3d–4d of Nodes and Paramagnetic Spacers. <i>Chemistry - A European Journal</i> , 2013, 19, 294-303.	1.7	78
16	Synthesis and Study of Three Novel Macrocyclic Seleno[ferrocenophanes Containing a Naphthalene Unit. <i>Inorganic Chemistry</i> , 2013, 52, 5786-5793.	1.9	15
17	Syntheses, Structures, and Magnetic Properties of seven-coordinate Lanthanide Porphyrinate or Phthalocyaninate Complexes with KI–TM's Tripodal Ligand. <i>Inorganic Chemistry</i> , 2013, 52, 6407-6416.	1.9	58
18	Chiral Cyanide-Bridged Cr ^{III} –Mn ^{III} Heterobimetallic Chains Based on [(Tp)Cr(CN) ₃] [−] : Synthesis, Structures, and Magnetic Properties. <i>Inorganic Chemistry</i> , 2012, 51, 2140-2149.	1.9	71

#	ARTICLE	IF	CITATIONS
19	Field-induced slow magnetic relaxation in chiral seven-coordinated mononuclear lanthanide complexes. Dalton Transactions, 2012, 41, 13682.	1.6	55
20	Chiral cyanide-bridged 1D FeIII-MnIII heterobimetallic chains: Synthesis, structures and magnetic properties. Science China Chemistry, 2012, 55, 1022-1030.	4.2	10
21	Syntheses, Structures, and Magnetic Properties of Low-Dimensional Heterometallic Complexes Based on the Versatile Building Block [(Tp)Cr(CN) ₃] ⁺ . Inorganic Chemistry, 2011, 50, 8636-8644.	1.9	16
22	Hexanuclear FeII2CoII2MnII2 (M = Cu, Ni, Mn) clusters based on KlÄui's tripodal ligand and tricyanometalates: syntheses, structures and magnetic properties. Dalton Transactions, 2011, 40, 2204-2212.	1.6	10
23	A unique 2D framework containing linear trimeric cobalt(ii) of mixed Tdâ€“Ohâ€“Td geometries linked by two different single-carboxylate-aromatic amine ligands: structure and magnetic properties. Dalton Transactions, 2008, , 2428.	1.6	71
24	Crystal structure of a new complex of [3-(1 H -benzimidazol-yl)propionato- N] [3-(1 H -benzimidazol-yl) propionic acid- N]silver(I), C20H19AgN4O4. Journal of Coordination Chemistry, 2007, 60, 1983-1987.	0.8	12
25	A Single-Molecule-Magnetic, Cubane-Based, Triangular Co12 Supercluster. Angewandte Chemie - International Edition, 2007, 46, 1832-1835.	7.2	261