
## Zeljko Zizak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2795048/publications.pdf Version: 2024-02-01



ZELIKO ZIZAK

#	Article	IF	CITATIONS
1	Iron salt-promoted oxidation of steroidal phenols by <i>m</i> -chloroperbenzoic acid: a route to possible antitumor agents. RSC Advances, 2022, 12, 20649-20655.	3.6	0
2	Phenolic profile and biological potential of wild blackberry (Rubus discolor) fruits. Botanica Serbica, 2021, 45, 215-222.	1.0	1
3	Design and <i>In Vitro</i> Biological Evaluation of a Novel Organotin(IV) Complex with 1-(4-Carboxyphenyl)-3-ethyl-3-methylpyrrolidine-2,5-dione. Journal of Chemistry, 2019, 2019, 1-8.	1.9	18
4	Polysaccharides of Pleurotus flabellatus strain Mynuk produced by submerged fermentation as a promising novel tool against adhesion and biofilm formation of foodborne pathogens. LWT - Food Science and Technology, 2019, 112, 108221.	5.2	17
5	A new endodontic mixture based on calcium aluminate cement obtained by hydrothermal synthesis. Ceramics International, 2019, 45, 9211-9218.	4.8	6
6	Antioxidative and cytotoxic activity of essential oils and extracts of Satureja montana L., Coriandrum sativum L. and Ocimum basilicum L. obtained by supercritical fluid extraction. Journal of Supercritical Fluids, 2017, 128, 128-137.	3.2	74
7	Biological potential of puffballs: A comparative analysis. Journal of Functional Foods, 2016, 21, 36-49.	3.4	18
8	Nutraceutical properties of the methanolic extract of edible mushroom Cantharellus cibarius (Fries): primary mechanisms. Food and Function, 2015, 6, 1875-1886.	4.6	53
9	Biological potential of extracts of the wild edible Basidiomycete mushroom Grifola frondosa. Food Research International, 2015, 67, 272-283.	6.2	68
10	Synthesis, cytotoxic and hydrolytic studies of titanium complexes anchored by a tripodal diamine bis(phenolate) ligand. Dalton Transactions, 2014, 43, 17422-17433.	3.3	21
11	Structural studies and cytotoxic activity against human cancer cell lines of mono and dinuclear tin(IV) complexes with the α,α′-dimercapto-o-xylene ligand. Inorganica Chimica Acta, 2014, 423, 117-122.	2.4	10
12	In vitro antitumor actions of extracts from endemic plant Helichrysum zivojinii. BMC Complementary and Alternative Medicine, 2013, 13, 36.	3.7	36
13	Cinnamic Acid Derivatives Induce Cell Cycle Arrest in Carcinoma Cell Lines. Medicinal Chemistry, 2013, 9, 633-641.	1.5	22
14	A Triphenyltin(IV) Nicotinate Derivative – Synthesis and Toxicity Towards Different Tumour and Normal Cell Lines. Letters in Drug Design and Discovery, 2012, 9, 737-741.	0.7	6
15	One ligand different metal complexes: Biological studies of titanium(IV), tin(IV) and gallium(III) derivatives with the 2,6-dimethoxypyridine-3-carboxylato ligand. Journal of Organometallic Chemistry, 2011, 696, 3206-3213.	1.8	15
16	Titanium(IV) carboxylate complexes: Synthesis, structural characterization and cytotoxic activity. Polyhedron, 2010, 29, 354-360.	2.2	31
17	Cytotoxic Effect of Wine Polyphenolic Extracts and Resveratrol Against Human Carcinoma Cells and Normal Peripheral Blood Mononuclear Cells. Journal of Medicinal Food, 2010, 13, 851-862.	1.5	16
18	Study of the influence of the metal complex on the cytotoxic activity of titanocene-functionalized mesoporous materials. Journal of Materials Chemistry, 2010, 20, 806-814.	6.7	62

Zeljko Zizak

#	Article	IF	CITATIONS
19	Improvement of cytotoxicity of titanocene-functionalized mesoporous materials by the increase of the titanium content. Dalton Transactions, 2010, 39, 2597.	3.3	47
20	Ru(III) complexes derived from N -methyl derivatives of glycine and 1,3-propylenediamine- N , N ′-diacetato ligands and their activities against HeLa, K562 cell lines and human PBMC. Journal of Coordination Chemistry, 2009, 62, 328-336.	2.2	8
21	A New Generation of Anticancer Drugs: Mesoporous Materials Modified with Titanocene Complexes. Chemistry - A European Journal, 2009, 15, 5588-5597.	3.3	79
22	Mixed steroidal tetraoxanes induce apoptotic cell death in tumor cells. Investigational New Drugs, 2009, 27, 432-439.	2.6	21
23	Anticancer drugs based on alkenyl and boryl substituted titanocene complexes. Journal of Organometallic Chemistry, 2009, 694, 1981-1987.	1.8	23
24	Palladium(II) complexes with R2edda-derived ligands. Part II. Synthesis, characterization and in vitro antitumoral studies of R2eddip esters and palladium(II) complexes. European Journal of Medicinal Chemistry, 2009, 44, 3452-3458.	5.5	24
25	Estrone derived steroidal diepoxide: Biologically active compound and precursor of a stable steroidal A,B-spiro system. Steroids, 2009, 74, 890-895.	1.8	8
26	Synthesis and in vitro antitumoral activity of novel O,O′-di-2-alkyl-(S,S)-ethylenediamine-N,N′-di-2-propanoate ligands and corresponding platinum(II/IV) complexes. Journal of Inorganic Biochemistry, 2008, 102, 892-900.	3.5	39
27	Cytotoxic studies of substituted titanocene and ansa-titanocene anticancer drugs. Journal of Inorganic Biochemistry, 2008, 102, 1558-1570.	3.5	59
28	Study of the cytotoxic activity of di and triphenyltin(IV) carboxylate complexes. Journal of Inorganic Biochemistry, 2008, 102, 2087-2096.	3.5	81
29	Synthesis, structural characterization and cytotoxic activity of two new organoruthenium(II) complexes. Journal of the Serbian Chemical Society, 2008, 73, 619-630.	0.8	11
30	Synthesis of some steroidal oximes, lactams, thiolactams and their antitumor activities. Steroids, 2007, 72, 406-414.	1.8	57
31	Antiproliferative Activity of β-Hydroxy-β-Arylalkanoic Acids. International Journal of Molecular Sciences, 2007, 8, 214-228.	4.1	7
32	Study of the cytotoxic activity of alkenyl-substituted ansa-titanocene complexes. Inorganic Chemistry Communication, 2007, 10, 748-752.	3.9	42
33	Cytotoxic constituents of Achillea clavennae from Montenegro. Phytochemistry, 2006, 67, 887-893.	2.9	74
34	Antiproliferative action of water extracts of seeds or pulp of five different raspberry cultivars. Food Chemistry, 2005, 93, 39-45.	8.2	46
35	Biological activities of berries: From antioxidant capacity to antiâ€cancer effects. BioFactors, 2005, 23, 207-211.	5.4	80
36	The antitumor immune response in HER-2 positive, metastatic breast cancer patients. Journal of Translational Medicine, 2005, 3, 13.	4.4	9

#	Article	IF	CITATIONS
37	Study of some polyoxometallates of Keggin's type as potential antitumour agents. Journal of Medical Biochemistry, 2004, 23, 25-30.	0.1	1
38	Antimalarial and antiproliferative evaluation of Bis-Steroidal tetraoxanes. Bioorganic and Medicinal Chemistry, 2003, 11, 2761-2768.	3.0	38