

Salud Deudero Company

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/279535/publications.pdf>

Version: 2024-02-01

122
papers

6,099
citations

87723

38
h-index

79541

73
g-index

123
all docs

123
docs citations

123
times ranked

7557
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessment of the impact of aquaculture facilities on transplanted mussels (<i>Mytilus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 747 Journal of Hazardous Materials, 2022, 424, 127264.	6.5	10
2	Living under threat: Will one of the last <i>Pinna nobilis</i> populations be able to survive?. Aquatic Conservation: Marine and Freshwater Ecosystems, 2022, 32, 1-13.	0.9	12
3	Ubiquitous vertical distribution of microfibers within the upper epipelagic layer of the western Mediterranean Sea. Estuarine, Coastal and Shelf Science, 2022, 266, 107741.	0.9	19
4	Are the seafloors of marine protected areas sinks for marine litter? Composition and spatial distribution in Cabrera National Park. Science of the Total Environment, 2022, 819, 152915.	3.9	10
5	Effects of pollutants and microplastics ingestion on oxidative stress and monoaminergic activity of seabream brains. Aquatic Toxicology, 2022, 242, 106048.	1.9	20
6	Wide-Geographic and Long-Term Analysis of the Role of Pathogens in the Decline of <i>Pinna nobilis</i> to Critically Endangered Species. Frontiers in Marine Science, 2022, 9, .	1.2	15
7	Spatial distribution of macro- and micro-litter items along rocky and sandy beaches of a Marine Protected Area in the western Mediterranean Sea. Marine Pollution Bulletin, 2022, 178, 113520.	2.3	14
8	Quantification of differential tissue biomarker responses to microplastic ingestion and plasticizer bioaccumulation in aquaculture reared sea bream <i>Sparus aurata</i> . Environmental Research, 2022, 211, 113063.	3.7	17
9	Natural hybridization between pen shell species: <i>Pinna rudis</i> and the critically endangered <i>Pinna nobilis</i> may explain parasite resistance in <i>P. nobilis</i> . Molecular Biology Reports, 2021, 48, 997-1004.	1.0	12
10	Experimental evidence of physiological and behavioral effects of microplastic ingestion in <i>Sparus aurata</i> . Aquatic Toxicology, 2021, 231, 105737.	1.9	51
11	Interlaboratory comparison of microplastic extraction methods from marine biota tissues: A harmonization exercise of the Plastic Busters MPAs project. Marine Pollution Bulletin, 2021, 164, 111992.	2.3	39
12	Micro- and macro-plastics in beach sediment of the Algerian western coast: First data on distribution, characterization, and source. Marine Pollution Bulletin, 2021, 165, 112168.	2.3	17
13	Microplastic ingestion in reared aquaculture fish: Biological responses to low-density polyethylene controlled diets in <i>Sparus aurata</i> . Environmental Pollution, 2021, 280, 116960.	3.7	30
14	Assessment of marine litter through remote sensing: recent approaches and future goals. Marine Pollution Bulletin, 2021, 168, 112347.	2.3	43
15	Assessment of the effect of long-term exposure to microplastics and depuration period in <i>Sparus aurata</i> Linnaeus, 1758: Liver and blood biomarkers. Science of the Total Environment, 2021, 786, 147479.	3.9	35
16	Organochlorine pesticides (OCPs) and polychlorinated biphenyls (PCBs) occurrence in <i>Sparus aurata</i> exposed to microplastic enriched diets in aquaculture facilities. Marine Pollution Bulletin, 2021, 173, 113030.	2.3	23
17	Age and growth of the endangered fan mussel <i>Pinna nobilis</i> in the western Mediterranean Sea. Marine Environmental Research, 2020, 153, 104795.	1.1	18
18	Spatial and temporal distribution of marine litter on the seafloor of the Balearic Islands (western) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6	0.6	15

#	ARTICLE	IF	CITATIONS
19	Exploring the relation between plastic ingestion in species and its presence in seafloor bottoms. <i>Marine Pollution Bulletin</i> , 2020, 160, 111641.	2.3	28
20	Reduced Antioxidant Response of the Fan Mussel <i>Pinna nobilis</i> Related to the Presence of <i>Haplosporidium pinnae</i> . <i>Pathogens</i> , 2020, 9, 932.	1.2	20
21	Long-term exposure to microplastics induces oxidative stress and a pro-inflammatory response in the gut of <i>Sparus aurata</i> Linnaeus, 1758. <i>Environmental Pollution</i> , 2020, 266, 115295.	3.7	111
22	Recruitment Disruption and the Role of Unaffected Populations for Potential Recovery After the <i>Pinna nobilis</i> Mass Mortality Event. <i>Frontiers in Marine Science</i> , 2020, 7, .	1.2	27
23	Can we save a marine species affected by a highly infective, highly lethal, waterborne disease from extinction?. <i>Biological Conservation</i> , 2020, 243, 108498.	1.9	43
24	Nearshore spatio-temporal sea surface trawls of plastic debris in the Balearic Islands. <i>Marine Environmental Research</i> , 2020, 158, 104945.	1.1	52
25	3D hotspots of marine litter in the Mediterranean: A modeling study. <i>Marine Pollution Bulletin</i> , 2020, 155, 111159.	2.3	42
26	Lessons learned from an intercalibration exercise on the quantification and characterisation of microplastic particles in sediment and water samples. <i>Marine Pollution Bulletin</i> , 2020, 154, 111097.	2.3	30
27	Genetics and stable isotopes reveal non-obvious population structure of bottlenose dolphins (<i>Tursiops truncatus</i>) around the Balearic Islands. <i>Hydrobiologia</i> , 2019, 842, 233-247.	1.0	5
28	Challenges for Sustained Observing and Forecasting Systems in the Mediterranean Sea. <i>Frontiers in Marine Science</i> , 2019, 6, .	1.2	47
29	Tracking a mass mortality outbreak of pen shell <i>Pinna nobilis</i> populations: A collaborative effort of scientists and citizens. <i>Scientific Reports</i> , 2019, 9, 13355.	1.6	85
30	Risk assessment of plastic pollution on marine diversity in the Mediterranean Sea. <i>Science of the Total Environment</i> , 2019, 678, 188-196.	3.9	105
31	Anthropogenic particles ingestion in fish species from two areas of the western Mediterranean Sea. <i>Marine Pollution Bulletin</i> , 2019, 144, 325-333.	2.3	76
32	Spatio-temporal monitoring of coastal floating marine debris in the Balearic Islands from sea-cleaning boats. <i>Marine Pollution Bulletin</i> , 2019, 141, 205-214.	2.3	22
33	The non-indigenous and invasive species <i>Paraleucilla magna</i> Klautau, Monteiro & Borojevic, 2004 (Porifera: Calcarea) in the Algerian coast (Southwestern of Mediterranean Sea). <i>Acta Adriatica</i> , 2019, 60, 41-46.	0.2	2
34	Collaborative Database to Track Mass Mortality Events in the Mediterranean Sea. <i>Frontiers in Marine Science</i> , 2019, 6, .	1.2	104
35	Using mussel as a global bioindicator of coastal microplastic pollution. <i>Environmental Pollution</i> , 2019, 244, 522-533.	3.7	350
36	Ingestion of microplastics and natural fibres in <i>Sardina pilchardus</i> (Walbaum, 1792) and <i>Engraulis encrasicolus</i> (Linnaeus, 1758) along the Spanish Mediterranean coast. <i>Marine Pollution Bulletin</i> , 2018, 128, 89-96.	2.3	203

#	ARTICLE	IF	CITATIONS
37	How good is your marine protected area at curbing threats?. <i>Biological Conservation</i> , 2018, 221, 237-245.	1.9	69
38	Bioindicators for monitoring marine litter ingestion and its impacts on Mediterranean biodiversity. <i>Environmental Pollution</i> , 2018, 237, 1023-1040.	3.7	255
39	Towards global data products of Essential Biodiversity Variables on species traits. <i>Nature Ecology and Evolution</i> , 2018, 2, 1531-1540.	3.4	163
40	<i>Haplosporidium pinnae</i> sp. nov., a haplosporidan parasite associated with mass mortalities of the fan mussel, <i>Pinna nobilis</i> , in the Western Mediterranean Sea. <i>Journal of Invertebrate Pathology</i> , 2018, 157, 9-24.	1.5	99
41	A new record of <i>Diodon hystrix</i> (Actinopterygii: Tetraodontiformes: Diodontidae) in the Mediterranean Sea. <i>Acta Ichthyologica Et Piscatoria</i> , 2018, 48, 403-407.	0.3	3
42	Evidence of microplastic ingestion in the shark <i>Galeus melastomus</i> Rafinesque, 1810 in the continental shelf off the western Mediterranean Sea. <i>Environmental Pollution</i> , 2017, 223, 223-229.	3.7	202
43	Microplastic ingestion by <i>Mullus surmuletus</i> Linnaeus, 1758 fish and its potential for causing oxidative stress. <i>Environmental Research</i> , 2017, 159, 135-142.	3.7	274
44	S.O.S. <i>Pinna nobilis</i> : A Mass Mortality Event in Western Mediterranean Sea. <i>Frontiers in Marine Science</i> , 2017, 4, .	1.2	106
45	Reproductive investment of the pen shell <i>Pinna nobilis</i> Linnaeus, 1758 in Cabrera National Park (Spain). <i>Mediterranean Marine Science</i> , 2017, 18, 271.	0.6	21
46	Expected Effects of Offshore Wind Farms on Mediterranean Marine Life. <i>Journal of Marine Science and Engineering</i> , 2016, 4, 18.	1.2	28
47	High levels of microplastic ingestion by the semipelagic fish bogue <i>Boops boops</i> (L.) around the Balearic Islands. <i>Environmental Pollution</i> , 2016, 214, 517-523.	3.7	257
48	<i>Caulerpa cylindracea</i> Sonder invasion modifies trophic niche in infralittoral rocky benthic community. <i>Marine Environmental Research</i> , 2016, 120, 86-92.	1.1	13
49	CHARACTERIZATION OF NITROGEN AND CARBON STABLE ISOTOPES IN EPIPHYTIC FORAMINIFERAL MORPHOTYPES. <i>Journal of Foraminiferal Research</i> , 2016, 46, 271-284.	0.1	4
50	Microplastics in the Mediterranean Sea: Deposition in coastal shallow sediments, spatial variation and preferential grain size. <i>Marine Environmental Research</i> , 2016, 115, 1-10.	1.1	437
51	Population Structure and Growth of the Threatened Pen Shell, <i>Pinna rudis</i> (Linnaeus, 1758) in a Western Mediterranean Marine Protected Area. <i>Mediterranean Marine Science</i> , 2016, 17, 785.	0.6	10
52	Geographic distance, water circulation and environmental conditions shape the biodiversity of Mediterranean rocky coasts. <i>Marine Ecology - Progress Series</i> , 2016, 553, 1-11.	0.9	12
53	Oxidative status assessment of the endemic bivalve <i>Pinna nobilis</i> affected by the oil spill from the sinking of the Don Pedro. <i>Marine Environmental Research</i> , 2015, 110, 19-24.	1.1	28
54	The Pen Shell, <i>Pinna nobilis</i> . <i>Advances in Marine Biology</i> , 2015, 71, 109-160.	0.7	59

#	ARTICLE	IF	CITATIONS
55	Mediterranean marine biodiversity under threat: Reviewing influence of marine litter on species. <i>Marine Pollution Bulletin</i> , 2015, 98, 58-68.	2.3	212
56	Biomarkers of environmental stress in gills of <i>Pinna nobilis</i> (Linnaeus 1758) from Balearic Island. <i>Ecotoxicology and Environmental Safety</i> , 2015, 122, 9-16.	2.9	36
57	Evaluating stable isotopic signals in bivalve <i>Pinna nobilis</i> under different human pressures. <i>Journal of Experimental Marine Biology and Ecology</i> , 2015, 467, 77-86.	0.7	26
58	Influence of boat anchoring on <i>Pinna nobilis</i> : a field experiment using mimic units. <i>Marine and Freshwater Research</i> , 2015, 66, 786.	0.7	25
59	Human Stressors Are Driving Coastal Benthic Long-Lived Sessile Fan Mussel <i>Pinna nobilis</i> Population Structure More than Environmental Stressors. <i>PLoS ONE</i> , 2015, 10, e0134530.	1.1	29
60	Physiological adaptation to Mediterranean habitats of the native crab <i>Pachygrapsus marmoratus</i> and the invasive <i>Percnon gibbesi</i> ; (Crustacea: Decapoda). <i>Scientia Marina</i> , 2015, 79, 257-262.	0.3	8
61	Colonization on <i>Pinna nobilis</i> at a marine protected area: extent of the spread of two invasive seaweeds. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2014, 94, 857-864.	0.4	6
62	Adapting to the wild: the case of aquaculture-produced and released meagres <i>Argyrosomus regius</i> . <i>Journal of Fish Biology</i> , 2014, 84, 10-30.	0.7	22
63	Benthic community responses to macroalgae invasions in seagrass beds: Diversity, isotopic niche and food web structure at community level. <i>Estuarine, Coastal and Shelf Science</i> , 2014, 142, 12-22.	0.9	17
64	Spatial distribution modelling of the endangered bivalve <i>Pinna nobilis</i> in a Marine Protected Area. <i>Mediterranean Marine Science</i> , 2014, 15, 626.	0.6	28
65	Increased antioxidant response and capability to produce ROS in hemocytes of <i>Pinna nobilis</i> L. exposed to anthropogenic activity. <i>Environmental Pollution</i> , 2013, 181, 321-324.	3.7	21
66	Polycyclic aromatic hydrocarbon levels and measures of oxidative stress in the Mediterranean endemic bivalve <i>Pinna nobilis</i> exposed to the Don Pedro oil spill. <i>Marine Pollution Bulletin</i> , 2013, 71, 69-73.	2.3	32
67	Boat anchoring impacts coastal populations of the pen shell, the largest bivalve in the Mediterranean. <i>Biological Conservation</i> , 2013, 160, 105-113.	1.9	40
68	Physiological response of the sea urchin <i>Paracentrotus lividus</i> fed with the seagrass <i>Posidonia oceanica</i> and the alien algae <i>Caulerpa racemosa</i> and <i>Lophocladia lallemandii</i> . <i>Marine Environmental Research</i> , 2013, 83, 48-53.	1.1	21
69	Isotopic fractionation in wild and captive European spiny lobsters (<i>Palinurus elephas</i>). <i>Journal of Crustacean Biology</i> , 2012, 32, 421-424.	0.3	4
70	Recapture probability underwater: predicting the detection of the threatened noble pen shell in seagrass meadows. <i>Limnology and Oceanography: Methods</i> , 2012, 10, 824-831.	1.0	8
71	Relative Growth Rates of the Noble Pen Shell <i>Pinna nobilis</i> Throughout Ontogeny Around the Balearic Islands (Western Mediterranean, Spain). <i>Journal of Shellfish Research</i> , 2012, 31, 749-756.	0.3	12
72	Spatial synchronies in the seasonal occurrence of larvae of oysters (<i>Crassostrea gigas</i>) and mussels (<i>Mytilus edulis/galloprovincialis</i>) in European coastal waters. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 108, 52-63.	0.9	31

#	ARTICLE	IF	CITATIONS
73	A large scale survey of trace metal levels in coastal waters of the Western Mediterranean basin using caged mussels (<i>Mytilus galloprovincialis</i>). <i>Journal of Environmental Monitoring</i> , 2011, 13, 1495.	2.1	55
74	Biochemical responses of <i>Mytilus galloprovincialis</i> as biomarkers of acute environmental pollution caused by the Don Pedro oil spill (Eivissa Island, Spain). <i>Aquatic Toxicology</i> , 2011, 101, 540-549.	1.9	124
75	Integrated Multitrophic Aquaculture: Filter Feeders Bivalves as Efficient Reducers of Wastes Derived from Coastal Aquaculture Assessed with Stable Isotope Analyses. , 2011, , .		6
76	Functional changes due to invasive species: Food web shifts at shallow <i>Posidonia oceanica</i> seagrass beds colonized by the alien macroalga <i>Caulerpa racemosa</i> . <i>Estuarine, Coastal and Shelf Science</i> , 2011, 93, 106-116.	0.9	47
77	Assessment of polycyclic aromatic hydrocarbon concentrations in mussels (<i>Mytilus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 58 Assessment, 2011, 172, 301-317.	1.3	68
78	Chemical Contamination Baseline in the Western Basin of the Mediterranean Sea Based on Transplanted Mussels. <i>Archives of Environmental Contamination and Toxicology</i> , 2011, 61, 261-271.	2.1	59
79	Seagrass Meadows Modify Drag Forces on the Shell of the Fan Mussel <i>Pinna nobilis</i> . <i>Estuaries and Coasts</i> , 2011, 34, 60-67.	1.0	29
80	High metal contents in the fan mussel <i>Pinna nobilis</i> in the Balearic Archipelago (western Mediterranean Sea) and a review of concentrations in marine bivalves (Pinnidae). <i>Scientia Marina</i> , 2011, .	0.3	0
81	COMPARATIVE ANALYSIS OF EPIPHYTIC FORAMINIFERA IN SEDIMENTS COLONIZED BY SEAGRASS <i>POSIDONIA OCEANICA</i> AND INVASIVE MACROALGAE <i>CAULERPA</i> SPP.. <i>Journal of Foraminiferal Research</i> , 2010, 40, 134-147.	0.1	85
82	Interaction between the invasive macroalga <i>Lophocladia lallemandii</i> and the bryozoan <i>Reteporella grimaldii</i> at seagrass meadows: density and physiological responses. <i>Biological Invasions</i> , 2010, 12, 41-52.	1.2	29
83	Differences in $\delta^{13}C$ and $\delta^{15}N$ stable isotopes in the pearly razorfish <i>Xyrichtys novacula</i> related to the sex, location and spawning period. <i>Journal of Fish Biology</i> , 2010, 76, 2370-2381.	0.7	14
84	Seasonality of caulerpenyne content in native <i>Caulerpa prolifera</i> and invasive <i>C. taxifolia</i> and <i>C. racemosa</i> var. <i>cylindracea</i> in the western Mediterranean Sea. <i>Botanica Marina</i> , 2010, 53, 367-375.	0.6	19
85	Initial data on settlement and recruitment of macrobenthic organisms on artificial substrates located over <i>Posidonia oceanica</i> meadows. <i>Marine Biology Research</i> , 2010, 6, 591-599.	0.3	2
86	Western Mediterranean coastal watersâ€”Monitoring PCBs and pesticides accumulation in <i>Mytilus galloprovincialis</i> by active mussel watching: the Mytilos project. <i>Journal of Environmental Monitoring</i> , 2010, 12, 924.	2.1	39
87	Effects of the invasive macroalga <i>Lophocladia lallemandii</i> on the diet and trophism of <i>Pinna nobilis</i> (Mollusca: Bivalvia) and its guests <i>Pontonia pinnophylax</i> and <i>Nepinnotheres pinnotheres</i> (Crustacea: Decapoda). <i>Scientia Marina</i> , 2010, 74, 101-110.	0.3	27
88	Changes in seagrass polychaete assemblages after invasion by <i>Caulerpa racemosa</i> var. <i>cylindracea</i> (Chlorophyta: Caulerpales): community structure, trophic guilds and taxonomic distinctness. <i>Scientia Marina</i> , 2010, 74, 317-329.	0.3	29
89	Stable-isotope signatures ($\delta^{13}C$ and $\delta^{15}N$) of different tissues of <i>Pinna nobilis</i> Linnaeus, 1758 (Bivalvia): isotopic variations among tissues and between seasons. <i>Journal of Molluscan Studies</i> , 2009, 75, 343-349.	0.4	39
90	Recruitment of <i>Pinna nobilis</i> (Mollusca: Bivalvia) on artificial structures. <i>Marine Biodiversity Records</i> , 2009, 2, .	1.2	32

#	ARTICLE	IF	CITATIONS
91	Stable isotopes and metal contamination in caged marine mussel <i>Mytilus galloprovincialis</i> . <i>Marine Pollution Bulletin</i> , 2009, 58, 1025-1031.	2.3	37
92	Stable isotope fractionation in the digestive gland, muscle and gills tissues of the marine mussel <i>Mytilus galloprovincialis</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 368, 181-188.	0.7	39
93	Diet and physiological responses of <i>Spondyllosoma cantharus</i> (Linnaeus, 1758) to the <i>Caulerpa racemosa</i> var. <i>cylindracea</i> invasion. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 380, 11-19.	0.7	33
94	Muscle and scale isotopic offset of three fish species in the Mediterranean Sea: <i>Dentex dentex</i> , <i>Argyrosomus regius</i> and <i>Xyrichtys novacula</i> . <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 2321-2328.	0.7	25
95	Antioxidant response of the bivalve <i>Pinna nobilis</i> colonised by invasive red macroalgae <i>Lophocladia lallemandii</i> . <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2009, 149, 456-460.	1.3	30
96	Reciprocal effects of caulerpenyne and intense herbivorism on the antioxidant response of <i>Bittium reticulatum</i> and <i>Caulerpa taxifolia</i> . <i>Ecotoxicology and Environmental Safety</i> , 2009, 72, 795-801.	2.9	26
97	Influence of hook size and type on short-term mortality, hooking location and size selectivity in a Spanish recreational fishery. <i>Journal of Applied Ichthyology</i> , 2008, 24, 658.	0.3	24
98	Antioxidant response and caulerpenyne production of the alien <i>Caulerpa taxifolia</i> (Vahl) epiphytized by the invasive algae <i>Lophocladia lallemandii</i> (Montagne). <i>Journal of Experimental Marine Biology and Ecology</i> , 2008, 364, 24-28.	0.7	32
99	Temporal trends of littoral fishes at deep <i>Posidonia oceanica</i> seagrass meadows in a temperate coastal zone. <i>Journal of Marine Systems</i> , 2008, 70, 182-195.	0.9	44
100	Antioxidant response of the seagrass <i>Posidonia oceanica</i> when epiphytized by the invasive macroalgae <i>Lophocladia lallemandii</i> . <i>Marine Environmental Research</i> , 2008, 66, 359-363.	1.1	55
101	Effects of hook size and barbless hooks on hooking injury, catch per unit effort, and fish size in a mixed-species recreational fishery in the western Mediterranean Sea. <i>ICES Journal of Marine Science</i> , 2008, 65, 899-905.	1.2	73
102	Occurrence of <i>Automate branchialis</i> Holthuis & Gottlieb, 1958 (Decapoda, Alpheidae) in the Balearic Islands (western Mediterranean Sea). <i>Crustaceana</i> , 2007, 80, 495-501.	0.1	2
103	Assessment of environmental pollution at Balearic Islands applying oxidative stress biomarkers in the mussel <i>Mytilus galloprovincialis</i> . <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2007, 146, 531-539.	1.3	76
104	Organic compounds temporal trends at some invertebrate species from the Balearics, Western Mediterranean. <i>Chemosphere</i> , 2007, 68, 1650-1659.	4.2	37
105	Temporal trends of metals in benthic invertebrate species from the Balearic Islands, Western Mediterranean. <i>Marine Pollution Bulletin</i> , 2007, 54, 1545-1558.	2.3	33
106	Enzymatic antioxidant response of a labrid fish (<i>Coris julis</i>) liver to environmental caulerpenyne. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2006, 144, 191-196.	1.3	45
107	Influence of physical environmental factors on the composition and horizontal distribution of summer larval fish assemblages off Mallorca island (Balearic archipelago, western Mediterranean). <i>Journal of Plankton Research</i> , 2006, 28, 473-487.	0.8	65
108	Distribution and densities of the decapod crab <i>Percnon gibbesi</i> , an invasive Grapsidae, in western Mediterranean waters. <i>Marine Ecology - Progress Series</i> , 2005, 285, 151-156.	0.9	35

#	ARTICLE	IF	CITATIONS
109	Spatial variation and ontogenic shifts in the isotopic composition of Mediterranean littoral fishes. <i>Marine Biology</i> , 2004, 145, 971-981.	0.7	60
110	Unexpected large numbers of <i>Mullus surmuletus</i> juveniles in open waters of the Mediterranean sampled with light attraction devices. <i>Journal of Fish Biology</i> , 2002, 61, 1639-1642.	0.7	0
111	Insights into fish host-parasite trophic relationships revealed by stable isotope analysis. <i>Diseases of Aquatic Organisms</i> , 2002, 52, 77-86.	0.5	61
112	Surface mesozooplankton in open waters of the Western Mediterranean. <i>Ophelia</i> , 2001, 54, 1-13.	0.3	3
113	Prey selectivity in planktivorous juvenile fishes associated with floating objects in the western Mediterranean. <i>Aquaculture Research</i> , 2001, 32, 481-490.	0.9	18
114	Interspecific trophic relationships among pelagic fish species underneath FADs. <i>Journal of Fish Biology</i> , 2001, 58, 53-67.	0.7	35
115	Interspecific trophic relationships among pelagic fish species underneath FADs. , 2001, 58, 53.		2
116	Occurrence of <i>Polyprion americanus</i> under floating objects in western Mediterranean oceanic waters, inference from stomach contents analysis. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2000, 80, 751-752.	0.4	12
117	Sublittoral meiobenthic assemblages from disturbed and non-disturbed sediments in the Balearics. <i>Scientia Marina</i> , 2000, 64, 285-293.	0.3	5
118	Fish communities associated with FADs. <i>Scientia Marina</i> , 1999, 63, 199-207.	0.3	44
119	Fish fauna associated with floating objects sampled by experimental and commercial purse nets. <i>Scientia Marina</i> , 1999, 63, 219-227.	0.3	29
120	Population dynamics and fishery of dolphinfish (<i>Coryphaena hippurus</i>) in the western Mediterranean. <i>Scientia Marina</i> , 1999, 63, 447-457.	0.3	22
121	On the Occurrence of <i>Kyphosus Sectator</i> (Osteichthyes: Kyphosidae) in the Western Mediterranean. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1998, 78, 687-690.	0.4	11
122	Inferred family structure of an endangered species, <i>Pinna nobilis</i> , using molecular analyses: implications of connectivity for conservation. <i>Frontiers in Marine Science</i> , 0, 6, .	1.2	1