Agnes van der Heide

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/279598/agnes-van-der-heide-publications-by-year.pdf

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers4,187
citations24
h-index63
g-index132
ext. papers5,140
ext. citations6.2
avg, IF5.59
L-index

#	Paper	IF	Citations
123	Prediction Models for Future High-Need High-Cost Healthcare Use: a Systematic Review <i>Journal of General Internal Medicine</i> , 2022 , 1	4	O
122	The prognostic value of the 12-, 6-, 3- and 1-month Surprise QuestionSin cancer patients: A prospective cohort study in three hospitals <i>European Journal of Cancer Care</i> , 2022 , e13551	2.4	1
121	Dying in times of COVID-19: Experiences in different care settings - An online questionnaire study among bereaved relatives (the CO-LIVE study) <i>Palliative Medicine</i> , 2022 , 2692163221079698	5.5	1
120	The development of the ADO-SQ model to predict 1-year mortality in patients with COPD <i>Palliative Medicine</i> , 2022 , 2692163221080662	5.5	0
119	Predictors of mortality in chronic obstructive pulmonary disease: a systematic review and meta-analysis <i>BMC Pulmonary Medicine</i> , 2022 , 22, 125	3.5	O
118	Evaluating quality of care at the end of life and setting best practice performance standards: a population-based observational study using linked routinely collected administrative databases <i>BMC Palliative Care</i> , 2022 , 21, 51	3	O
117	Advance care planning in amyotrophic lateral sclerosis (ALS): study protocol for a qualitative longitudinal study with persons with ALS and their family carers <i>BMJ Open</i> , 2022 , 12, e060451	3	
116	Effect of Prophylactic Subcutaneous Scopolamine Butylbromide on Death Rattle in Patients at the End of Life: The SILENCE Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 1268-1276	27.4	7
115	Quality of hospital discharge letters for patients at the end of life: A retrospective medical record review. <i>European Journal of Cancer Care</i> , 2021 , e13524	2.4	
114	Advance care planning and end-of-life care in patients with an implantable cardioverter defibrillator: The perspective of relatives. <i>Palliative Medicine</i> , 2021 , 35, 904-915	5.5	O
113	Untangling the relationship between negative illness perceptions and worse quality of life in patients with advanced cancer-a study from the population-based PROFILES registry. <i>Supportive Care in Cancer</i> , 2021 , 29, 6411-6419	3.9	1
112	Information needs of patients with chronic diseases and their relatives for web-based advance care planning: a qualitative interview study. <i>BMC Palliative Care</i> , 2021 , 20, 77	3	0
111	PhysiciansSOpinions on Anticoagulant Therapy in Patients with a Limited Life Expectancy. <i>Seminars in Thrombosis and Hemostasis</i> , 2021 , 47, 735-744	5.3	2
110	Development and implementation of a transmural palliative care consultation service: a multiple case study in the Netherlands. <i>BMC Palliative Care</i> , 2021 , 20, 81	3	1
109	Supportive nursing care for family caregivers - A retrospective nursing file study. <i>Applied Nursing Research</i> , 2021 , 59, 151434	1.8	1
108	PhysiciansSOpinion and Practice With the Continuous Use of Sedatives in the Last Days of Life. <i>Journal of Pain and Symptom Management</i> , 2021 ,	4.8	3
107	Use of antithrombotics at the end of life: an in-depth chart review study. <i>BMC Palliative Care</i> , 2021 , 20, 110	3	O

106	Hydration and symptoms in the last days of life. BMJ Supportive and Palliative Care, 2021, 11, 335-343	2.2	17
105	Evaluation showed that stakeholders valued the support provided by the Implementing Pediatric Advance Care Planning Toolkit. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 237-246	3.1	7
104	Unraveling patientsSreadiness in advance care planning conversations: a qualitative study as part of the ACTION Study. <i>Supportive Care in Cancer</i> , 2021 , 29, 2917-2929	3.9	9
103	Breaking bad news: what parents would like you to know. <i>Archives of Disease in Childhood</i> , 2021 , 106, 276-281	2.2	8
102	PhysiciansSviews on the usefulness and feasibility of identifying and disclosing patientsSlast phase of life: a focus group study. <i>BMJ Supportive and Palliative Care</i> , 2021 ,	2.2	1
101	Palliative care nurse championsSviews on their role and impact: a qualitative interview study among hospital and home care nurses. <i>BMC Palliative Care</i> , 2021 , 20, 34	3	3
100	Advance Care Planning in Asia: A Systematic Narrative Review of Healthcare ProfessionalsS Knowledge, Attitude, and Experience. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 349.e1-349.e28	5.9	16
99	Asian patientsSperspectives on advance care planning: A mixed-method systematic review and conceptual framework. <i>Palliative Medicine</i> , 2021 , 35, 1776-1792	5.5	9
98	Intentionally ending one's own life in the presence or absence of a medical condition: A nationwide mortality follow-back study. <i>SSM - Population Health</i> , 2021 , 15, 100871	3.8	О
97	Effects of Implementation of a Standardized Palliative Care Pathway for Patients with Advanced Cancer in a Hospital: A Prospective Pre- and Postintervention Study. <i>Journal of Pain and Symptom Management</i> , 2021 , 62, 451-459	4.8	1
96	Measuring advance care planning behavior in Dutch adults: translation, cultural adaptation and validation of the Advance Care Planning Engagement Survey. <i>BMC Medical Research Methodology</i> , 2021 , 21, 194	4.7	О
95	Effectiveness of a nurse-delivered (FOCUS+) and a web-based (iFOCUS) psychoeducational intervention for people with advanced cancer and their family caregivers (DIAdIC): study protocol for an international randomized controlled trial <i>BMC Palliative Care</i> , 2021 , 20, 193	3	O
94	Role of nurses in medication management at the end of life: a qualitative interview study. <i>BMC Palliative Care</i> , 2020 , 19, 68	3	4
93	Towards advance care planning in pediatrics: a qualitative study on envisioning the future as parents of a seriously ill child. <i>European Journal of Pediatrics</i> , 2020 , 179, 1461-1468	4.1	12
92	Changing Practices in the Use of Continuous Sedation at the End of Life: A Systematic Review of the Literature. <i>Journal of Pain and Symptom Management</i> , 2020 , 60, 828-846.e3	4.8	14
91	Barriers in care for children with life-threatening conditions: a qualitative interview study in the Netherlands. <i>BMJ Open</i> , 2020 , 10, e035863	3	5
90	The Impact of Palliative Care Team Consultation on Quality of Life of Patients with Advanced Cancer in Dutch Hospitals: An Observational Study. <i>Oncology Research and Treatment</i> , 2020 , 43, 405-413	3 ^{2.8}	4
89	Quality of collaboration and information handovers in palliative care: a survey study on the perspectives of nurses in the Southwest Region of the Netherlands. <i>European Journal of Public Health</i> , 2020 , 30, 720-727	2.1	2

88	Physician adherence to clinical guidelines in euthanasia and assisted suicide in the Netherlands: a qualitative study. <i>Family Practice</i> , 2020 , 37, 269-275	1.9	1
87	Self-management of patients with advanced cancer: A systematic review of experiences and attitudes. <i>Palliative Medicine</i> , 2020 , 34, 160-178	5.5	25
86	Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical trial. <i>PLoS Medicine</i> , 2020 , 17, e1003422	11.6	13
85	The Feasibility and Effectiveness of Web-Based Advance Care Planning Programs: Scoping Review. Journal of Medical Internet Research, 2020 , 22, e15578	7.6	12
84	PhysiciansSperspectives on estimating and communicating prognosis in palliative care: a cross-sectional survey. <i>BJGP Open</i> , 2020 , 4,	3.1	2
83	Survey of paediatricians caring for children with life-limiting conditions found that they were involved in advance care planning. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 1011	- 1 10√18	8
82	The COMPASS study: A descriptive study on the characteristics of palliative care team consultation for cancer patients in hospitals. <i>European Journal of Cancer Care</i> , 2020 , 29, e13172	2.4	2
81	Care and Decision-Making at the End of Life for Patients With a Non-Western Migration Background Living in The Netherlands: A Nationwide Mortality Follow-Back Study. <i>Journal of Pain</i> and Symptom Management, 2020 , 59, 990-1000.e5	4.8	3
8o	The association between palliative care team consultation and hospital costs for patients with advanced cancer: An observational study in 12 Dutch hospitals. <i>European Journal of Cancer Care</i> , 2020 , 29, e13198	2.4	2
79	PhysiciansSand Public Attitudes Toward Euthanasia in People with Advanced Dementia. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2319-2328	5.6	8
78	Practices of Ritualization in a Dutch Hospice Setting. <i>Religions</i> , 2020 , 11, 571	0.6	O
77	End-of-life care for homeless people in shelter-based nursing care settings: A retrospective record study. <i>Palliative Medicine</i> , 2020 , 34, 1374-1384	5.5	1
76	Implantable cardioverter defibrillator deactivation and advance care planning: a focus group study. Heart, 2020 , 106, 190-195	5.1	8
75	Commonalities and differences in legal euthanasia and physician-assisted suicide in three countries: a population-level comparison. <i>International Journal of Public Health</i> , 2020 , 65, 65-73	4	9
74	Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical trial 2020 , 17, e1003422		
73	Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical trial 2020 , 17, e1003422		
72	Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical trial 2020 , 17, e1003422		
71	Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical trial 2020 , 17, e1003422		

(2018-2020)

Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical 70 trial **2020**, 17, e1003422 Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical 69 trial 2020, 17, e1003422 Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical 68 trial **2020**, 17, e1003422 Public and physiciansSsupport for euthanasia in people suffering from psychiatric disorders: a 67 2.9 10 cross-sectional survey study. BMC Medical Ethics, 2019, 20, 62 Ritualization as Alternative Approach to the Spiritual Dimension of Palliative Care: A Concept 66 2.6 4 Analysis. Journal of Religion and Health, 2019, 58, 2036-2046 The Rising Frequency of Continuous Deep Sedation in the Netherlands, a Repeated Cross-Sectional 65 10 Survey in 2005, 2010, and 2015. Journal of the American Medical Directors Association, 2019, 20, $1367-1372^9$ Factors associated with requesting and receiving euthanasia: a nationwide mortality follow-back 64 study with a focus on patients with psychiatric disorders, dementia, or an accumulation of health 11.4 24 problems related to old age. BMC Medicine, 2019, 17, 39 Interventions Guiding Advance Care Planning Conversations: A Systematic Review. Journal of the 63 5.9 41 American Medical Directors Association, 2019, 20, 227-248 Experiences with and outcomes of Advance Care Planning in bereaved relatives of frail older 62 7 3 patients: a mixed methods study. Age and Ageing, 2019, 48, 299-306 Developments in euthanasia practice in the Netherlands: Balancing professional responsibility and 61 2.8 25 the patient's autonomy. European Journal of General Practice, 2019, 25, 44-48 Advance Care Planning for frail older adults: Findings on costs in a cluster randomised controlled 60 5.5 5 trial. Palliative Medicine, 2019, 33, 291-300 Medication Discontinuation at the End of Life: A Questionnaire Study on PhysiciansSExperiences 6 2.2 59 and Opinions. Journal of Palliative Medicine, 2018, 21, 1166-1170 Advance Care Planning in Frail Older Adults: A Cluster Randomized Controlled Trial. Journal of the 58 5.6 28 American Geriatrics Society, **2018**, 66, 1089-1095 Interventions in hospitalised patients with cancer: the importance of impending death awareness. 2.2 57 BMJ Supportive and Palliative Care, 2018, 8, 278-281 Medication Use in the Last Days of Life in Hospital, Hospice, and Home Settings in the Netherlands. 56 2.2 19 Journal of Palliative Medicine, 2018, 21, 149-155 Perspectives of patients, close relatives, nurses, and physicians on end-of-life medication 10 55 2.5 management. Palliative and Supportive Care, 2018, 16, 580-589 Satisfaction with care of hospitalised patients with advanced cancer in the Netherlands. European 8 2.4 54 Journal of Cancer Care, 2018, 27, e12874 Low patient activation levels in frail older adults: a cross-sectional study. BMC Geriatrics, 2018, 18, 7 17 53

52	Advance care planning for patients with chronic respiratory diseases: a systematic review of preferences and practices. <i>Thorax</i> , 2018 , 73, 222-230	7.3	62
51	Better drug use in advanced disease: an international Delphi study. <i>BMJ Supportive and Palliative Care</i> , 2018 ,	2.2	3
50	Scopolaminebutyl given prophylactically for death rattle: study protocol of a randomized double-blind placebo-controlled trial in a frail patient population (the SILENCE study). <i>BMC Palliative Care</i> , 2018 , 17, 105	3	9
49	Palliative care team consultation and quality of death and dying in a university hospital: A secondary analysis of a prospective study. <i>PLoS ONE</i> , 2018 , 13, e0201191	3.7	12
48	Medische beslissingen rond het levenseinde. <i>Huisarts En Wetenschap</i> , 2018 , 61, 31-33	0.1	1
47	De Levenseindekliniek: van bedreiging naar samenwerking. <i>Huisarts En Wetenschap</i> , 2017 , 60, 68-70	0.1	
46	Home-Based Palliative Care for Children With Incurable Cancer: Long-term Perspectives of and Impact on General Practitioners. <i>Journal of Pain and Symptom Management</i> , 2017 , 53, 578-587	4.8	8
45	A prospective study on the variation in falling and fall risk among community-dwelling older citizens in 12 European countries. <i>BMJ Open</i> , 2017 , 7, e015827	3	24
44	Definition and recommendations for advance care planning: an international consensus supported by the European Association for Palliative Care. <i>Lancet Oncology, The</i> , 2017 , 18, e543-e551	21.7	467
43	End-of-Life Decisions in the Netherlands over 25 Years. New England Journal of Medicine, 2017, 377, 49	2 -49≇	86
42	Admissions to inpatient care facilities in the last year of life of community-dwelling older people in Europe. <i>European Journal of Public Health</i> , 2017 , 27, 814-821	2.1	9
41	Physician-Reported Symptoms and Interventions in People with Intellectual Disabilities Approaching End of Life. <i>Journal of Palliative Medicine</i> , 2016 , 19, 1142-1147	2.2	9
40	Understanding the Continuation of Potentially Inappropriate Medications at the End of Life: Perspectives from Individuals and Their Relatives and Physicians. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 2602-2604	5.6	10
39	Depressive symptoms in the last days of life of patients with cancer: a nationwide retrospective mortality study. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 201-9	2.2	1
38	Assistance in dying for older people without a serious medical condition who have a wish to die: a national cross-sectional survey. <i>Journal of Medical Ethics</i> , 2015 , 41, 145-50	2.5	49
37	Opinions about euthanasia and advanced dementia: a qualitative study among Dutch physicians and members of the general public. <i>BMC Medical Ethics</i> , 2015 , 16, 7	2.9	34
36	A cluster randomized controlled trial on the effects and costs of advance care planning in elderly care: study protocol. <i>BMC Geriatrics</i> , 2015 , 15, 87	4.1	18
35	End-of-Life Decisions in Pediatric Cancer Patients. <i>Journal of Palliative Medicine</i> , 2015 , 18, 697-702	2.2	5

(2013-2015)

Old age and forgoing treatment: a nationwide mortality follow-back study in the Netherlands. <i>Journal of Medical Ethics</i> , 2015 , 41, 766-70	2.5	12
Barriers and facilitators to implementation of the Liverpool Care Pathway in the Netherlands: a qualitative study. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 259-65	2.2	14
Seymour et al. Palliative sedation: Improvement of guidelines necessary, but not sufficient: A reply. <i>Palliative Medicine</i> , 2015 , 29, 481	5.5	1
Two decades of do-not-resuscitate decisions in the Netherlands. <i>Resuscitation</i> , 2015 , 94, e7-8	4	4
Descriptions by general practitioners and nurses of their collaboration in continuous sedation until death at home: in-depth qualitative interviews in three European countries. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 98-109	4.8	13
Palliative care consultation services in hospitals in the Netherlands: the design of the COMPASS study. <i>BMC Palliative Care</i> , 2015 , 14, 68	3	7
Can physicians conceive of performing euthanasia in case of psychiatric disease, dementia or being tired of living?. <i>Journal of Medical Ethics</i> , 2015 , 41, 592-8	2.5	101
Using continuous sedation until death for cancer patients: a qualitative interview study of physiciansSand nursesSpractice in three European countries. <i>Palliative Medicine</i> , 2015 , 29, 48-59	5.5	67
Development of the care programme for the last days of life for older patients in acute geriatric hospital wards: a phase 0-1 study according to the Medical Research Council Framework. <i>BMC Palliative Care</i> , 2015 , 14, 24	3	5
Dying in the hospital: what happens and what matters, according to bereaved relatives. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 203-13	4.8	31
O-29 A cluster randomised controlled trial on the effects and costs of advance care planning in elderly care. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, A9.2-A9	2.2	
Prevalence, impact, and treatment of death rattle: a systematic review. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, 105-22	4.8	58
Discussing physician-assisted dying: physiciansSexperiences in the United States and the Netherlands. <i>Gerontologist, The</i> , 2014 , 54, 808-17	5	18
Reducing questionnaire length did not improve physician response rate: a randomized trial. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 477-81	5.7	19
The effects of advance care planning on end-of-life care: a systematic review. <i>Palliative Medicine</i> , 2014 , 28, 1000-25	5.5	742
Euthanasia for minors in Belgium. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 1258-	9 27.4	3
Obligatory consultation of an independent physician on euthanasia requests in the Netherlands: what influences the SCEN physicians judgment of the legal requirements of due care?. <i>Health Policy</i> , 2014, 115, 75-81	3.2	8
Assisted suicide and euthanasia. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2013 , 118, 181-9	3	4
	Barriers and facilitators to implementation of the Liverpool Care Pathway in the Netherlands: a qualitative study. BMJ Supportive and Palliative Care, 2015, 5, 259-65 Seymour et al. Palliative sedation: Improvement of guidelines necessary, but not sufficient: A reply. Palliative Medicine, 2015, 29, 481 Two decades of do-not-resuscitate decisions in the Netherlands. Resuscitation, 2015, 94, e7-8 Descriptions by general practitioners and nurses of their collaboration in continuous sedation until death at home: in-depth qualitative interviews in three European countries. Journal of Pain and Symptom Management, 2015, 49, 98-109 Palliative care consultation services in hospitals in the Netherlands: the design of the COMPASS study. BMC Palliative Care, 2015, 14, 68 Can physicians conceive of performing euthanasia in case of psychiatric disease, dementia or being tired of living?. Journal of Medical Ethics, 2015, 41, 592-8 Using continuous sedation until death for cancer patients: a qualitative interview study of physiciansSand nursesSpractice in three European countries. Palliative Medicine, 2015, 29, 48-59 Development of the care programme for the last days of life for older patients in acute geriatric hospital wards: a phase 0-1 study according to the Medical Research Council Framework. BMC Palliative Care, 2015, 14, 24 Dying in the hospital: what happens and what matters, according to bereaved relatives. Journal of Pain and Symptom Management, 2015, 49, 203-13 O-29 A cluster randomised controlled trial on the effects and costs of advance care planning in elderly care. BMJ Supportive and Palliative Care, 2015, 15, A9.2-A9 Prevalence, impact, and treatment of death rattle: a systematic review. Journal of Pain and Symptom Management, 2014, 47, 105-22 Discussing physician-assisted dying: physiciansSexperiences in the United States and the Netherlands. Gerontologist, The, 2014, 54, 808-17 The effects of advance care planning on end-of-life care: a systematic review. Palliative Medicine, 2014, 28, 1000-25 E	Barriers and facilitators to implementation of the Liverpool Care Pathway in the Netherlands: a qualitative study. BMJ Supportive and Palliative Care, 2015, 5, 259-65 Seymour et al. Palliative sedation: Improvement of guidelines necessary, but not sufficient: A reply. Palliative Medicine, 2015, 29, 481 Two decades of do-not-resuscitate decisions in the Netherlands. Resuscitation, 2015, 94, e7-8 Descriptions by general practitioners and nurses of their collaboration in continuous sedation until death at home: in-depth qualitative interviews in three European countries. Journal of Paln and Symptom Management, 2015, 49, 98-109 Palliative care consultation services in hospitals in the Netherlands: the design of the COMPASS study. BMC Palliative Care, 2015, 14, 68 Can physicians conceive of performing euthanasia in case of psychiatric disease, dementia or being tired of living?. Journal of Medical Ethics, 2015, 41, 592-8 Using continuous sedation until death for cancer patients: a qualitative interview study of physiciansSand nursesSpractice in three European countries. Palliative Medicine, 2015, 29, 48-59 Development of the care programme for the last days of life for older patients in acute geriatric hospital wards: a phase 0-1 study according to the Medical Research Council Framework. BMC Palliative Care, 2015, 14, 24 Dying in the hospitals what happens and what matters, according to bereaved relatives. Journal of Paln and Symptom Management, 2015, 49, 203-13 O-29 A cluster randomised controlled trial on the effects and costs of advance care planning in elderly care. BMJ Supportive and Palliative Care, 2015, 5, A9.2-A9 Prevalence, impact, and treatment of death rattle: a systematic review. Journal of Pain and Symptom Management, 2014, 47, 105-22 Discussing physician-assisted dying: physiciansSexperiences in the United States and the Netherlands. Gerontologist, The, 2014, 54, 808-17 The effects of advance care planning on end-of-life care: a systematic review. Palliative Medicine, 2014, 28, 1000-25 Eu

16	Involvement of the Dutch general population in advance care planning: a cross-sectional survey. Journal of Palliative Medicine, 2013 , 16, 1055-61	2.2	24
15	Trends in end-of-life practices before and after the enactment of the euthanasia law in the Netherlands from 1990 to 2010: a repeated cross-sectional survey. <i>Lancet, The</i> , 2012 , 380, 908-15	40	215
14	Development and dissemination of institutional practice guidelines on medical end-of-life decisions in Dutch health care institutions. <i>Health Policy</i> , 2010 , 94, 230-8	3.2	4
13	End-of-life decision making for cancer patients in different clinical settings and the impact of the LCP. <i>Journal of Pain and Symptom Management</i> , 2010 , 39, 33-43	4.8	32
12	Policy statements and practice guidelines for medical end-of-life decisions in Dutch health care institutions: developments in the past decade. <i>Health Policy</i> , 2009 , 92, 79-88	3.2	18
11	Presence, communication and treatment of fatigue and pain complaints in incurable cancer patients. <i>Patient Education and Counseling</i> , 2008 , 72, 102-8	3.1	10
10	Decision-making after ultrasound diagnosis of fetal abnormality. <i>European Clinics in Obstetrics and Gynaecology</i> , 2007 , 3, 89-95		6
9	The last 3 days of life in three different care settings in The Netherlands. <i>Supportive Care in Cancer</i> , 2007 , 15, 1117-23	3.9	28
8	Dying at home or in an institution: perspectives of Dutch physicians and bereaved relatives. <i>Supportive Care in Cancer</i> , 2007 , 15, 1413-21	3.9	28
7	End-of-life practices in the Netherlands under the Euthanasia Act. <i>New England Journal of Medicine</i> , 2007 , 356, 1957-65	59.2	313
6	A "suicide pill" for older people: attitudes of physicians, the general population, and relatives of patients who died after euthanasia or physician-assisted suicide in The Netherlands. <i>Death Studies</i> , 2005 , 29, 519-34	3.9	15
5	Medical and nonmedical determinants of decision making about potentially life-prolonging interventions. <i>Medical Decision Making</i> , 2004 , 24, 518-24	2.5	13
4	Doctor-assisted dying: what difference does legalisation make?. <i>Lancet, The</i> , 2004 , 364 Suppl 1, s24-5	40	4
3	End-of-life decision-making in six European countries: descriptive study. <i>Lancet, The</i> , 2003 , 362, 345-50	40	469
2	Euthanasia and other end-of-life decisions in the Netherlands in 1990, 1995, and 2001. <i>Lancet, The</i> , 2003 , 362, 395-9	40	188
1	Euthanasia, physician-assisted suicide, and other medical practices involving the end of life in the Netherlands, 1990-1995. <i>New England Journal of Medicine</i> , 1996 , 335, 1699-705	59.2	429