

GÃ¶ran I V KlobuÄar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2796240/publications.pdf>

Version: 2024-02-01

76
papers

2,587
citations

201575

27
h-index

206029

48
g-index

81
all docs

81
docs citations

81
times ranked

2525
citing authors

#	ARTICLE	IF	CITATIONS
1	Combining short-term bioassays using fish and crustacean model organisms with ToxCast in vitro data and broad-spectrum chemical analysis for environmental risk assessment of the river water (Sava, Croatia). <i>Environmental Pollution</i> , 2022, 292, 118440.	3.7	11
2	Ecotoxicological aspects related to the occurrence of emerging contaminants in the Dinaric karst aquifer of Jadro and Å½rnovnica springs. <i>Science of the Total Environment</i> , 2022, 825, 153827.	3.9	11
3	Data on occurrence and ecotoxicological risk of emerging contaminants in Dinaric karst catchment of Jadro and Å½rnovnica springs. <i>Data in Brief</i> , 2022, 42, 108157.	0.5	3
4	COVID-19 Lockdownsâ€™Effect on Concentration of Pharmaceuticals and Illicit Drugs in Two Major Croatian Rivers. <i>Toxics</i> , 2022, 10, 241.	1.6	4
5	Hybrid swarm as a result of hybridization between two alien and two native water frog species (genus) Tj ETQq1 1 0.784314 rgBT /Over Invasions, 2022, 24, 3291-3304.	1.2	5
6	Gold and silver nanoparticles effects to the earthworm <i>Eisenia fetida</i> â€” the importance of tissue over soil concentrations. <i>Drug and Chemical Toxicology</i> , 2021, 44, 12-29.	1.2	24
7	Predictive Capability of QSAR Models Based on the CompTox Zebrafish Embryo Assays: An Imbalanced Classification Problem. <i>Molecules</i> , 2021, 26, 1617.	1.7	8
8	Evaluation of DNA damage in haemolymph of freshwater mussels <i>Unio pictorum</i> from Lake Skadar. <i>Biologia (Poland)</i> , 2020, 75, 431-436.	0.8	1
9	Description of a new species of <i>Phoxinus</i> from the upper Krka River (Adriatic Basin) in Croatia (Actinopterygii: Leuciscidae), first discovered as a molecular clade. <i>Journal of Fish Biology</i> , 2020, 96, 378-393.	0.7	10
10	To evaluate the toxicity of atrazine on the freshwater microalgae <i>Chlorella</i> sp. using sensitive indices indicated by photosynthetic parameters. <i>Chemosphere</i> , 2020, 244, 125514.	4.2	77
11	Toxicological effects of polystyrene microplastics on earthworm (<i>Eisenia fetida</i>). <i>Environmental Pollution</i> , 2020, 259, 113896.	3.7	222
12	Toxicity prediction and effect characterization of 90 pharmaceuticals and illicit drugs measured in plasma of fish from a major European river (Sava, Croatia). <i>Environmental Pollution</i> , 2020, 266, 115162.	3.7	28
13	New insights into the genetic diversity of the stone crayfish: taxonomic and conservation implications. <i>BMC Evolutionary Biology</i> , 2020, 20, 146.	3.2	25
14	Biomarker response of Mediterranean mussels <i>Mytilus galloprovincialis</i> regarding environmental conditions, pollution impact and seasonal effects. <i>Science of the Total Environment</i> , 2019, 694, 133470.	3.9	13
15	Ecotoxicity and genotoxicity of polystyrene microplastics on higher plant <i>Vicia faba</i> . <i>Environmental Pollution</i> , 2019, 250, 831-838.	3.7	542
16	Recent changes in distribution pattern of freshwater crayfish in Croatia â€™ threats and perspectives. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2018, , 2.	0.5	17
17	Intestinal damage, neurotoxicity and biochemical responses caused by tris (2-chloroethyl) phosphate and tricresyl phosphate on earthworm. <i>Ecotoxicology and Environmental Safety</i> , 2018, 158, 78-86.	2.9	89
18	Molecular phylogeny of branchiobdellidans (Annelida : Clitellata) and their hostâ€™epibiont association with <i>Austropotamobius</i> freshwater crayfish. <i>Invertebrate Systematics</i> , 2018, 32, 55.	0.5	6

#	ARTICLE	IF	CITATIONS
19	Assessment of river sediment toxicity: Combining empirical zebrafish embryotoxicity testing with in silico toxicity characterization. <i>Science of the Total Environment</i> , 2018, 643, 435-450.	3.9	29
20	Epifauna of native and alien freshwater crayfish species (Crustacea:Decapoda): a host-specific community?. <i>Freshwater Science</i> , 2018, 37, 593-604.	0.9	8
21	Emerging human pathogen <i>Acinetobacter baumannii</i> in the natural aquatic environment: a public health risk?. <i>International Journal of Environmental Health Research</i> , 2018, 28, 315-322.	1.3	25
22	Embryotoxic and genotoxic effects of sewage effluents in zebrafish embryo using multiple endpoint testing. <i>Water Research</i> , 2017, 115, 9-21.	5.3	44
23	Morphological evidence for hidden diversity in the threatened stone crayfish <i>Austropotamobius torrentium</i> (Schrank, 1803) (Decapoda: Astacoidea: Astacidae) in Croatia. <i>Journal of Crustacean Biology</i> , 2017, 37, 7-15.	0.3	12
24	Effects of short-term exposure to mobile phone radiofrequency (900 MHz) on the oxidative response and genotoxicity in honey bee larvae. <i>Journal of Apicultural Research</i> , 2017, 56, 430-438.	0.7	16
25	Electromagnetic fields at a mobile phone frequency (900 MHz) trigger the onset of general stress response along with DNA modifications in <i>Eisenia fetida</i> earthworms. <i>Arhiv Za Higijenu Rada I Toksikologiju</i> , 2017, 68, 142-152.	0.4	3
26	Insights into the molecular phylogeny and historical biogeography of the white-clawed crayfish (Decapoda, Astacidae). <i>Molecular Phylogenetics and Evolution</i> , 2016, 103, 26-40.	1.2	36
27	Sewage sludge toxicity assessment using earthworm <i>Eisenia fetida</i> : can biochemical and histopathological analysis provide fast and accurate insight?. <i>Environmental Science and Pollution Research</i> , 2016, 23, 12150-12163.	2.7	32
28	Prevalence of the pathogen <i>Aphanomyces astaci</i> in freshwater crayfish populations in Croatia. <i>Diseases of Aquatic Organisms</i> , 2016, 118, 45-53.	0.5	39
29	Native Prussian carp (<i>Carassius gibelio</i>) health status, biochemical and histological responses to treated wastewaters. <i>Environmental Pollution</i> , 2016, 218, 689-701.	3.7	12
30	Ecotoxicological risk assessment of antifouling emissions in a cruise ship port. <i>Journal of Cleaner Production</i> , 2016, 121, 159-168.	4.6	33
31	Species-specific differences in dynamics of agonistic interactions may contribute to the competitive advantage of the invasive signal crayfish (<i>Pacifastacus leniusculus</i>) over the native narrow-clawed crayfish (<i>Astacus leptodactylus</i>). <i>Marine and Freshwater Behaviour and Physiology</i> , 2016, 49, 147-157.	0.4	28
32	Zebrafish genome instability after exposure to model genotoxicants. <i>Ecotoxicology</i> , 2015, 24, 887-902.	1.1	10
33	Genomic and gene expression responses to genotoxic stress in PAC2 zebrafish embryonic cell line. <i>Journal of Applied Toxicology</i> , 2015, 35, 1381-1389.	1.4	6
34	Impact of treated wastewater on organismic biosensors at various levels of biological organization. <i>Science of the Total Environment</i> , 2015, 538, 23-37.	3.9	24
35	Effects of Freshwater Pollution on the Genetics of Zebra Mussels (<i>Dreissena polymorpha</i>) at the Molecular and Population Level. <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	7
36	Two distinct evolutionary lineages of the <i>Astacus leptodactylus</i> species-complex (Decapoda : Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 T	0.5	32

#	ARTICLE	IF	CITATIONS
37	High-throughput discrimination of bacteria isolated from <i>Astacus astacus</i> and <i>A. leptodactylus</i> . Knowledge and Management of Aquatic Ecosystems, 2014, , 04.	0.5	5
38	Dynamics of heat-shock induced DNA damage and repair in senescent tobacco plants. Biologia Plantarum, 2014, 58, 71-79.	1.9	26
39	Assessment of surface water in the vicinity of fertilizer factory using fish and plants. Ecotoxicology and Environmental Safety, 2013, 96, 32-40.	2.9	24
40	Gene flow vs. pollution pressure: Genetic diversity of <i>Mytilus galloprovincialis</i> in eastern Adriatic. Aquatic Toxicology, 2013, 136-137, 22-31.	1.9	20
41	Oxidative and genotoxic effects of 900MHz electromagnetic fields in the earthworm <i>Eisenia fetida</i> . Ecotoxicology and Environmental Safety, 2013, 90, 7-12.	2.9	38
42	What is Comet assay not telling us: AFLP reveals wider aspects of genotoxicity. Toxicology in Vitro, 2013, 27, 1226-1232.	1.1	14
43	Role of the Dinaric Karst (western Balkans) in shaping the phylogeographic structure of the threatened crayfish <i>Austropotamobius torrentium</i> . Freshwater Biology, 2013, 58, 1089-1105.	1.2	67
44	Invasion biology in non-free-living species: interactions between abiotic (climatic) and biotic (host) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Ecology and Evolution, 2013, 3, 5237-5253.	0.8	16
45	The indigenous crayfish of Plitvice Lakes National Park, Croatia. Freshwater Crayfish, 2013, 19, 91-96.	0.5	4
46	Genotoxicity monitoring of freshwater environments using caged crayfish (<i>Astacus leptodactylus</i>). Chemosphere, 2012, 87, 62-67.	4.2	27
47	Repeated Sampling of Atlantic Cod (<i>Gadus morhua</i>) for Monitoring of Nondestructive Parameters During Exposure to a Synthetic Produced Water. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2011, 74, 555-568.	1.1	5
48	Genotoxicity of marine sediments in the fish hepatoma cell line PLHC-1 as assessed by the Comet assay. Toxicology in Vitro, 2011, 25, 308-314.	1.1	35
49	Update on the distribution of freshwater crayfish in Croatia. Knowledge and Management of Aquatic Ecosystems, 2011, , 31.	0.5	28
50	Size structure, maturity size, growth and condition index of stone crayfish (<i>Austropotamobius</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.5	15
51	<i>Aporrectodea caliginosa</i> , a suitable earthworm species for field based genotoxicity assessment?. Environmental Pollution, 2011, 159, 841-849.	3.7	31
52	DNA integrity of chub erythrocytes (<i>Squalius cephalus</i> L.) as an indicator of pollution-related genotoxicity in the River Sava. Environmental Monitoring and Assessment, 2011, 177, 85-94.	1.3	25
53	Comparative Karyotype Investigations in the European Crayfish <i>Astacus astacus</i> and <i>A. leptodactylus</i> (Decapoda, Astacidae). Crustaceana, 2011, 84, 1497-1510.	0.1	16
54	Inducibility of metallothionein biosynthesis in the whole soft tissue of zebra mussels <i>Dreissena polymorpha</i> exposed to cadmium, copper, and pentachlorophenol. Environmental Toxicology, 2010, 25, 198-211.	2.1	24

#	ARTICLE	IF	CITATIONS
55	Genotoxicity monitoring of freshwater environments using caged carp (<i>Cyprinus carpio</i>). <i>Ecotoxicology</i> , 2010, 19, 77-84.	1.1	38
56	Genotoxic, physiological and immunological effects caused by temperature increase, air exposure or food deprivation in freshwater crayfish <i>Astacus leptodactylus</i> . <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2010, 152, 433-443.	1.3	24
57	Cage Exposure of European Sea Bass (<i>Dicentrarchus Labrax</i>) for in Situ Assessment of Pollution-Related Genotoxicity. <i>Arhiv Za Higijenu Rada I Toksikologiju</i> , 2010, 61, 29-36.	0.4	8
58	Assessment of genotoxicity in polluted freshwaters using caged painterâ€™s mussel, <i>Unio pictorum</i> . <i>Ecotoxicology</i> , 2009, 18, 430-439.	1.1	29
59	Distribution and dispersal of two invasive crayfish species in the Drava River basin, Croatia. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2009, , 09.	0.5	36
60	Persistence of DNA damage in the freshwater mussel <i>Unio pictorum</i> upon exposure to ethyl methanesulphonate and hydrogen peroxide. <i>Environmental and Molecular Mutagenesis</i> , 2008, 49, 217-225.	0.9	36
61	Detection of DNA damage in haemocytes of <i>Mytilus galloprovincialis</i> in the coastal ecosystems of KaÅ¡tela and Trogir bays, Croatia. <i>Science of the Total Environment</i> , 2008, 405, 330-337.	3.9	45
62	Spatial dynamics of the noble crayfish (<i>Astacus astacus</i> , L.) in the Paklenica National Park. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2008, , 01.	0.5	10
63	Haemolymph as compartment for efficient and non-destructive determination of P-glycoprotein (Pgp) mediated MXR activity in bivalves. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2006, 143, 103-112.	1.3	12
64	Zooplankton in the dam reservoirs Hazna and Vidara, Bosnia and Herzegovina. <i>Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology</i> , 2006, 29, 2305-2308.	0.1	0
65	ANNUAL ACTIVITY OF THE NOBLE CRAYFISH (<i>ASTACUS ASTACUS</i>) IN THE ORLJAVA RIVER (CROATIA). <i>Knowledge and Management of Aquatic Ecosystems: an International Journal on Aquatic Ecosystems</i> , 2006, , 23-40.	0.4	7
66	Occurrence of Branchiobdellida (Annelida : Clitellata) on freshwater crayfish in Croatia. <i>Annales De Limnologie</i> , 2006, 42, 251-260.	0.6	11
67	THE RELATIONSHIP BETWEEN FEMALE SIZE AND EGG SIZE IN THE FRESHWATER CRAYFISH <i>AUSTROPOTAMOBIOUS TORRENTIUM</i> . <i>Knowledge and Management of Aquatic Ecosystems: an International Journal on Aquatic Ecosystems</i> , 2005, , 777-785.	0.4	10
68	Application of the micronucleus and comet assays to mussel <i>Dreissena polymorpha</i> haemocytes for genotoxicity monitoring of freshwater environments. <i>Aquatic Toxicology</i> , 2003, 64, 15-23.	1.9	134
69	DISTRIBUTION OF <i>AUSTROPOTAMOBIOUS PALLIPES</i> (Lereboullet) IN CROATIA AND NOTES ON ITS MORPHOLOGY. <i>Knowledge and Management of Aquatic Ecosystems: an International Journal on Aquatic Ecosystems</i> , 2003, , 57-71.	0.4	4
70	YEAR CYCLE OF <i>AUSTROPOTAMOBIOUS TORRENTIUM</i> (SCHRANK) IN STREAMS ON MEDVEDNICA MOUNTAIN (CROATIA).. <i>Knowledge and Management of Aquatic Ecosystems: an International Journal on Aquatic Ecosystems</i> , 2002, , 943-957.	0.4	18
71	Detection of DNA damage in haemocytes of zebra mussel using comet assay. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2001, 490, 209-214.	0.9	122
72	Increase in number and size of kidney concretions as a result of PCP exposure in the freshwater snail <i>Planorbarius corneus</i> (Gastropoda, Pulmonata). <i>Diseases of Aquatic Organisms</i> , 2001, 44, 149-154.	0.5	8

#	ARTICLE	IF	CITATIONS
73	Rotifer fauna in Modrac reservoir (Bosnia and Herzegovina). Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology, 2000, 27, 1906-1908.	0.1	0
74	Detection of micronuclei in haemocytes of zebra mussel and great ramshorn snail exposed to pentachlorophenol. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2000, 465, 145-150.	0.9	100
75	Histopathological Effects of Phenol on the Digestive Gland of Amphimelania holandri FÃ©r. (Gastropoda, Prosobranchia). Bulletin of Environmental Contamination and Toxicology, 1996, 57, 458-464.	1.3	18
76	Advanced process control for moisture monitoring and control applications. , 0, , .		3