

Philip W Atkinson

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2796284/philip-w-atkinson-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

2,742
citations

27
h-index

51
g-index

71
ext. papers

3,093
ext. citations

4.3
avg, IF

4.53
L-index

#	Paper	IF	Citations
64	The management of lowland neutral grasslands in Britain: effects of agricultural practices on birds and their food resources. <i>Journal of Applied Ecology</i> , 2001 , 38, 647-664	5.8	481
63	Rapid population decline in red knots: fitness consequences of decreased refuelling rates and late arrival in Delaware Bay. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004 , 271, 875-82	4.4	291
62	The buffer effect and large-scale population regulation in migratory birds. <i>Nature</i> , 2001 , 412, 436-8	50.4	236
61	Population-scale drivers of individual arrival times in migratory birds. <i>Journal of Animal Ecology</i> , 2006 , 75, 1119-27	4.7	100
60	Population decline is linked to migration route in the Common Cuckoo. <i>Nature Communications</i> , 2016 , 7, 12296	17.4	95
59	Are white storks addicted to junk food? Impacts of landfill use on the movement and behaviour of resident white storks (<i>Ciconia ciconia</i>) from a partially migratory population. <i>Movement Ecology</i> , 2016 , 4, 7	4.6	90
58	Conserving the birds of Uganda's banana-coffee arc: land sparing and land sharing compared. <i>PLoS ONE</i> , 2013 , 8, e54597	3.7	80
57	Rates of mass gain and energy deposition in red knot on their final spring staging site is both time- and condition-dependent. <i>Journal of Applied Ecology</i> , 2007 , 44, 885-895	5.8	77
56	Changes in commercially fished shellfish stocks and shorebird populations in the Wash, England. <i>Biological Conservation</i> , 2003 , 114, 127-141	6.2	74
55	What factors determine where invertebrate-feeding birds forage in dry agricultural grasslands?. <i>Ibis</i> , 2004 , 146, 99-107	1.9	72
54	Declines in British-breeding populations of Afro-Palaearctic migrant birds are linked to bioclimatic wintering zone in Africa, possibly via constraints on arrival time advancement. <i>Bird Study</i> , 2012 , 59, 111-125	1.7	68
53	Effects of Horseshoe Crab Harvest in Delaware Bay on Red Knots: Are Harvest Restrictions Working?. <i>BioScience</i> , 2009 , 59, 153-164	5.7	67
52	Demographic consequences of migratory stopover: linking red knot survival to horseshoe crab spawning abundance. <i>Ecosphere</i> , 2011 , 2, art69	3.1	49
51	Large-scale patterns of summer and winter bird distribution in relation to farmland type in England and Wales. <i>Ecography</i> , 2002 , 25, 466-480	6.5	49
50	Long-term changes in the migration phenology of UK breeding birds detected by large-scale citizen science recording schemes. <i>Ibis</i> , 2016 , 158, 481-495	1.9	49
49	Improving the analysis of movement data from marked individuals through explicit estimation of observer heterogeneity. <i>Journal of Avian Biology</i> , 2010 , 41, 8-17	1.9	47
48	Unravelling the migration and moult strategies of a long-distance migrant using stable isotopes: Red Knot <i>Calidris canutus</i> movements in the Americas. <i>Ibis</i> , 2005 , 147, 738-749	1.9	47

47	Biodiversity and land-use change: understanding the complex responses of an endemic-rich bird assemblage. <i>Diversity and Distributions</i> , 2013 , 19, 411-422	5	43
46	Identifying declines in waterbirds: The effects of missing data, population variability and count period on the interpretation of long-term survey data. <i>Biological Conservation</i> , 2006 , 130, 549-559	6.2	41
45	Integrating socio-economics and ecology: a taxonomy of quantitative methods and a review of their use in agro-ecology. <i>Journal of Applied Ecology</i> , 2009 , 46, 269-277	5.8	39
44	An individual behaviour-based model can predict shorebird mortality using routinely collected shellfishery data. <i>Journal of Applied Ecology</i> , 2003 , 40, 1090-1101	5.8	37
43	Shorebird predation of horseshoe crab eggs in Delaware Bay: species contrasts and availability constraints. <i>Journal of Animal Ecology</i> , 2007 , 76, 503-14	4.7	36
42	Staging Behavior in Red Knot (<i>Calidris canutus</i>) in Delaware Bay: Implications for Monitoring Mass and Population Size. <i>Auk</i> , 2009 , 126, 54-63	2.1	32
41	Predicting the impacts of wind farms on seabirds: An individual-based model. <i>Journal of Applied Ecology</i> , 2018 , 55, 503-515	5.8	32
40	Rapid and continued population decline in the Spoon-billed Sandpiper <i>Eurynorhynchus pygmeus</i> indicates imminent extinction unless conservation action is taken. <i>Bird Conservation International</i> , 2010 , 20, 95-111	1.7	31
39	Resource availability and the persistence of seed-eating bird populations in agricultural landscapes : a mechanistic modelling approach. <i>Journal of Applied Ecology</i> , 2010 , 47, 67-75	5.8	30
38	Managed realignment in the UK The first 5 years of colonization by birds. <i>Ibis</i> , 2004 , 146, 101-110	1.9	28
37	Estimating population size in Black-tailed Godwits <i>Limosa limosa islandica</i> by colour-marking. <i>Bird Study</i> , 2005 , 52, 153-158	0.7	24
36	The status and conservation of the endemic bird species of São Tomé and Príncipe, West Africa. <i>Bird Conservation International</i> , 1991 , 1, 255-282	1.7	24
35	Numbers of wintering waterbirds in Great Britain and the Isle of Man (1994/1995-1998/1999): II. Coastal waders (Charadrii). <i>Biological Conservation</i> , 2003 , 112, 329-341	6.2	23
34	Impacts of shellfisheries and nutrient inputs on waterbird communities in the Wash, England. <i>Journal of Applied Ecology</i> , 2010 , 47, 191-199	5.8	22
33	Sexing of Black-tailed Godwits <i>Limosa limosa islandica</i> : a comparison of behavioural, molecular, biometric and field-based techniques. <i>Bird Study</i> , 2006 , 53, 193-198	0.7	21
32	Habitat associations of coastal wintering passerines. <i>Bird Study</i> , 1996 , 43, 188-200	0.7	21
31	Testing solutions in grass-dominated landscapes: a review of current research. <i>Ibis</i> , 2004 , 146, 163-170	1.9	19
30	Time-in-area represents foraging activity in a wide-ranging pelagic forager. <i>Marine Ecology - Progress Series</i> , 2015 , 527, 233-246	2.6	19

29	Fuelling for the Sahara crossing: variation in site use and the onset and rate of spring mass gain by 38 Palearctic migrants in the western Sahel. <i>Journal of Ornithology</i> , 2012 , 153, 931-945	1.5	17
28	The importance of native trees for forest bird conservation in tropical farmland. <i>Animal Conservation</i> , 2014 , 17, 256-264	3.2	16
27	Rapid decline of the volcanically threatened Montserrat oriole. <i>Biological Conservation</i> , 2003 , 111, 79-89	6.2	16
26	Individual consistency in the foraging behaviour of Northern Gannets: Implications for interactions with offshore renewable energy developments. <i>Marine Policy</i> , 2013 , 38, 507-514	3.5	14
25	Climate change and coastal waterbird populations (past declines and future impacts). <i>Ibis</i> , 2004 , 146, 82-89	1.9	13
24	The biodiversity and conservation of the birds of S ^o Tom and Pr ^{nc} ipe. <i>Biodiversity and Conservation</i> , 1994 , 3, 851-867	3.4	13
23	Predictive Modelling to Identify Near-Shore, Fine-Scale Seabird Distributions during the Breeding Season. <i>PLoS ONE</i> , 2016 , 11, e0150592	3.7	13
22	Counting birds on farmland habitats in winter. <i>Bird Study</i> , 2006 , 53, 303-309	0.7	12
21	A 2021 Horizon Scan of Emerging Global Biological Conservation Issues. <i>Trends in Ecology and Evolution</i> , 2021 , 36, 87-97	10.9	11
20	Achieving production and conservation simultaneously in tropical agricultural landscapes. <i>Agriculture, Ecosystems and Environment</i> , 2014 , 192, 130-134	5.7	10
19	Demography and Breeding Ecology of the Critically Endangered Montserrat Oriole (Demograf ^{ia} y Ecolog ^{ia} Reproductiva de <i>Icterus oberi</i> , una Especie en Peligro Cr ^{it} ico. <i>Condor</i> , 2012 , 114, 227-235	2.1	10
18	A comparison of two survey methods for assessing bird species richness and abundance in tropical farmlands. <i>Bird Study</i> , 2012 , 59, 83-95	0.7	10
17	Notes on the ecology, conservation and taxonomic status of <i>Hylorchilus</i> wrens. <i>Bird Conservation International</i> , 1993 , 3, 75-85	1.7	9
16	Defining the key wintering habitats in the Sahel for declining African-Eurasian migrants using expert assessment. <i>Bird Conservation International</i> , 2014 , 24, 477-491	1.7	8
15	Can Management Improve the Value of Shade Plantations for the Endemic Species of S ^o Tom Island?. <i>Biotropica</i> , 2014 , 46, 238-247	2.3	7
14	Avian foraging behaviour in relation to provision of ecosystem services in a highland East African agroecosystem. <i>Bird Study</i> , 2013 , 60, 156-168	0.7	7
13	The origins, moult, movements and changes in numbers of Bar-tailed Godwits <i>Limosa lapponica</i> on the Wash, England. <i>Bird Study</i> , 1996 , 43, 60-72	0.7	7
12	Breeding bird communities in the upland margins (ffridd) of Wales in the mid-1980s. <i>Bird Study</i> , 2006 , 53, 177-186	0.7	6

11	Differential distribution of Oystercatchers <i>Haematopus ostralegus</i> overwintering on the Wash, east England. <i>Bird Study</i> , 2004 , 51, 76-82	0.7	6
10	Effects of individual misidentification on estimates of survival in long-term mark-resight studies. <i>Condor</i> , 2019 , 121,	2.1	3
9	Effects of crop diversity on bird species richness and abundance in a highland East African agricultural landscape. <i>Ostrich</i> , 2013 , 84, 33-39	0.9	3
8	Do field margin characteristics influence songbird nest-site selection in adjacent hedgerows?. <i>Bird Study</i> , 2010 , 57, 392-395	0.7	3
7	Local site use and first northbound migration track of non-breeding Steppe Whimbrel <i>Numenius phaeopus alboaxillaris</i> (Lowe 1921). <i>Wader Study</i> , 2019 , 125, 219-227	1.4	3
6	A horizon scan of global biological conservation issues for 2022. <i>Trends in Ecology and Evolution</i> , 2021 ,	10.9	3
5	Carryover effects of long-distance avian migration are weaker than effects of breeding environment in a partially migratory bird. <i>Scientific Reports</i> , 2021 , 11, 935	4.9	3
4	Can REDD+ help the conservation of restricted-range island species? Insights from the endemism hotspot of S ^B Tom. <i>PLoS ONE</i> , 2013 , 8, e74148	3.7	2
3	Declining populations of coastal birds in Great Britain: victims of sea-level rise and climate change?. <i>Environmental Reviews</i> , 2000 , 8, 303-323	4.5	2
2	The recent rediscovery of White-winged Flufftails in Ethiopia. <i>Bulletin of the African Bird Club</i> , 1996 , 3, 34-36		2
1	Performance of GPS/GPRS tracking devices improves with increased fix interval and is not affected by animal deployment.. <i>PLoS ONE</i> , 2022 , 17, e0265541	3.7	2