

Philip W Atkinson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2796284/philip-w-atkinson-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

2,742
citations

27
h-index

51
g-index

71
ext. papers

3,093
ext. citations

4.3
avg, IF

4.53
L-index

#	Paper	IF	Citations
64	Performance of GPS/GPRS tracking devices improves with increased fix interval and is not affected by animal deployment.. <i>PLoS ONE</i> , 2022 , 17, e0265541	3.7	2
63	A horizon scan of global biological conservation issues for 2022. <i>Trends in Ecology and Evolution</i> , 2021 ,	10.9	3
62	A 2021 Horizon Scan of Emerging Global Biological Conservation Issues. <i>Trends in Ecology and Evolution</i> , 2021 , 36, 87-97	10.9	11
61	Carryover effects of long-distance avian migration are weaker than effects of breeding environment in a partially migratory bird. <i>Scientific Reports</i> , 2021 , 11, 935	4.9	3
60	Effects of individual misidentification on estimates of survival in long-term mark-resight studies. <i>Condor</i> , 2019 , 121,	2.1	3
59	Local site use and first northbound migration track of non-breeding Steppe Whimbrel <i>Numenius phaeopus alboaxillaris</i> (Lowe 1921). <i>Wader Study</i> , 2019 , 125, 219-227	1.4	3
58	Predicting the impacts of wind farms on seabirds: An individual-based model. <i>Journal of Applied Ecology</i> , 2018 , 55, 503-515	5.8	32
57	Predictive Modelling to Identify Near-Shore, Fine-Scale Seabird Distributions during the Breeding Season. <i>PLoS ONE</i> , 2016 , 11, e0150592	3.7	13
56	Long-term changes in the migration phenology of UK breeding birds detected by large-scale citizen science recording schemes. <i>Ibis</i> , 2016 , 158, 481-495	1.9	49
55	Population decline is linked to migration route in the Common Cuckoo. <i>Nature Communications</i> , 2016 , 7, 12296	17.4	95
54	Are white storks addicted to junk food? Impacts of landfill use on the movement and behaviour of resident white storks (<i>Ciconia ciconia</i>) from a partially migratory population. <i>Movement Ecology</i> , 2016 , 4, 7	4.6	90
53	Time-in-area represents foraging activity in a wide-ranging pelagic forager. <i>Marine Ecology - Progress Series</i> , 2015 , 527, 233-246	2.6	19
52	Achieving production and conservation simultaneously in tropical agricultural landscapes. <i>Agriculture, Ecosystems and Environment</i> , 2014 , 192, 130-134	5.7	10
51	The importance of native trees for forest bird conservation in tropical farmland. <i>Animal Conservation</i> , 2014 , 17, 256-264	3.2	16
50	Can Management Improve the Value of Shade Plantations for the Endemic Species of SB Tom? Island?. <i>Biotropica</i> , 2014 , 46, 238-247	2.3	7
49	Defining the key wintering habitats in the Sahel for declining African-Eurasian migrants using expert assessment. <i>Bird Conservation International</i> , 2014 , 24, 477-491	1.7	8
48	Effects of crop diversity on bird species richness and abundance in a highland East African agricultural landscape. <i>Ostrich</i> , 2013 , 84, 33-39	0.9	3

47	Biodiversity and land-use change: understanding the complex responses of an endemic-rich bird assemblage. <i>Diversity and Distributions</i> , 2013 , 19, 411-422	5	43
46	Individual consistency in the foraging behaviour of Northern Gannets: Implications for interactions with offshore renewable energy developments. <i>Marine Policy</i> , 2013 , 38, 507-514	3.5	14
45	Avian foraging behaviour in relation to provision of ecosystem services in a highland East African agroecosystem. <i>Bird Study</i> , 2013 , 60, 156-168	0.7	7
44	Can REDD+ help the conservation of restricted-range island species? Insights from the endemism hotspot of S _B Tom ₁ . <i>PLoS ONE</i> , 2013 , 8, e74148	3.7	2
43	Conserving the birds of Uganda's banana-coffee arc: land sparing and land sharing compared. <i>PLoS ONE</i> , 2013 , 8, e54597	3.7	80
42	Declines in British-breeding populations of Afro-Palaeartic migrant birds are linked to bioclimatic wintering zone in Africa, possibly via constraints on arrival time advancement. <i>Bird Study</i> , 2012 , 59, 111-125	0.7	68
41	Fuelling for the Sahara crossing: variation in site use and the onset and rate of spring mass gain by 38 Palearctic migrants in the western Sahel. <i>Journal of Ornithology</i> , 2012 , 153, 931-945	1.5	17
40	Demography and Breeding Ecology of the Critically Endangered Montserrat Oriole. <i>Demografía y Ecología Reproductiva de Icterus oberi, una Especie en Peligro Crítico</i> . <i>Condor</i> , 2012 , 114, 227-235	2.1	10
39	A comparison of two survey methods for assessing bird species richness and abundance in tropical farmlands. <i>Bird Study</i> , 2012 , 59, 83-95	0.7	10
38	Demographic consequences of migratory stopover: linking red knot survival to horseshoe crab spawning abundance. <i>Ecosphere</i> , 2011 , 2, art69	3.1	49
37	Improving the analysis of movement data from marked individuals through explicit estimation of observer heterogeneity. <i>Journal of Avian Biology</i> , 2010 , 41, 8-17	1.9	47
36	Resource availability and the persistence of seed-eating bird populations in agricultural landscapes : a mechanistic modelling approach. <i>Journal of Applied Ecology</i> , 2010 , 47, 67-75	5.8	30
35	Impacts of shellfisheries and nutrient inputs on waterbird communities in the Wash, England. <i>Journal of Applied Ecology</i> , 2010 , 47, 191-199	5.8	22
34	Rapid and continued population decline in the Spoon-billed Sandpiper <i>Eurynorhynchus pygmeus</i> indicates imminent extinction unless conservation action is taken. <i>Bird Conservation International</i> , 2010 , 20, 95-111	1.7	31
33	Do field margin characteristics influence songbird nest-site selection in adjacent hedgerows?. <i>Bird Study</i> , 2010 , 57, 392-395	0.7	3
32	Integrating socio-economics and ecology: a taxonomy of quantitative methods and a review of their use in agro-ecology. <i>Journal of Applied Ecology</i> , 2009 , 46, 269-277	5.8	39
31	Staging Behavior in Red Knot (<i>Calidris canutus</i>) in Delaware Bay: Implications for Monitoring Mass and Population Size. <i>Auk</i> , 2009 , 126, 54-63	2.1	32
30	Effects of Horseshoe Crab Harvest in Delaware Bay on Red Knots: Are Harvest Restrictions Working?. <i>BioScience</i> , 2009 , 59, 153-164	5.7	67

29	Shorebird predation of horseshoe crab eggs in Delaware Bay: species contrasts and availability constraints. <i>Journal of Animal Ecology</i> , 2007 , 76, 503-14	4.7	36
28	Rates of mass gain and energy deposition in red knot on their final spring staging site is both time- and condition-dependent. <i>Journal of Applied Ecology</i> , 2007 , 44, 885-895	5.8	77
27	Breeding bird communities in the upland margins (ffridd) of Wales in the mid-1980s. <i>Bird Study</i> , 2006 , 53, 177-186	0.7	6
26	Sexing of Black-tailed Godwits <i>Limosa limosa islandica</i> : a comparison of behavioural, molecular, biometric and field-based techniques. <i>Bird Study</i> , 2006 , 53, 193-198	0.7	21
25	Counting birds on farmland habitats in winter. <i>Bird Study</i> , 2006 , 53, 303-309	0.7	12
24	Identifying declines in waterbirds: The effects of missing data, population variability and count period on the interpretation of long-term survey data. <i>Biological Conservation</i> , 2006 , 130, 549-559	6.2	41
23	Population-scale drivers of individual arrival times in migratory birds. <i>Journal of Animal Ecology</i> , 2006 , 75, 1119-27	4.7	100
22	Estimating population size in Black-tailed Godwits <i>Limosa limosa islandica</i> by colour-marking. <i>Bird Study</i> , 2005 , 52, 153-158	0.7	24
21	Unravelling the migration and moult strategies of a long-distance migrant using stable isotopes: Red Knot <i>Calidris canutus</i> movements in the Americas. <i>Ibis</i> , 2005 , 147, 738-749	1.9	47
20	Differential distribution of Oystercatchers <i>Haematopus ostralegus</i> overwintering on the Wash, east England. <i>Bird Study</i> , 2004 , 51, 76-82	0.7	6
19	Climate change and coastal waterbird populations [past declines and future impacts]. <i>Ibis</i> , 2004 , 146, 82-89	1.9	13
18	Managed realignment in the UK [the first 5 years of colonization by birds]. <i>Ibis</i> , 2004 , 146, 101-110	1.9	28
17	What factors determine where invertebrate-feeding birds forage in dry agricultural grasslands?. <i>Ibis</i> , 2004 , 146, 99-107	1.9	72
16	Testing solutions in grass-dominated landscapes: a review of current research. <i>Ibis</i> , 2004 , 146, 163-170	1.9	19
15	Rapid population decline in red knots: fitness consequences of decreased refuelling rates and late arrival in Delaware Bay. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004 , 271, 875-82	4.4	291
14	An individual behaviour-based model can predict shorebird mortality using routinely collected shellfishery data. <i>Journal of Applied Ecology</i> , 2003 , 40, 1090-1101	5.8	37
13	Rapid decline of the volcanically threatened Montserrat oriole. <i>Biological Conservation</i> , 2003 , 111, 79-89	6.2	16
12	Numbers of wintering waterbirds in Great Britain and the Isle of Man (1994/1995-1998/1999): II. Coastal waders (Charadrii). <i>Biological Conservation</i> , 2003 , 112, 329-341	6.2	23

11	Changes in commercially fished shellfish stocks and shorebird populations in the Wash, England. <i>Biological Conservation</i> , 2003 , 114, 127-141	6.2	74
10	Large-scale patterns of summer and winter bird distribution in relation to farmland type in England and Wales. <i>Ecography</i> , 2002 , 25, 466-480	6.5	49
9	The management of lowland neutral grasslands in Britain: effects of agricultural practices on birds and their food resources. <i>Journal of Applied Ecology</i> , 2001 , 38, 647-664	5.8	481
8	The buffer effect and large-scale population regulation in migratory birds. <i>Nature</i> , 2001 , 412, 436-8	50.4	236
7	Declining populations of coastal birds in Great Britain: victims of sea-level rise and climate change?. <i>Environmental Reviews</i> , 2000 , 8, 303-323	4.5	2
6	Habitat associations of coastal wintering passerines. <i>Bird Study</i> , 1996 , 43, 188-200	0.7	21
5	The origins, moult, movements and changes in numbers of Bar-tailed Godwits <i>Limosa lapponica</i> on the Wash, England. <i>Bird Study</i> , 1996 , 43, 60-72	0.7	7
4	The recent rediscovery of White-winged Flufftails in Ethiopia. <i>Bulletin of the African Bird Club</i> , 1996 , 3, 34-36		2
3	The biodiversity and conservation of the birds of S̄ Tom̄land Pr̄cipe. <i>Biodiversity and Conservation</i> , 1994 , 3, 851-867	3.4	13
2	Notes on the ecology, conservation and taxonomic status of <i>Hylorchilus</i> wrens. <i>Bird Conservation International</i> , 1993 , 3, 75-85	1.7	9
1	The status and conservation of the endemic bird species of S̄ Tom̄land Pr̄cipe, West Africa. <i>Bird Conservation International</i> , 1991 , 1, 255-282	1.7	24