

Jason P Van De Merwe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2796296/jason-p-van-de-merwe-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62
papers

1,306
citations

19
h-index

34
g-index

63
ext. papers

1,619
ext. citations

6
avg, IF

4.67
L-index

#	Paper	IF	Citations
62	Temporal changes in chemical contamination of green turtles (<i>Chelonia mydas</i>) foraging in a heavily industrialised seaport.. <i>Science of the Total Environment</i> , 2022 , 817, 152848	10.2	1
61	Optimisation of an automated high-throughput micronucleus (HiTMiN) assay to measure genotoxicity of environmental contaminants.. <i>Chemosphere</i> , 2022 , 298, 134349	8.4	0
60	Interactions among multiple stressors vary with exposure duration and biological response.. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022 , 289, 20220348	4.4	2
59	Individual and combined effects of diuron and light reduction on marine microalgae. <i>Ecotoxicology and Environmental Safety</i> , 2022 , 241, 113729	7	0
58	Combined impacts of photosystem II-inhibiting herbicides and light availability on seagrass and marine microalgae. <i>Marine Ecology - Progress Series</i> , 2021 , 668, 215-230	2.6	2
57	Combining analytical and in vitro techniques for comprehensive assessments of chemical exposure and effect in green sea turtles (<i>Chelonia mydas</i>). <i>Chemosphere</i> , 2021 , 274, 129752	8.4	3
56	Changes in global protein expression in sea turtle cells exposed to common contaminants indicates new biomarkers of chemical exposure. <i>Science of the Total Environment</i> , 2021 , 751, 141680	10.2	5
55	Improving rehabilitation outcomes using metabolomics: Health, recovery and biomarkers of mortality in sick and injured green turtles (<i>Chelonia mydas</i>). <i>Biological Conservation</i> , 2021 , 254, 108943	6.2	2
54	A comparative analysis of the karyotypes of three dolphins - Montagu, 1821, Charlton-Robb et al., 2011, and Cuvier, 1812. <i>Comparative Cytogenetics</i> , 2021 , 15, 53-63	1	1
53	Systematic review of reptile reproductive toxicology to inform future research directions on endangered or threatened species, such as sea turtles. <i>Environmental Pollution</i> , 2021 , 286, 117470	9.3	2
52	An integrative approach to define chemical exposure threshold limits for endangered sea turtles. <i>Journal of Hazardous Materials</i> , 2021 , 420, 126512	12.8	0
51	Differences in marine megafauna in vitro sensitivity highlights the need for species-specific chemical risk assessments. <i>Aquatic Toxicology</i> , 2021 , 239, 105939	5.1	0
50	Development and application of species-specific cell-based bioassays to assess toxicity in green sea turtles. <i>Science of the Total Environment</i> , 2020 , 747, 142095	10.2	5
49	Elucidating the performance of an integrated laccase- and persulfate-assisted process for degradation of trace organic contaminants (TrOCs). <i>Environmental Science: Water Research and Technology</i> , 2020 , 6, 1069-1082	4.2	7
48	The Karyotype of Blainville's Beaked Whale, <i>Mesoplodon densirostris</i> . <i>Cytogenetic and Genome Research</i> , 2020 , 160, 698-703	1.9	1
47	Global oxygen isoscapes for barnacle shells: Application for tracing movement in oceans. <i>Science of the Total Environment</i> , 2020 , 705, 135782	10.2	4
46	Sources, presence and potential effects of contaminants of emerging concern in the marine environments of the Great Barrier Reef and Torres Strait, Australia. <i>Science of the Total Environment</i> , 2020 , 719, 135140	10.2	51

45	Unique Post-telemetry Recapture Enables Development of Multi-Element Isoscapes From Barnacle Shell for Retracing Host Movement. <i>Frontiers in Marine Science</i> , 2020 , 7,	4.5	1
44	Persulfate oxidation-assisted membrane distillation process for micropollutant degradation and membrane fouling control. <i>Separation and Purification Technology</i> , 2019 , 222, 321-331	8.3	17
43	Distinguishing between sea turtle foraging areas using stable isotopes from commensal barnacle shells. <i>Scientific Reports</i> , 2019 , 9, 6565	4.9	8
42	Degradation of diclofenac, trimethoprim, carbamazepine, and sulfamethoxazole by laccase from <i>Trametes versicolor</i> : Transformation products and toxicity of treated effluent. <i>Biocatalysis and Biotransformation</i> , 2019 , 37, 399-408	2.5	34
41	Cytotoxicity of organic and inorganic compounds to primary cell cultures established from internal tissues of <i>Chelonia mydas</i> . <i>Science of the Total Environment</i> , 2019 , 664, 958-967	10.2	13
40	Towards the development of standardised sea turtle primary cell cultures for toxicity testing. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 173, 63-70	7	10
39	Transformation of endocrine disrupting chemicals, pharmaceutical and personal care products during drinking water disinfection. <i>Science of the Total Environment</i> , 2019 , 657, 1480-1490	10.2	27
38	Primary green turtle (<i>Chelonia mydas</i>) skin fibroblasts as an in vitro model for assessing genotoxicity and oxidative stress. <i>Aquatic Toxicology</i> , 2019 , 207, 13-18	5.1	16
37	Green turtle (<i>Chelonia mydas</i>) population demographics at three chemically distinct foraging areas in the northern Great Barrier Reef. <i>Science of the Total Environment</i> , 2019 , 652, 1040-1050	10.2	8
36	Charting a path towards non-destructive biomarkers in threatened wildlife: A systematic quantitative literature review. <i>Environmental Pollution</i> , 2018 , 234, 59-70	9.3	15
35	In vitro bioassays reveal that additives are significant contributors to the toxicity of commercial household pesticides. <i>Aquatic Toxicology</i> , 2018 , 199, 263-268	5.1	17
34	Biocatalytic degradation of pharmaceuticals, personal care products, industrial chemicals, steroid hormones and pesticides in a membrane distillation-enzymatic bioreactor. <i>Bioresource Technology</i> , 2018 , 247, 528-536	11	59
33	Downstream trends of in vitro bioassay responses in a wastewater effluent-dominated river. <i>Chemosphere</i> , 2018 , 212, 182-192	8.4	11
32	Photolysis and UV/H ₂ O ₂ of diclofenac, sulfamethoxazole, carbamazepine, and trimethoprim: Identification of their major degradation products by ESI-MS and assessment of the toxicity of reaction mixtures. <i>Chemical Engineering Research and Design</i> , 2017 , 112, 222-234	5.5	66
31	Using growth rates to estimate age of the sea turtle barnacle <i>Chelonibia testudinaria</i> . <i>Marine Biology</i> , 2017 , 164, 1	2.5	8
30	Analysis of sugarcane herbicides in marine turtle nesting areas and assessment of risk using in vitro toxicity assays. <i>Chemosphere</i> , 2017 , 185, 656-664	8.4	16
29	Degradation of Trace Organic Contaminants by a Membrane Distillation-Enzymatic Bioreactor. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 879	2.6	16
28	Realignment of sea turtle isotope studies needed to match conservation priorities. <i>Marine Ecology - Progress Series</i> , 2017 , 583, 259-271	2.6	16

27	The current state and future directions of marine turtle toxicology research. <i>Environment International</i> , 2016 , 94, 113-123	12.9	44
26	Impacts of redox-mediator type on trace organic contaminants degradation by laccase: Degradation efficiency, laccase stability and effluent toxicity. <i>International Biodeterioration and Biodegradation</i> , 2016 , 113, 169-176	4.8	69
25	Concentrations of levonorgestrel and ethinylestradiol in wastewater effluents: Is the progestin also cause for concern?. <i>Environmental Toxicology and Chemistry</i> , 2016 , 35, 1378-85	3.8	19
24	Altered bioenergetics and developmental effects in striped marsh frog (<i>Limnodynastes peronii</i>) tadpoles exposed to UV treated sewage. <i>Aquatic Toxicology</i> , 2016 , 175, 30-8	5.1	9
23	Laccase-syringaldehyde-mediated degradation of trace organic contaminants in an enzymatic membrane reactor: Removal efficiency and effluent toxicity. <i>Bioresource Technology</i> , 2016 , 200, 477-84	11	59
22	Are we working towards global research priorities for management and conservation of sea turtles?. <i>Endangered Species Research</i> , 2016 , 31, 337-382	2.5	150
21	Assessing temporal and spatial trends in estuarine nutrient dynamics using a multi-species stable isotope approach. <i>Ecological Indicators</i> , 2016 , 67, 338-345	5.8	12
20	Impact of hazardous events on the removal of nutrients and trace organic contaminants by an anoxic-aerobic membrane bioreactor receiving real wastewater. <i>Bioresource Technology</i> , 2015 , 192, 192-201	11	16
19	$\delta^{15}N$ of estuarine fishes as a quantitative indicator of urbanization. <i>Ecological Indicators</i> , 2015 , 56, 41-49	5.8	6
18	A sensitive and high throughput bacterial luminescence assay for assessing aquatic toxicity--the BLT-Screen. <i>Environmental Sciences: Processes and Impacts</i> , 2015 , 17, 947-55	4.3	23
17	Degradation of a broad spectrum of trace organic contaminants by an enzymatic membrane reactor: Complementary role of membrane retention and enzymatic degradation. <i>International Biodeterioration and Biodegradation</i> , 2015 , 99, 115-122	4.8	50
16	PBDE-47 exposure causes gender specific effects on apoptosis and heat shock protein expression in marine medaka, <i>Oryzias melastigma</i> . <i>Aquatic Toxicology</i> , 2014 , 147, 57-67	5.1	12
15	iTRAQ-based proteomic profiling of the marine medaka (<i>Oryzias melastigma</i>) gonad exposed to BDE-47. <i>Marine Pollution Bulletin</i> , 2014 , 85, 471-8	6.7	17
14	Gender-specific transcriptional profiling of marine medaka (<i>Oryzias melastigma</i>) liver upon BDE-47 exposure. <i>Comparative Biochemistry and Physiology Part D: Genomics and Proteomics</i> , 2013 , 8, 255-62	2	8
13	Post-emergence handling of green turtle hatchlings: improving hatchery management worldwide. <i>Animal Conservation</i> , 2013 , 16, 316-323	3.2	3
12	Antioxidant responses and lipid peroxidation in gills and hepatopancreas of the mussel <i>Perna viridis</i> upon exposure to the red-tide organism <i>Chattonella marina</i> and hydrogen peroxide. <i>Harmful Algae</i> , 2012 , 13, 40-46	5.3	14
11	Effects of off-road vehicle tyre ruts on the beach dispersal of green sea turtle <i>Chelonia mydas</i> hatchlings. <i>Endangered Species Research</i> , 2012 , 18, 27-34	2.5	8
10	Gender-specific modulation of immune system complement gene expression in marine medaka <i>Oryzias melastigma</i> following dietary exposure of BDE-47. <i>Environmental Science and Pollution Research</i> , 2011 , 19, 2477-87	5.1	39

9	Bioaccumulation and maternal transfer of PBDE 47 in the marine medaka (<i>Oryzias melastigma</i>) following dietary exposure. <i>Aquatic Toxicology</i> , 2011 , 103, 199-204	5.1	38
8	Persistent organic pollutants in the green sea turtle <i>Chelonia mydas</i> : nesting population variation, maternal transfer, and effects on development. <i>Marine Ecology - Progress Series</i> , 2010 , 403, 269-278	2.6	50
7	Using blood samples to estimate persistent organic pollutants and metals in green sea turtles (<i>Chelonia mydas</i>). <i>Marine Pollution Bulletin</i> , 2010 , 60, 579-88	6.7	78
6	Effects of 1,2-dichlorobenzene on the growth, bioenergetics and reproduction of the amphipod, <i>Melita longidactyla</i> . <i>Chemosphere</i> , 2010 , 80, 20-7	8.4	9
5	Chemical contamination of green turtle (<i>Chelonia mydas</i>) eggs in peninsular Malaysia: implications for conservation and public health. <i>Environmental Health Perspectives</i> , 2009 , 117, 1397-401	8.4	45
4	Analysing persistent organic pollutants in eggs, blood and tissue of the green sea turtle (<i>Chelonia mydas</i>) using gas chromatography with tandem mass spectrometry (GC-MS/MS). <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 393, 1719-31	4.4	21
3	Habitat use by green turtles (<i>Chelonia mydas</i>) nesting in Peninsular Malaysia: local and regional conservation implications. <i>Wildlife Research</i> , 2009 , 36, 637	1.8	10
2	Effects of Nest Depth, Shading, and Metabolic Heating on Nest Temperatures in Sea Turtle Hatcheries. <i>Chelonian Conservation and Biology</i> , 2006 , 5, 210-215	0.9	30
1	Effects of hatchery shading and nest depth on the development and quality of <i>Chelonia mydas</i> hatchlings: implications for hatchery management in Peninsular, Malaysia. <i>Australian Journal of Zoology</i> , 2005 , 53, 205	0.5	23