Stefano Ginanni Corradini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2796591/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Alpha-SMA expression in hepatic stellate cells and quantitative analysis of hepatic fibrosis in cirrhosis and in recurrent chronic hepatitis after liver transplantation. Digestive and Liver Disease, 2005, 37, 349-356. | 0.4 | 245 |
| 2 | Nutritional status: its influence on the outcome of patients undergoing liver transplantation. Liver International, 2010, 30, 208-214. | 1.9 | 233 |
| 3 | Association between the <i>PNPLA3</i> (rs738409 C>G) variant and hepatocellular carcinoma: Evidence from a meta-analysis of individual participant data. Hepatology, 2014, 59, 2170-2177. | 3.6 | 193 |
| 4 | MBOAT7 rs641738 variant and hepatocellular carcinoma in non-cirrhotic individuals. Scientific Reports, 2017, 7, 4492. | 1.6 | 193 |
| 5 | Liver transplantation in hepatocellular carcinoma after tumour downstaging (XXL): a randomised, controlled, phase 2b/3 trial. Lancet Oncology, The, 2020, 21, 947-956. | 5.1 | 166 |
| 6 | Gut Microbiota Markers in Obese Adolescent and Adult Patients: Age-Dependent Differential Patterns. Frontiers in Microbiology, 2018, 9, 1210. | 1.5 | 139 |
| 7 | Estrogens and Insulin-Like Growth Factor 1 Modulate Neoplastic Cell Growth in Human Cholangiocarcinoma. American Journal of Pathology, 2006, 169, 877-888. | 1.9 | 136 |
| 8 | Gallstones and diabetes: A case-control study in a free-living population sample. Hepatology, 1997, 25, 787-790. | 3.6 | 129 |
| 9 | Measurement of oxysterols and α-tocopherol in plasma and tissue samples as indices of oxidant stress status. Analytical Biochemistry, 2003, 312, 217-223. | 1.1 | 129 |
| 10 | PNPLA3 Gene Polymorphism Is Associated With Predisposition to and Severity of Alcoholic Liver Disease. American Journal of Gastroenterology, 2015, 110, 846-856. | 0.2 | 120 |
| 11 | Estrogen receptors in cholangiocytes and the progression of primary biliary cirrhosis. Journal of Hepatology, 2004, 41, 905-912. | 1.8 | 108 |
| 12 | PNPLA3 I148M (rs738409) genetic variant is associated with hepatocellular carcinoma in obese individuals. Digestive and Liver Disease, 2012, 44, 1037-1041. | 0.4 | 100 |
| 13 | Hepatocellular carcinoma in cirrhotic patients: prospective comparison of US, CT and MR imaging. European Radiology, 2013, 23, 887-896. | 2.3 | 92 |
| 14 | Hepatocellular Carcinoma in Patients with Cirrhosis: Qualitative Comparison of Gadobenate Dimeglumine–enhanced MR Imaging and Multiphasic 64-Section CT. Radiology, 2009, 251, 85-95. | 3.6 | 90 |
| 15 | Estrogens stimulate the proliferation of human cholangiocarcinoma by inducing the expression and secretion of vascular endothelial growth factor. Digestive and Liver Disease, 2009, 41, 156-163. | 0.4 | 83 |
| 16 | Glial fibrillary acidic protein as an early marker of hepatic stellate cell activation in chronic and posttransplant recurrent hepatitis C. Liver Transplantation, 2008, 14, 806-814. | 1.3 | 80 |
| 17 | PNPLA3 I148M variant and hepatocellular carcinoma: A common genetic variant for a rare disease. Digestive and Liver Disease, 2013, 45, 619-624. | 0.4 | 55 |
| 18 | Impaired human gallbladder lipid absorption in cholesterol gallstone disease and its effect on cholesterol solubility in bile. Gastroenterology, 2000, 118, 912-920. | 0.6 | 54 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Low-dose intramuscular hepatitis B immune globulin and lamivudine for long-term prophylaxis of hepatitis B recurrence after liver transplantation. Transplantation Proceedings, 2004, 36, 535-538. | 0.3 | 52 |
| 20 | Serum and Biliary Insulin-like Growth Factor I and Vascular Endothelial Growth Factor in Determining the Cause of Obstructive Cholestasis. Annals of Internal Medicine, 2007, 147, 451. | 2.0 | 52 |
| 21 | Patatin-like phospholipase domain containing 3 sequence variant and hepatocellular carcinoma. Hepatology, 2011, 53, 1776-1776. | 3.6 | 49 |
| 22 | RIFLE Criteria and Hepatic Function in the Assessment of Acute Renal Failure in Liver Transplantation. Transplantation Proceedings, 2010, 42, 1233-1236. | 0.3 | 47 |
| 23 | Comparison of Changes in Lipid Profile after Bilio-intestinal Bypass and Gastric Banding in Patients with Morbid Obesity. Obesity Surgery, 2005, 15, 367-377. | 1.1 | 45 |
| 24 | One Hundred Sixteen Cases of Acute Liver Failure Treated With MARS. Transplantation Proceedings, 2005, 37, 2557-2559. | 0.3 | 42 |
| 25 | <i>PNPLA3</i> 1148M (rs738409) genetic variant and age at onset of atâ€risk alcohol consumption are independent risk factors for alcoholic cirrhosis. Liver International, 2014, 34, 514-520. | 1.9 | 41 |
| 26 | Physico-chemical factors predisposing to pigment gallstone formation in liver cirrhosis. Journal of Hepatology, 1990, 10, 228-234. | 1.8 | 40 |
| 27 | The human gallbladder increases cholesterol solubility in bile by differential lipid absorption: A study using a newin vitro model of isolated intra-arterially perfused gallbladder. Hepatology, 1998, 28, 314-322. | 3.6 | 40 |
| 28 | Bone Disorders in Patients With Chronic Liver Disease Awaiting Liver Transplantation. Transplantation Proceedings, 2010, 42, 1191-1193. | 0.3 | 40 |
| 29 | Platelet-to-lymphocyte ratio in the setting of liver transplantation for hepatocellular cancer: A systematic review and meta-analysis. World Journal of Gastroenterology, 2018, 24, 1658-1665. | 1.4 | 40 |
| 30 | Hepatic encephalopathy expands the predictivity of model for endâ€stage liver disease in liver transplant setting: Evidence by means of 2 independent cohorts. Liver Transplantation, 2016, 22, 1333-1342. | 1.3 | 36 |
| 31 | Chronic Kidney Disease After Liver Transplantation. Transplantation, 2013, 95, 1148-1153. | 0.5 | 35 |
| 32 | The additive value of sarcopenia, myosteatosis and hepatic encephalopathy in the predictivity of model for end-stage liver disease. Digestive and Liver Disease, 2019, 51, 1508-1512. | 0.4 | 34 |
| 33 | Mu <scp>RF</scp> â€l and pâ€ <scp>GSK</scp> 3β expression in muscle atrophy of cirrhosis. Liver International, 2013, 33, 714-721. | 1.9 | 33 |
| 34 | Reduction of risk factors for cardiovascular diseases in morbid-obese patients following biliary-intestinal bypass: 3 years' follow-up. International Journal of Obesity, 2004, 28, 1600-1606. | 1.6 | 31 |
| 35 | Predictive Factors of Outcome After Liver Transplantation in Patients With Cirrhosis and Hepatocellular Carcinoma. Transplantation Proceedings, 2005, 37, 2535-2540. | 0.3 | 31 |
| 36 | Immune-mediated liver dysfunction after antiviral treatment in liver transplanted patients with hepatitis c: Allo or autoimmune de novo hepatitis?. Digestive and Liver Disease, 2009, 41, 345-349. | 0.4 | 31 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Molecular composition of biliary phosphatidylcholines, as related to cholesterol saturation, transport and nucleation in human gallbladder bile. Journal of Hepatology, 1992, 15, 59-66. | 1.8 | 30 |
| 38 | Incidence of Fungal Infections in a Solid Organ Recipients Dedicated Intensive Care Unit. Transplantation Proceedings, 2007, 39, 2005-2007. | 0.3 | 30 |
| 39 | Toll-like receptor-4 expression by hepatic progenitor cells and biliary epithelial cells in HCV-related chronic liver disease. Modern Pathology, 2012, 25, 576-589. | 2.9 | 30 |
| 40 | Insulin resistance, adipose depots and gut: Interactions and pathological implications. Digestive and Liver Disease, 2010, 42, 310-319. | 0.4 | 27 |
| 41 | High preoperative recipient plasma 7β-hydroxycholesterol is associated with initial poor graft function after liver transplantation. Liver Transplantation, 2005, 11, 1494-1504. | 1.3 | 25 |
| 42 | Preharvest donor hyperoxia predicts good early graft function and longer graft survival after liver transplantation, 2005, 11, 140-151. | 1.3 | 24 |
| 43 | Improvement of nutritional status in malnourished cirrhotic patients one year after liver transplantation. European E-journal of Clinical Nutrition and Metabolism, 2011, 6, e142-e147. | 0.4 | 24 |
| 44 | Predictive Factors of Recurrence of Hepatocellular Carcinoma After Liver Transplantation: A Multivariate Analysis. Transplantation Proceedings, 2009, 41, 1306-1309. | 0.3 | 23 |
| 45 | Common issues in the management of patients in the waiting list and after liver transplantation. Digestive and Liver Disease, 2017, 49, 241-253. | 0.4 | 23 |
| 46 | Peribiliary Glands as a Niche of Extrapancreatic Precursors Yielding Insulin-Producing Cells in Experimental and Human Diabetes. Stem Cells, 2016, 34, 1332-1342. | 1.4 | 22 |
| 47 | The multidisciplinary support in preventing alcohol relapse after liver transplantation: A singleâ€center experience. Clinical Transplantation, 2018, 32, e13243. | 0.8 | 22 |
| 48 | The Effect of 12 Weeks of β-Hydroxy-β-Methyl-Butyrate Supplementation after Liver Transplantation: A Pilot Randomized Controlled Study. Nutrients, 2019, 11, 2259. | 1.7 | 22 |
| 49 | Qualitative analysis of small (â‰⊉Âcm) regenerative nodules, dysplastic nodules and well-differentiated HCCs with gadoxetic acid MRI. BMC Medical Imaging, 2016, 16, 62. | 1.4 | 21 |
| 50 | Conversion From Twice-Daily to Once-Daily Tacrolimus Administration in Liver Transplant Patient. Transplantation Proceedings, 2010, 42, 1322-1324. | 0.3 | 20 |
| 51 | Risk Factors for Immediate and Delayed-Onset Fever After Percutaneous Transhepatic Biliary Drainage. CardioVascular and Interventional Radiology, 2016, 39, 746-755. | 0.9 | 19 |
| 52 | Severe reduction of blood lysosomal acid lipase activity in cryptogenic cirrhosis: A nationwide multicentre cohort study. Atherosclerosis, 2017, 262, 179-184. | 0.4 | 19 |
| 53 | Specific issues concerning the management of patients on the waiting list and after liver transplantation. Liver International, 2018, 38, 1338-1362. | 1.9 | 19 |
| 54 | Biliary secretion of phosphatidylcholine and its molecular species in cholecystectomized T-tube patients: Effects of bile acid hydrophilicity. Biochemical Medicine and Metabolic Biology, 1986, 36, 125-135. | 0.7 | 18 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A Bayesian methodology to improve prediction of early graft loss after liver transplantation derived from the Liver Match study. Digestive and Liver Disease, 2014, 46, 340-347. | 0.4 | 18 |
| 56 | Acute Renal Failure in Liver Transplant Recipients: Role of Pretransplantation Renal Function and 1-Year Follow-Up. Transplantation Proceedings, 2011, 43, 1136-1138. | 0.3 | 17 |
| 57 | Recipient female gender is a risk factor for graft loss after liver transplantation for chronic hepatitis C: Evidence from the prospective Liver Match cohort. Digestive and Liver Disease, 2015, 47, 689-694. | 0.4 | 17 |
| 58 | Comparison of Image Quality and Diagnostic Performance of Cone-Beam CT during Drug-Eluting Embolic Transarterial Chemoembolization and Multidetector CT in the Detection of Hepatocellular Carcinoma. Journal of Vascular and Interventional Radiology, 2017, 28, 978-986. | 0.2 | 17 |
| 59 | Model for End-stage Liver Disease Score versus Simplified Acute Physiology Score Criteria in Acute Renal Failure After Liver Transplantation. Transplantation Proceedings, 2011, 43, 1139-1141. | 0.3 | 16 |
| 60 | Long-term effect of liver transplantation on cirrhotic autonomic cardiac dysfunction. Digestive and Liver Disease, 2010, 42, 131-136. | 0.4 | 15 |
| 61 | Plasma fatty acid lipidome is associated with cirrhosis prognosis and graft damage in liver transplantation. American Journal of Clinical Nutrition, 2014, 100, 600-608. | 2.2 | 15 |
| 62 | Lysosomal acid lipase activity and liver fibrosis in the clinical continuum of nonâ€alcoholic fatty liver disease. Liver International, 2019, 39, 2301-2308. | 1.9 | 15 |
| 63 | Beneficial effect of sulphate-bicarbonate-calcium water on gallstone risk and weight control. World Journal of Gastroenterology, 2012, 18, 930. | 1.4 | 15 |
| 64 | Lamellar bodies coexist with vesicles and micelles in human gallbladder bile. Ursodeoxycholic acid prevents cholesterol crystal nucleation by increasing biliary lamellae. Journal of Hepatology, 1995, 22, 642-657. | 1.8 | 14 |
| 65 | Microbial translocation and T cell activation are modified by directâ€acting antiviral therapy in HCVâ€infected patients. Alimentary Pharmacology and Therapeutics, 2018, 48, 1146-1155. | 1.9 | 14 |
| 66 | Combined Liver-Kidney Transplantation in Polycystic Disease: Case Reports. Transplantation Proceedings, 2008, 40, 2075-2076. | 0.3 | 13 |
| 67 | Does Caval Reconstruction Technique Affect Early Graft Function after Liver Transplantation? A Preliminary Analysis. Transplantation Proceedings, 2011, 43, 1103-1106. | 0.3 | 13 |
| 68 | Graft macrosteatosis and time of Tâ€ŧube removal as risk factors for biliary strictures after liver transplantation. Clinical Transplantation, 2013, 27, E332-8. | 0.8 | 13 |
| 69 | A two gene-based risk score predicts alcoholic cirrhosis development in males with at-risk alcohol consumption. The Application of Clinical Genetics, 2019, Volume 12, 1-10. | 1.4 | 13 |
| 70 | Intra-procedural dual phase cone beam computed tomography has a better diagnostic accuracy over pre-procedural MRI and MDCT in detection and characterization of HCC in cirrhotic patients undergoing TACE procedure. European Journal of Radiology, 2020, 124, 108806. | 1.2 | 13 |
| 71 | Human gallbladder mucosal function: effects on intraluminal fluid and lipid composition in health and disease. Digestive Diseases and Sciences, 1998, 43, 335-343. | 1.1 | 12 |
| 72 | Polyethylene Glycol Epirubicin-Loaded Transcatheter Arterial Chemoembolization Procedures Utilizing a Combined Approach with 100 and 200 μm Microspheres: A Promising Alternative to Current Standards. Journal of Vascular and Interventional Radiology, 2019, 30, 305-313. | 0.2 | 11 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Weight Gain and De Novo Metabolic Disorders after Liver Transplantation. Nutrients, 2019, 11, 3015. | 1.7 | 11 |
| 74 | Biliaryα 1 glycoprotein concentrations in gallstone-free controls and in patients with multiple or solitary cholesterol gallstonesglycoprotein concentrations in gallstone-free controls and in patients with multiple or solitary cholesterol gallstones. Digestive Diseases and Sciences, 1995, 40, 1786-1791. | 1.1 | 10 |
| 75 | Correlation between biliaryl $\hat{i}\pm 1$ -acid glycoprotein concentration and cholesterol crystal nucleation time in gallstone disease. Digestive Diseases and Sciences, 1995, 40, 1174-1178. | 1.1 | 10 |
| 76 | Differential vascular endothelial growth factor A protein expression between small hepatocellular carcinoma and cirrhosis correlates with serum vascular endothelial growth factor A and αâ€fetoprotein. Liver International, 2009, 29, 103-112. | 1.9 | 10 |
| 77 | Recipient Interleukin-28B Rs12979860 C/T Polymorphism and Acute Cellular Rejection After Liver Transplantation. Transplantation, 2012, 93, 1038-1044. | 0.5 | 10 |
| 78 | Reduced Lysosomal Acid Lipase Activity in Blood and Platelets Is Associated With Nonalcoholic Fatty Liver Disease. Clinical and Translational Gastroenterology, 2020, 11, e00116. | 1.3 | 10 |
| 79 | Transport, utilization and biliary secretion of lysophosphatidylcholine in the rat liver. Biochimica Et Biophysica Acta - Biomembranes, 1987, 905, 91-99. | 1.4 | 9 |
| 80 | Outcome After Liver Transplantation in Patients With Cirrhosis and Hepatocellular Carcinoma. Transplantation Proceedings, 2007, 39, 1895-1897. | 0.3 | 9 |
| 81 | Donor Small-Droplet Macrovesicular Steatosis Affects Liver Transplant Outcome in HCV-Negative Recipients. Canadian Journal of Gastroenterology and Hepatology, 2019, 2019, 1-13. | 0.8 | 9 |
| 82 | Intractable Pruritus in Patients With Hepatitis C Virus. Transplantation Proceedings, 2006, 38, 1089-1091. | 0.3 | 8 |
| 83 | Clinical Effects of Use Polymyxin B Fixed on Fibers in Liver Transplant Patients With Severe Sepsis or Septic Shock. Transplantation Proceedings, 2007, 39, 1953-1955. | 0.3 | 8 |
| 84 | Preoperative Donor Scores and Postoperative Early Measures of Graft Function: Relevance to the Outcome of Liver Transplantation. Transplantation Proceedings, 2010, 42, 1209-1211. | 0.3 | 8 |
| 85 | Ribavirin priming improves the virological response to antiviral treatment in transplanted patients with recurrent hepatitis C: a pilot study. Antiviral Therapy, 2011, 16, 879-885. | 0.6 | 8 |
| 86 | Development and validation of a quantitative assay for cholesterol crystal growth in human gallbladder bile. Lipids and Lipid Metabolism, 1994, 1214, 63-72. | 2.6 | 7 |
| 87 | Chronic Kidney Disease–Epidemiology Formula and Model for End-Stage Liver Disease Score in the Assessment of Renal Function in Candidates for Liver Transplantation. Transplantation Proceedings, 2010, 42, 1229-1232. | 0.3 | 7 |
| 88 | Differential patterns of lipid-protein association in fast and slow cholesterol nucleating human gallbladder biles: implications for cholesterol nucleation from biliary lipid carriers. Lipids and Lipid Metabolism, 1991, 1086, 125-133. | 2.6 | 6 |
| 89 | Patency of Anastomoses after Bilio-Intestinal Bypass: Radioisotope Demonstration. Obesity Surgery, 2001, 11, 615-618. | 1.1 | 6 |
| 90 | Polyomavirus BK Replication in Liver Transplant Candidates with Normal Renal Function. Transplantation Proceedings, 2011, 43, 1142-1144. | 0.3 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | MELDNa score is associated with psychopathology and reduced quality of life in cirrhotic patients with a liver transplant perspective. Metabolic Brain Disease, 2017, 32, 923-933. | 1.4 | 5 |
| 92 | The Propensity of the Human Liver to Form Large Lipid Droplets Is Associated with PNPLA3 Polymorphism, Reduced INSIG1 and NPC1L1 Expression and Increased Fibrogenetic Capacity. International Journal of Molecular Sciences, 2021, 22, 6100. | 1.8 | 5 |
| 93 | Recipient perioperative cholesterolaemia and graft cholesterol metabolism gene expression predict liver transplant outcome. Liver International, 2014, 34, e290-301. | 1.9 | 4 |
| 94 | Impact of Anti-Hepatitis B Core-Positive Donors in Liver Transplantation: A Survival Analysis. Transplantation Proceedings, 2011, 43, 274-276. | 0.3 | 3 |
| 95 | Female gender and overestimation of glomerular filtration rate: Independent predictors of acute kidney injury after liver transplantation. Clinical Nephrology, 2020, 93, 92-98. | 0.4 | 3 |
| 96 | Low serum magnesium concentration is associated with the presence of viable hepatocellular carcinoma tissue in cirrhotic patients. Scientific Reports, 2021, 11, 15184. | 1.6 | 2 |
| 97 | Electronic Outpatient Referral System for Liver Transplant Improves Appropriateness and Allows First Visit Triage. Clinical Gastroenterology and Hepatology, 2022, 20, e1388-e1415. | 2.4 | 1 |
| 98 | The anionic peptide fraction is present on the gallbladder apical epithelium and favours biliary cholesterol absorption. Digestive and Liver Disease, 2007, 39, 646-653. | 0.4 | 0 |
| 99 | Corrigendum to "Insulin resistance, adipose depots and gut: Interactions and pathological implications―[Dig. Liver Dis. 42 (2010) 310–319]. Digestive and Liver Disease, 2014, 46, 1055. | 0.4 | 0 |
| 100 | Reply to the letter Regarding "Risk Factors for Immediate and Delayed-Onset Fever After Percutaneous Transhepatic Biliary Drainage― CardioVascular and Interventional Radiology, 2016, 39, 796-797. | 0.9 | 0 |
| 101 | Fluctuations of Estimated Glomerular Filtration Rate Outside Kidney Disease Improving Global Outcomes Diagnostic Criteria for Acute Kidney Injury in End-Stage Liver Disease Outpatients and Outcome Postliver Transplantation. Transplantation Direct, 2018, 4, e222. | 0.8 | 0 |
| 102 | MO420ROLE OF IL-6 ON ACUTE KIDNEY INJURY (AKI) DEVELOPMENT AFTER LIVER TRANSPLANTATION. Nephrology Dialysis Transplantation, 2021, 36, . | 0.4 | 0 |