Zunyou Wu

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2796713/zunyou-wu-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152	14,516	38	120
papers	citations	h-index	g-index
169	17,861 ext. citations	6.6	8.81
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
152	Risk Factors for Death Among the First 80 543 COVID-19 Cases in China: Relationships Between Age, Underlying Disease, Case Severity, and Region. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	2
151	The Enigma of the Human Immunodeficiency Virus (HIV) Epidemic in China. <i>Clinical Infectious Diseases</i> , 2021 , 72, 876-881	11.6	3
150	Asymptomatic SARS-CoV-2 Infections Among Persons Entering China From April 16 to October 12, 2020. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 489-492	27.4	20
149	COVID-19 seeding time and doubling time model: an early epidemic risk assessment tool. <i>Infectious Diseases of Poverty</i> , 2020 , 9, 76	10.4	11
148	Characteristics of and Important Lessons From the Coronavirus Disease 2019 (COVID-19) Outbreak in China: Summary of a Report of 72 314 Cases From the Chinese Center for Disease Control and Prevention. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1239-1242	27.4	9752
147	Turnover intention among service providers in Chinese methadone maintenance treatment clinics. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2020 , 29, 979	1.4	
146	The Revolution of HIV Testing 2020 , 251-268		1
145	The National Methadone Maintenance Treatment Program 2020 , 177-200		
144	Preventing HIV Transmission Among Men Who Have Sex with Men 2020 , 151-176		
143	Challenges and Future Directions 2020 , 675-685		1
142	Job Satisfaction Among Methadone Maintenance Treatment Clinic Service Providers in Jiangsu, China: A Cross-sectional Survey. <i>Journal of Addiction Medicine</i> , 2020 , 14, 12-17	3.8	1
141	Time Course of a Second Outbreak of COVID-19 in Beijing, China, June-July 2020. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1458-1459	27.4	27
140	A METHOD FOR ESTIMATING THE PROPORTION OF HIV INFECTED PERSONS THAT HAVE BEEN DIAGNOSED AND APPLICATION TO CHINA. <i>Statistics in Biosciences</i> , 2020 , 12, 267-278	1.5	O
139	App use frequency and condomless anal intercourse among men who have sex with men in Beijing, China: a cross-sectional study. <i>International Journal of STD and AIDS</i> , 2019 , 30, 1146-1155	1.4	4
138	Short-term acceptability of female condom use among low-fee female sex workers in China: a follow-up study. <i>BMC Womenl</i> s <i>Health</i> , 2019 , 19, 77	2.9	4
137	Stigma towards people who use drugs: A case vignette study in methadone maintenance treatment clinics in China. <i>International Journal of Drug Policy</i> , 2019 , 71, 73-77	5.5	4

(2017-2019)

135	An intervention to improve provider-patient interaction at methadone maintenance treatment in China. <i>Journal of Substance Abuse Treatment</i> , 2019 , 99, 149-155	4.2	1	
134	Nationwide Cohort Study of Antiretroviral Therapy Timing: Treatment Dropout and Virological Failure in China, 2011-2015. <i>Clinical Infectious Diseases</i> , 2019 , 68, 43-50	11.6	9	
133	HIV-positive clients of female sex workers in Hunan Province, China: a mixed methods study assessing sexual relationships and risk behavior by type of partner. <i>BMC Public Health</i> , 2019 , 19, 1129	4.1	2	
132	Spectrum of malignancies among the population of adults living with HIV infection in China: A nationwide follow-up study, 2008-2011. <i>PLoS ONE</i> , 2019 , 14, e0219766	3.7	4	
131	Risks and challenges of HIV infection transmitted via blood transfusion. <i>Biosafety and Health</i> , 2019 , 1, 124-128	4.7	2	
130	History of the HIV Epidemic in China. Current HIV/AIDS Reports, 2019, 16, 458-466	5.9	36	
129	A community-based comprehensive intervention to reduce syphilis infection among low-fee female sex workers in China: a matched-pair, community-based randomized study. <i>Infectious Diseases of Poverty</i> , 2019 , 8, 97	10.4	4	
128	External validation of a prediction tool to estimate the risk of human immunodeficiency virus infection amongst men who have sex with men. <i>Medicine (United States)</i> , 2019 , 98, e16375	1.8	3	
127	An intervention trial targeting methadone maintenance treatment providers to improve clientsS treatment retention in China. <i>Drug and Alcohol Dependence</i> , 2019 , 194, 143-150	4.9	4	
126	The Human Immunodeficiency Virus Care Continuum in China: 1985-2015. <i>Clinical Infectious Diseases</i> , 2018 , 66, 833-839	11.6	41	
125	Reply to Pan et al. Clinical Infectious Diseases, 2018, 67, 644-645	11.6	1	
124	Reply to Zhang et al. Clinical Infectious Diseases, 2018, 67, 809-810	11.6	3	
123	Immediate Antiretroviral Therapy Decreases Mortality Among Patients With High CD4 Counts in China: A Nationwide, Retrospective Cohort Study. <i>Clinical Infectious Diseases</i> , 2018 , 66, 727-734	11.6	27	
122	Prioritisation of subgroups for immediate antiretroviral therapy. Lancet HIV,the, 2018, 5, e206	7.8	1	
121	Synthetic drug use and HIV infection among men who have sex with men in China: A sixteen-city, cross-sectional survey. <i>PLoS ONE</i> , 2018 , 13, e0200816	3.7	8	
120	Outbreak of HIV Infection Linked to Nosocomial Transmission, China, 2016-2017. <i>Emerging Infectious Diseases</i> , 2018 , 24, 2141-2149	10.2	9	
119	HIV screening among patients seeking care at Xuanwu Hospital: A cross-sectional study in Beijing, China, 2011-2016. <i>PLoS ONE</i> , 2018 , 13, e0208008	3.7	4	
118	Factors related to client satisfaction with methadone maintenance treatment in China. <i>Journal of Substance Abuse Treatment</i> , 2017 , 77, 201-206	4.2	5	

117	Psychological distress among re-education through labour camp detainees in Guangxi Autonomous Region, China. <i>Journal of Mental Health</i> , 2017 , 26, 57-65	2.7	
116	Comparison Between Urinalysis Results and Self-Reported Heroin Use Among Patients Undergoing Methadone Maintenance Treatment in China. <i>Substance Use and Misuse</i> , 2017 , 52, 1307-1314	2.2	5
115	Testing and linkage to HIV care in China: a cluster-randomised trial. Lancet HIV, the, 2017, 4, e555-e565	7.8	29
114	Closing the NIH Fogarty Center threatens US and global health. <i>Lancet, The</i> , 2017 , 390, 451	40	2
113	HIV care-seeking behaviour after HIV self-testing among men who have sex with men in Beijing, China: a cross-sectional study. <i>Infectious Diseases of Poverty</i> , 2017 , 6, 112	10.4	16
112	Care cascade structural intervention versus standard of care in the diagnosis and treatment of HIV in China: a cluster-randomized controlled trial protocol. <i>BMC Health Services Research</i> , 2017 , 17, 397	2.9	3
111	Report on Provider-Client Interaction From 68 Methadone Maintenance Clinics in China. <i>Health Communication</i> , 2017 , 32, 1368-1375	3.2	6
110	Mortality and virological failure among HIV-infected people who inject drugs on antiretroviral treatment in China: An observational cohort study. <i>Drug and Alcohol Dependence</i> , 2017 , 170, 189-197	4.9	5
109	Epidemiology of HIV/AIDS in China: recent trends. <i>Global Health Journal (Amsterdam, Netherlands)</i> , 2017 , 1, 26-32	4.2	5
108	HIV in China: 30 Years in Numbers 2017 , 119-137		1
107	Selling Blood Spreads HIV 2017 , 9-22		3
106	Fulfilling a Promise: Universal Care 2017 , 61-77		
106	Fulfilling a Promise: Universal Care 2017, 61-77 HIV seroconversion and risk factors among drug users receiving methadone maintenance treatment in China: A qualitative study. <i>Drug and Alcohol Dependence</i> , 2016, 167, 169-74	4.9	4
	HIV seroconversion and risk factors among drug users receiving methadone maintenance		·
105	HIV seroconversion and risk factors among drug users receiving methadone maintenance treatment in China: A qualitative study. <i>Drug and Alcohol Dependence</i> , 2016 , 167, 169-74 Risk Factor Associated with Negative Spouse HIV Seroconversion among Sero-Different Couples: A		·
105	HIV seroconversion and risk factors among drug users receiving methadone maintenance treatment in China: A qualitative study. <i>Drug and Alcohol Dependence</i> , 2016 , 167, 169-74 Risk Factor Associated with Negative Spouse HIV Seroconversion among Sero-Different Couples: A Nested Case-Control Retrospective Survey Study in 30 Counties in Rural China. <i>PLoS ONE</i> , 2016 , 11, e01 Estimating HIV incidence among key affected populations in China from serial cross-sectional	<i>6</i> 4761	5
105 104 103	HIV seroconversion and risk factors among drug users receiving methadone maintenance treatment in China: A qualitative study. <i>Drug and Alcohol Dependence</i> , 2016 , 167, 169-74 Risk Factor Associated with Negative Spouse HIV Seroconversion among Sero-Different Couples: A Nested Case-Control Retrospective Survey Study in 30 Counties in Rural China. <i>PLoS ONE</i> , 2016 , 11, e01 Estimating HIV incidence among key affected populations in China from serial cross-sectional surveys in 2010-2014. <i>Journal of the International AIDS Society</i> , 2016 , 19, 20609 Enhancing HIV Testing and Treatment among Men Who Have Sex with Men in China: A Pilot Model with Two-Rapid Tests, Single Blood Draw Session, and Intensified Case Management in Six Cities in	64761 5.4	5 36

(2014-2016)

99	Cost-Effectiveness of the SOne4AllSHIV Linkage Intervention in Guangxi Zhuang Autonomous Region, China. <i>PLoS ONE</i> , 2016 , 11, e0167308	3.7	16
98	Differences in risk behaviours and HIV/STI prevalence between low-fee and medium-fee female sex workers in three provinces in China. <i>Sexually Transmitted Infections</i> , 2016 , 92, 309-15	2.8	19
97	HIV and STI risk reduction through physician training. <i>The Lancet Global Health</i> , 2016 , 4, e2-3	13.6	2
96	Task shifting of HIV/AIDS case management to Community Health Service Centers in urban China: a qualitative policy analysis. <i>BMC Health Services Research</i> , 2015 , 15, 253	2.9	11
95	Needle and syringe exchange programmes and prevalence of HIV infection among intravenous drug users in China. <i>Addiction</i> , 2015 , 110 Suppl 1, 61-7	4.6	10
94	HIV epidemic among drug users in China: 1995-2011. Addiction, 2015, 110 Suppl 1, 20-8	4.6	35
93	Methadone treatment in primary care. <i>Lancet HIV,the</i> , 2015 , 2, e408-9	7.8	1
92	Predictors of accessing antiretroviral therapy among HIV-positive drug users in ChinaS National Methadone Maintenance Treatment Programme. <i>Addiction</i> , 2015 , 110 Suppl 1, 40-50	4.6	9
91	The Potential Impact of Preventive HIV Vaccines in China: Results and Benefits of a Multi-Province Modeling Collaboration. <i>Vaccines</i> , 2015 , 3, 1-19	5.3	2
90	Drug Use and HIV Infection Status of Detainees in Re-Education through Labour Camps in Guangxi Province, China. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 4502-19	4.6	8
89	Effects of a Quasi-Randomized Web-Based Intervention on Risk Behaviors and Treatment Seeking Among HIV-Positive Men Who Have Sex With Men in Chengdu, China. <i>Current HIV Research</i> , 2015 , 13, 490-6	1.3	10
88	Bridging the epidemic: a comprehensive analysis of prevalence and correlates of HIV, hepatitis C, and syphilis, and infection among female sex workers in Guangxi Province, China. <i>PLoS ONE</i> , 2015 , 10, e0115311	3.7	27
87	Addressing HIV stigma in protected medical settings. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015 , 27, 1439-42	2.2	16
86	Who uses methadone services in China? Monitoring the world's largest methadone programme. <i>Addiction</i> , 2015 , 110 Suppl 1, 29-39	4.6	24
85	Simplified HIV Testing and Treatment in China: Analysis of Mortality Rates Before and After a Structural Intervention. <i>PLoS Medicine</i> , 2015 , 12, e1001874	11.6	44
84	High prevalence of HIV and syphilis and associated factors among low-fee female sex workers in mainland China: a cross-sectional study. <i>BMC Infectious Diseases</i> , 2014 , 14, 225	4	25
83	Continued drug use during methadone treatment in China: a retrospective analysis of 19,026 service users. <i>Journal of Substance Abuse Treatment</i> , 2014 , 47, 86-92	4.2	24
82	Challenges and potential barriers to the uptake of antiretroviral-based prevention in Asia and the Pacific region. <i>Sexual Health</i> , 2014 , 11, 126-36	2	12

81	HIV prevalence and high-risk sexual behaviours among MSM repeat and first-time testers in China: implications for HIV prevention. <i>Journal of the International AIDS Society</i> , 2014 , 17, 18848	5.4	28
80	HIV, hepatitis B virus, and hepatitis C virus co-infection in patients in the China National Free Antiretroviral Treatment Program, 2010-12: a retrospective observational cohort study. <i>Lancet Infectious Diseases, The</i> , 2014 , 14, 1065-1072	25.5	81
79	Retention and its predictors among methadone maintenance treatment clients in China: a six-year cohort study. <i>Drug and Alcohol Dependence</i> , 2014 , 145, 87-93	4.9	29
78	Sexual dysfunction improved in heroin-dependent men after methadone maintenance treatment in Tianjin, China. <i>PLoS ONE</i> , 2014 , 9, e88289	3.7	22
77	Baseline CD4 cell counts of newly diagnosed HIV cases in China: 2006-2012. PLoS ONE, 2014 , 9, e96098	3.7	29
76	HIV incidence and risk factors in Chinese young men who have sex with mena prospective cohort study. <i>PLoS ONE</i> , 2014 , 9, e97527	3.7	27
75	Addressing injecting drug use in Asia and Eastern Europe. Current HIV/AIDS Reports, 2013, 10, 187-93	5.9	11
74	HIV prevalence in China: integration of surveillance data and a systematic review. <i>Lancet Infectious Diseases, The</i> , 2013 , 13, 955-63	25.5	204
73	Referring heroin users from compulsory detoxification centers to community methadone maintenance treatment: a comparison of three models. <i>BMC Public Health</i> , 2013 , 13, 747	4.1	8
7 2	Time to first treatment interruption in the Chinese methadone maintenance treatment programme. <i>Drug and Alcohol Dependence</i> , 2013 , 133, 427-32	4.9	11
71	An intervention targeting service providers and clients for methadone maintenance treatment in China: a cluster-randomized trial. <i>Addiction</i> , 2013 , 108, 356-66	4.6	22
70	Methadone maintenance treatment and mortality in HIV-positive people who inject opioids in China. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 93-101	8.2	24
69	Human resource development and capacity-building during ChinaS rapid scale-up of methadone maintenance treatment services. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 130-5	8.2	17
68	Arguments in favour of compulsory treatment of opioid dependence. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 142-5	8.2	28
67	HIV and syphilis prevalence among men who have sex with men: a cross-sectional survey of 61 cities in China. <i>Clinical Infectious Diseases</i> , 2013 , 57, 298-309	11.6	178
66	Factors associated with mortality of HIV-positive clients receiving methadone maintenance treatment in China. <i>Journal of Infectious Diseases</i> , 2013 , 208, 442-53	7	15
65	Reducing HIV-related stigma in health care settings: a randomized controlled trial in China. <i>American Journal of Public Health</i> , 2013 , 103, 286-92	5.1	68
64	Risks and predictors of current suicidality in HIV-infected heroin users in treatment in Yunnan, China: a controlled study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 62, 311-6	3.1	20

(2010-2013)

63	Antiretroviral therapy reduces HIV transmission in discordant couples in rural Yunnan, China. <i>PLoS ONE</i> , 2013 , 8, e77981	3.7	39	
62	Mortality among methadone maintenance clients in China: a six-year cohort study. <i>PLoS ONE</i> , 2013 , 8, e82476	3.7	18	
61	Internet-facilitated, voluntary counseling and testing (VCT) clinic-based HIV testing among men who have sex with men in China. <i>PLoS ONE</i> , 2013 , 8, e51919	3.7	47	
60	Reducing STD/HIV stigmatizing attitudes through community popular opinion leaders in Chinese markets. <i>Human Communication Research</i> , 2012 , 38, 379-405	3.5	12	
59	A survey of condom use behaviors and HIV/STI prevalence among venue-based money boys in Shenzhen, China. <i>AIDS and Behavior</i> , 2012 , 16, 835-46	4.3	22	
58	Condom use with various types of sex partners by money boys in China. <i>AIDS Education and Prevention</i> , 2012 , 24, 163-78	2	7	
57	Optimizing the engagement of care cascade: a critical step to maximize the impact of HIV treatment as prevention. <i>Current Opinion in HIV and AIDS</i> , 2012 , 7, 579-86	4.2	81	
56	Empathy and avoidance in treating patients living with HIV/AIDS (PLWHA) among service providers in China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012 , 24, 1341-8	2.2	23	
55	Provider-Client Interaction in Methadone Treatment Clinics in China. <i>Journal of Drug Issues</i> , 2012 , 42,	1.4	14	
54	Unprotected sex among HIV-positive treatment-seeking opioid-dependent adults in China: a cross-sectional study. <i>Sexually Transmitted Diseases</i> , 2012 , 39, 930-7	2.4	5	
53	HIV-related high-risk behaviors among Chinese migrant construction laborers in Nantong, Jiangsu. <i>PLoS ONE</i> , 2012 , 7, e31986	3.7	22	
52	Needle and syringe programs in Yunnan, China yield health and financial return. <i>BMC Public Health</i> , 2011 , 11, 250	4.1	25	
51	Normative beliefs and sexual risk in China. AIDS and Behavior, 2011, 15, 1251-8	4.3	7	
50	Opiate usersSperceived barriers against attending methadone maintenance therapy: a qualitative study in China. <i>Substance Use and Misuse</i> , 2011 , 46, 1190-8	2.2	39	
49	Reductions in sexually transmitted infections associated with popular opinion leaders in China in a randomised controlled trial. <i>Sexually Transmitted Infections</i> , 2011 , 87, 337-43	2.8	15	
48	The integration of multiple HIV/AIDS projects into a coordinated national programme in China. <i>Bulletin of the World Health Organization</i> , 2011 , 89, 227-33	8.2	26	
47	Attitudinal, behavioral, and biological outcomes of a community popular opinion leader intervention in China. <i>AIDS Education and Prevention</i> , 2011 , 23, 448-56	2	6	
46	Estimating the number of people living with HIV/AIDS in China: 2003-09. <i>International Journal of Epidemiology</i> , 2010 , 39 Suppl 2, ii21-8	7.8	61	

45	Scaling up the national methadone maintenance treatment program in China: achievements and challenges. <i>International Journal of Epidemiology</i> , 2010 , 39 Suppl 2, ii29-37	7.8	119
44	Quality of life of children living in HIV/AIDS-affected families in rural areas in Yunnan, China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010 , 22, 390-6	2.2	32
43	Scaling up prevention programmes to reduce the sexual transmission of HIV in China. <i>International Journal of Epidemiology</i> , 2010 , 39 Suppl 2, ii38-46	7.8	50
42	Development of a unified web-based national HIV/AIDS information system in China. <i>International Journal of Epidemiology</i> , 2010 , 39 Suppl 2, ii79-89	7.8	67
41	Evolution of information-driven HIV/AIDS policies in China. <i>International Journal of Epidemiology</i> , 2010 , 39 Suppl 2, ii4-13	7.8	58
40	HIV prevention intervention to reduce HIV-related stigma: evidence from China. <i>Aids</i> , 2010 , 24, 115-22	3.5	45
39	HIV among plasma donors and other high-risk groups in Henan, China. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 53 Suppl 1, S41-7	3.1	30
38	Evolution of men who have sex with men community and experienced stigma among men who have sex with men in Chengdu, China. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 53 Suppl 1, S98-103	3.1	105
37	Quantitatively monitoring AIDS policy implementation in China. <i>International Journal of Epidemiology</i> , 2010 , 39 Suppl 2, ii90-6	7.8	13
36	Syphilis and social upheaval in China. <i>New England Journal of Medicine</i> , 2010 , 363, 1088; author reply 1089	59.2	8
36 35		59.2 4.2	8
	reply 1089 Structural-level factors affecting implementation of the methadone maintenance therapy program		
35	Structural-level factors affecting implementation of the methadone maintenance therapy program in China. <i>Journal of Substance Abuse Treatment</i> , 2010 , 38, 119-27 The HIV epidemic in Yunnan Province, China, 1989-2007. <i>Journal of Acquired Immune Deficiency</i>	4.2	40
35 34	Structural-level factors affecting implementation of the methadone maintenance therapy program in China. <i>Journal of Substance Abuse Treatment</i> , 2010 , 38, 119-27 The HIV epidemic in Yunnan Province, China, 1989-2007. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 53 Suppl 1, S34-40 Prevalence of HIV and STIs and associated risk factors among female sex workers in Guangdong	4.2 3.1 3.1	40
35 34 33	Structural-level factors affecting implementation of the methadone maintenance therapy program in China. <i>Journal of Substance Abuse Treatment</i> , 2010 , 38, 119-27 The HIV epidemic in Yunnan Province, China, 1989-2007. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 53 Suppl 1, S34-40 Prevalence of HIV and STIs and associated risk factors among female sex workers in Guangdong Province, China. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 53 Suppl 1, S48-53 HIV/STD prevalence among men who have sex with men in Chengdu, China and associated risk	4.2 3.1 3.1	40 86 42
35 34 33 32	Structural-level factors affecting implementation of the methadone maintenance therapy program in China. <i>Journal of Substance Abuse Treatment</i> , 2010 , 38, 119-27 The HIV epidemic in Yunnan Province, China, 1989-2007. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2010 , 53 Suppl 1, S34-40 Prevalence of HIV and STIs and associated risk factors among female sex workers in Guangdong Province, China. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2010 , 53 Suppl 1, S48-53 HIV/STD prevalence among men who have sex with men in Chengdu, China and associated risk factors for HIV infection. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2010 , 53 Suppl 1, S74 Challenges in providing services in methadone maintenance therapy clinics in China: service	4.2 3.1 3.1	40 86 42 103
35 34 33 32 31	Structural-level factors affecting implementation of the methadone maintenance therapy program in China. <i>Journal of Substance Abuse Treatment</i> , 2010 , 38, 119-27 The HIV epidemic in Yunnan Province, China, 1989-2007. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 53 Suppl 1, S34-40 Prevalence of HIV and STIs and associated risk factors among female sex workers in Guangdong Province, China. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 53 Suppl 1, S48-53 HIV/STD prevalence among men who have sex with men in Chengdu, China and associated risk factors for HIV infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 53 Suppl 1, S74 Challenges in providing services in methadone maintenance therapy clinics in China: service providersSperceptions. <i>International Journal of Drug Policy</i> , 2010 , 21, 173-8 Self-reported sexually transmitted disease symptoms and treatment-seeking behaviors in China.	3.1 3.1 4-80 5.5	40 86 42 103

(2006-2009)

27	Correlates of methadone client retention: a prospective cohort study in Guizhou province, China. <i>International Journal of Drug Policy</i> , 2009 , 20, 304-8	5.5	36
26	Visiting entertainment venues and sexual health in China. <i>Archives of Sexual Behavior</i> , 2009 , 38, 814-20	3.5	18
25	Psychosocial Well-being of Children in HIV/AIDS-Affected Families in Southwest China: A Qualitative Study. <i>Journal of Child and Family Studies</i> , 2009 , 18, 21-30	2.3	18
24	Mass media and HIV/AIDS in China. <i>Journal of Health Communication</i> , 2009 , 14, 424-38	2.5	43
23	Social evilsSand harm reduction: the evolving policy environment for human immunodeficiency virus prevention among injection drug users in China and Vietnam. <i>Addiction</i> , 2008 , 103, 137-45	4.6	72
22	Institutional support for HIV/AIDS care in China: a multilevel analysis. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2008 , 20, 1190-6	2.2	20
21	A brief HIV stigma reduction intervention for service providers in China. <i>AIDS Patient Care and STDs</i> , 2008 , 22, 513-20	5.8	76
20	Diffusion of positive AIDS care messages among service providers in China. <i>AIDS Education and Prevention</i> , 2007 , 19, 511-8	2	13
19	Rapid scale up of harm reduction in China. International Journal of Drug Policy, 2007, 18, 118-28	5.5	150
18	Using case vignettes to measure HIV-related stigma among health professionals in China. <i>International Journal of Epidemiology</i> , 2007 , 36, 178-84	7.8	56
17	Selecting at-risk populations for sexually transmitted disease/HIV intervention studies. <i>Aids</i> , 2007 , 21 Suppl 8, S81-7	3.5	14
16	Sexually transmitted diseases and risk behaviors among market vendors in China. <i>Sexually Transmitted Diseases</i> , 2007 , 34, 1030-4	2.4	11
15	Effectiveness of first eight methadone maintenance treatment clinics in China. <i>Aids</i> , 2007 , 21 Suppl 8, S103-7	3.5	129
14	Evaluation of a needle social marketing strategy to control HIV among injecting drug users in China. <i>Aids</i> , 2007 , 21 Suppl 8, S115-22	3.5	50
13	Evolution of China's response to HIV/AIDS. Lancet, The, 2007, 369, 679-90	40	366
12	Correlates of HIV infection among former blood/plasma donors in rural China. <i>Aids</i> , 2006 , 20, 585-91	3.5	41
11	Public health. HIV testing in China. <i>Science</i> , 2006 , 312, 1475-6	33.3	126
10	HIV/STD stigmatization fears as health-seeking barriers in China. <i>AIDS and Behavior</i> , 2006 , 10, 463-71	4.3	101

9	HIV-related stigma among market workers in China. Health Psychology, 2005, 24, 435-8	5	39
8	The HIV/AIDS epidemic in China: history, current strategies and future challenges. <i>AIDS Education and Prevention</i> , 2004 , 16, 7-17	2	130
7	Sexually transmitted disease prevalence and characteristics of market vendors in eastern China. <i>Sexually Transmitted Diseases</i> , 2003 , 30, 803-8	2.4	49
6	A rapid assessment and its implications for a needle social marketing intervention among injecting drug users in China. <i>International Journal of Drug Policy</i> , 2002 , 13, 57-68	5.5	18
5	Diffusion of HIV/AIDS knowledge, positive attitudes, and behaviors through training of health professionals in China. <i>AIDS Education and Prevention</i> , 2002 , 14, 379-90	2	49
4	Risk factors for intravenous drug use and sharing equipment among young male drug users in Longchuan County, south-west China. <i>Aids</i> , 1996 , 10, 1017-24	3.5	31
3	Risk factors for initiation of drug use among young males in southwest China. <i>Addiction</i> , 1996 , 91, 1675	-8456	9
2	Risk factors for initiation of drug use among young males in southwest China. <i>Addiction</i> , 1996 , 91, 1675	-146885	18
1	HIV-1 infection in commercial plasma donors in China. <i>Lancet, The</i> , 1995 , 346, 61-2	40	122