Young Eun Kwon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2798907/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----------|---------------|
| 1 | An Increase in Mean Platelet Volume from Baseline Is Associated with Mortality in Patients with Severe Sepsis or Septic Shock. PLoS ONE, 2015, 10, e0119437. | 2.5 | 101 |
| 2 | lrisin, a novel myokine is an independent predictor for sarcopenia and carotid atherosclerosis in dialysis patients. Atherosclerosis, 2015, 242, 476-482. | 0.8 | 75 |
| 3 | Trends in epidemiologic characteristics of end-stage renal disease from 2019 Korean Renal Data System (KORDS). Kidney Research and Clinical Practice, 2021, 40, 52-61. | 2.2 | 68 |
| 4 | Using the Oxford classification of IgA nephropathy to predict long-term outcomes of Henoch–Schönlein purpura nephritis in adults. Modern Pathology, 2014, 27, 972-982. | 5.5 | 59 |
| 5 | Change of Nutritional Status Assessed Using Subjective Global Assessment Is Associated With All-Cause Mortality in Incident Dialysis Patients. Medicine (United States), 2016, 95, e2714. | 1.0 | 35 |
| 6 | Glomerular IgG deposition predicts renal outcome in patients with IgA nephropathy. Modern Pathology, 2016, 29, 743-752. | 5.5 | 31 |
| 7 | Comparison of the Haas and the Oxford classifications for prediction of renal outcome in patients with IgA nephropathy. Human Pathology, 2014, 45, 236-243. | 2.0 | 30 |
| 8 | Vitamin D Deficiency Is an Independent Risk Factor for Urinary Tract Infections After Renal Transplants. Medicine (United States), 2015, 94, e594. | 1.0 | 28 |
| 9 | Optimal Proteinuria Target for Renoprotection in Patients with IgA Nephropathy. PLoS ONE, 2014, 9, e101935. | 2.5 | 21 |
| 10 | Fracture risk in chronic kidney disease: A Korean population-based cohort study. Kidney Research and Clinical Practice, 2019, 38, 220-228. | 2.2 | 20 |
| 11 | Normal body mass index with central obesity has increased risk of coronary artery calcification in Korean patients with chronic kidney disease. Kidney International, 2016, 90, 1368-1376. | 5.2 | 16 |
| 12 | Prevalence and Clinical Characteristics of Asymptomatic Pyuria in Chronic Kidney Disease. Annals of Laboratory Medicine, 2020, 40, 238-244. | 2.5 | 13 |
| 13 | The effect of renin–angiotensin system blockade on renal protection in chronic kidney disease patients with hyperkalemia. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2014, 15, 491-497. | 1.7 | 12 |
| 14 | Association between Vitamin D Deficiency and Anemia in Patients with End-Stage Renal Disease: A Cross-Sectional Study. Yonsei Medical Journal, 2016, 57, 1159. | 2.2 | 10 |
| 15 | Clinical outcomes among hemodialysis patients with atrial fibrillation: a Korean nationwide population-based study. Kidney Research and Clinical Practice, 2021, 40, 99-108. | 2.2 | 6 |
| 16 | Severe asymptomatic hypokalemia associated with prolonged licorice ingestion. Medicine (United) Tj ETQq0 0 0 | rgBT/Over | rlock 10 Tf 5 |

| 17 | Fatty liver associated with metabolic derangement in patients with chronic kidney disease: A controlled attenuation parameter study. Kidney Research and Clinical Practice, 2017, 36, 48-57. | 2.2 | 5 |
|----|--|-----|---|
| 18 | Comparison of dietary intake patterns in hemodialysis patients by nutritional status: A cross-sectional analysis. Kidney Research and Clinical Practice, 2020, 39, 202-212. | 2.2 | 5 |

Young Eun Kwon

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Low Dentin Matrix Protein 1 Is Associated With Incident Cardiovascular Events in Peritoneal Dialysis Patients. Journal of Bone and Mineral Research, 2016, 31, 2149-2158. | 2.8 | 4 |
| 20 | Cystatin C is Better than Serum Creatinine for Estimating Glomerular Filtration Rate to Detect Osteopenia in Chronic Kidney Disease Patients. Yonsei Medical Journal, 2017, 58, 380. | 2.2 | 4 |
| 21 | Relationship Between Arteriovenous Fistula Stenosis and Circulating Levels of Neutrophil Granule Proteins in Chronic Hemodialysis Patients. Annals of Vascular Surgery, 2021, , . | 0.9 | 3 |
| 22 | Minimal Change Disease in Systemic Lupus: Another Renal Manifestation of Lupus?. The Ewha Medical Journal, 2013, 36, 139. | 0.2 | 1 |
| 23 | Nurse Caseload and Patient Survival in Hemodialysis Units: A Korean Nationwide Cohort Study. American Journal of Nephrology, 2022, 53, 407-415. | 3.1 | 1 |
| 24 | Clinical Remission of Renal Amyloidosis after Autologous Peripheral Blood Stem Cell Transplantation. The Ewha Medical Journal, 2013, 36, S25. | 0.2 | 0 |
| 25 | SP215LOW PRE-OPERATIVE SERUM BICARBONATE LEVELS PREDICT ACUTE KIDNEY INJURY AFTER CARDIAC SURGERY. Nephrology Dialysis Transplantation, 2016, 31, i158-i158. | 0.7 | Ο |
| 26 | MP288ASSOCIATION OF CENTRAL BLOOD PRESSURE WITH MARKERS FOR TARGET ORGAN DAMAGE IN CHRONIC KIDNEY DISEASE PATIENTS: COMPARISON BETWEEN CENTRAL AND PERIPHERAL BLOOD PRESSURE. Nephrology Dialysis Transplantation, 2016, 31, i434-i435. | 0.7 | 0 |
| 27 | Characteristics of bioimpedance-determined fluid shifts according to intradialytic blood pressure difference. Renal Failure, 2021, 43, 1446-1453. | 2.1 | 0 |