

Eva Ejlersen Whrens

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2799965/eva-ejlersen-waehrens-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50
papers

631
citations

14
h-index

23
g-index

52
ext. papers

736
ext. citations

3
avg, IF

4.05
L-index

#	Paper	IF	Citations
50	Fostering Change Through Occupation-Based Intervention: An International Joint Group Concept Mapping Study. <i>OTJR Occupation, Participation and Health</i> , 2022 , 42, 10-21	1.3	1
49	Evaluating a complex intervention addressing ability to perform activities of daily living among persons with chronic conditions: study protocol for a randomised controlled trial (ABLE). <i>BMJ Open</i> , 2021 , 11, e051722	3	
48	Measuring self-reported ability to perform activities of daily living: a Rasch analysis. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 243	3	1
47	Self-reported quality of activities of daily living task performance in four diagnostic groups with chronic conditions. <i>International Journal of Therapy and Rehabilitation</i> , 2021 , 28, 1-10	0.4	3
46	Occupational therapy addressing the ability to perform activities of daily living among persons living with chronic conditions: a randomised controlled pilot study of ABLE 2.0. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 122	1.9	1
45	Danish translation, cultural adaptation and initial validation of the Self-Assessment of modes questionnaire (D-SAMQ). <i>Scandinavian Journal of Occupational Therapy</i> , 2021 , 28, 285-293	2.1	2
44	Liraglutide after diet-induced weight loss for pain and weight control in knee osteoarthritis: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 314-323	7	9
43	Participation and engagement in family activities among girls and young women with Rett syndrome living at home with their parents - a cross-sectional study. <i>Disability and Rehabilitation</i> , 2021 , 1-11	2.4	
42	Feasibility of ABLE 1.0-a program aiming at enhancing the ability to perform activities of daily living in persons with chronic conditions. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 52	1.9	3
41	Danish translation, adaptation and initial validation of the clinical assessment of modes questionnaires. <i>Scandinavian Journal of Occupational Therapy</i> , 2021 , 1-15	2.1	1
40	Prognostic factors for work disability in patients with chronic widespread pain and fibromyalgia: protocol for a cohort study.. <i>BMJ Open</i> , 2021 , 11, e052919	3	
39	Identifying values and preferences around the choice of analgesia for patients with acute trauma pain in emergency and prehospital settings: using group concept mapping methodology. <i>BMJ Open</i> , 2020 , 10, e031863	3	
38	Everyday activities when living at home with advanced cancer: A cross-sectional study. <i>European Journal of Cancer Care</i> , 2020 , 29, e13258	2.4	7
37	What is spiritual care? Professional perspectives on the concept of spiritual care identified through group concept mapping. <i>BMJ Open</i> , 2020 , 10, e042142	3	16
36	Lessons learned about occupation-focused and occupation-based interventions: A synthesis using group concept mapping methodology. <i>Scandinavian Journal of Occupational Therapy</i> , 2020 , 27, 481-492	2.1	5
35	The Association between ADL Ability and Quality of Life among People with Advanced Cancer. <i>Occupational Therapy International</i> , 2019 , 2019, 2629673	1.4	13
34	The benefit of adding a physiotherapy or occupational therapy intervention programme to a standardized group-based interdisciplinary rehabilitation programme for patients with chronic widespread pain: a randomized active-controlled non-blinded trial. <i>Clinical Rehabilitation</i> , 2019 , 33, 1367-1381	3.3	2

33	Effect of liraglutide on body weight and pain in patients with overweight and knee osteoarthritis: protocol for a randomised, double-blind, placebo-controlled, parallel-group, single-centre trial. <i>BMJ Open</i> , 2019 , 9, e024065	3	3
32	The association between having assistive devices and activities of daily living ability and health-related quality of life: An exploratory cross-sectional study among people with advanced cancer. <i>European Journal of Cancer Care</i> , 2019 , 28, e13002	2.4	2
31	Hand exercise for women with rheumatoid arthritis and decreased hand function: an exploratory randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2019 , 21, 158	5.7	10
30	Identifying, organizing and prioritizing ideas on how to enhance ADL ability. <i>Scandinavian Journal of Occupational Therapy</i> , 2019 , 26, 382-393	2.1	8
29	Protocol for evaluating and implementing a pragmatic value-based healthcare management model for patients with inflammatory arthritis: a Danish population-based regional cohort and qualitative implementation study. <i>BMJ Open</i> , 2018 , 8, e023915	3	6
28	Evaluation of an intervention programme addressing ability to perform activities of daily living among persons with chronic conditions: study protocol for a feasibility trial (ABLE). <i>BMJ Open</i> , 2018 , 8, e020812	3	4
27	Influences of patient informed cognitive complaints on activities of daily living in patients with bipolar disorder. An exploratory cross-sectional study. <i>Psychiatry Research</i> , 2017 , 249, 268-274	9.9	11
26	Improving activities of daily living ability in women with fibromyalgia: An exploratory, quasi-randomized, phase-two study, IMPROvE trial. <i>Journal of Rehabilitation Medicine</i> , 2017 , 49, 241-250 ³⁻⁴	3.4	7
25	Psychometric properties of the painDETECT questionnaire in rheumatoid arthritis, psoriatic arthritis and spondyloarthritis: Rasch analysis and test-retest reliability. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 110	3	18
24	Managing occupations in everyday life for people with advanced cancer living at home. <i>Scandinavian Journal of Occupational Therapy</i> , 2017 , 24, 57-64	2.1	28
23	Reliability of Pain Measurements Using Computerized Cuff Algometry: A DoloCuff Reliability and Agreement Study. <i>Pain Practice</i> , 2017 , 17, 708-717	3	8
22	Weight loss for overweight and obese individuals with gout: a systematic review of longitudinal studies. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1870-1882	2.4	67
21	Ineffective ADL skills in women with fibromyalgia: a cross-sectional study. <i>Scandinavian Journal of Occupational Therapy</i> , 2016 , 23, 391-7	2.1	6
20	How widespread should pain be to be defined as widespread?. <i>Pain</i> , 2016 , 157, 1831-1832	8	4
19	Predictors of improvement in observed functional ability in patients with fibromyalgia as an outcome of rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 65-71	3.4	4
18	The validity of self-rating depression scales in patients with chronic widespread pain: a Rasch analysis of the Major Depression Inventory. <i>Scandinavian Journal of Rheumatology</i> , 2016 , 45, 236-46	1.9	10
17	Hand-related physical function in rheumatic hand conditions: a protocol for developing a patient-reported outcome measurement instrument. <i>BMJ Open</i> , 2016 , 6, e011174	3	2
16	Dynamic weight-bearing assessment of pain in knee osteoarthritis: construct validity, responsiveness, and interpretability in a research setting. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 91	3	1

15	The concept of physical limitations in knee osteoarthritis: as viewed by patients and health professionals. <i>Quality of Life Research</i> , 2015 , 24, 2423-32	3.7	6
14	Dynamic weight-bearing assessment of pain in knee osteoarthritis: a reliability and agreement study. <i>Quality of Life Research</i> , 2015 , 24, 2985-92	3.7	3
13	Reablement in a community setting. <i>Disability and Rehabilitation</i> , 2015 , 37, 1347-52	2.4	34
12	Agreement between touch-screen and paper-based patient-reported outcomes for patients with fibromyalgia: a randomized cross-over reproducibility study. <i>Scandinavian Journal of Rheumatology</i> , 2015 , 44, 503-10	1.9	9
11	Performance of activities of daily living among hospitalized cancer patients. <i>Scandinavian Journal of Occupational Therapy</i> , 2015 , 22, 137-46	2.1	30
10	Occupational therapy evaluation: use of self-report and/or observation?. <i>Scandinavian Journal of Occupational Therapy</i> , 2015 , 22, 13-23	2.1	27
9	Factors influencing observed and self-reported functional ability in women with chronic widespread pain: a cross-sectional study. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 1014-21	3.4	11
8	The Relationship between Mechanical Hyperalgesia Assessed by Manual Tender Point Examination and Disease Severity in Patients with Chronic Widespread Pain: A Cross-Sectional Study. <i>International Journal of Rheumatology</i> , 2014 , 2014, 417596	2	8
7	Self-reported quality of ADL task performance among patients with COPD exacerbations. <i>Scandinavian Journal of Occupational Therapy</i> , 2014 , 21, 313-20	2.1	32
6	Differences between questionnaire- and interview-based measures of activities of daily living (ADL) ability and their association with observed ADL ability in women with rheumatoid arthritis, knee osteoarthritis, and fibromyalgia. <i>Scandinavian Journal of Rheumatology</i> , 2012 , 41, 95-102	1.9	50
5	Observation-based assessment of functional ability in patients with chronic widespread pain: a cross-sectional study. <i>Pain</i> , 2011 , 152, 2470-2476	8	43
4	Test-retest of computerized health status questionnaires frequently used in the monitoring of knee osteoarthritis: a randomized crossover trial. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 190	2.8	48
3	Performance-based assessment of activities of daily living (ADL) ability among women with chronic widespread pain. <i>Pain</i> , 2010 , 150, 535-541	8	27
2	Developing linear ADL ability measures based on the ADL Taxonomy: a Rasch analysis. <i>Scandinavian Journal of Occupational Therapy</i> , 2009 , 16, 159-71	2.1	18
1	Improving quality of ADL performance after rehabilitation among people with acquired brain injury. <i>Scandinavian Journal of Occupational Therapy</i> , 2007 , 14, 250-7	2.1	22