

Shih-Han Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2800895/publications.pdf>

Version: 2024-02-01

21
papers

413
citations

759233

12
h-index

752698

20
g-index

21
all docs

21
docs citations

21
times ranked

683
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Coaching to Increase Water Intake on Kidney Function Decline in Adults With Chronic Kidney Disease. JAMA - Journal of the American Medical Association, 2018, 319, 1870.	7.4	75
2	Hyperfiltration Affects Accuracy of Creatinine eGFR Measurement. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 274-280.	4.5	61
3	Impaired GFR is the most important determinant for FGF-23 increase in chronic kidney disease. Clinical Biochemistry, 2011, 44, 435-437.	1.9	36
4	The chronic kidney disease Water Intake Trial (WIT): results from the pilot randomised controlled trial. BMJ Open, 2013, 3, e003666.	1.9	33
5	Minimum mycophenolic acid levels are associated with donor-specific antibody formation. Pediatric Transplantation, 2016, 20, 34-38.	1.0	29
6	Pediatric reference intervals for immunoglobulin G and its subclasses with Siemens immunonephelometric assays. Clinical Biochemistry, 2010, 43, 694-696.	1.9	23
7	Cystatin C Reduction Ratio Depends on Normalized Blood Liters Processed and Fluid Removal during Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 319-325.	4.5	22
8	Plasma Exchange for Kidney Disease: What Is the Best Evidence?. Advances in Chronic Kidney Disease, 2014, 21, 217-227.	1.4	19
9	What is the inpatient variability of mycophenolic acid trough levels?. Pediatric Transplantation, 2015, 19, 669-674.	1.0	19
10	Estimation of GFR Using 125 I-Trace Protein in Children. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 401-409.	4.5	17
11	Tandem hemodialysis and plasma exchange. Pediatric Nephrology, 2014, 29, 2077-2082.	1.7	14
12	Progress in Pediatric Kidney Transplantation. Therapeutic Drug Monitoring, 2010, 32, 250-252.	2.0	13
13	Residual Renal Function Calculated from Serum Cystatin C Measurements and Knowledge of the Weekly Standard Kt/V Urea. Peritoneal Dialysis International, 2012, 32, 102-104.	2.3	10
14	What Is Single Needle Cannulation Hemodialysis: Is It Adequate?. Blood Purification, 2014, 38, 13-17.	1.8	10
15	The Chronic Kidney Disease Water Intake Trial: Protocol of a Randomized Controlled Trial. Canadian Journal of Kidney Health and Disease, 2017, 4, 205435811772510.	1.1	9
16	Similar MPA Exposure on Modified Release and Regular Tacrolimus. Therapeutic Drug Monitoring, 2014, 36, 353-357.	2.0	7
17	The effect of increased frequency of hemodialysis on serum cystatin C and 125 I-microglobulin concentrations: A secondary analysis of the frequent hemodialysis network (FHN) trial. Hemodialysis International, 2019, 23, 297-305.	0.9	5
18	High prevalence of elevated molybdenum levels in pediatric CKD patients. A cross-sectional and longitudinal study. Clinical Nephrology, 2017, 88, 79-85.	0.7	5

#	ARTICLE	IF	CITATIONS
19	Using individual <scp>DSA</scp> titers to assess for accommodation after late humoral rejection. Pediatric Transplantation, 2014, 18, E109-13.	1.0	2
20	ACE levels may affect cystatin C measurements. Clinical Biochemistry, 2014, 47, 129-131.	1.9	2
21	Eculizumab dosing in infants. Indian Journal of Nephrology, 2018, 28, 73.	0.5	2