

Eun Kyoung Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2801447/publications.pdf>

Version: 2024-02-01

71
papers

1,025
citations

471509

17
h-index

501196

28
g-index

74
all docs

74
docs citations

74
times ranked

2014
citing authors

#	ARTICLE	IF	CITATIONS
1	Mutations in DDX58, which Encodes RIG-I, Cause Atypical Singleton-Merten Syndrome. <i>American Journal of Human Genetics</i> , 2015, 96, 266-274.	6.2	169
2	Differences in apical and non-apical types of hypertrophic cardiomyopathy: a prospective analysis of clinical, echocardiographic, and cardiac magnetic resonance findings and outcome from 350 patients. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 678-686.	1.2	47
3	Aortic diameter predicts acute type A aortic dissection in patients with Marfan syndrome but not in patients without Marfan syndrome. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 147, 1505-1510.	0.8	44
4	Prognostic value of myocardial strain and late gadolinium enhancement on cardiovascular magnetic resonance imaging in patients with idiopathic dilated cardiomyopathy with moderate to severely reduced ejection fraction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 36.	3.3	41
5	A protective role of early collateral blood flow in patients with ST-segment elevation myocardial infarction. <i>American Heart Journal</i> , 2016, 171, 56-63.	2.7	37
6	Assessment of reverse remodeling predicted by myocardial deformation on tissue tracking in patients with severe aortic stenosis: a cardiovascular magnetic resonance imaging study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 80.	3.3	35
7	D-Dimer Levels Predict Myocardial Injury in ST-Segment Elevation Myocardial Infarction: A Cardiac Magnetic Resonance Imaging Study. <i>PLoS ONE</i> , 2016, 11, e0160955.	2.5	31
8	Presence of simple renal cysts is associated with increased risk of aortic dissection: a common manifestation of connective tissue degeneration?. <i>Heart</i> , 2011, 97, 55-59.	2.9	27
9	Noninvasive Evaluation of Coronary Collateral Arterial Flow by Coronary Computed Tomographic Angiography. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 482-490.	2.6	27
10	Prognostic implications of post-percutaneous coronary intervention neutrophil-to-lymphocyte ratio on infarct size and clinical outcomes in patients with acute myocardial infarction. <i>Scientific Reports</i> , 2019, 9, 9646.	3.3	25
11	Diagnosis, Treatment, and Prevention of Cardiovascular Toxicity Related to Anti-Cancer Treatment in Clinical Practice: An Opinion Paper from the Working Group on Cardio-Oncology of the Korean Society of Echocardiography. <i>Journal of Cardiovascular Imaging</i> , 2018, 26, 1.	0.8	24
12	Peripheral Artery Disease in Korean Patients Undergoing Percutaneous Coronary Intervention: Prevalence and Association with Coronary Artery Disease Severity. <i>Journal of Korean Medical Science</i> , 2013, 28, 87.	2.5	23
13	Effect of Anti-Inflammatory Drugs on Clinical Outcomes in Patients With Malignant Pericardial Effusion. <i>Journal of the American College of Cardiology</i> , 2020, 76, 1551-1561.	2.8	23
14	Cardiac Magnetic Resonance Scar Imaging for Sudden Cardiac Death Risk Stratification in Patients with Non-Ischemic Cardiomyopathy. <i>Korean Journal of Radiology</i> , 2015, 16, 683.	3.4	22
15	Effect of ischemic postconditioning on myocardial salvage in patients undergoing primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: cardiac magnetic resonance substudy of the POST randomized trial. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 629-637.	1.5	22
16	Long-term effects of ischemic postconditioning on clinical outcomes: 1-year follow-up of the POST randomized trial. <i>American Heart Journal</i> , 2015, 169, 639-646.	2.7	21
17	The role of 18F-fluorodeoxyglucose-positron emission tomography/computed tomography in the differential diagnosis of pericardial disease. <i>Scientific Reports</i> , 2020, 10, 21524.	3.3	19
18	Diffuse Myocardial Fibrosis and Diastolic Function in Aortic Stenosis. <i>JACC: Cardiovascular Imaging</i> , 2020, 13, 2561-2572.	5.3	19

#	ARTICLE	IF	CITATIONS
19	Assessment of regional aortic stiffness with cardiac magnetic resonance imaging in a healthy Asian population. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 57-64.	1.5	18
20	Cardioprotective Effects of Intracoronary Morphine in ST-Segment Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention: A Prospective, Randomized Trial. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	18
21	Morphine Does Not Affect Myocardial Salvage in ST-Segment Elevation Myocardial Infarction. <i>PLoS ONE</i> , 2017, 12, e0170115.	2.5	18
22	Early Decline in Left Ventricular Ejection Fraction Can Predict Trastuzumab-Related Cardiotoxicity in Patients with Breast Cancer: A Study Using 13 Years of Registry Data. <i>Cancer Research and Treatment</i> , 2019, 51, 727-736.	3.0	18
23	Prevalence and clinical significance of cardiovascular magnetic resonance adenosine stress-induced myocardial perfusion defect in hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 30.	3.3	17
24	The incidence and clinical features of PEGylated filgrastim-induced acute aortitis in patients with breast cancer. <i>Scientific Reports</i> , 2020, 10, 18647.	3.3	16
25	Impact of overweight on myocardial infarct size in patients undergoing primary percutaneous coronary intervention: A magnetic resonance imaging study. <i>Atherosclerosis</i> , 2014, 235, 570-575.	0.8	14
26	Dipeptidyl peptidase-4 inhibition to prevent progression of calcific aortic stenosis. <i>Heart</i> , 2020, 106, 1824-1831.	2.9	14
27	Shock Index as a Predictor of Myocardial Injury in ST-segment Elevation Myocardial Infarction. <i>American Journal of the Medical Sciences</i> , 2016, 352, 574-581.	1.1	13
28	Risk factors for poor prognosis in nosocomial infective endocarditis. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 102-112.	1.7	13
29	Triple rule-out computed tomography for risk stratification of patients with acute chest pain. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, 291-300.	1.3	12
30	Clinical characteristics and long-term outcomes of peripartum takotsubo cardiomyopathy and peripartum cardiomyopathy. <i>ESC Heart Failure</i> , 2020, 7, 3644-3652.	3.1	12
31	Clinical Characteristics of Marfan Syndrome in Korea. <i>Korean Circulation Journal</i> , 2016, 46, 841.	1.9	10
32	Effects of increased left ventricular wall thickness on the myocardium in severe aortic stenosis with normal left ventricular ejection fraction: Two- and three-dimensional multilayer speckle tracking echocardiography. <i>Echocardiography</i> , 2017, 34, 511-522.	0.9	10
33	Valve prosthesis distortion after cardiac compression in a patient who underwent transcatheter aortic valve implantation (TAVI). <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, E165-7.	1.7	9
34	Comparison of long-term clinical outcomes between revascularization versus medical treatment in patients with silent myocardial ischemia. <i>International Journal of Cardiology</i> , 2019, 277, 47-53.	1.7	9
35	Frequency and Clinical Associating Factors of Valvular Heart Disease in Asymptomatic Korean Adults. <i>Scientific Reports</i> , 2019, 9, 16741.	3.3	9
36	Atrial Fibrillation in Hypertrophic Cardiomyopathy: Is the Extent of Septal Hypertrophy Important?. <i>PLoS ONE</i> , 2016, 11, e0156410.	2.5	8

#	ARTICLE	IF	CITATIONS
37	Popcorn-Like Appearance of Papillary Fibroelastoma of the Aortic Valve. <i>Circulation Journal</i> , 2012, 76, 758-760.	1.6	7
38	Brachial-Ankle Pulse Wave Velocity as a Screen for Arterial Stiffness: A Comparison with Cardiac Magnetic Resonance. <i>Yonsei Medical Journal</i> , 2015, 56, 617.	2.2	7
39	Natural Course of Adult Ebstein Anomaly When Treated according to Current Recommendation. <i>Journal of Korean Medical Science</i> , 2016, 31, 1749.	2.5	7
40	Borderline ankle-brachial index is associated with poor short-term clinical outcome after coronary artery intervention. <i>Atherosclerosis</i> , 2016, 249, 186-190.	0.8	7
41	Gender Differences in Clinical Profiles of Stress-Induced Cardiomyopathy. <i>Journal of Cardiovascular Imaging</i> , 2017, 25, 111.	0.8	7
42	Predictive value of exercise stress echocardiography in asymptomatic patients with severe aortic regurgitation and preserved left ventricular systolic function without LV dilatation. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 1241-1247.	1.5	7
43	Impact of Atrial Fibrillation on Survival in Adults with Congenital Heart Disease: a Retrospective Population-based Study. <i>Journal of Korean Medical Science</i> , 2021, 36, e43.	2.5	7
44	The Clinical Course of Tuberculous Pericarditis in Immunocompetent Hosts Based on Serial Echocardiography. <i>Korean Circulation Journal</i> , 2020, 50, 599.	1.9	7
45	Relation of N-Terminal Pro-B-Type Natriuretic Peptide and Left Ventricular Diastolic Function to Exercise Tolerance in Patients With Significant Valvular Heart Disease and Normal Left Ventricular Systolic Function. <i>American Journal of Cardiology</i> , 2017, 119, 1846-1853.	1.6	6
46	Prognostic Implications of Diastolic Dysfunction Change in Patients With Coronary Artery Disease Undergoing Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2019, 83, 1891-1900.	1.6	6
47	Does anticoagulation needed for distally located incidental pulmonary thromboembolism in patients with active cancer?. <i>PLoS ONE</i> , 2019, 14, e0222149.	2.5	6
48	Concordant and Discordant Cardiac Magnetic Resonance Imaging Delayed Hyperenhancement Patterns in Patients with Ischemic and Non-Ischemic Cardiomyopathy. <i>Korean Circulation Journal</i> , 2016, 46, 41.	1.9	5
49	Additive prognostic values of NT-proBNP and exercise stress echocardiography in asymptomatic patients with degenerative mitral regurgitation and preserved left ventricular ejection fraction. <i>International Journal of Cardiology</i> , 2017, 236, 387-392.	1.7	5
50	Differential clinical manifestations and clinical outcome of cancer-related pulmonary embolism. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 360-368.	1.7	5
51	Effects of High-dose Atorvastatin Pretreatment in Patients with ST-segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: A Cardiac Magnetic Resonance Study. <i>Journal of Korean Medical Science</i> , 2015, 30, 435.	2.5	4
52	Is cardiac magnetic resonance necessary for prediction of left ventricular remodeling in patients with reperfused ST-segment elevation myocardial infarction?. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 2003-2012.	1.5	4
53	The clinical impact of sex differences on ischemic postconditioning during primary percutaneous coronary intervention: a POST (the effects of postconditioning on myocardial reperfusion in patients) Tj ETQq1 1 0:Z84314 rgBT /Ove		
54	The Extent of Late Gadolinium Enhancement Can Predict Adverse Cardiac Outcomes in Patients with Non-Ischemic Cardiomyopathy with Reduced Left Ventricular Ejection Fraction: A Prospective Observational Study. <i>Korean Journal of Radiology</i> , 2021, 22, 324.	3.4	4

#	ARTICLE	IF	CITATIONS
55	Comparison of Aortic Dissection in Korean Patients With Versus Without the Marfan Syndrome. <i>American Journal of Cardiology</i> , 2012, 109, 423-427.	1.6	3
56	Acute prosthetic mitral valve dysfunction due to non-traumatic fracture of prosthesis. <i>European Heart Journal</i> , 2019, 40, 494-494.	2.2	3
57	Impact of maze procedure in patients with severe tricuspid regurgitation and persistent atrial fibrillation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2023, 166, 478-488.e5.	0.8	3
58	Effects of Decreased Annular Height and Annular Saddle-Shaped Non-Planarity in Degenerative Severe Mitral Regurgitation with Normal Left Ventricular Ejection Fraction: Real-Time 3D Transesophageal Echocardiography. <i>Journal of Cardiovascular Imaging</i> , 2017, 25, 47.	0.8	2
59	Is the stroke volume during post-ectopic beat associated with ventricular premature complex-related symptoms?. <i>Europace</i> , 2018, 20, f204-f210.	1.7	2
60	Comparison of the Effect of Aliskiren Versus Negative Controls on Aortic Stiffness in Patients With Marfan Syndrome Under Treatment With Atenolol. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 743-749.	0.6	2
61	Lack of association between airflow limitation and recurrence of venous thromboembolism among cancer patients with pulmonary embolism. <i>International Journal of COPD</i> , 2018, Volume 13, 937-943.	2.3	2
62	Determinants of Exercise Capacity in Patients With Hypertrophic Cardiomyopathy. <i>Journal of Korean Medical Science</i> , 2022, 37, e62.	2.5	2
63	Response to Letters Regarding Article, "Ischemic Postconditioning During Primary Percutaneous Coronary Intervention: The Effects of Postconditioning on Myocardial Reperfusion in Patients With ST-Segment Elevation Myocardial Infarction (POST) Randomized Trial". <i>Circulation</i> , 2014, 130, e54-5.	1.6	1
64	Clinical implications of exercise-induced regional wall motion abnormalities in significant aortic regurgitation. <i>Echocardiography</i> , 2020, 37, 1583-1593.	0.9	1
65	The Scope of Clinical Applications of Handheld Echocardiography. <i>Journal of Cardiovascular Imaging</i> , 2022, 29, 35-36.	0.7	1
66	A Primary Neuroendocrine Tumor Mimicking a Thrombus in the Left Atrial Appendage. <i>Journal of the Korean Society of Radiology</i> , 0, 82, .	0.2	1
67	A Case of Complete Heart Block in a Patient with Myasthenia Gravis Associated with Thymoma. <i>Korean Journal of Medicine</i> , 2013, 85, 619.	0.3	1
68	A Retrospective Population-Based Survival Study of Idiopathic Pulmonary Arterial Hypertension in Korea. <i>Journal of Korean Medical Science</i> , 2022, 37, e80.	2.5	1
69	Predictor of atrial fibrillation recurrence in patients who underwent a tricuspid valve operation with modified Cox maze procedure. <i>Echocardiography</i> , 2022, 39, 447-456.	0.9	1
70	A Huge Mediastinal Organizing Hematoma Causing Reversal of Atrial Septal Defect Shunt Flow. <i>Korean Circulation Journal</i> , 2011, 41, 97.	1.9	0
71	Three-Dimensional Printed Model of Partial Anomalous Pulmonary Venous Return with Biatrial Connection. <i>Journal of the Korean Society of Radiology</i> , 2020, 81, 1523.	0.2	0