

# Gisella Terre'Blanche

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/280474/publications.pdf>

Version: 2024-02-01

37  
papers

522  
citations

687363  
13  
h-index

713466  
21  
g-index

38  
all docs

38  
docs citations

38  
times ranked

650  
citing authors

#	ARTICLE	IF	CITATIONS
1	Exploration of chalcones and related heterocycle compounds as ligands of adenosine receptors: therapeutics development. <i>Molecular Diversity</i> , 2022, 26, 1779-1821.	3.9	3
2	New fused pyrroles with rA1/A2A antagonistic activity as potential therapeutics for neurodegenerative disorders. <i>Molecular Diversity</i> , 2022, 26, 2211-2220.	3.9	1
3	Chalconeâ€inspired <i>r</i> A<sub>1</sub>/A<sub>2A</sub> adenosine receptor ligands: Ring closure as an alternative to a reactive substructure. <i>Chemical Biology and Drug Design</i> , 2022, 99, 416-437.	3.2	0
4	Design, synthesis and evaluation of amino-3,5-dicyanopyridines and thieno[2,3-b]pyridines as ligands of adenosine A1 receptors for the potential treatment of epilepsy. <i>Medicinal Chemistry Research</i> , 2022, 31, 1277-1297.	2.4	3
5	C3 amino-substituted chalcone derivative with selective adenosine rA1 receptor affinity in the micromolar range. <i>Chemical Papers</i> , 2021, 75, 1581-1605.	2.2	8
6	Therapeutic potentials of agonist and antagonist of adenosine receptors in type 2 diabetes. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2021, 22, 1073-1090.	5.7	5
7	Synthesis and evaluation of methoxy substituted 2-benzoyl-1-benzofuran derivatives as lead compounds for the development adenosine A1 and/or A2A receptor antagonists. <i>Bioorganic Chemistry</i> , 2020, 94, 103459.	4.1	6
8	Synthesis and Structure Activity Relationships of Chalcone based Benzocycloalkanone Derivatives as Adenosine A1 and/or A2A Receptor Antagonists. <i>Drug Research</i> , 2020, 70, 243-256.	1.7	6
9	C2-substituted quinazolinone derivatives exhibit A1 and/or A2A adenosine receptor affinities in the low micromolar range. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020, 30, 127274.	2.2	9
10	Methoxy substituted 2-benzylidene-1-indanone derivatives as A<sub>1</sub> and/or A<sub>2A</sub> AR antagonists for the potential treatment of neurological conditions. <i>MedChemComm</i> , 2019, 10, 300-309.	3.4	14
11	2â€Benzylideneâ€1â€Indanone Analogues as Dual Adenosine A1/A2a Receptor Antagonists for the Potential Treatment of Neurological Conditions. <i>Drug Research</i> , 2019, 69, 382-391.	1.7	11
12	Benzopyrone represents a privilege scaffold to identify novel adenosine A1/A2A receptor antagonists. <i>Bioorganic Chemistry</i> , 2018, 77, 136-143.	4.1	13
13	Evaluation of 2â€benzylideneâ€1â€tetralone derivatives as antagonists of A<sub>1</sub> and A<sub>2A</sub> adenosine receptors. <i>Chemical Biology and Drug Design</i> , 2018, 91, 234-244.	3.2	18
14	8-(3-phenylpropyl)-1,3,7-triethylxanthine is a synthetic caffeine substitute with stronger metabolic modulator activity. <i>Toxicology in Vitro</i> , 2018, 53, 114-120.	2.4	2
15	Imidazo[1,2-â€]pyridines possess adenosine A1 receptor affinity for the potential treatment of cognition in neurological disorders. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 3963-3967.	2.2	15
16	Benzylxynitrostyrene analogues â€ A novel class of selective and highly potent inhibitors of monoamine oxidase B. <i>European Journal of Medicinal Chemistry</i> , 2017, 125, 1193-1199.	5.5	9
17	Discovery of 1,3-diethyl-7-methyl-8-(phenoxyethyl)-xanthine derivatives as novel adenosine A 1 and A 2A receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 5951-5955.	2.2	11
18	Carbamate substituted 2-amino-4,6-diphenylpyrimidines as adenosine receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 734-738.	2.2	12

#	ARTICLE	IF	CITATIONS
19	The adenosine receptor affinities and monoamine oxidase B inhibitory properties of sulfanylphtalimide analogues. <i>Bioorganic Chemistry</i> , 2015, 59, 117-123.	4.1	16
20	1,3,7-Triethyl-substituted xanthines possess nanomolar affinity for the adenosine A1 receptor. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 6641-6649.	3.0	36
21	2-Aminopyrimidines as dual adenosine A1/A2A antagonists. <i>European Journal of Medicinal Chemistry</i> , 2015, 104, 177-188.	5.5	25
22	The adenosine A2A antagonistic properties of selected C8-substituted xanthines. <i>Bioorganic Chemistry</i> , 2013, 49, 49-58.	4.1	26
23	Paracetamol prevents hyperglycinemia in vervet monkeys treated with valproate. <i>Metabolic Brain Disease</i> , 2012, 27, 327-335.	2.9	4
24	Novel sulfanylphtalimide analogues as highly potent inhibitors of monoamine oxidase B. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 6632-6635.	2.2	6
25	Sulfanylphtalonitrile analogues as selective and potent inhibitors of monoamine oxidase B. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 7367-7370.	2.2	10
26	Thio- and aminocaffeine analogues as inhibitors of human monoamine oxidase. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 7507-7518.	3.0	29
27	The Styrene Metabolite, Phenylglyoxylic Acid, Induces Striatal-Motor Toxicity in the Rat: Influence of Dose Escalation/Reduction over Time. <i>Neurotoxicity Research</i> , 2011, 20, 97-101.	2.7	9
28	Treatment of an adrenomyeloneuropathy patient with Lorenzo's oil and supplementation with docosahexaenoic acid-A case report. <i>Lipids in Health and Disease</i> , 2011, 10, 152.	3.0	11
29	Interactions of 1-methyl-3-phenylpyrrolidine and 3-methyl-1-phenyl-3-azabicyclo[3.1.0]hexane with monoamine oxidase B. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 4111-4118.	3.0	5
30	Inhibition of monoamine oxidase B by N-methyl-2-phenylmaleimides. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 3104-3110.	3.0	18
31	Structure-activity relationships in the inhibition of monoamine oxidase B by 1-methyl-3-phenylpyrroles. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 2463-2472.	3.0	26
32	Deuterium isotope effects for the oxidation of 1-methyl-3-phenyl-3-pyrrolinyl analogues by monoamine oxidase B. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 8813-8817.	3.0	3
33	Investigating the potential neuroprotective effects of statins on DNA damage in mouse striatum. <i>Food and Chemical Toxicology</i> , 2008, 46, 3186-3192.	3.6	9
34	Neurotoxicity studies with the monoamine oxidase B substrate 1-methyl-3-phenyl-3-pyrroline. <i>Life Sciences</i> , 2007, 81, 458-467.	4.3	6
35	Inhibition of monoamine oxidase B by selected benzimidazole and caffeine analogues. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 3692-3702.	3.0	67
36	Screening of novel pentacyclo-undecylamines for neuroprotective activity. <i>European Journal of Pharmacology</i> , 2003, 458, 73-79.	3.5	32

#	ARTICLE	IF	CITATIONS
37	Physicochemical prediction of a brainâ€‘blood distribution profile in polycyclic amines. Bioorganic and Medicinal Chemistry, 2003, 11, 3569-3578.	3.0	38