

# Thierry Walzer

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2805564/thierry-walzer-publications-by-citations.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131  
papers

10,678  
citations

44  
h-index

103  
g-index

144  
ext. papers

12,928  
ext. citations

8.6  
avg, IF

6.02  
L-index

#	Paper	IF	Citations
131	Functions of natural killer cells. <i>Nature Immunology</i> , <b>2008</b> , 9, 503-10	19.1	2374
130	Maturation of mouse NK cells is a 4-stage developmental program. <i>Blood</i> , <b>2009</b> , 113, 5488-96	2.2	500
129	Natural-killer cells and dendritic cells: "l'union fait la force". <i>Blood</i> , <b>2005</b> , 106, 2252-8	2.2	457
128	Novel insights into the relationships between dendritic cell subsets in human and mouse revealed by genome-wide expression profiling. <i>Genome Biology</i> , <b>2008</b> , 9, R17	18.3	402
127	The trafficking of natural killer cells. <i>Immunological Reviews</i> , <b>2007</b> , 220, 169-82	11.3	387
126	Should we stimulate or suppress immune responses in COVID-19? Cytokine and anti-cytokine interventions. <i>Autoimmunity Reviews</i> , <b>2020</b> , 19, 102567	13.6	375
125	T-bet and Eomes instruct the development of two distinct natural killer cell lineages in the liver and in the bone marrow. <i>Journal of Experimental Medicine</i> , <b>2014</b> , 211, 563-77	16.6	368
124	Identification, activation, and selective in vivo ablation of mouse NK cells via NKp46. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 3384-9	11.5	361
123	The metabolic checkpoint kinase mTOR is essential for IL-15 signaling during the development and activation of NK cells. <i>Nature Immunology</i> , <b>2014</b> , 15, 749-757	19.1	344
122	Natural killer cell trafficking in vivo requires a dedicated sphingosine 1-phosphate receptor. <i>Nature Immunology</i> , <b>2007</b> , 8, 1337-44	19.1	301
121	TGF- $\beta$ inhibits the activation and functions of NK cells by repressing the mTOR pathway. <i>Science Signaling</i> , <b>2016</b> , 9, ra19	8.8	297
120	Fate mapping analysis of lymphoid cells expressing the NKp46 cell surface receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 18324-9	11.5	238
119	Cutting edge: Priming of NK cells by IL-18. <i>Journal of Immunology</i> , <b>2008</b> , 181, 1627-31	5.3	229
118	Adipose-Resident Group 1 Innate Lymphoid Cells Promote Obesity-Associated Insulin Resistance. <i>Immunity</i> , <b>2016</b> , 45, 428-41	32.3	172
117	Type I IFN immunoprofiling in COVID-19 patients. <i>Journal of Allergy and Clinical Immunology</i> , <b>2020</b> , 146, 206-208.e2	11.5	168
116	A longitudinal study of SARS-CoV-2-infected patients reveals a high correlation between neutralizing antibodies and COVID-19 severity. <i>Cellular and Molecular Immunology</i> , <b>2021</b> , 18, 318-327	15.4	156
115	Nectin-like protein 2 defines a subset of T-cell zone dendritic cells and is a ligand for class-I-restricted T-cell-associated molecule. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 21955-64	5.4	143

114	Efficacy of the Janus kinase 1/2 inhibitor ruxolitinib in the treatment of vasculopathy associated with TMEM173-activating mutations in 3 children. <i>Journal of Allergy and Clinical Immunology</i> , <b>2016</b> , 138, 1752-1755	11.5	141
113	Involvement of inhibitory NKRs in the survival of a subset of memory-phenotype CD8+ T cells. <i>Nature Immunology</i> , <b>2001</b> , 2, 430-5	19.1	134
112	Regulation of mouse NK cell development and function by cytokines. <i>Frontiers in Immunology</i> , <b>2013</b> , 4, 450	8.4	126
111	Mechanism of measles virus-induced suppression of inflammatory immune responses. <i>Immunity</i> , <b>2001</b> , 14, 69-79	32.3	120
110	Natural killer cells: from CD3(-)NKp46(+) to post-genomics meta-analyses. <i>Current Opinion in Immunology</i> , <b>2007</b> , 19, 365-72	7.8	110
109	Cutting edge: CD8+ T cell priming in the absence of NK cells leads to enhanced memory responses. <i>Journal of Immunology</i> , <b>2011</b> , 186, 3304-8	5.3	106
108	Confinement of activating receptors at the plasma membrane controls natural killer cell tolerance. <i>Science Signaling</i> , <b>2011</b> , 4, ra21	8.8	104
107	Terminal NK cell maturation is controlled by concerted actions of T-bet and Zeb2 and is essential for melanoma rejection. <i>Journal of Experimental Medicine</i> , <b>2015</b> , 212, 2015-25	16.6	102
106	Interactions between human NK cells and macrophages in response to Salmonella infection. <i>Journal of Immunology</i> , <b>2009</b> , 182, 4339-48	5.3	94
105	Sequential desensitization of CXCR4 and S1P5 controls natural killer cell trafficking. <i>Blood</i> , <b>2011</b> , 118, 4863-71	2.2	88
104	T-bet and Eomes govern differentiation and function of mouse and human NK cells and ILC1. <i>European Journal of Immunology</i> , <b>2018</b> , 48, 738-750	6.1	80
103	Natural killer cell-dendritic cell crosstalk in the initiation of immune responses. <i>Expert Opinion on Biological Therapy</i> , <b>2005</b> , 5 Suppl 1, S49-59	5.4	77
102	Unique Eomes(+) NK Cell Subsets Are Present in Uterus and Decidua During Early Pregnancy. <i>Frontiers in Immunology</i> , <b>2015</b> , 6, 646	8.4	77
101	Plexin C1 engagement on mouse dendritic cells by viral semaphorin A39R induces actin cytoskeleton rearrangement and inhibits integrin-mediated adhesion and chemokine-induced migration. <i>Journal of Immunology</i> , <b>2005</b> , 174, 51-9	5.3	74
100	Transforming growth factor- $\beta$ and Notch ligands act as opposing environmental cues in regulating the plasticity of type 3 innate lymphoid cells. <i>Science Signaling</i> , <b>2016</b> , 9, ra46	8.8	68
99	Germ-line and rearranged Tcrd transcription distinguish bona fide NK cells and NK-like gammadelta T cells. <i>European Journal of Immunology</i> , <b>2007</b> , 37, 1442-52	6.1	65
98	Alteration of Natural Killer cell phenotype and function in obese individuals. <i>Clinical Immunology</i> , <b>2017</b> , 177, 12-17	9	64
97	Monocytes control natural killer cell differentiation to effector phenotypes. <i>Blood</i> , <b>2011</b> , 117, 4511-8	2.2	64

96	Mutations in CECR1 associated with a neutrophil signature in peripheral blood. <i>Pediatric Rheumatology</i> , <b>2014</b> , 12, 44	3.5	63
95	PRKDC mutations associated with immunodeficiency, granuloma, and autoimmune regulator-dependent autoimmunity. <i>Journal of Allergy and Clinical Immunology</i> , <b>2015</b> , 135, 1578-88.e5	11.5	52
94	Intrasplenic trafficking of natural killer cells is redirected by chemokines upon inflammation. <i>European Journal of Immunology</i> , <b>2008</b> , 38, 2076-84	6.1	51
93	Missing self triggers NK cell-mediated chronic vascular rejection of solid organ transplants. <i>Nature Communications</i> , <b>2019</b> , 10, 5350	17.4	50
92	microRNA-mediated regulation of mTOR complex components facilitates discrimination between activation and anergy in CD4 T cells. <i>Journal of Experimental Medicine</i> , <b>2014</b> , 211, 2281-95	16.6	49
91	Human natural killer cells promote cross-presentation of tumor cell-derived antigens by dendritic cells. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 1085-94	7.5	48
90	G-protein-coupled receptors in control of natural killer cell migration. <i>Trends in Immunology</i> , <b>2011</b> , 32, 486-92	14.4	47
89	Cutting edge: immediate RANTES secretion by resting memory CD8 T cells following antigenic stimulation. <i>Journal of Immunology</i> , <b>2003</b> , 170, 1615-9	5.3	44
88	Immunogenicity and efficacy of heterologous ChAdOx1-BNT162b2 vaccination. <i>Nature</i> , <b>2021</b> ,	50.4	44
87	Characterization of the Inflammasome in Human Kupffer Cells in Response to Synthetic Agonists and Pathogens. <i>Journal of Immunology</i> , <b>2016</b> , 197, 356-67	5.3	40
86	S1PR5 is pivotal for the homeostasis of patrolling monocytes. <i>European Journal of Immunology</i> , <b>2013</b> , 43, 1667-75	6.1	39
85	Familial Mediterranean fever mutations are hypermorphic mutations that specifically decrease the activation threshold of the Pyrin inflammasome. <i>Rheumatology</i> , <b>2018</b> , 57, 100-111	3.9	38
84	Mouse CD146/MCAM is a marker of natural killer cell maturation. <i>European Journal of Immunology</i> , <b>2008</b> , 38, 2855-64	6.1	38
83	A1/Bfl-1 expression is restricted to TCR engagement in T lymphocytes. <i>Cell Death and Differentiation</i> , <b>2003</b> , 10, 1059-67	12.7	38
82	Poxvirus semaphorin A39R inhibits phagocytosis by dendritic cells and neutrophils. <i>European Journal of Immunology</i> , <b>2005</b> , 35, 391-8	6.1	38
81	High mTOR activity is a hallmark of reactive natural killer cells and amplifies early signaling through activating receptors. <i>ELife</i> , <b>2017</b> , 6,	8.9	38
80	Natural killer cells and T cells induce different types of skin reactions during recall responses to haptens. <i>European Journal of Immunology</i> , <b>2012</b> , 42, 80-8	6.1	36
79	Differential in vivo persistence of two subsets of memory phenotype CD8 T cells defined by CD44 and CD122 expression levels. <i>Journal of Immunology</i> , <b>2002</b> , 168, 2704-11	5.3	35

78	Dendritic cell function in mice lacking Plexin C1. <i>International Immunology</i> , <b>2005</b> , 17, 943-50	4.9	34
77	Early nasal type I IFN immunity against SARS-CoV-2 is compromised in patients with autoantibodies against type I IFNs. <i>Journal of Experimental Medicine</i> , <b>2021</b> , 218,	16.6	33
76	Monitoring NK cell activity in patients with hematological malignancies. <i>OncolImmunology</i> , <b>2013</b> , 2, e26011	11	31
75	Comparison of RT-qPCR and Nanostring in the measurement of blood interferon response for the diagnosis of type I interferonopathies. <i>Cytokine</i> , <b>2019</b> , 113, 446-452	4	31
74	Monogenic lupus: Dissecting heterogeneity. <i>Autoimmunity Reviews</i> , <b>2019</b> , 18, 102361	13.6	30
73	Plasmacytoid dendritic cells control dengue and Chikungunya virus infections via IRF7-regulated interferon responses. <i>ELife</i> , <b>2018</b> , 7,	8.9	30
72	ASC controls IFN- $\beta$ levels in an IL-18-dependent manner in caspase-1-deficient mice infected with <i>Francisella novicida</i> . <i>Journal of Immunology</i> , <b>2013</b> , 191, 3847-57	5.3	29
71	Memory CD44(int) CD8 T cells show increased proliferative responses and IFN-gamma production following antigenic challenge in vitro. <i>International Immunology</i> , <b>1999</b> , 11, 699-706	4.9	29
70	Natural killer cells accumulate in lung-draining lymph nodes and regulate airway eosinophilia in a murine model of asthma. <i>Scandinavian Journal of Immunology</i> , <b>2010</b> , 72, 118-27	3.4	28
69	Polyclonal expansion of TCR Vbeta 21.3 CD4 and CD8 T cells is a hallmark of Multisystem Inflammatory Syndrome in Children. <i>Science Immunology</i> , <b>2021</b> , 6,	28	28
68	Dok1 and Dok2 proteins regulate natural killer cell development and function. <i>EMBO Journal</i> , <b>2014</b> , 33, 1928-40	13	25
67	Protection against experimental autoimmune encephalomyelitis by a proteasome modulator. <i>Journal of Neuroimmunology</i> , <b>2001</b> , 118, 233-44	3.5	25
66	Antibodies against type I interferon: detection and association with severe clinical outcome in COVID-19 patients. <i>Clinical and Translational Immunology</i> , <b>2021</b> , 10, e1327	6.8	25
65	Geoepidemiology and Immunologic Features of Autoinflammatory Diseases: a Comprehensive Review. <i>Clinical Reviews in Allergy and Immunology</i> , <b>2018</b> , 54, 454-479	12.3	24
64	Pyrin dephosphorylation is sufficient to trigger inflammasome activation in familial Mediterranean fever patients. <i>EMBO Molecular Medicine</i> , <b>2019</b> , 11, e10547	12	24
63	S1PR5 is essential for human natural killer cell migration toward sphingosine-1 phosphate. <i>Journal of Allergy and Clinical Immunology</i> , <b>2018</b> , 141, 2265-2268.e1	11.5	23
62	CCR1 inhibition ameliorates the progression of lupus nephritis in NZB/W mice. <i>Journal of Immunology</i> , <b>2014</b> , 192, 886-96	5.3	23
61	In vivo impact of CpG1826 oligodeoxynucleotide on CD8 T cell primary responses and survival. <i>Journal of Immunology</i> , <b>2003</b> , 171, 2995-3002	5.3	23

60	Sphingosine 1-phosphate signaling through its receptor S1P promotes chromosome segregation and mitotic progression. <i>Science Signaling</i> , <b>2017</b> , 10,	8.8	21
59	Negative regulation of NKG2D expression by IL-4 in memory CD8 T cells. <i>Journal of Immunology</i> , <b>2012</b> , 189, 3480-9	5.3	21
58	No defect in T-cell priming, secondary response, or tolerance induction in response to inhaled antigens in Fms-like tyrosine kinase 3 ligand-deficient mice. <i>Journal of Allergy and Clinical Immunology</i> , <b>2005</b> , 115, 192-9	11.5	21
57	Regulation of mTOR, Metabolic Fitness, and Effector Functions by Cytokines in Natural Killer Cells. <i>Cancers</i> , <b>2017</b> , 9,	6.6	18
56	Eomes expression reports the progressive differentiation of IFN- $\gamma$ -producing Th1-like $\gamma\delta$ T cells. <i>European Journal of Immunology</i> , <b>2017</b> , 47, 970-981	6.1	16
55	Contribution of rare and predicted pathogenic gene variants to childhood-onset lupus: a large, genetic panel analysis of British and French cohorts. <i>Lancet Rheumatology, The</i> , <b>2020</b> , 2, e99-e109	14.2	16
54	Maintenance of CCL5 mRNA stores by post-effector and memory CD8 T cells is dependent on transcription and is coupled to increased mRNA stability. <i>European Journal of Immunology</i> , <b>2006</b> , 36, 2745-54	6.1	16
53	The role of Eomes in human CD4 T cell differentiation: A question of context. <i>European Journal of Immunology</i> , <b>2019</b> , 49, 38-41	6.1	15
52	Human Naive and Memory T Cells Display Opposite Migratory Responses to Sphingosine-1 Phosphate. <i>Journal of Immunology</i> , <b>2018</b> , 200, 551-557	5.3	14
51	One-Year Follow-Up of Natural Killer Cell Activity in Multiple Myeloma Patients Treated With Adjuvant Lenalidomide Therapy. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 704	8.4	12
50	Human papillomavirus type 16 antagonizes IRF6 regulation of IL-1 $\beta$ . <i>PLoS Pathogens</i> , <b>2018</b> , 14, e1007158	7.6	12
49	T inflammatory memory CD8 T cells participate to antiviral response and generate secondary memory cells with an advantage in XCL1 production. <i>Immunologic Research</i> , <b>2012</b> , 52, 284-93	4.3	12
48	Hepatitis B Virus Blocks the CRE/CREB Complex and Prevents TLR9 Transcription and Function in Human B Cells. <i>Journal of Immunology</i> , <b>2018</b> , 201, 2331-2344	5.3	12
47	Inherited anomalies of innate immune receptors in pediatric-onset inflammatory diseases. <i>Autoimmunity Reviews</i> , <b>2015</b> , 14, 1147-53	13.6	11
46	Antigen-Induced but Not Innate Memory CD8 T Cells Express NKG2D and Are Recruited to the Lung Parenchyma upon Viral Infection. <i>Journal of Immunology</i> , <b>2018</b> , 200, 3635-3646	5.3	11
45	Large deletion in 6q associated to A20 haploinsufficiency and thoracoabdominal heterotaxy. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 1697-1698	2.4	10
44	Immune signatures of protective spleen memory CD8 T cells. <i>Scientific Reports</i> , <b>2016</b> , 6, 37651	4.9	10
43	Back to the drawing board: Understanding the complexity of hepatic innate lymphoid cells. <i>European Journal of Immunology</i> , <b>2016</b> , 46, 2095-8	6.1	10

42	Cell-autonomous CCL5 transcription by memory CD8 T cells is regulated by IL-4. <i>Journal of Immunology</i> , <b>2006</b> , 177, 4451-7	5.3	9
41	Murine peripheral NK-cell populations originate from site-specific immature NK cells more than from BM-derived NK cells. <i>European Journal of Immunology</i> , <b>2016</b> , 46, 1258-70	6.1	9
40	Characterization at the single-cell level of naive and primed CD8 T cell cytokine responses. <i>Cellular Immunology</i> , <b>2000</b> , 206, 16-25	4.4	8
39	NKp46+ Innate Lymphoid Cells Dampen Vaginal CD8 T Cell Responses following Local Immunization with a Cholera Toxin-Based Vaccine. <i>PLoS ONE</i> , <b>2015</b> , 10, e0143224	3.7	7
38	CD137 in NK cells. <i>Blood</i> , <b>2010</b> , 115, 2987-8	2.2	7
37	Identification of Primary Natural Killer Cell Modulators by Chemical Library Screening with a Luciferase-Based Functional Assay. <i>SLAS Discovery</i> , <b>2019</b> , 24, 25-37	3.4	7
36	Peripheral natural killer cells in chronic hepatitis B patients display multiple molecular features of T cell exhaustion. <i>ELife</i> , <b>2021</b> , 10,	8.9	7
35	A point mutation in the signal peptide impairs the development of innate lymphoid cell subsets. <i>OncolImmunology</i> , <b>2018</b> , 7, e1475875	7.2	7
34	Zeb1 represses TCR signaling, promotes the proliferation of T cell progenitors and is essential for NK1.1 T cell development. <i>Cellular and Molecular Immunology</i> , <b>2021</b> , 18, 2140-2152	15.4	5
33	An immunosuppressive pathway for tumor progression. <i>Nature Medicine</i> , <b>2018</b> , 24, 260-261	50.5	5
32	Hyperproliferative response of a monoclonal memory CD8 T cell population is characterized by an increased frequency of clonogenic precursors. <i>Journal of Immunology</i> , <b>2002</b> , 168, 2147-53	5.3	5
31	Inflammasome Deletion Promotes Anti-tumor NK Cell Function in an IL-1/IL-18 Independent Way in Murine Invasive Breast Cancer. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 1683	5.3	5
30	NKp46-mediated Dicer1 inactivation results in defective NK-cell differentiation and effector functions in mice. <i>European Journal of Immunology</i> , <b>2016</b> , 46, 1902-11	6.1	5
29	Genetic labeling reveals altered turnover and stability of innate lymphocytes in latent mouse cytomegalovirus infection. <i>Journal of Immunology</i> , <b>2011</b> , 186, 2918-25	5.3	4
28	Low glycosylated ferritin is a sensitive biomarker of severe COVID-19. <i>Cellular and Molecular Immunology</i> , <b>2020</b> , 17, 1183-1185	15.4	4
27	Specific detection of memory T-cells in COVID-19 patients using standardized whole-blood Interferon gammarelease assay. <i>European Journal of Immunology</i> , <b>2021</b> ,	6.1	4
26	Sequential actions of EOMES and T-BET promote stepwise maturation of natural killer cells. <i>Nature Communications</i> , <b>2021</b> , 12, 5446	17.4	4
25	Deletion of Inflammasome Components Is Not Sufficient To Prevent Fatal Inflammation in Models of Familial Hemophagocytic Lymphohistiocytosis. <i>Journal of Immunology</i> , <b>2018</b> , 200, 3769-3776	5.3	3



24	A Case of Type 2 Hypersensitivity to Rasburicase Diagnosed with a Natural Killer Cell Activation Assay. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 110	8.4	3
23	Late-onset hemophagocytic lymphohistiocytosis with neurological presentation. <i>Clinical Case Reports (discontinued)</i> , <b>2017</b> , 5, 1743-1749	0.7	3
22	LACC1 deficiency links juvenile arthritis with autophagy and metabolism in macrophages. <i>Journal of Experimental Medicine</i> , <b>2021</b> , 218,	16.6	3
21	Immunogenicity and efficacy of heterologous ChadOx1/BNT162b2 vaccination		3
20	SARS-CoV-2 infected cells trigger an acute antiviral response mediated by Plasmacytoid dendritic cells in mild but not severe COVID-19 patients		3
19	Styk1 expression is a hallmark of murine NK cells and other NK1.1 subsets but is dispensable for NK-cell development and effector functions. <i>European Journal of Immunology</i> , <b>2019</b> , 49, 677-685	6.1	2
18	Chronic IL-15 Stimulation and Impaired mTOR Signaling and Metabolism in Natural Killer Cells During Acute Myeloid Leukemia.. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 730970	8.4	2
17	Author response: High mTOR activity is a hallmark of reactive natural killer cells and amplifies early signaling through activating receptors <b>2017</b> ,		2
16	Author response: Plasmacytoid dendritic cells control dengue and Chikungunya virus infections via IRF7-regulated interferon responses <b>2018</b> ,		2
15	Innate (and Innate-like) Lymphoid Cells: Emerging Immune Subsets With Multiple Roles Along Transplant Life. <i>Transplantation</i> , <b>2021</b> , 105, e322-e336	1.8	2
14	NK-cell education: KIR-S come into play. <i>Blood</i> , <b>2010</b> , 115, 1110-1	2.2	1
13	Antigen-induced but not innate memory CD8 T cells express NKG2D and are recruited to the lung parenchyma upon viral infection		1
12	Cutting Edge: mTORC1 Inhibition in Metastatic Breast Cancer Patients Negatively Affects Peripheral NK Cell Maturation and Number. <i>Journal of Immunology</i> , <b>2021</b> , 206, 2265-2270	5.3	1
11	Styk1 is specifically expressed in NK1.1 lymphocytes including NK, $\Gamma$ , and iNKT cells in mice, but is dispensable for their ontogeny and function. <i>European Journal of Immunology</i> , <b>2019</b> , 49, 686-693	6.1	1
10	Superantigenic TCR Vbeta 21.3 signature in Multisystem Inflammatory Syndrome in Children		1
9	Evaluation of TTV replication as a biomarker of immune checkpoint inhibitors efficacy in melanoma patients. <i>PLoS ONE</i> , <b>2021</b> , 16, e0255972	3.7	1
8	Phénotype et fonctions des lymphocytes T CD8+mémoire. <i>Medecine/Sciences</i> , <b>2001</b> , 17, 1105-1111		0
7	Novel Potent Selective Orally Active S1P5 Receptor Antagonists. <i>ACS Medicinal Chemistry Letters</i> , <b>2021</b> , 12, 351-355	4.3	0



- 6 Effect of acute aerobic exercise before immunotherapy and chemotherapy infusion in patients with metastatic non-small-cell lung cancer: protocol for the ERICA feasibility trial.. *BMJ Open*, **2022**, 12, e056819 <sup>3</sup> 0
- 5 Activation of Natural Killer Cells in Patients with Chronic Bone and Joint Infection due to Staphylococci Expressing or Not the Small Colony Variant Phenotype. *International Journal of Chronic Diseases*, **2014**, 2014, 280653 2.1
- 4 Eomes and T-bet, a dynamic duo regulating NK cell differentiation.. *BioEssays*, **2022**, e2100281 4.1
- 3 Multiparametric Flow Cytometry Evaluation of CD200L/CD200R- LSC/NK Synapse Including Leukemia Stem Cell (LSC) Fraction As a Potential Therapeutic Target and Marker of NK Cell Exhaustion in Pediatric AML-Conect-AML French Collaborative Network. *Blood*, **2021**, 138, 2375-2375 2.2
- 2 microRNA-mediated regulation of mTOR complex components facilitates discrimination between activation and anergy in CD4 T cells. *Journal of Cell Biology*, **2014**, 207, 2072OIA191 7.3
- 1 Terminal NK cell maturation is controlled by concerted actions of T-bet and Zeb2 and is essential for melanoma rejection. *Journal of Cell Biology*, **2015**, 211, 2113OIA260 7.3