

# Natalie Hempel de Ibarra

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2806553/publications.pdf>

Version: 2024-02-01

62  
papers

2,301  
citations

201674

27  
h-index

233421

45  
g-index

67  
all docs

67  
docs citations

67  
times ranked

1816  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Insect navigation: Some memories like it hot. <i>Current Biology</i> , 2022, 32, R81-R84.   | 3.9 | 1         |
| 2  | Flower sharing and pollinator health: a behavioural perspective. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2022, 377, 20210157.   | 4.0 | 5         |
| 3  | Remote Sensing of Floral Resources for Pollinators – New Horizons From Satellites to Drones. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .  | 2.2 | 8         |
| 4  | Small and Large Bumblebees Invest Differently when Learning about Flowers. <i>Current Biology</i> , 2021, 31, 1058-1064.e3.   | 3.9 | 10        |
| 5  | Onset of morning activity in bumblebee foragers under natural low light conditions. <i>Ecology and Evolution</i> , 2021, 11, 6536-6545.   | 1.9 | 7         |
| 6  | Bumblebees can detect floral humidity. <i>Journal of Experimental Biology</i> , 2021, 224, .  | 1.7 | 16        |
| 7  | Pollination: Influencing bee behaviour with caffeine. <i>Current Biology</i> , 2021, 31, R1090-R1092.   | 3.9 | 5         |
| 8  | Approach Direction Prior to Landing Explains Patterns of Colour Learning in Bees. <i>Frontiers in Physiology</i> , 2021, 12, 697886.  | 2.8 | 6         |
| 9  | Floral temperature patterns can function as floral guides. <i>Arthropod-Plant Interactions</i> , 2020, 14, 193-206.   | 1.1 | 16        |
| 10 | Floral Humidity in Flowering Plants: A Preliminary Survey. <i>Frontiers in Plant Science</i> , 2020, 11, 249.   | 3.6 | 19        |
| 11 | Inhibitory control and memory in the search process for a modified problem in grey squirrels, <i>Sciurus carolinensis</i> . <i>Animal Cognition</i> , 2019, 22, 645-655.  | 1.8 | 7         |
| 12 | How are pollinators guided by colourful floral structures? A commentary on: –The role of pollinator preference in the maintenance of pollen colour variation–™. <i>Annals of Botany</i> , 2019, 123, iv-vi.   | 2.9 | 2         |
| 13 | A matter of taste: the adverse effect of pollen compounds on the pre-ingestive gustatory experience of sugar solutions for honeybees. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2019, 205, 333-346. | 1.6 | 2         |
| 14 | A comparative analysis of colour preferences in temperate and tropical social bees. <i>Die Naturwissenschaften</i> , 2018, 105, 8.  | 1.6 | 20        |
| 15 | Variations on a theme: bumblebee learning flights from the nest and from flowers. <i>Journal of Experimental Biology</i> , 2018, 221, .   | 1.7 | 24        |
| 16 | The effect of dietary neonicotinoid pesticides on non-flight thermogenesis in worker bumble bees ( <i>Bombus terrestris</i> ). <i>Journal of Insect Physiology</i> , 2018, 104, 33-39.  | 2.0 | 37        |
| 17 | The Dominant Role of Visual Motion Cues in Bumblebee Flight Control Revealed Through Virtual Reality. <i>Frontiers in Physiology</i> , 2018, 9, 1038.   | 2.8 | 14        |
| 18 | The role of spatial texture in visual control of bumblebee learning flights. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2018, 204, 737-745.  | 1.6 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Reporting of thermography parameters in biology: a systematic review of thermal imaging literature. <i>Royal Society Open Science</i> , 2018, 5, 181281.   | 2.4 | 37        |
| 20 | Male bumblebees perform learning flights on leaving a flower but not when leaving their nest. <i>Journal of Experimental Biology</i> , 2017, 220, 930-937.   | 1.7 | 22        |
| 21 | How to stay perfect: the role of memory and behavioural traits in an experienced problem and a similar problem. <i>Animal Cognition</i> , 2017, 20, 941-952.   | 1.8 | 15        |
| 22 | Assessment of pollen rewards by foraging bees. <i>Functional Ecology</i> , 2017, 31, 76-87.  | 3.6 | 93        |
| 23 | The diversity of floral temperature patterns, and their use by pollinators. <i>ELife</i> , 2017, 6, .  | 6.0 | 58        |
| 24 | Insect Navigation: How Do Wasps Get Home?. <i>Current Biology</i> , 2016, 26, R166-R168.   | 3.9 | 7         |
| 25 | More than colour attraction: behavioural functions of flower patterns. <i>Current Opinion in Insect Science</i> , 2015, 12, 64-70.   | 4.4 | 72        |
| 26 | Differences in color learning between pollen- and sucrose-rewarded bees. <i>Communicative and Integrative Biology</i> , 2015, 8, e1052921.   | 1.4 | 4         |
| 27 | Motion cues improve the performance of harnessed bees in a colour learning task. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2015, 201, 505-511. | 1.6 | 21        |
| 28 | “The thieving magpie” No evidence for attraction to shiny objects. <i>Animal Cognition</i> , 2015, 18, 393-397.  | 1.8 | 10        |
| 29 | Bees associate colour cues with differences in pollen rewards. <i>Journal of Experimental Biology</i> , 2014, 217, 2783-8.   | 1.7 | 34        |
| 30 | Mechanisms, functions and ecology of colour vision in the honeybee. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2014, 200, 411-433.              | 1.6 | 139       |
| 31 | Head movements and the optic flow generated during the learning flights of bumblebees. <i>Journal of Experimental Biology</i> , 2014, 217, 2633-2642.  | 1.7 | 45        |
| 32 | Characterisation of the RNA interference response against the long-wavelength receptor of the honeybee. <i>Insect Biochemistry and Molecular Biology</i> , 2013, 43, 959-969.                                | 2.7 | 24        |
| 33 | Bumblebee calligraphy: the design and control of flight motifs in the learning and return flights of <i>Bombus terrestris</i> . <i>Journal of Experimental Biology</i> , 2013, 216, 1093-1104.               | 1.7 | 64        |
| 34 | Pollen Elicits Proboscis Extension but Does not Reinforce PER Learning in Honeybees. <i>Insects</i> , 2013, 4, 542-557.  | 2.2 | 11        |
| 35 | Coordinating compass-based and nest-based flight directions during bumblebee learning and return flights. <i>Journal of Experimental Biology</i> , 2013, 216, 1105-1113.                                     | 1.7 | 29        |
| 36 | Artificial light pollution: are shifting spectral signatures changing the balance of species interactions?. <i>Global Change Biology</i> , 2013, 19, 1417-1423.  | 9.5 | 181       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Olfactory Detectability of L-Amino Acids in the European Honeybee ( <i>Apis mellifera</i> ). <i>Chemical Senses</i> , 2012, 37, 631-638.   | 2.0  | 17        |
| 38 | Differential sensitivity of honey bees and bumble bees to a dietary insecticide (imidacloprid). <i>Zoology</i> , 2012, 115, 365-371.   | 1.2  | 128       |
| 39 | Honey Bee Vision in Relation to Flower Patterns. , 2012, , 285-301.  |      | 4         |
| 40 | Blackawton bees: commentary on Blackawton, P. S. et al.. <i>Biology Letters</i> , 2011, 7, 166-167.  | 2.3  | 1         |
| 41 | Do wood ants learn sequences of visual stimuli?. <i>Journal of Experimental Biology</i> , 2011, 214, 2739-2748.  | 1.7  | 10        |
| 42 | Preferred viewing directions of bumblebees ( <i>Bombus terrestris</i> L.) when learning and approaching their nest site. <i>Journal of Experimental Biology</i> , 2009, 212, 3193-3204.              | 1.7  | 55        |
| 43 | Preferred viewing directions of bumblebees ( <i>Bombus terrestris</i> L.) when learning and approaching their nest site. <i>Journal of Experimental Biology</i> , 2009, 212, 3769-3769.              | 1.7  | 2         |
| 44 | Fast learning but coarse discrimination of colours in restrained honeybees. <i>Journal of Experimental Biology</i> , 2009, 212, 1344-1350.   | 1.7  | 60        |
| 45 | What can be learnt from analysing insect orientation flights using probabilistic SLAM?. <i>Biological Cybernetics</i> , 2009, 101, 169-182.  | 1.3  | 16        |
| 46 | Flower patterns are adapted for detection by bees. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2009, 195, 319-323.                       | 1.6  | 43        |
| 47 | Learning of colored targets with vertical and horizontal components by bumblebees ( <i>Bombus</i> )  | 1.0  | 0.5       |
| 48 | Adaptation of microglomerular complexes in the honeybee mushroom body lip to manipulations of behavioral maturation and sensory experience. <i>Developmental Neurobiology</i> , 2008, 68, 1007-1017. | 3.0  | 48        |
| 49 | Detection of patches of coloured discs by bees. <i>Journal of Experimental Biology</i> , 2008, 211, 2101-2104.   | 1.7  | 61        |
| 50 | How to look like a mallow: evidence of floral mimicry between Turneraceae and Malvaceae. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007, 274, 2239-2248.                      | 2.6  | 44        |
| 51 | Navigational Memories in Ants and Bees: Memory Retrieval When Selecting and Following Routes. <i>Advances in the Study of Behavior</i> , 2006, 36, 123-172.  | 1.6  | 87        |
| 52 | Different parameters support generalization and discrimination learning in <i>Drosophila</i> at the flight simulator. <i>Learning and Memory</i> , 2006, 13, 629-637.                                | 1.3  | 22        |
| 53 | Priming of visual route memories. <i>Nature</i> , 2005, 438, 302-302.  | 27.8 | 90        |
| 54 | Symmetry is in the eye of the 'beeholder': innate preference for bilateral symmetry in flower-naïve bumblebees. <i>Die Naturwissenschaften</i> , 2004, 91, 374-7.                                    | 1.6  | 101       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Discrimination of closed coloured shapes by honeybees requires only contrast to the long wavelength receptor type. <i>Animal Behaviour</i> , 2003, 66, 903-910.   | 1.9 | 46        |
| 56 | Colour-dependent target detection by bees. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2003, 189, 915-918.  | 1.6 | 29        |
| 57 | Discrimination of coloured patterns by honeybees through chromatic and achromatic cues. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2002, 188, 503-512. | 1.6 | 69        |
| 58 | Detection of coloured patterns by honeybees through chromatic and achromatic cues. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2001, 187, 215-224.      | 1.6 | 93        |
| 59 | Colourful objects through animal eyes. <i>Color Research and Application</i> , 2001, 26, S214-S217.   | 1.6 | 61        |
| 60 | Detection of bright and dim colours by honeybees. <i>Journal of Experimental Biology</i> , 2000, 203, 3289-3298.  | 1.7 | 68        |
| 61 | Detection of bright and dim colours by honeybees. <i>Journal of Experimental Biology</i> , 2000, 203, 3289-98.  | 1.7 | 49        |
| 62 | Do "White" and "Green" Look the Same to a Bee?. <i>Die Naturwissenschaften</i> , 1999, 86, 592-594.   | 1.6 | 20        |