

Wolf M Mooij

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/280712/wolf-m-mooij-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

9,139
citations

45
h-index

93
g-index

140
ext. papers

10,391
ext. citations

4.8
avg, IF

5.7
L-index

#	Paper	IF	Citations
138	Exploring desirable nature futures for Nationaal Park Hollandse Duinen. <i>Ecosystems and People</i> , 2022 , 18, 329-347	4.3	0
137	Flipping Lakes: Explaining concepts of catchment-scale water management through a serious game. <i>Limnology and Oceanography: Methods</i> , 2021 , 19, 443-456	2.6	
136	Temperature effects on egg and larval development rate in European smelt, <i>Osmerus eperlanus</i> , experiments and a 50 year hindcast. <i>Journal of Fish Biology</i> , 2020 , 96, 1422-1433	1.9	1
135	Will legal international rhino horn trade save wild rhino populations?. <i>Global Ecology and Conservation</i> , 2020 , 23, e01145	2.8	8
134	Exploring How Cyanobacterial Traits Affect Nutrient Loading Thresholds in Shallow Lakes: A Modelling Approach. <i>Water (Switzerland)</i> , 2020 , 12, 2467	3	4
133	A Generically Parameterized model of Lake eutrophication (GPLake) that links field-, lab- and model-based knowledge. <i>Science of the Total Environment</i> , 2019 , 695, 133887	10.2	6
132	A perspective on water quality in connected systems: modelling feedback between upstream and downstream transport and local ecological processes. <i>Current Opinion in Environmental Sustainability</i> , 2019 , 40, 21-29	7.2	10
131	PCLake+: A process-based ecological model to assess the trophic state of stratified and non-stratified freshwater lakes worldwide. <i>Ecological Modelling</i> , 2019 , 396, 23-32	3	20
130	Matching scope, purpose and uses of planetary boundaries science. <i>Environmental Research Letters</i> , 2019 , 14, 073005	6.2	20
129	Success of lake restoration depends on spatial aspects of nutrient loading and hydrology. <i>Science of the Total Environment</i> , 2019 , 679, 248-259	10.2	24
128	Modelling the spatial dynamics of Maui dolphins using individual-based models. <i>Ecological Modelling</i> , 2019 , 402, 59-65	3	
127	Modelling induced bank filtration effects on freshwater ecosystems to ensure sustainable drinking water production. <i>Water Research</i> , 2019 , 157, 19-29	12.5	9
126	Integrated modelling and management of water resources: the ecosystem perspective on the nexus approach. <i>Current Opinion in Environmental Sustainability</i> , 2019 , 40, 14-20	7.2	17
125	Modeling water quality in the Anthropocene: directions for the next-generation aquatic ecosystem models. <i>Current Opinion in Environmental Sustainability</i> , 2019 , 36, 85-95	7.2	16
124	Towards restoring urban waters: understanding the main pressures. <i>Current Opinion in Environmental Sustainability</i> , 2019 , 36, 49-58	7.2	27
123	Towards a global model for wetlands ecosystem services. <i>Current Opinion in Environmental Sustainability</i> , 2019 , 36, 11-19	7.2	45
122	Nitrogen fixation does not axiomatically lead to phosphorus limitation in aquatic ecosystems. <i>Oikos</i> , 2019 , 128, 563-570	4	4

121	How to model algal blooms in any lake on earth. <i>Current Opinion in Environmental Sustainability</i> , 2019 , 36, 1-10	7.2	31
120	Multimedia fate modeling of perfluorooctanoic acid (PFOA) and perfluorooctane sulphonate (PFOS) in the shallow lake Chaohu, China. <i>Environmental Pollution</i> , 2018 , 237, 339-347	9.3	25
119	Response of Submerged Macrophyte Communities to External and Internal Restoration Measures in North Temperate Shallow Lakes. <i>Frontiers in Plant Science</i> , 2018 , 9, 194	6.2	58
118	Mowing Submerged Macrophytes in Shallow Lakes with Alternative Stable States: Battling the Good Guys?. <i>Environmental Management</i> , 2017 , 59, 619-634	3.1	43
117	Creating a safe operating space for wetlands in a changing climate. <i>Frontiers in Ecology and the Environment</i> , 2017 , 15, 99-107	5.5	84
116	Integrated ecological and chemical food web accumulation modeling explains PAH temporal trends during regime shifts in a shallow lake. <i>Water Research</i> , 2017 , 119, 73-82	12.5	22
115	Spatial identification of critical nutrient loads of large shallow lakes: Implications for Lake Taihu (China). <i>Water Research</i> , 2017 , 119, 276-287	12.5	79
114	How Regime Shifts in Connected Aquatic Ecosystems Are Affected by the Typical Downstream Increase of Water Flow. <i>Ecosystems</i> , 2017 , 20, 733-744	3.9	6
113	Hydrological regulation drives regime shifts: evidence from paleolimnology and ecosystem modeling of a large shallow Chinese lake. <i>Global Change Biology</i> , 2017 , 23, 737-754	11.4	77
112	The impact of bird herbivory on macrophytes and the resilience of the clear-water state in shallow lakes: a model study. <i>Hydrobiologia</i> , 2016 , 777, 197-207	2.4	16
111	Changes in food web structure and ecosystem functioning of a large, shallow Chinese lake during the 1950s, 1980s and 2000s. <i>Ecological Modelling</i> , 2016 , 319, 31-41	3	24
110	FABM-PCLake Linking aquatic ecology with hydrodynamics. <i>Geoscientific Model Development</i> , 2016 , 9, 2271-2278	6.3	36
109	Climate Change Will Make Recovery from Eutrophication More Difficult in Shallow Danish Lake Søbygaard. <i>Water (Switzerland)</i> , 2016 , 8, 459	3	29
108	Tube-dwelling invertebrates: tiny ecosystem engineers have large effects in lake ecosystems. <i>Ecological Monographs</i> , 2015 , 85, 333-351	9	91
107	Exploring, exploiting and evolving diversity of aquatic ecosystem models: a community perspective. <i>Aquatic Ecology</i> , 2015 , 49, 513-548	1.9	73
106	Advantages of concurrent use of multiple software frameworks in water quality modelling using a database approach. <i>Fundamental and Applied Limnology</i> , 2015 , 186, 5-20	1.9	14
105	Food-web stability signals critical transitions in temperate shallow lakes. <i>Nature Communications</i> , 2015 , 6, 7727	17.4	61
104	GLOBIO-Aquatic, a global model of human impact on the biodiversity of inland aquatic ecosystems. <i>Environmental Science and Policy</i> , 2015 , 48, 99-114	6.2	62

103	Competition for light and nutrients in layered communities of aquatic plants. <i>American Naturalist</i> , 2015 , 186, 72-83	3.7	28
102	Estimation of the long-term nutrient budget and thresholds of regime shift for a large shallow lake in China. <i>Ecological Indicators</i> , 2015 , 52, 231-244	5.8	27
101	How models can support ecosystem-based management of coral reefs. <i>Progress in Oceanography</i> , 2015 , 138, 559-570	3.8	29
100	An Integrated Coral Reef Ecosystem Model to Support Resource Management under a Changing Climate. <i>PLoS ONE</i> , 2015 , 10, e0144165	3.7	29
99	Enhanced Input of Terrestrial Particulate Organic Matter Reduces the Resilience of the Clear-Water State of Shallow Lakes: A Model Study. <i>Ecosystems</i> , 2014 , 17, 616-626	3.9	13
98	Pattern formation at multiple spatial scales drives the resilience of mussel bed ecosystems. <i>Nature Communications</i> , 2014 , 5, 5234	17.4	92
97	Alternative stable states and alternative endstates of community assembly through intra- and interspecific positive and negative interactions. <i>Theoretical Population Biology</i> , 2014 , 96, 8-18	1.2	11
96	Community stoichiometry in a changing world: combined effects of warming and eutrophication on phytoplankton dynamics. <i>Ecology</i> , 2014 , 95, 1485-95	4.6	72
95	Serving many at once: How a database approach can create unity in dynamical ecosystem modelling. <i>Environmental Modelling and Software</i> , 2014 , 61, 266-273	5.2	23
94	Coupled human and natural system dynamics as key to the sustainability of Lake Victoria's ecosystem services. <i>Ecology and Society</i> , 2014 , 19,	4.1	43
93	Alternative stable states in large shallow lakes?. <i>Journal of Great Lakes Research</i> , 2014 , 40, 813-826	3	65
92	Effects of climate and nutrient load on the water quality of shallow lakes assessed through ensemble runs by PCLake 2014 , 24, 1926-44		40
91	Extending one-dimensional models for deep lakes to simulate the impact of submerged macrophytes on water quality. <i>Environmental Modelling and Software</i> , 2014 , 61, 410-423	5.2	30
90	Plant functional types define magnitude of drought response in peatland CO ₂ exchange. <i>Ecology</i> , 2014 , 95, 123-31	4.6	63
89	Advancing projections of phytoplankton responses to climate change through ensemble modelling. <i>Environmental Modelling and Software</i> , 2014 , 61, 371-379	5.2	61
88	A Comparison of Three Approaches to Predict Phytoplankton Biomass in Gonghu Bay of Lake Taihu. <i>Journal of Environmental Informatics</i> , 2014 , 24, 39-51	3	13
87	Effects of resources and mortality on the growth and reproduction of Nile perch in Lake Victoria. <i>Freshwater Biology</i> , 2013 , 58, 828-840	3.1	9
86	Plankton dynamics under different climate conditions in tropical freshwater systems (a reply to the comment by Sarmento, Amado & Descy,). <i>Freshwater Biology</i> , 2013 , 58, 2211-2213	3.1	11

85	Plankton dynamics under different climatic conditions in space and time. <i>Freshwater Biology</i> , 2013 , 58, 463-482	3.1	177
84	Alternative states and population crashes in a resource-susceptible-infected model for planktonic parasites and hosts. <i>Freshwater Biology</i> , 2013 , 58, 538-551	3.1	17
83	How to measure top-down vs bottom-up effects: a new population metric and its calibration on Daphnia. <i>Oikos</i> , 2013 , 122, 1177-1186	4	10
82	Assembling the pieces of Lake Victoria's many food webs: reply to Kolding 2013 , 23, 671-5		
81	Explaining bacterial dispersion on leaf surfaces with an individual-based model (PHYLLOSIM). <i>PLoS ONE</i> , 2013 , 8, e75633	3.7	18
80	Was Lates late? A null model for the Nile perch boom in Lake Victoria. <i>PLoS ONE</i> , 2013 , 8, e76847	3.7	13
79	A community-based framework for aquatic ecosystem models. <i>Hydrobiologia</i> , 2012 , 683, 25-34	2.4	73
78	GENOTYPE-BY-TEMPERATURE INTERACTIONS MAY HELP TO MAINTAIN CLONAL DIVERSITY IN ASTERIONELLA FORMOSA (BACILLARIOPHYCEAE). <i>Journal of Phycology</i> , 2012 , 48, 1197-208	3	20
77	Collapse and reorganization of a food web of Mwanza Gulf, Lake Victoria 2012 , 22, 229-39		43
76	Beyond the Plankton Ecology Group (PEG) Model: Mechanisms Driving Plankton Succession. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2012 , 43, 429-448	13.5	393
75	The resilience and resistance of an ecosystem to a collapse of diversity. <i>PLoS ONE</i> , 2012 , 7, e46135	3.7	60
74	Testing the paradox of enrichment along a land use gradient in a multitrophic aboveground and belowground community. <i>PLoS ONE</i> , 2012 , 7, e49034	3.7	10
73	Integrating three lake models into a Phytoplankton Prediction System for Lake Taihu (Taihu PPS) with Python. <i>Journal of Hydroinformatics</i> , 2012 , 14, 523-534	2.6	11
72	Chytrid infections and diatom spring blooms: paradoxical effects of climate warming on fungal epidemics in lakes. <i>Freshwater Biology</i> , 2011 , 56, 754-766	3.1	69
71	Size-selective predation and predator-induced life-history shifts alter the outcome of competition between planktonic grazers. <i>Functional Ecology</i> , 2011 , 25, 199-208	5.6	11
70	Photoinhibition and the assembly of light-limited phytoplankton communities. <i>Oikos</i> , 2011 , 120, 359-368		44
69	A general one-dimensional vertical ecosystem model of Lake Shira (Russia, Khakasia): description, parametrization and analysis. <i>Aquatic Ecology</i> , 2010 , 44, 585-618	1.9	13
68	A one-dimensional model of vertical stratification of Lake Shira focussed on winter conditions and ice cover. <i>Aquatic Ecology</i> , 2010 , 44, 571-584	1.9	12

67	Numerical modeling of vertical stratification of Lake Shira in summer. <i>Aquatic Ecology</i> , 2010 , 44, 561-570.	1.9	11
66	Vertical stratification of physical, chemical and biological components in two saline lakes Shira and Shunet (South Siberia, Russia). <i>Aquatic Ecology</i> , 2010 , 44, 619-632	1.9	29
65	Preface to the Siberian lakes special issue. <i>Aquatic Ecology</i> , 2010 , 44, 481-483	1.9	1
64	Challenges and opportunities for integrating lake ecosystem modelling approaches. <i>Aquatic Ecology</i> , 2010 , 44, 633-667	1.9	166
63	Estimating the critical phosphorus loading of shallow lakes with the ecosystem model PCLake: Sensitivity, calibration and uncertainty. <i>Ecological Modelling</i> , 2010 , 221, 654-665	3	98
62	Modeling lakes and reservoirs in the climate system. <i>Limnology and Oceanography</i> , 2009 , 54, 2315-2329	4.8	80
61	Linking species- and ecosystem-level impacts of climate change in lakes with a complex and a minimal model. <i>Ecological Modelling</i> , 2009 , 220, 3011-3020	3	48
60	The power of simulating experiments. <i>Ecological Modelling</i> , 2009 , 220, 2594-2597	3	18
59	Algal defenses, population stability, and the risk of herbivore extinctions: a chemostat model and experiment. <i>Ecological Research</i> , 2009 , 24, 1145-1153	1.9	13
58	Effects of resources and predation on the predictability of community composition. <i>Oikos</i> , 2009 , 118, 1044-1052	4	10
57	Quantifying the impact of above- and belowground higher trophic levels on plant and herbivore performance by modeling. <i>Oikos</i> , 2009 , 118, 981-990	4	13
56	Critical phosphorus loading of different types of shallow lakes and the consequences for management estimated with the ecosystem model PCLake. <i>Limnologica</i> , 2008 , 38, 203-219	2	82
55	The impact of climate warming on water temperature, timing of hatching and young-of-the-year growth of fish in shallow lakes in the Netherlands. <i>Journal of Sea Research</i> , 2008 , 60, 32-43	1.9	51
54	Energetic costs, underlying resource allocation patterns, and adaptive value of predator-induced life-history shifts. <i>Oikos</i> , 2008 , 117, 273-285	4	23
53	Experimental evidence for spatial self-organization and its emergent effects in mussel bed ecosystems. <i>Science</i> , 2008 , 322, 739-42	33.3	173
52	The contribution of marsh zones to water quality in Dutch shallow lakes: a modeling study. <i>Environmental Management</i> , 2008 , 42, 1002-16	3.1	18
51	Inducible defenses, competition and shared predation in planktonic food chains. <i>Oecologia</i> , 2008 , 157, 697-705	2.9	21
50	Adaptation of the fungal parasite <i>Zygorhizidium planktonicum</i> during 200 generations of growth on homogeneous and heterogeneous populations of its host, the diatom <i>Asterionella formosa</i> . <i>Journal of Eukaryotic Microbiology</i> , 2008 , 55, 69-74	3.6	36

49	Predicting the effect of climate change on temperate shallow lakes with the ecosystem model PCLake. <i>Hydrobiologia</i> , 2007 , 584, 443-454	2.4	105
48	Climate-induced shifts in an experimental phytoplankton community: a mechanistic approach. <i>Hydrobiologia</i> , 2007 , 584, 403-413	2.4	61
47	Inducible defenses and rotifer food chain dynamics. <i>Hydrobiologia</i> , 2007 , 593, 103-110	2.4	22
46	Management of Laguna Alalay: a case study of lake restoration in Andean valleys in Bolivia. <i>Aquatic Ecology</i> , 2007 , 41, 621-630	1.9	11
45	Can overwintering versus diapausing strategy in <i>Daphnia</i> determine match-mismatch events in zooplankton-algae interactions?. <i>Oecologia</i> , 2007 , 150, 682-98	2.9	60
44	Induced defenses in herbivores and plants differentially modulate a trophic cascade. <i>Ecology</i> , 2007 , 88, 2474-81	4.6	39
43	Infochemical-mediated trophic interactions between the rotifer <i>Brachionus calyciflorus</i> and its food algae. <i>Limnology and Oceanography</i> , 2007 , 52, 2109-2119	4.8	16
42	Exploring the Temporal Effects of Seasonal Water Availability on the Snail Kite of Florida 2007 , 155-173		2
41	Climate-induced shifts in an experimental phytoplankton community: a mechanistic approach 2007 , 403-413		2
40	A standard protocol for describing individual-based and agent-based models. <i>Ecological Modelling</i> , 2006 , 198, 115-126	3	1798
39	Infochemicals structure marine, terrestrial and freshwater food webs: Implications for ecological informatics. <i>Ecological Informatics</i> , 2006 , 1, 23-32	4.2	51
38	The use of a flexible patch leaving rule under exploitative competition: a field test with swans. <i>Oikos</i> , 2006 , 112, 342-352	4	20
37	Linking herbivore-induced defences to population dynamics. <i>Freshwater Biology</i> , 2006 , 51, 424-434	3.1	19
36	Individual-Based Modeling of Ecological and Evolutionary Processes. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2005 , 36, 147-168	13.5	391
35	Pattern-oriented modeling of agent-based complex systems: lessons from ecology. <i>Science</i> , 2005 , 310, 987-91	33.3	1406
34	Allelopathic inhibition of phytoplankton by exudates from <i>Stratiotes aloides</i> . <i>Aquatic Botany</i> , 2005 , 82, 284-296	1.8	99
33	A quantitative test of the size efficiency hypothesis by means of a physiologically structured model. <i>Oikos</i> , 2005 , 110, 43-54	4	21
32	Allelopathic growth inhibition and colony formation of the green alga <i>Scenedesmus obliquus</i> by the aquatic macrophyte <i>Stratiotes aloides</i> . <i>Aquatic Ecology</i> , 2005 , 39, 11-21	1.9	59

31	The impact of climate change on lakes in the Netherlands: a review. <i>Aquatic Ecology</i> , 2005 , 39, 381-400	1.9	223
30	INDUCIBLE DEFENSES IN FOOD WEBS 2005 , 114-127		4
29	TRADE-OFFS IN DAPHNIA HABITAT SELECTION. <i>Ecology</i> , 2004 , 85, 2027-2036	4.6	35
28	Effects of infochemicals released by gape-limited fish on life history traits of Daphnia: a maladaptive response?. <i>Journal of Plankton Research</i> , 2004 , 26, 535-543	2.2	20
27	Inducible defences and the paradox of enrichment. <i>Oikos</i> , 2004 , 105, 471-480	4	137
26	Evaluating the effect of salinity on a simulated American crocodile (<i>Crocodylus acutus</i>) population with applications to conservation and Everglades restoration. <i>Ecological Modelling</i> , 2004 , 180, 371-394	3	12
25	The Effect of Atmospheric Carbon Dioxide Elevation on Plant Growth in Freshwater Ecosystems. <i>Ecosystems</i> , 2004 , 7, 63-74	3.9	45
24	INDUCIBLE DEFENSES AND TROPHIC STRUCTURE. <i>Ecology</i> , 2004 , 85, 2783-2794	4.6	73
23	UNCERTAINTY IN SPATIALLY EXPLICIT ANIMAL DISPERSAL MODELS 2003 , 13, 794-805		34
22	FUZZY MODELING OF CYANOBACTERIAL SURFACE WATERBLOOMS: VALIDATION WITH NOAA-AVHRR SATELLITE IMAGES 2003 , 13, 1456-1472		68
21	The Importance of Spatial Scale in the Modeling of Aquatic Ecosystems 2003 , 383-400		
20	Exploring the effect of drought extent and interval on the Florida snail kite: interplay between spatial and temporal scales. <i>Ecological Modelling</i> , 2002 , 149, 25-39	3	34
19	From inducible defences to population dynamics: modelling refuge use and life history changes in Daphnia. <i>Oikos</i> , 2002 , 99, 386-396	4	45
18	Search paths of swans foraging on spatially autocorrelated tubers. <i>Journal of Animal Ecology</i> , 2002 , 71, 451-462	4.7	75
17	Differences in the exploitation of bream in three shallow lake systems and their relation to water quality. <i>Freshwater Biology</i> , 2002 , 47, 2435-2442	3.1	29
16	Does 'supersaturated coexistence' resolve the 'paradox of the plankton'? <i>Ecology Letters</i> , 2001 , 4, 404-407	1.0	54
15	Error Propagation in Spatially Explicit Population Models: a Reassessment. <i>Conservation Biology</i> , 1999 , 13, 930-933	6	28
14	Analysis and Comparison of Fish Growth from Small Samples of Length-at-Age Data: Detection of Sexual Dimorphism in Eurasian Perch as an Example. <i>Transactions of the American Fisheries Society</i> , 1999 , 128, 483-490	1.7	26

13	Detritus-dependent development of the microbial community in an experimental system: qualitative analysis by denaturing gradient gel electrophoresis. <i>Applied and Environmental Microbiology</i> , 1999 , 65, 2478-84	4.8	161
12	Statistical analysis of the somatic growth rate of 0+ fish in relation to temperature under natural conditions. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1998 , 55, 451-458	2.4	2
11	An object-oriented simulation framework for individual-based simulations (OSIRIS): Daphnia population dynamics as an example. <i>Ecological Modelling</i> , 1996 , 93, 139-153	3	37
10	Seasonal patterns in the mortality of Daphnia species in a shallow lake. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1996 , 53, 18-28	2.4	52
9	Variation in abundance and survival of fish larvae in shallow eutrophic lake Tjeukemeer. <i>Environmental Biology of Fishes</i> , 1996 , 46, 265-279	1.6	30
8	Formation of year-class strength in the bream population in the shallow eutrophic Lake Tjeukemeer. <i>Journal of Fish Biology</i> , 1996 , 48, 30-39	1.9	9
7	Growth Rate of 0+ Fish in Relation to Temperature, Body Size, and Food in Shallow Eutrophic Lake Tjeukemeer. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1994 , 51, 516-526	2.4	51
6	Seasonal variation in the interactions between piscivorous fish, planktivorous fish and zooplankton in a shallow eutrophic lake. <i>Hydrobiologia</i> , 1990 , 207, 279-286	2.4	28
5	Growth of 0+ Roach (<i>Rutilus rutilus</i>) in Relation to Temperature and Size in a Shallow Eutrophic Lake: Comparison of Field and Laboratory Observations. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1990 , 47, 960-967	2.4	40
4	A key to the identification of larval bream, <i>Abramis brama</i> , white bream, <i>Blicca bjoerkna</i> , and roach, <i>Rutilus rutilus</i> . <i>Journal of Fish Biology</i> , 1989 , 34, 111-118	1.9	17
3	Importance of Trait-Related Flexibility for Food-Web Dynamics and the Maintenance of Biodiversity	146-163	
2	Bridging theories for ecosystem stability through structural sensitivity analysis of ecological models in equilibrium		1
1	Smart Nutrient Retention Networks: a novel approach for nutrient conservation through water quality management. <i>Inland Waters</i> , 1-16	2.4	0