

Keir C Neuman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2808396/keir-c-neuman-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 papers	6,951 citations	29 h-index	83 g-index
115 ext. papers	8,168 ext. citations	9.1 avg, IF	6.2 L-index

#	Paper	IF	Citations
82	The topoisomerase III α -RMI1-RMI2 complex orients human Bloom's syndrome helicase for efficient disruption of D-loops.. <i>Nature Communications</i> , 2022 , 13, 654	17.4	0
81	Glutamate Brings Out the Flavor of SSB Cooperativity and Phase Separation.. <i>Journal of Molecular Biology</i> , 2022 , 434, 167580	6.5	
80	DNA topoisomerases: Advances in understanding of cellular roles and multi-protein complexes via structure-function analysis. <i>BioEssays</i> , 2021 , 43, e2000286	4.1	17
79	Surface Modification of Fluorescent Nanodiamonds for Biological Applications. <i>Nanomaterials</i> , 2021 , 11,	5.4	10
78	CTP and coordinate ParB partition complex dynamics and ParA-ATPase activation for ParABS-mediated DNA partitioning. <i>ELife</i> , 2021 , 10,	8.9	8
77	Highly stable cesium lead bromide perovskite nanocrystals for ultra-sensitive and selective latent fingerprint detection. <i>Analytica Chimica Acta</i> , 2021 , 1181, 338850	6.6	5
76	Biocompatible Fluorescent Nanodiamonds as Multifunctional Optical Probes for Latent Fingerprint Detection. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 6641-6650	9.5	25
75	Mapping DNA Topoisomerase Binding and Cleavage Genome Wide Using Next-Generation Sequencing Techniques. <i>Genes</i> , 2020 , 11,	4.2	5
74	Coarse-grained modelling of DNA plectoneme pinning in the presence of base-pair mismatches. <i>Nucleic Acids Research</i> , 2020 , 48, 10713-10725	20.1	2
73	Bimodal Actions of a Naphthyridone/Aminopiperidine-Based Antibacterial That Targets Gyrase and Topoisomerase IV. <i>Biochemistry</i> , 2019 , 58, 4447-4455	3.2	8
72	Homology sensing via non-linear amplification of sequence-dependent pausing by RecQ helicase. <i>ELife</i> , 2019 , 8,	8.9	5
71	Defect-facilitated buckling in supercoiled double-helix DNA. <i>Physical Review E</i> , 2018 , 97, 022416	2.4	6
70	Combined Magnetic Tweezers and Micro-mirror Total Internal Reflection Fluorescence Microscope for Single-Molecule Manipulation and Visualization. <i>Methods in Molecular Biology</i> , 2018 , 1665, 297-316	1.4	8
69	Bioimaging: Polydopamine Encapsulation of Fluorescent Nanodiamonds for Biomedical Applications (Adv. Funct. Mater. 33/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870234	15.6	3
68	Polydopamine encapsulation of fluorescent nanodiamonds for biomedical applications. <i>Advanced Functional Materials</i> , 2018 , 28, 1801252	15.6	36
67	Robust fluorescent labelling of micropipettes for use in fluorescence microscopy: application to the observation of a mosquito borne parasite infection. <i>Journal of Microscopy</i> , 2018 , 269, 78-84	1.9	4
66	Direct observation of topoisomerase IA gate dynamics. <i>Nature Structural and Molecular Biology</i> , 2018 , 25, 1111-1118	17.6	18

65	Kinetic Pathway of Torsional DNA Buckling. <i>Journal of Physical Chemistry B</i> , 2018 , 122, 11561-11570	3.4	4
64	A minimal threshold of FANCDJ helicase activity is required for its response to replication stress or double-strand break repair. <i>Nucleic Acids Research</i> , 2018 , 46, 6238-6256	20.1	15
63	Shuttling along DNA and directed processing of D-loops by RecQ helicase support quality control of homologous recombination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E466-E475	11.5	26
62	Brownian Ratchet Mechanism for Faithful Segregation of Low-Copy-Number Plasmids. <i>Biophysical Journal</i> , 2017 , 112, 1489-1502	2.9	44
61	Brownian ratchet mechanisms of ParA-mediated partitioning. <i>Plasmid</i> , 2017 , 92, 12-16	3.3	22
60	Supercoiling DNA Locates Mismatches. <i>Physical Review Letters</i> , 2017 , 119, 147801	7.4	16
59	Distribution bias and biochemical characterization of TOP1MT single nucleotide variants. <i>Scientific Reports</i> , 2017 , 7, 8614	4.9	4
58	Highly Multiplexed, Super-resolution Imaging of T Cells Using madSTORM. <i>Journal of Visualized Experiments</i> , 2017 ,	1.6	4
57	RecQ helicase triggers a binding mode change in the SSB-DNA complex to efficiently initiate DNA unwinding. <i>Nucleic Acids Research</i> , 2017 , 45, 11878-11890	20.1	17
56	Activities of gyrase and topoisomerase IV on positively supercoiled DNA. <i>Nucleic Acids Research</i> , 2017 , 45, 9611-9624	20.1	41
55	Internal strain drives spontaneous periodic buckling in collagen and regulates remodeling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 8436-41	11.5	33
54	The Dynamic Interplay Between DNA Topoisomerases and DNA Topology. <i>Biophysical Reviews</i> , 2016 , 8, 221-231	3.7	8
53	Membrane-bound MinDE complex acts as a toggle switch that drives Min oscillation coupled to cytoplasmic depletion of MinD. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E1479-88	11.5	76
52	A heterotrimer model of the complete Microprocessor complex revealed by single-molecule subunit counting. <i>Rna</i> , 2016 , 22, 175-83	5.8	28
51	Fluorescent Nanodiamonds as Fiducial Markers or Nanodiamonds Are Forever.. <i>Microscopy and Microanalysis</i> , 2016 , 22, 1018-1019	0.5	
50	The dynamic interplay between DNA topoisomerases and DNA topology. <i>Biophysical Reviews</i> , 2016 , 8, 101-111	3.7	13
49	Single molecule measurements of DNA helicase activity with magnetic tweezers and t-test based step-finding analysis. <i>Methods</i> , 2016 , 105, 119-27	4.6	18
48	madSTORM: a superresolution technique for large-scale multiplexing at single-molecule accuracy. <i>Molecular Biology of the Cell</i> , 2016 , 27, 3591-3600	3.5	34

47	A robust assay to measure DNA topology-dependent protein binding affinity. <i>Nucleic Acids Research</i> , 2015 , 43, e43	20.1	7
46	Tethered-bead, immune sandwich assay. <i>Biosensors and Bioelectronics</i> , 2015 , 63, 117-123	11.8	11
45	The HRDC domain of E. coli RecQ helicase controls single-stranded DNA translocation and double-stranded DNA unwinding rates without affecting mechanoenzymatic coupling. <i>Scientific Reports</i> , 2015 , 5, 11091	4.9	14
44	Directed and persistent movement arises from mechanochemistry of the ParA/ParB system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E7055-64	11.5	49
43	Single-Molecule Supercoil Relaxation Assay as a Screening Tool to Determine the Mechanism and Efficacy of Human Topoisomerase IB Inhibitors. <i>Molecular Cancer Therapeutics</i> , 2015 , 14, 2552-9	6.1	11
42	Untwisting and Unzipping: Magnetic Tweezers Based Measurements of DNA Processing Enzymes 2015 ,		1
41	Role of the water-metal ion bridge in mediating interactions between quinolones and Escherichia coli topoisomerase IV. <i>Biochemistry</i> , 2014 , 53, 5558-67	3.2	32
40	A propagating ATPase gradient drives transport of surface-confined cellular cargo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 4880-5	11.5	115
39	A moving ParA gradient on the nucleoid directs subcellular cargo transport via a chemophoresis force. <i>Bioarchitecture</i> , 2014 , 4, 154-9		18
38	Wide-field in vivo background free imaging by selective magnetic modulation of nanodiamond fluorescence. <i>Biomedical Optics Express</i> , 2014 , 5, 1190-202	3.5	65
37	Poisoning of mitochondrial topoisomerase I by lamellarin D. <i>Molecular Pharmacology</i> , 2014 , 86, 193-9	4.3	43
36	Wide-Field Background Free Imaging by Magnetic Modulation of Nanodiamond Fluorescence. <i>Biophysical Journal</i> , 2014 , 106, 796a	2.9	2
35	The tail that wags the dog: topoisomerase IV ParC C-terminal domain controls strand passage activity through multipartite topology-dependent interactions with DNA. <i>Journal of Molecular Biology</i> , 2013 , 425, 3025-8	6.5	
34	Silica encapsulation of fluorescent nanodiamonds for colloidal stability and facile surface functionalization. <i>Journal of the American Chemical Society</i> , 2013 , 135, 7815-8	16.4	96
33	SnapShot: force spectroscopy and single-molecule manipulation. <i>Cell</i> , 2013 , 153, 1168-1168.e1	56.2	10
32	SnapShot: single-molecule fluorescence. <i>Cell</i> , 2013 , 153, 1408-1408.e1	56.2	5
31	Comparison of DNA decatenation by Escherichia coli topoisomerase IV and topoisomerase III: implications for non-equilibrium topology simplification. <i>Nucleic Acids Research</i> , 2013 , 41, 4640-9	20.1	27
30	Chiral discrimination and writhe-dependent relaxation mechanism of human topoisomerase II α . <i>Journal of Biological Chemistry</i> , 2013 , 288, 13695-703	5.4	22

29	Matrix Metalloproteinase 9/Gelatinase B 2013 , 754-763		1
28	Single-molecule tracking of collagenase on native type I collagen fibrils reveals degradation mechanism. <i>Current Biology</i> , 2012 , 22, 1047-56	6.3	66
27	Mitochondrial nucleoid interacting proteins support mitochondrial protein synthesis. <i>Nucleic Acids Research</i> , 2012 , 40, 6109-21	20.1	139
26	A kinetic clutch governs religation by type IB topoisomerases and determines camptothecin sensitivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 16125-30	11.5	41
25	Quantitative characterization of fluorophores in multi-component nanoprobe by single-molecule fluorescence. <i>Biomedical Optics Express</i> , 2011 , 2, 2761-9	3.5	14
24	Use of divalent metal ions in the DNA cleavage reaction of topoisomerase IV. <i>Nucleic Acids Research</i> , 2011 , 39, 4808-17	20.1	17
23	Direct measurement of DNA bending by type IIA topoisomerases: implications for non-equilibrium topology simplification. <i>Nucleic Acids Research</i> , 2011 , 39, 5729-43	20.1	49
22	Single-molecule measurements of topoisomerase activity with magnetic tweezers. <i>Methods in Molecular Biology</i> , 2011 , 778, 229-41	1.4	20
21	Magnetic tweezers for single-molecule manipulation. <i>Methods in Molecular Biology</i> , 2011 , 783, 265-93	1.4	29
20	Single-molecule measurements of DNA topology and topoisomerases. <i>Journal of Biological Chemistry</i> , 2010 , 285, 18967-71	5.4	29
19	Evolutionary twist on topoisomerases: conversion of gyrase to topoisomerase IV. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 22363-4	11.5	3
18	Mechanisms of chiral discrimination by topoisomerase IV. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 6986-91	11.5	72
17	Single-molecule force spectroscopy: optical tweezers, magnetic tweezers and atomic force microscopy. <i>Nature Methods</i> , 2008 , 5, 491-505	21.6	1643
16	Mutational analysis of the helicase-like domain of <i>Thermotoga maritima</i> reverse gyrase. <i>Journal of Biological Chemistry</i> , 2008 , 283, 27395-27402	5.4	11
15	Single-Molecule Micromanipulation Techniques. <i>Annual Review of Materials Research</i> , 2007 , 37, 33-67	12.8	124
14	Studies of DNA-Protein Interactions at the Single Molecule Level with Magnetic Tweezers 2007 , 123-140		1
13	Sequence-resolved detection of pausing by single RNA polymerase molecules. <i>Cell</i> , 2006 , 125, 1083-94	56.2	229
12	Pulling on the nascent RNA during transcription does not alter kinetics of elongation or ubiquitous pausing. <i>Molecular Cell</i> , 2006 , 23, 231-9	17.6	51

11	Measurement of the effective focal shift in an optical trap. <i>Optics Letters</i> , 2005 , 30, 1318-20	3	75
10	Statistical determination of the step size of molecular motors. <i>Journal of Physics Condensed Matter</i> , 2005 , 17, S3811-20	1.8	23
9	Simultaneous, coincident optical trapping and single-molecule fluorescence. <i>Nature Methods</i> , 2004 , 1, 133-9	21.6	188
8	Optical trapping. <i>Review of Scientific Instruments</i> , 2004 , 75, 2787-809	1.7	1759
7	Ubiquitous transcriptional pausing is independent of RNA polymerase backtracking. <i>Cell</i> , 2003 , 115, 437-47	47.2	281
6	Characterization of photodamage to Escherichia coli in optical traps. <i>Biophysical Journal</i> , 1999 , 77, 2856-63	6.3	532
5	Nonlamellar phases induced by the interaction of gramicidin S with lipid bilayers. A possible relationship to membrane-disrupting activity. <i>Biochemistry</i> , 1997 , 36, 7906-16	3.2	128
4	High-order harmonic generation in atom clusters. <i>Physical Review Letters</i> , 1996 , 76, 2472-2475	7.4	256
3	Role of lipid polymorphism in pulmonary surfactant. <i>Science</i> , 1996 , 273, 330-2	33.3	67
2	Wavelength dependence of harmonic generation efficiency at metal surfaces induced by femtosecond Ti:sapphire laser pulses. <i>Optics Communications</i> , 1996 , 132, 289-294	2	5
1	CTP and parS coordinate ParB partition complex dynamics and ParA-ATPase activation for ParABS-mediated DNA partitioning		2