

Tomas Polcar

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2808432/tomas-polcar-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181
papers

3,806
citations

34
h-index

51
g-index

189
ext. papers

4,475
ext. citations

4.7
avg, IF

5.93
L-index

#	Paper	IF	Citations
181	Review on self-lubricant transition metal dichalcogenide nanocomposite coatings alloyed with carbon. <i>Surface and Coatings Technology</i> , 2011 , 206, 686-695	4.4	143
180	Electronic metal-support interaction enhanced oxygen reduction activity and stability of boron carbide supported platinum. <i>Nature Communications</i> , 2017 , 8, 15802	17.4	122
179	Comparison of tribological behaviour of TiN, TiCN and CrN at elevated temperatures. <i>Surface and Coatings Technology</i> , 2005 , 193, 192-199	4.4	115
178	Temperature dependence of tribological properties of MoS ₂ and MoSe ₂ coatings. <i>Surface and Coatings Technology</i> , 2005 , 193, 230-233	4.4	113
177	High temperature properties of CrAlN, CrAlSiN and AlCrSiN coatings (Structure and oxidation). <i>Materials Chemistry and Physics</i> , 2011 , 129, 195-201	4.4	90
176	Sliding Properties of MoS ₂ Layers: Load and Interlayer Orientation Effects. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 13809-13816	3.8	88
175	High-temperature tribological properties of CrAlN, CrAlSiN and AlCrSiN coatings. <i>Surface and Coatings Technology</i> , 2011 , 206, 1244-1251	4.4	84
174	Friction and wear behaviour of CrN coating at temperatures up to 500 °C. <i>Surface and Coatings Technology</i> , 2007 , 201, 5228-5235	4.4	78
173	Influence of Ag content on mechanical and tribological behavior of DLC coatings. <i>Surface and Coatings Technology</i> , 2013 , 232, 440-446	4.4	77
172	The tribological characteristics of TiCN coating at elevated temperatures. <i>Wear</i> , 2006 , 260, 40-49	3.5	66
171	High temperature tribology of CrN and multilayered Cr/CrN coatings. <i>Surface and Coatings Technology</i> , 2009 , 203, 3254-3259	4.4	58
170	Complex frictional analysis of self-lubricant W-S-C/Cr coating. <i>Faraday Discussions</i> , 2012 , 156, 383-401; discussion 413-34	3.6	57
169	Precise control of the interlayer twist angle in large scale MoS ₂ homostructures. <i>Nature Communications</i> , 2020 , 11, 2153	17.4	55
168	Tribological characterization of tungsten nitride coatings deposited by reactive magnetron sputtering. <i>Wear</i> , 2007 , 262, 655-665	3.5	54
167	Structural, mechanical and tribological properties of MoS ₂ solid lubricant coating. <i>Surface and Coatings Technology</i> , 2011 , 205, 3274-3279	4.4	50
166	Ultra-low friction WSe ₂ solid lubricant coating. <i>Surface and Coatings Technology</i> , 2013 , 232, 541-548	4.4	49
165	Self-adaptive low friction coatings based on transition metal dichalcogenides. <i>Thin Solid Films</i> , 2011 , 519, 4037-4044	2.2	49

164	Nanoscale triboactivity: The response of MoSe ₂ coatings to sliding. <i>Acta Materialia</i> , 2008 , 56, 5101-5111	8.4	47
163	Tribological characteristics of CrCN coatings at elevated temperature. <i>Vacuum</i> , 2005 , 80, 113-116	3.7	45
162	Microstructure and mechanical properties of physical vapor deposited Cu/W nanoscale multilayers: Influence of layer thickness and temperature. <i>Thin Solid Films</i> , 2014 , 571, 275-282	2.2	43
161	Comparative study of the tribological behavior of self-lubricating WS ₂ and MoSe ₂ sputtered coatings. <i>Wear</i> , 2009 , 266, 388-392	3.5	43
160	The effect of increasing V content on the structure, mechanical properties and oxidation resistance of TiSi ₃ N ₄ films deposited by DC reactive magnetron sputtering. <i>Applied Surface Science</i> , 2014 , 289, 114-123	6.7	42
159	Combined size and texture-dependent deformation and strengthening mechanisms in Zr/Nb nano-multilayers. <i>Acta Materialia</i> , 2017 , 124, 247-260	8.4	42
158	Structural and tribological characterization of tungsten nitride coatings at elevated temperature. <i>Wear</i> , 2008 , 265, 319-326	3.5	42
157	Bubbles formation in helium ion irradiated Cu/W multilayer nanocomposites: Effects on structure and mechanical properties. <i>Journal of Nuclear Materials</i> , 2016 , 473, 18-27	3.3	42
156	Structure, mechanical properties and tribology of W ₂ N and W ₃ N coatings. <i>International Journal of Refractory Metals and Hard Materials</i> , 2010 , 28, 15-22	4.1	41
155	Structure, mechanical and tribological properties of self-lubricant WS ₂ coatings. <i>Surface and Coatings Technology</i> , 2015 , 261, 7-14	4.4	40
154	Indentation and scratch testing of DLC-Zr coatings on ultrafine-grained titanium processed by high-pressure torsion. <i>Wear</i> , 2013 , 306, 304-310	3.5	40
153	Influence of Cr additions on the structure and oxidation resistance of multilayered TiAlCrN films. <i>Surface and Coatings Technology</i> , 2017 , 313, 158-167	4.4	38
152	Optimum high temperature strength of two-dimensional nanocomposites. <i>APL Materials</i> , 2013 , 1, 052103	3.7	38
151	Tailoring Nanoscale Friction in MX ₂ Transition Metal Dichalcogenides. <i>Inorganic Chemistry</i> , 2015 , 54, 5739-44	5.1	36
150	First-principles comparative study on the interlayer adhesion and shear strength of transition-metal dichalcogenides and graphene. <i>Physical Review B</i> , 2015 , 92,	3.3	35
149	Microstructural evolution of helium-irradiated 6H-SiC subjected to different irradiation conditions and annealing temperatures: A multiple characterization study. <i>Acta Materialia</i> , 2019 , 181, 160-172	8.4	34
148	Friction of Self-Lubricating W-S-C Sputtered Coatings Sliding Under Increasing Load. <i>Plasma Processes and Polymers</i> , 2007 , 4, S541-S546	3.4	34
147	Study on the crack resistance of CrBN composite coatings via nano-indentation and scratch tests. <i>Journal of Alloys and Compounds</i> , 2017 , 708, 1103-1109	5.7	33

146	The structural evolution of light-ion implanted 6H-SiC single crystal: Comparison of the effect of helium and hydrogen. <i>Acta Materialia</i> , 2020 , 188, 609-622	8.4	33
145	A comparison of empirical potentials for sliding simulations of MoS ₂ . <i>Computational Materials Science</i> , 2016 , 115, 158-169	3.2	33
144	Structure and tribology of biocompatible TiC:H coatings. <i>Surface and Coatings Technology</i> , 2008 , 202, 5790-5793	4.4	33
143	Structure, mechanical and tribological properties of Mo-S-N solid lubricant coatings. <i>Applied Surface Science</i> , 2019 , 486, 1-14	6.7	32
142	Self-Lubricating WS ₂ Nanocomposite Coatings. <i>Plasma Processes and Polymers</i> , 2009 , 6, 417-424	3.4	32
141	The tribological behavior of WS ₂ films in pin-on-disk testing at elevated temperature. <i>Vacuum</i> , 2007 , 81, 1439-1442	3.7	31
140	Length-scale-dependent mechanical behaviour of Zr/Nb multilayers as a function of individual layer thickness. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 632, 137-146	5.3	30
139	Mechanical and tribological properties of sputtered MoBeC coatings. <i>Wear</i> , 2009 , 266, 393-397	3.5	30
138	Tribological and cutting performance of TiAlCrN films with different Cr contents deposited with multilayered structure. <i>Tribology International</i> , 2018 , 119, 345-353	4.9	30
137	Frictional behavior of self-adaptive nanostructural MoBeC coatings in different sliding conditions. <i>Wear</i> , 2013 , 303, 286-296	3.5	29
136	Influence of Zr alloying on the mechanical properties, thermal stability and oxidation resistance of CrAlN coatings. <i>Applied Surface Science</i> , 2014 , 317, 269-277	6.7	27
135	Sliding properties of Zr-DLC coatings: The effect of tribolayer formation. <i>Surface and Coatings Technology</i> , 2014 , 258, 734-745	4.4	27
134	Fluence scan: an unexplored property of a laser beam. <i>Optics Express</i> , 2013 , 21, 26363-75	3.3	27
133	Synthesis and structural properties of MoBeC sputtered coatings. <i>Surface and Coatings Technology</i> , 2008 , 202, 2418-2422	4.4	26
132	DLC-W coatings tested in combustion engine [Frictional and wear analysis. <i>Surface and Coatings Technology</i> , 2014 , 260, 284-289	4.4	25
131	2H- δ T Phase Engineering of Layered Tantalum Disulfides in Electrocatalysis: Oxygen Reduction Reaction. <i>Chemistry - A European Journal</i> , 2017 , 23, 8082-8091	4.8	24
130	On the lubricity of transition metal dichalcogenides: an ab initio study. <i>Nanoscale</i> , 2017 , 9, 5597-5607	7.7	24
129	Tribological behaviour of nanostructured Ti-C:H coatings for biomedical applications. <i>Solid State Sciences</i> , 2009 , 11, 1757-1761	3.4	24

128	Tungsten oxide with different oxygen contents: Sliding properties. <i>Vacuum</i> , 2007 , 81, 1426-1429	3.7	24
127	Broadband Optical Absorption Caused by the Plasmonic Response of Coalesced Au Nanoparticles Embedded in a TiO ₂ Matrix. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 16931-16945	3.8	24
126	Thin films composed of Ag nanoclusters dispersed in TiO ₂ : Influence of composition and thermal annealing on the microstructure and physical responses. <i>Applied Surface Science</i> , 2015 , 358, 595-604	6.7	23
125	High temperature behavior of nanolayered CrAlTiN coating: Thermal stability, oxidation, and tribological properties. <i>Surface and Coatings Technology</i> , 2014 , 257, 70-77	4.4	23
124	Structural and mechanical properties of nanocrystalline Zr co-sputtered a-C(:H) amorphous films. <i>Applied Surface Science</i> , 2015 , 325, 64-72	6.7	22
123	Effect of rough surface patterning on the tribology of W ₂ C/Cr self-lubricant coatings. <i>Tribology International</i> , 2014 , 69, 77-83	4.9	22
122	Effects of carbon content on the high temperature friction and wear of chromium carbonitride coatings. <i>Tribology International</i> , 2010 , 43, 1228-1233	4.9	22
121	Tribological analysis of thin films by pin-on-disc: Evaluation of friction and wear measurement uncertainty. <i>Tribology International</i> , 2014 , 74, 154-163	4.9	21
120	a-C(:H) and a-C(:H)-Zr coatings deposited on biomedical Ti-based substrates: Tribological properties. <i>Thin Solid Films</i> , 2013 , 538, 89-96	2.2	21
119	Tribological Performance of CrAlSiN Coatings at High Temperatures. <i>Plasma Processes and Polymers</i> , 2009 , 6, S935-S940	3.4	21
118	Ultra-low friction and edge-pinning effect in large-lattice-mismatch van der Waals heterostructures. <i>Nature Materials</i> , 2021 ,	27	21
117	Mechanisms of friction and wear reduction by h-BN nanosheet and spherical W nanoparticle additives to base oil: Experimental study and molecular dynamics simulation. <i>Tribology International</i> , 2020 , 151, 106493	4.9	20
116	Structural Ordering of Molybdenum Disulfide Studied via Reactive Molecular Dynamics Simulations. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 8937-8946	9.5	20
115	Examination of the tribolayer formation of a self-lubricant W ₂ C sputtered coating. <i>Tribology International</i> , 2012 , 47, 188-193	4.9	20
114	Thin films composed of gold nanoparticles dispersed in a dielectric matrix: The influence of the host matrix on the optical and mechanical responses. <i>Thin Solid Films</i> , 2015 , 596, 8-17	2.2	20
113	Structural and mechanical properties of irradiated Zr/Nb multilayer nanocomposites. <i>Materials Letters</i> , 2016 , 163, 138-141	3.3	20
112	Effect of annealing temperature on microstructure, mechanical and tribological properties of nano-SiC reinforced Ni-P coatings. <i>Wear</i> , 2016 , 356-357, 86-93	3.5	20
111	Friction Force Microscopy Analysis of Self-Adaptive W-S-C Coatings: Nanoscale Friction and Wear. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 21056-64	9.5	19

110	Selective oxidation-induced strengthening of Zr/Nb nanoscale multilayers. <i>Acta Materialia</i> , 2017 , 122, 1-10	8.4	19
109	Mechanical properties and microstructural stability of CuTa/Cu composite coatings. <i>Surface and Coatings Technology</i> , 2019 , 364, 22-31	4.4	18
108	Biological behaviour of thin films consisting of Au nanoparticles dispersed in a TiO ₂ dielectric matrix. <i>Vacuum</i> , 2015 , 122, 360-368	3.7	18
107	Tribological properties of self-lubricating TiSiVN coatings at room temperature. <i>Surface and Coatings Technology</i> , 2015 , 267, 8-14	4.4	18
106	Atomic-scale design of friction and energy dissipation. <i>Physical Review B</i> , 2019 , 99,	3.3	17
105	Characterization of W ₂ C coatings deposited by magnetron sputtering with reactive gas pulsing. <i>Surface and Coatings Technology</i> , 2007 , 201, 5481-5486	4.4	17
104	PVD-grown antibacterial Ag-TiN films on piezoelectric PVDF substrates for sensor applications. <i>Surface and Coatings Technology</i> , 2015 , 281, 117-124	4.4	16
103	Development of new Ti-Nb-Zr biocompatible coating with low Young's modulus and high toughness for medical applications. <i>Materials and Design</i> , 2018 , 142, 44-55	8.1	16
102	Evolution of structural, mechanical and tribological properties of NiB/MWCNT coatings as a function of annealing temperature. <i>Surface and Coatings Technology</i> , 2016 , 302, 195-201	4.4	16
101	Adsorption of bovine serum albumin on Zr co-sputtered a-C(:H) films: Implication on wear behaviour. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014 , 39, 316-27	4.1	16
100	High temperature properties of the CrNbAlN coatings with increasing Al contents. <i>Surface and Coatings Technology</i> , 2013 , 228, 187-194	4.4	16
99	Thermal stability of reactive sputtered tungsten oxide coatings. <i>Surface and Coatings Technology</i> , 2007 , 201, 7076-7082	4.4	16
98	Nanoscale frictional properties of ordered and disordered MoS ₂ . <i>Tribology International</i> , 2019 , 136, 67-74	4.9	15
97	Tribological behavior of uncoated and DLC-coated CoCr and Ti-alloys in contact with UHMWPE and PEEK counterbodies. <i>Tribology International</i> , 2015 , 89, 97-104	4.9	15
96	Evolution of the functional properties of titanium-silver thin films for biomedical applications: Influence of in-vacuum annealing. <i>Surface and Coatings Technology</i> , 2015 , 261, 262-271	4.4	15
95	Effects of Cu on the microstructural and mechanical properties of sputter deposited Ni-Ti thin films. <i>Surface and Coatings Technology</i> , 2013 , 237, 261-268	4.4	15
94	Synthesis and properties of WSe ₂ coatings deposited by PVD in reactive and non-reactive processes. <i>Vacuum</i> , 2009 , 83, 1262-1265	3.7	15
93	Tribological behaviour of C-allyed transition metal dichalcogenides (TMD) coatings in different environments. <i>International Journal of Mechanics and Materials in Design</i> , 2008 , 4, 137-143	2.5	15

92	Oxidation and diffusion processes during annealing of TiSi(V)N films. <i>Surface and Coatings Technology</i> , 2015 , 275, 120-126	4.4	14
91	Competing mechanisms on the strength of ion-irradiated Zr/Nb nanoscale multilayers: Interface strength versus radiation hardening. <i>Scripta Materialia</i> , 2018 , 152, 31-35	5.6	14
90	Effect of the substrate dilution on the room and high temperature tribological behaviour of Ni-based coatings deposited by PTA on grey cast iron. <i>Surface and Coatings Technology</i> , 2015 , 281, 11-19	4.4	14
89	Can W ₂ Se ₃ C Coatings Be Competitive to W ₂ S ₃ C Ones?. <i>Plasma Processes and Polymers</i> , 2009 , 6, S92-S95	3.4	14
88	Vacancy-interface-helium interaction in Zr-Nb multi-layer system: A first-principles study. <i>Journal of Nuclear Materials</i> , 2019 , 518, 11-20	3.3	13
87	Layering effects on low frequency modes in n-layered MX ₂ transition metal dichalcogenides. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 4807-13	3.6	13
86	Electro-vibrational coupling effects on intrinsic friction in transition metal dichalcogenides. <i>RSC Advances</i> , 2015 , 5, 106809-106818	3.7	13
85	Influence of Al content on the mechanical properties and thermal stability in protective and oxidation atmospheres of ZrCrAlN coatings. <i>Surface and Coatings Technology</i> , 2013 , 236, 239-245	4.4	13
84	Effect of layer thickness on the mechanical behaviour of oxidation-strengthened Zr/Nb nanoscale multilayers. <i>Journal of Materials Science</i> , 2018 , 53, 5860-5878	4.3	13
83	Superlubricity achieved for commensurate sliding: MoS ₂ frictional anisotropy in silico. <i>Computational Materials Science</i> , 2019 , 163, 17-23	3.2	12
82	Comparative Study of DC and RF Sputtered MoSe ₂ Coatings Containing Carbon: An Approach to Optimize Stoichiometry, Microstructure, Crystallinity and Hardness. <i>Coatings</i> , 2020 , 10, 133	2.9	12
81	Tribological behaviour a-C and a-C:H films doped with Ti in biological solutions. <i>Vacuum</i> , 2011 , 85, 1144-1148	3.7	12
80	Fracture toughness and sliding properties of magnetron sputtered CrBC and CrBCN coatings. <i>Applied Surface Science</i> , 2018 , 443, 635-643	6.7	11
79	Overcoming nanoscale friction barriers in transition metal dichalcogenides. <i>Physical Review B</i> , 2017 , 96,	3.3	11
78	Structure and tribological properties of AlCrTiN coatings at elevated temperature. <i>Surface and Coatings Technology</i> , 2011 , 205, S107-S110	4.4	11
77	A High-Resolution TEM/EELS Study of the Effect of Doping Elements on the Sliding Mechanisms of Sputtered WS ₂ Coatings. <i>Tribology Transactions</i> , 2015 , 58, 113-118	1.8	10
76	Synthesis, microstructure and mechanical properties of WS ₂ self-lubricant thin films deposited by magnetron sputtering. <i>Tribology International</i> , 2020 , 150, 106363	4.9	10
75	Synthesis and structural properties of Mo-S-N sputtered coatings. <i>Applied Surface Science</i> , 2020 , 527, 146790	6.7	10

74	Repetitive nano-impact tests as a new tool to measure fracture toughness in brittle materials. <i>Journal of the European Ceramic Society</i> , 2016 , 36, 3235-3243	6	10
73	Frictional properties of self-adaptive chromium doped tungsten sulfur carbon coatings at nanoscale. <i>Applied Surface Science</i> , 2014 , 303, 381-387	6.7	10
72	Microstructural investigation on the grain refinement occurring in Cu-doped NiTi thin films. <i>Scripta Materialia</i> , 2014 , 77, 52-55	5.6	10
71	Carbon-based coatings doped by copper: Tribological and mechanical behavior in olive oil lubrication. <i>Surface and Coatings Technology</i> , 2011 , 205, S79-S83	4.4	10
70	Properties of nanocomposite film combining hard TiN matrix with embedded fullerene-like WS ₂ nanoclusters. <i>Thin Solid Films</i> , 2011 , 519, 3191-3195	2.2	10
69	Optical and Electrical Properties of W-O-N Coatings Deposited by DC Reactive Sputtering. <i>Plasma Processes and Polymers</i> , 2007 , 4, S69-S75	3.4	10
68	Modelling of Magnetron Sputtering of Tungsten Oxide with Reactive Gas Pulsing. <i>Plasma Processes and Polymers</i> , 2007 , 4, S522-S526	3.4	10
67	Protective double-layer coatings prepared by plasma enhanced chemical vapor deposition on tool steel. <i>Surface and Coatings Technology</i> , 2015 , 272, 229-238	4.4	9
66	Parylene C topographic micropattern as a template for patterning PDMS and Polyacrylamide hydrogel. <i>Scientific Reports</i> , 2017 , 7, 5764	4.9	9
65	In situ structural evolution of arc-deposited Cr-based coatings. <i>Surface and Coatings Technology</i> , 2008 , 202, 5550-5555	4.4	9
64	The role of NiTi(Cu) interlayers on the mechanical properties and nano-scratch behaviour of solid lubricant WS ₂ coatings. <i>Surface and Coatings Technology</i> , 2014 , 254, 260-269	4.4	8
63	Vibrational contributions to intrinsic friction in charged transition metal dichalcogenides. <i>Nanoscale</i> , 2017 , 9, 11488-11497	7.7	8
62	TEM Characterization of W-O-N Coatings. <i>Microscopy and Microanalysis</i> , 2008 , 14, 27-30	0.5	8
61	A 2D finite element approach for predicting the machining performance of nanolayered TiAlCrN coating on WC-Co cutting tool during dry turning of AISI 1045 steel. <i>Ceramics International</i> , 2020 , 46, 25073-25088	5.1	8
60	Interphase boundary layer-dominated strain mechanisms in Cu+ implanted Zr-Nb nanoscale multilayers. <i>Acta Materialia</i> , 2021 , 202, 317-330	8.4	8
59	Thermodynamic aspects of nanoscale friction. <i>Physical Review B</i> , 2019 , 100,	3.3	7
58	Controllable Tunneling Triboelectrification of Two-Dimensional Chemical Vapor Deposited MoS ₂ . <i>Scientific Reports</i> , 2019 , 9, 334	4.9	7
57	In situ TEM observations on the structural evolution of a nanocrystalline W-Ti alloy at elevated temperatures. <i>Journal of Alloys and Compounds</i> , 2018 , 749, 1000-1008	5.7	7

56	The wettability and tribological behaviour of thin F-doped WS ₂ films deposited by magnetron sputtering. <i>Surface and Coatings Technology</i> , 2019 , 378, 125033	4.4	7
55	Control of energy dissipation in sliding low-dimensional materials. <i>Physical Review B</i> , 2020 , 102,	3.3	7
54	Effect of the addition of Si into V ₂ O ₅ coatings: Structure and tribo-mechanical properties. <i>Surface and Coatings Technology</i> , 2018 , 349, 111-118	4.4	7
53	The influence of nitrogen and oxygen additions on the thermal characteristics of aluminium-based thin films. <i>Materials Chemistry and Physics</i> , 2015 , 163, 569-580	4.4	6
52	Mechanical and tribological characterization of CN _x films deposited by d.c. magnetron sputtering. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2007 , 4, 4267-4274		6
51	Exploring the Stability of Twisted van der Waals Heterostructures. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 45214-45221	9.5	6
50	Ni ₃ Ti(Cu) shape memory alloy interlayers supporting low friction functional coatings. <i>Tribology International</i> , 2015 , 88, 135-142	4.9	5
49	Room and High Temperature Tribological Performance of Multilayered TiSiN/TiN and TiSiN/TiN(Ag) Coatings Deposited by Sputtering. <i>Coatings</i> , 2020 , 10, 1191	2.9	5
48	The fabrication of high strength Zr/Nb nanocomposites using high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 790, 139693	5.3	5
47	Tribological behaviour of W-alloyed carbon-based coatings in dry and lubricated sliding contact. <i>Lubrication Science</i> , 2014 , 26, 428-439	1.3	5
46	Study of the Cathode Potential in a Sputtering Discharge by Pulsing the Reactive Gas: Case of a W Target in an Ar-O ₂ Atmosphere. <i>Plasma Processes and Polymers</i> , 2007 , 4, 62-68	3.4	5
45	Structure, mechanical and tribological properties of MoSe ₂ and Mo-Se-N solid lubricant coatings. <i>Surface and Coatings Technology</i> , 2021 , 405, 126536	4.4	5
44	Nanomechanical characterization of alumina coatings grown on FeCrAl alloy by thermal oxidation. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016 , 57, 310-20	4.1	4
43	Stress-induced martensitic transformation in Ni ₃ Ti(Cu) interlayers controlling stress distribution in functional coatings during sliding. <i>Applied Surface Science</i> , 2015 , 325, 192-202	6.7	4
42	TEM investigation of MoSeC films. <i>Microscopy and Microanalysis</i> , 2008 , 14, 7-10	0.5	4
41	Nanotribological Investigation of Sliding Properties of Transition Metal Dichalcogenide Thin Film Coatings. <i>ACS Applied Materials & Interfaces</i> , 2020 ,	9.5	4
40	Factors controlling segregation tendency of solute Ti, Ag and Ta into different symmetrical tilt grain boundaries of tungsten: First-principles and experimental study. <i>Acta Materialia</i> , 2021 , 211, 116868	8.4	4
39	Blister formation in He-H co-implanted InP: A comprehensive atomistic study. <i>Applied Surface Science</i> , 2021 , 552, 149426	6.7	4

38	The role of orthorhombic phase content on the tenacity and fracture toughness behavior of Ti-22Nb-10Zr coating used in the design of long-term medical implants. <i>Applied Surface Science</i> , 2019 , 464, 328-336	6.7	4
37	Microstructural evolution of nanometric Ti(NiCu) ₂ precipitates in annealed NiTiCu thin films. <i>Vacuum</i> , 2015 , 117, 1-3	3.7	3
36	Elucidating the role of TiCl ₄ post-treatment on percolation of TiO ₂ electron transport layer in perovskite solar cells. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 385501	3	3
35	Potential Application of a TiO ₂ :H Coating in Implants. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 2741-2745	3.8	3
34	Insight into high temperature performance of magnetron sputtered Si-Ta-C-(N) coatings with an ion-implanted interlayer. <i>Applied Surface Science</i> , 2021 , 541, 148526	6.7	3
33	Tribological behaviour of Mo-S-N solid lubricant coatings in vacuum, nitrogen gas and elevated temperatures. <i>Surface and Coatings Technology</i> , 2021 , 405, 126722	4.4	3
32	Fine control of lattice thermal conductivity in low-dimensional materials. <i>Physical Review B</i> , 2021 , 103,	3.3	3
31	An insight on the MoS ₂ tribo-film formation to determine the friction performance of Mo-S-N sputtered coatings. <i>Surface and Coatings Technology</i> , 2021 , 408, 126791	4.4	3
30	Titanium doped MoSe ₂ coatings [Synthesis, structure, mechanical and tribological properties investigation. <i>Applied Surface Science</i> , 2021 , 568, 150990	6.7	3
29	Triboelectrification of Two-Dimensional Chemical Vapor Deposited WS at Nanoscale. <i>Scientific Reports</i> , 2019 , 9, 12570	4.9	2
28	Ab initio description of nanodiamonds: A DFT and TDDFT benchmark. <i>Diamond and Related Materials</i> , 2020 , 108, 107959	3.5	2
27	Tribological properties of the two-step thermally deposited chromium films. <i>Applied Surface Science</i> , 2013 , 283, 1089-1095	6.7	2
26	Formation of Solid Lubricants during High Temperature Tribology of Silver-Doped Molybdenum Nitride Coatings Deposited by dcMS and HIPIMS. <i>Coatings</i> , 2021 , 11, 1415	2.9	2
25	Fabrication of nanocrystalline supersaturated WAl alloys with enhanced thermal stability and high sinterability. <i>Journal of Physics and Chemistry of Solids</i> , 2021 , 148, 109686	3.9	2
24	Phase behaviour of (Ti:Mo) S ₂ binary alloys arising from electron-lattice coupling. <i>Computational Materials Science</i> , 2021 , 186, 110044	3.2	2
23	Phototribology: Control of Friction by Light. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 43746-43754	5.4	2
22	Helium migration in Zr-Nb multilayers under electric field. <i>Journal of Nuclear Materials</i> , 2021 , 555, 153133	3.3	2
21	Interface-Driven Strain in Heavy Ion-Irradiated Zr/Nb Nanoscale Metallic Multilayers: Validation of Distortion Modeling via Local Strain Mapping.. <i>ACS Applied Materials & Interfaces</i> , 2022 ,	9.5	2

20	Volume and pressure of helium bubbles inside liquid Pb16Li. A molecular dynamics study. <i>Nuclear Fusion</i> , 2020 , 60, 046018	3.3	1
19	Deformation-Controlled Design of Metallic Nanocomposites. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 46296-46302	9.5	1
18	Nanoscale colour control: W-O graded coatings deposited by magnetron sputtering. <i>Nanotechnology</i> , 2008 , 19, 395202	3.4	1
17	A simple model for the deposition of W-O coatings by reactive gas pulsing process. <i>EPJ Applied Physics</i> , 2008 , 43, 321-325	1.1	1
16	Effect of electric fields in low-dimensional materials: Nanofrictional response as a case study. <i>Physical Review B</i> , 2020 , 102,	3.3	1
15	Deformation Behavior of Nanocrystalline Body-Centered Cubic Iron with Segregated, Foreign Interstitial: A Molecular Dynamics Study. <i>Materials</i> , 2020 , 13,	3.5	1
14	Stochastic thermodynamics of nanoscale friction. <i>Physical Review E</i> , 2021 , 103, 052104	2.4	1
13	Effect of Noninteracting Intercalants on Layer Exfoliation in Transition-Metal Dichalcogenides. <i>Physical Review Applied</i> , 2021 , 15,	4.3	1
12	Exploring Nanoscale Lubrication Mechanisms of Multilayer MoS During Sliding: The Effect of Humidity. <i>Frontiers in Chemistry</i> , 2021 , 9, 684441	5	1
11	Friction-Induced Chemical and Structural Modifications of Molybdenum Disulphide Thin Films. <i>Journal of Materials Engineering and Performance</i> , 2021 , 30, 4117-4125	1.6	1
10	Fracture toughness determination by repetitive nano-impact testing in Cu/W nanomultilayers with length-scale-dependent films properties. <i>Procedia Structural Integrity</i> , 2016 , 2, 1391-1404	1	1
9	Nanotribology of transition metal dichalcogenide flakes deposited by chemical vapour deposition: The influence of chemical composition and sliding speed on nanoscale friction of monolayers. <i>Applied Surface Science</i> , 2021 , 556, 149762	6.7	1
8	Tribological properties of Mo-S-C coating deposited by pulsed d.c. magnetron sputtering. <i>Wear</i> , 2021 , 480-481, 203939	3.5	1
7	Revisiting the electronic nature of nanodiamonds. <i>Diamond and Related Materials</i> , 2021 , 120, 108627	3.5	1
6	A new protocol for the identification of singlet fission sensitizers through computational screening. <i>Journal of Computational Chemistry</i> , 2021 , 42, 2241-2249	3.5	1
5	Analysis of hypervelocity impacts: the tungsten case. <i>Nuclear Fusion</i> , 2022 , 62, 026034	3.3	0
4	Failure of Solid Lubricant W-S-C Coatings under Boundary Lubrication Conditions. <i>Journal of Materials Engineering and Performance</i> , 2021 , 30, 3990-3999	1.6	0
3	Tribological properties of V2O5 studied via reactive molecular dynamics simulations. <i>Tribology International</i> , 2021 , 154, 106750	4.9	0

- 2 Effect of substrate bias voltage on the mechanical properties and deformation mechanisms in the nanostructured Ti-22Nb-10Zr coating. *Surface and Coatings Technology*, **2021**, 405, 126674 4.4 ○
- 1 Multi-scale model predicting friction of crystalline materials. *Advanced Materials Interfaces*, **2022**, 9, 2100914 ○