

Fengchun Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2808439/publications.pdf>

Version: 2024-02-01

48
papers

1,378
citations

394421

19
h-index

345221

36
g-index

48
all docs

48
docs citations

48
times ranked

2011
citing authors

#	ARTICLE	IF	CITATIONS
1	Tailoring the Electrocatalytic Properties of sp^2 -Hybridized Carbon Nanomaterials with Molecule Doping. <i>ChemCatChem</i> , 2022, 14, .	3.7	2
2	Front Cover Image. <i>Informa-Materials</i> , 2022, 4, .	17.3	0
3	Carboxylated carbon nanotubes with high electrocatalytic activity for oxygen evolution in acidic conditions. <i>Informa-Materials</i> , 2022, 4, .	17.3	21
4	Carboxyl functionalized double-walled carbon nanotubes for oxygen evolution reaction. <i>Electrochimica Acta</i> , 2022, 419, 140395.	5.2	6
5	Orientated carbon nanotubes boosting faster charge transfer for bifunctional HER and OER. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 1904-1912.	7.1	12
6	Acid-etched Fe/Fe_2O_3 nanoparticles encapsulated into carbon cloth as a novel voltammetric sensor for the simultaneous detection of Cd^{2+} and Pb^{2+} . <i>Analyst, The</i> , 2021, 146, 691-697.	3.5	6
7	A poly(3,4-ethylenedioxythiophene)/carbon nanotube hybrid film for electrocatalytic determination of tertiary butylhydroquinone. <i>Analyst, The</i> , 2021, 146, 6846-6851.	3.5	3
8	Disposable carbon electrodes modified by a bismuth selenide/carboxylic multiwalled carbon nanotubes composite for the effective electrocatalytic analysis of nitrite. <i>Sensors and Actuators B: Chemical</i> , 2021, 332, 129454.	7.8	12
9	$Co^{II}/Mo^{VI}/S$ Nanoflowers Wrapped Oxidized Multi-Walled Carbon Nanotubes as Efficient Electrocatalysts for Oxygen Evolution Reaction. <i>ChemCatChem</i> , 2021, 13, 3270-3274.	3.7	6
10	Non-Parallel Photo-Assisted Electrocatalysis Mechanism of SnS_2/NiO Heterojunction for Efficient Electrocatalytic Oxygen Evolution Reaction. <i>ChemElectroChem</i> , 2021, 8, 2087-2093.	3.4	13
11	The fabrication of a flexible electrode with trace Rh based on polypyrrole for the hydrogen evolution reaction. <i>Chemical Communications</i> , 2021, 57, 7370-7373.	4.1	7
12	The electropositive environment of Rh in $Rh_1Sn_2/SWNTs$ for boosting trifunctional electrocatalysis. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 32050-32058.	7.1	5
13	An effective strategy for developing the $CoMoS$ nanosheets wrapped by oxidized multi-walled carbon nanotubes as an electrosensor of oryzalin. <i>Journal of Electroanalytical Chemistry</i> , 2020, 878, 114710.	3.8	0
14	Portable electrochemical carbon cloth analysis device for differential pulse anodic stripping voltammetry determination of Pb^{2+} . <i>Mikrochimica Acta</i> , 2020, 187, 613.	5.0	8
15	Electronic Asymmetric Distribution of $RhCu$ Bimetallic Nanocrystals for Enhancing Trifunctional Electrocatalysis. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 10299-10306.	8.0	23
16	Modulation in Ruthenium-Cobalt Electronic Structure for Highly Efficient Overall Water Splitting. <i>ACS Applied Energy Materials</i> , 2020, 3, 1869-1874.	5.1	25
17	Integrated textile sensor patch for real-time and multiplex sweat analysis. <i>Science Advances</i> , 2019, 5, eaax0649.	10.3	345
18	Modification of electron structure on the semiconducting single-walled carbon nanotubes for effectively electro-sensing guanine and adenine. <i>Analytica Chimica Acta</i> , 2019, 1079, 86-93.	5.4	14

#	ARTICLE	IF	CITATIONS
19	A simple strategy for carboxylated MWNTs as a metal-free electrosensor for anchoring the RhB C ₆₀ group. <i>Analytical Methods</i> , 2019, 11, 2868-2874.	2.7	4
20	Highly Efficient Utilization of Precious Metals for Hydrogen Evolution Reaction with Photo-Assisted Electro-Deposited Urchin-Like Te Nanostructure as a Template. <i>ChemCatChem</i> , 2019, 11, 2283-2287.	3.7	4
21	Large scale fabrication of disposable carbon cloth electrochemical sensors for simultaneous determination of heavy metal ion. <i>Journal of Electroanalytical Chemistry</i> , 2019, 840, 328-337.	3.8	23
22	Ag Nanostructures on Poly(3-hexylthiophene) and Semiconducting Single-Walled Carbon Nanotube Substrates for SERS Detection of Rhodamine B and Electrochemical Detection of Hydrogen Peroxide. <i>ACS Applied Nano Materials</i> , 2019, 2, 7728-7736.	5.0	3
23	Uniform growth of Fe ₃ O ₄ nanocubes on the single-walled carbon nanotubes as an electrosensor of organic dyes and the study on its catalytic mechanism. <i>Journal of Electroanalytical Chemistry</i> , 2019, 833, 70-78.	3.8	17
24	Single-Walled Carbon Nanotubes Wrapped CoFe ₂ O ₄ Nanorods with Enriched Oxygen Vacancies for Efficient Overall Water Splitting. <i>ACS Applied Energy Materials</i> , 2019, 2, 1026-1032.	5.1	47
25	Morphology-Controlled Synthesis of Molybdenum Disulfide Wrapped Single-Walled Carbon Nanotubes for the Hydrogen Evolution Reaction. <i>ChemCatChem</i> , 2018, 10, 1128-1133.	3.7	15
26	Exposure of active edge structure for electrochemical H ₂ evolution from VS ₂ /MWCNTs hybrid catalysts. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 22949-22954.	7.1	34
27	Novel Strategy for the Investigation on Chirality Selection of Single-Walled Carbon Nanotubes with DNA by Electrochemical Characterization. <i>Analytical Chemistry</i> , 2018, 90, 12810-12814.	6.5	22
28	Porous Microspherical N and P-doped NiFe ₂ O ₄ /Single-Walled Carbon Nanotubes for Efficient Electrochemical Oxygen Evolution Reaction. <i>ChemCatChem</i> , 2018, 10, 5174-5181.	3.7	24
29	Single-Walled Carbon Nanotube Induced Optimized Electron Polarization of Rhodium Nanocrystals To Develop an Interface Catalyst for Highly Efficient Electrocatalysis. <i>ACS Catalysis</i> , 2018, 8, 8092-8099.	11.2	82
30	Highly sensitive detection of Cr(VI) in groundwater by bimetallic NiFe nanoparticles. <i>Analytical Methods</i> , 2017, 9, 1031-1037.	2.7	8
31	A versatile sensor for determination of seven species based on NiFe nanoparticles. <i>Journal of Electroanalytical Chemistry</i> , 2017, 797, 61-68.	3.8	18
32	Mesoporous carbon black as a metal-free electrocatalyst for highly effective determination of chromium(VI). <i>Journal of Electroanalytical Chemistry</i> , 2017, 803, 58-64.	3.8	11
33	Facile exfoliation of molybdenum disulfide nanosheets as highly efficient electrocatalyst for detection of m-nitrophenol. <i>Journal of Electroanalytical Chemistry</i> , 2017, 801, 300-305.	3.8	11
34	A high performance sensor based on bimetallic NiCu nanoparticles for the simultaneous determination of five species of biomolecules. <i>Sensors and Actuators B: Chemical</i> , 2017, 241, 949-956.	7.8	35
35	Lignocellulosic biomass for ethanol production and preparation of activated carbon applied for supercapacitor. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2016, 64, 166-172.	5.3	33
36	Effective separation of single-walled carbon nanotubes and their very different electrochemical behaviours. <i>Chemical Communications</i> , 2016, 52, 9287-9290.	4.1	11

#	ARTICLE	IF	CITATIONS
37	A highly sensitive sensor for simultaneous determination of ascorbic acid, dopamine and uric acid based on ultra-small Ni nanoparticles. <i>Journal of Electroanalytical Chemistry</i> , 2016, 775, 205-211.	3.8	54
38	Determination of glutathione based on NiPd nanoparticles mediated with acetaminophen. <i>Analytical Methods</i> , 2016, 8, 3000-3005.	2.7	15
39	Simultaneous determination of ascorbic acid, uric acid, tryptophan and adenine using carbon-supported NiCoO ₂ nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2015, 210, 232-240.	7.8	48
40	A highly sensitive ascorbic acid sensor based on carbon-supported CoPd nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2014, 205, 20-25.	7.8	38
41	Electrochemical sensor based on carbon-supported NiCoO ₂ nanoparticles for selective detection of ascorbic acid. <i>Biosensors and Bioelectronics</i> , 2014, 55, 446-451.	10.1	80
42	Facile synthesis of Pd-based bimetallic nanocrystals and their application as catalysts for methanol oxidation reaction. <i>Nanoscale</i> , 2013, 5, 6124.	5.6	60
43	An electrochemical biosensor for ascorbic acid based on carbon-supported PdNi nanoparticles. <i>Biosensors and Bioelectronics</i> , 2013, 44, 183-190.	10.1	102
44	Synthesis and characterization of degradable polyimides from p-phenylenedioxybis(5-amino-2-pyridine). <i>Polymer Degradation and Stability</i> , 2013, 98, 839-843.	5.8	8
45	Cu ₂ O-coated polystyrene microsphere materials with enhanced photo- and photoelectro-catalytic activity. <i>Journal of Solid State Electrochemistry</i> , 2013, 17, 1429-1434.	2.5	4
46	Facile and Effective Post-Production Separation of Single-Walled Carbon Nanotubes with Paired Aromatic Molecules: A Molecular Tweezers Approach. <i>Journal of Physical Chemistry C</i> , 2012, 116, 6800-6804.	3.1	11
47	Noncovalent Interactions of Derivatized Pyrenes with Metallic and Semiconducting Single-Walled Carbon Nanotubes. <i>Journal of Physical Chemistry C</i> , 2011, 115, 11010-11015.	3.1	16
48	Characterizations and thermal stability of soluble polyimide derived from novel unsymmetrical diamine monomers. <i>Polymer Degradation and Stability</i> , 2010, 95, 1950-1958.	5.8	32