

# Bellinda Benhamu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2808623/publications.pdf>

Version: 2024-02-01

53  
papers

1,718  
citations

236612

25  
h-index

288905

40  
g-index

56  
all docs

56  
docs citations

56  
times ranked

1939  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Discovery of V-0219: A Small-Molecule Positive Allosteric Modulator of the Glucagon-Like Peptide-1 Receptor toward Oral Treatment for $\alpha$ -Diabetes. Journal of Medicinal Chemistry, 2022, 65, 5449-5461. | 2.9 | 5         |
| 2  | Allosteric modulators targeting GPCRs. , 2020, , 195-241.  |     | 1         |
| 3  | A new serotonin 5-HT <sub>6</sub> receptor antagonist with procognitive activity – Importance of a halogen bond interaction to stabilize the binding. Scientific Reports, 2017, 7, 41293.                      | 1.6 | 36        |
| 4  | A Positive Allosteric Modulator of the Serotonin 5-HT <sub>2C</sub> Receptor for Obesity. Journal of Medicinal Chemistry, 2017, 60, 9575-9584.   | 2.9 | 33        |
| 5  | Multi-level suppression of receptor-PI3K-mTORC1 by fatty acid synthase inhibitors is crucial for their efficacy against ovarian cancer cells. Oncotarget, 2017, 8, 11600-11613.                                | 0.8 | 43        |
| 6  | Chemoproteomic Approach to Explore the Target Profile of GPCR ligands: Application to 5-HT <sub>1A</sub> and 5-HT <sub>6</sub> Receptors. Chemistry - A European Journal, 2016, 22, 1313-1321.                 | 1.7 | 15        |
| 7  | Fatty acid synthase is a metabolic marker of cell proliferation rather than malignancy in ovarian cancer and its precursor cells. International Journal of Cancer, 2015, 136, 2078-2090.                       | 2.3 | 60        |
| 8  | The Extracellular Entrance Provides Selectivity to Serotonin 5-HT <sub>7</sub> Receptor Antagonists with Antidepressant-like Behavior in Vivo. Journal of Medicinal Chemistry, 2014, 57, 6879-6884.            | 2.9 | 15        |
| 9  | Serotonin 5-HT <sub>6</sub> Receptor Antagonists for the Treatment of Cognitive Deficiency in Alzheimer's Disease. Journal of Medicinal Chemistry, 2014, 57, 7160-7181.  | 2.9 | 142       |
| 10 | New Serotonin 5-HT <sub>1A</sub> Receptor Agonists Endowed with Antinociceptive Activity <i>in Vivo</i> . Journal of Medicinal Chemistry, 2013, 56, 7851-7861.   | 2.9 | 27        |
| 11 | New Synthetic Inhibitors of Fatty Acid Synthase with Anticancer Activity. Journal of Medicinal Chemistry, 2012, 55, 5013-5023.   | 2.9 | 57        |
| 12 | The importance of solvation in the design of ligands targeting membrane proteins. MedChemComm, 2011, 2, 160.   | 3.5 | 11        |
| 13 | Development of Non-Peptide Ligands of Growth Factor Receptor-Bound Protein 2-Src Homology 2 Domain Using Molecular Modeling and NMR Spectroscopy. Journal of Medicinal Chemistry, 2011, 54, 1096-1100.         | 2.9 | 6         |
| 14 | New Serotonin 5-HT <sub>1A</sub> Receptor Agonists with Neuroprotective Effect against Ischemic Cell Damage. Journal of Medicinal Chemistry, 2011, 54, 7986-7999.  | 2.9 | 36        |
| 15 | A novel inhibitor of fatty acid synthase shows activity against HER2+ breast cancer xenografts and is active in anti-HER2 drug-resistant cell lines. Breast Cancer Research, 2011, 13, R131.                   | 2.2 | 75        |
| 16 | Benzimidazole Derivatives as New Serotonin 5-HT <sub>6</sub> Receptor Antagonists. Molecular Mechanisms of Receptor Inactivation. Journal of Medicinal Chemistry, 2010, 53, 1357-1369.                         | 2.9 | 61        |
| 17 | Development of Fluorescent Ligands for the Human 5-HT <sub>1A</sub> Receptor. ACS Medicinal Chemistry Letters, 2010, 1, 249-253.   | 1.3 | 25        |
| 18 | Development of Molecular Probes for the Human 5-HT <sub>6</sub> Receptor. Journal of Medicinal Chemistry, 2010, 53, 7095-7106.   | 2.9 | 14        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Novel Inhibitors of Fatty Acid Synthase with Anticancer Activity. <i>Clinical Cancer Research</i> , 2009, 15, 7608-7615.  | 3.2 | 85        |
| 20 | Synthesis of New Serotonin 5-HT <sub>7</sub> Receptor Ligands. Determinants of 5-HT <sub>7</sub> /5-HT <sub>1A</sub> Receptor Selectivity. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 2384-2392.   | 2.9 | 48        |
| 21 | Anxiolytic-like effect of a serotonergic ligand with high affinity for 5-HT <sub>1A</sub> , 5-HT <sub>2A</sub> and 5-HT <sub>3</sub> receptors. <i>European Journal of Pharmacology</i> , 2005, 511, 9-19.  | 1.7 | 20        |
| 22 | Synthesis and Structure-Activity Relationships of a New Model of Arylpiperazines. 8.1 Computational Simulation of Ligand-Receptor Interaction of 5-HT <sub>1A</sub> Agonists with Selectivity over $\beta$ -1-Adrenoceptors. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 2548-2558. | 2.9 | 59        |
| 23 | A Three-Dimensional Pharmacophore Model for 5-Hydroxytryptamine <sub>6</sub> (5-HT <sub>6</sub> ) Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 4216-4219.  | 2.9 | 91        |
| 24 | Serotonin 5-HT <sub>7</sub> Receptor Antagonists. <i>Current Medicinal Chemistry - Central Nervous System Agents</i> , 2004, 4, 203-214.  | 0.6 | 7         |
| 25 | Design and Synthesis of New Benzimidazole-Arylpiperazine Derivatives Acting as Mixed 5-HT <sub>1A</sub> /5-HT <sub>3</sub> Ligands. <i>ChemInform</i> , 2004, 35, no.   | 0.1 | 1         |
| 26 | Synthesis and structure-activity relationships of a new model of arylpiperazines. Part 7: Study of the influence of lipophilic factors at the terminal amide fragment on 5-HT <sub>1A</sub> affinity/selectivity. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 1551-1557.        | 1.4 | 22        |
| 27 | Benzimidazole derivatives. Part 5: Design and synthesis of new benzimidazole-arylpiperazine derivatives acting as mixed 5-HT <sub>1A</sub> /5-HT <sub>3</sub> ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 5181-5191.   | 1.4 | 11        |
| 28 | Benzimidazole derivatives. 4. The recognition of the voluminous substituent attached to the basic amino group of 5-HT <sub>4</sub> receptor antagonists. <i>Journal of Computer-Aided Molecular Design</i> , 2003, 17, 515-524.   | 1.3 | 5         |
| 29 | New benzimidazole derivatives: selective and orally active 5-HT <sub>3</sub> receptor antagonists. <i>European Journal of Pharmacology</i> , 2003, 462, 99-107.   | 1.7 | 6         |
| 30 | Design and synthesis of S-( $\alpha$ )-2-[[4-(naph-1-yl)piperazin-1-yl]methyl]-1,4-dioxoperhydropyrrolo[1,2-a]pyrazine (CSP-2503) using computational simulation. A 5-HT <sub>1A</sub> receptor agonist. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 1429-1432.         | 1.0 | 16        |
| 31 | Design and synthesis of new benzimidazole-arylpiperazine derivatives acting as mixed 5-HT <sub>1A</sub> /5-HT <sub>3</sub> ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 3177-3180.  | 1.0 | 13        |
| 32 | Optimization of the Pharmacophore Model for 5-HT <sub>7R</sub> Antagonism. Design and Synthesis of New Naphtholactam and Naphthosultam Derivatives. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 5638-5650.  | 2.9 | 73        |
| 33 | Design, Synthesis and Pharmacological Evaluation of 5-Hydroxytryptamine <sub>1A</sub> Receptor Ligands to Explore the Three-Dimensional Structure of the Receptor. <i>Molecular Pharmacology</i> , 2002, 62, 15-21.   | 1.0 | 49        |
| 34 | Benzimidazole Derivatives. 3. 3D-QSAR/CoMFA Model and Computational Simulation for the Recognition of 5-HT <sub>4</sub> Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 4806-4815.  | 2.9 | 35        |
| 35 | Biochemical, Electrophysiological and Neurohormonal Studies with B-20991, a Selective 5-HT <sub>1A</sub> Receptor Agonist. <i>Pharmacology</i> , 2001, 62, 234-242.   | 0.9 | 4         |
| 36 | 3-D-QSAR/CoMFA and recognition models of benzimidazole derivatives at the 5-HT <sub>4</sub> receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 2807-2811.  | 1.0 | 18        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Computational model of the complex between GR113808 and the 5-HT <sub>4</sub> receptor guided by site-directed mutagenesis and the crystal structure of rhodopsin. <i>Journal of Computer-Aided Molecular Design</i> , 2001, 15, 1025-1033.  | 1.3 | 20        |
| 38 | Study of the bioactive conformation of novel 5-HT <sub>4</sub> receptor ligands: influence of an intramolecular hydrogen bond. <i>Tetrahedron</i> , 2001, 57, 6745-6749.   | 1.0 | 10        |
| 39 | Pd(0) Amination of Benzimidazoles as an Efficient Method towards New (Benzimidazolyl)piperazines with High Affinity for the 5-HT <sub>1A</sub> Receptor. <i>Tetrahedron</i> , 2000, 56, 3245-3253.   | 1.0 | 25        |
| 40 | Synthesis of Thiabicyclic Heterocycles Through Free Radical Cyclization of $\beta$ -Thioacrylates. <i>Tetrahedron</i> , 2000, 56, 3425-3437.   | 1.0 | 18        |
| 41 | First pharmacophoric hypothesis for 5-HT <sub>7</sub> antagonism. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2000, 10, 1097-1100.   | 1.0 | 52        |
| 42 | Synthesis of new (benzimidazolyl)piperazines with affinity for the 5-HT <sub>1A</sub> receptor via Pd(0) amination of bromobenzimidazoles. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999, 9, 2339-2342.   | 1.0 | 14        |
| 43 | Benzimidazole derivatives. Part 1: Synthesis and structure-activity relationships of new benzimidazole-4-carboxamides and carboxylates as potent and selective 5-HT <sub>4</sub> receptor antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 1999, 7, 2271-2281.   | 1.4 | 36        |
| 44 | Benzimidazole Derivatives. 2. Synthesis and Structure-Activity Relationships of New Azabicyclic Benzimidazole-4-carboxylic Acid Derivatives with Affinity for Serotonergic 5-HT <sub>3</sub> Receptors. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 5020-5028.   | 2.9 | 43        |
| 45 | Synthesis and Structure-Activity Relationships of a New Model of Arylpiperazines. 2.1 Three-Dimensional Quantitative Structure-Activity Relationships of Hydantoin-Phenylpiperazine Derivatives with Affinity for 5-HT <sub>1A</sub> and $\pm 1$ Receptors. A Comparison of CoMFA Models. <i>Journal of Medicinal Chemistry</i> , 1997, 40, 1648-1656. | 2.9 | 72        |
| 46 | Comparative receptor mapping of serotonergic 5-HT <sub>3</sub> and 5-HT <sub>4</sub> binding sites. <i>Journal of Computer-Aided Molecular Design</i> , 1997, 11, 589-599.   | 1.3 | 32        |
| 47 | Synthesis and Structure-Activity Relationships of a New Model of Arylpiperazines. 1. 2-[[4-(o-Methoxyphenyl)piperazin-1-yl]methyl]-1,3-dioxoperhydroimidazo[1,5-a]pyridine: A Selective 5-HT <sub>1A</sub> Receptor Agonist. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 4439-4450.  | 2.9 | 66        |
| 48 | Enthalpic (electrostatic) contribution to the chelate effect: a correlation between ligand binding constant and a specific hydrogen bond strength in complexes of glycopeptide antibiotics with cell wall analogues. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1996, , 2781.  | 0.9 | 30        |
| 49 | 2-[4-(o-methoxyphenyl)piperazin-1-ylmethyl]-1,3-dioxoperhydroimidazo[1,5-a]pyridine as a new selective 5-HT <sub>1A</sub> receptor ligand. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996, 6, 689-694.   | 1.0 | 11        |
| 50 | Novel benzimidazole-4-carboxylic acid derivatives as potent and selective 5-HT <sub>3</sub> receptor ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996, 6, 1195-1198.  | 1.0 | 11        |
| 51 | Burial of Hydrocarbon Causes Cooperative Enhancement of Electrostatic Binding. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 1483-1485.  | 4.4 | 29        |
| 52 | Stereospecificity in the Reaction of Tetrahydro- $\beta$ -carboline-3-carboxylic Acids with Isocyanates and Isothiocyanates. Kinetic vs Thermodynamic Control. <i>Journal of Organic Chemistry</i> , 1994, 59, 1583-1585.  | 1.7 | 21        |
| 53 | Reaction of 6-Hydroxytetrahydro- $\beta$ -carboline-3-carboxylic Acids with Isocyanates and Isothiocyanates. <i>Chemical and Pharmaceutical Bulletin</i> , 1994, 42, 2108-2112.  | 0.6 | 3         |